

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Preparation Date	Preparation Time	Sample-Analysis Date	Analysis Time	Sample Medium	Method Source	Method Code	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released	
DRWW	Suburban Labs	10-1	GWA-02	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		09/23/2015	10:05:00 AM	09/23/2015	1:45:00 PM			09/25/2015	10:43:13 AM	Water	APHA	4500-CL-(E)	Chloride	Total	77.80	mg/L	S	20.00	20.00			10/01/2015	
DRWW	Suburban Labs	10-1	GWA-02	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		09/23/2015	10:23:00 AM	09/23/2015	1:45:00 PM			09/25/2015	10:45:19 AM	Water	APHA	4500-CL-(E)	Chloride	Total	77.00	mg/L		20.00	20.00			10/01/2015	
DRWW	Suburban Labs	10-1	GWA-02	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		09/23/2015	10:05:00 AM	09/23/2015	1:45:00 PM			09/23/2015	4:05:00 PM	Water	USEPA	E COLI MPN	E. Coli	Total	214.00	MPN/100mL		1.00	1.00			10/01/2015	
DRWW	Suburban Labs	10-1	GWA-02	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		09/23/2015	10:23:00 AM	09/23/2015	1:45:00 PM			09/23/2015	4:05:00 PM	Water	USEPA	E COLI MPN	E. Coli	Total	236.00	MPN/100mL		1.00	1.00			10/01/2015	
DRWW	Suburban Labs	10-1	GWA-02	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		09/23/2015	10:05:00 AM	09/23/2015	1:45:00 PM		09/28/2015	4:52:02 PM	09/30/2015	6:40:00 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.29	mg/L		0.02	0.02			10/01/2015
DRWW	Suburban Labs	10-1	GWA-02	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		09/23/2015	10:05:00 AM	09/23/2015	1:45:00 PM			09/24/2015	4:32:12 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.71	mg/L		0.05	0.10			10/01/2015	
DRWW	Suburban Labs	10-1	GWA-02	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		09/23/2015	10:05:00 AM	09/23/2015	1:45:00 PM			09/24/2015	4:20:00 PM	Water	Lab	2130-B	Turbidity	Total	48.20	NTU		0.10	0.20			10/01/2015	
DRWW	Suburban Labs	10-1	GWA-02	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		10/20/2015	9:19:00 AM	10/20/2015	2:35:00 PM			10/23/2015	11:22:26 AM	Water	APHA	4500-CL-(E)	Chloride	Total	147.00	mg/L		20.00	20.00			10/27/2015	
DRWW	Suburban Labs	10-1	GWA-02	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		10/20/2015	9:34:00 AM	10/20/2015	2:35:00 PM			10/23/2015	11:22:44 AM	Water	APHA	4500-CL-(E)	Chloride	Total	156.00	mg/L		20.00	20.00			10/27/2015	
DRWW	Suburban Labs	10-1	GWA-02	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		10/20/2015	9:19:00 AM	10/20/2015	2:35:00 PM			10/20/2015	3:50:00 PM	Water	USEPA	E COLI MPN	E. Coli	Total	387.00	MPN/100mL		1.00	1.00			10/27/2015	
DRWW	Suburban Labs	10-1	GWA-02	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		10/20/2015	9:34:00 AM	10/20/2015	2:35:00 PM			10/20/2015	3:50:00 PM	Water	USEPA	E COLI MPN	E. Coli	Total	1050.00	MPN/100mL		1.00	1.00			10/27/2015	
DRWW	Suburban Labs	10-1	GWA-02	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		10/20/2015	9:19:00 AM	10/20/2015	2:35:00 PM			10/22/2015	7:22:00 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.46	mg/L		0.02	0.02			10/27/2015	
DRWW	Suburban Labs	10-1	GWA-02	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		10/20/2015	9:19:00 AM	10/20/2015	2:35:00 PM		10/21/2015	4:39:24 PM	10/22/2015	3:32:44 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	3.34	mg/L		0.25	0.50			10/27/2015
DRWW	Suburban Labs	10-1	GWA-02	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		10/20/2015	9:19:00 AM	10/20/2015	2:35:00 PM			10/20/2015	5:45:00 PM	Water	Lab	2130-B	Turbidity	Total	20.70	NTU		0.10	0.20			10/27/2015	
DRWW	Suburban Labs	10-1	GWA-02	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		11/30/2015	9:00:00 AM	11/30/2015	2:05:00 PM			12/02/2015	10:39:22 AM	Water	APHA	4500-CL-(E)	Chloride	Total	67.00	mg/L		20.00	20.00			12/09/2015	
DRWW	Suburban Labs	10-1	GWA-02	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		11/30/2015	9:18:00 AM	11/30/2015	2:05:00 PM			12/02/2015	10:39:40 AM	Water	APHA	4500-CL-(E)	Chloride	Total	65.50	mg/L		20.00	20.00			12/09/2015	
DRWW	Suburban Labs	10-1	GWA-02	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		11/30/2015	9:00:00 AM	11/30/2015	2:05:00 PM			11/30/2015	4:06:00 PM	Water	USEPA	E COLI MPN	E. Coli	Total	613.00	MPN/100mL		1.00	1.00			12/09/2015	
DRWW	Suburban Labs	10-1	GWA-02	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		11/30/2015	9:18:00 AM	11/30/2015	2:05:00 PM			11/30/2015	4:06:00 PM	Water	USEPA	E COLI MPN	E. Coli	Total	1050.00	MPN/100mL		1.00	1.00			12/09/2015	
DRWW	Suburban Labs	10-1	GWA-02	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		11/30/2015	9:00:00 AM	11/30/2015	2:05:00 PM		12/01/2015	11:39:59 AM	12/02/2015	11:29:00 AM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.20	mg/L		0.02	0.02			12/09/2015
DRWW	Suburban Labs	10-1	GWA-02	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		11/30/2015	9:00:00 AM	11/30/2015	2:05:00 PM			12/01/2015	6:05:00 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	2.07	mg/L		0.10	0.20			12/09/2015	
DRWW	Suburban Labs	10-1	GWA-02	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		11/30/2015	9:00:00 AM	11/30/2015	2:05:00 PM			11/30/2015	4:30:00 PM	Water	Lab	2130-B	Turbidity	Total	35.40	NTU		0.10	0.20			12/09/2015	
DRWW	Suburban Labs	10-2	GWA-03	GWA-03	0.5	ft	North Mill Creek			Non-IEPA		09/23/2015	10:23:00 AM	09/23/2015	1:45:00 PM		09/28/2015	4:52:02 PM	09/30/2015	6:44:00 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.27	mg/L		0.02	0.02			10/01/2015
DRWW	Suburban Labs	10-2	GWA-03	GWA-03	0.5	ft	North Mill Creek			Non-IEPA		09/23/2015	10:23:00 AM	09/23/2015	1:45:00 PM			09/24/2015	4:33:24 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.66	mg/L		0.05	0.10			10/01/2015	
DRWW	Suburban Labs	10-2	GWA-03	GWA-03	0.5	ft	North Mill Creek			Non-IEPA		09/23/2015	10:23:00 AM	09/23/2015	1:45:00 PM			09/24/2015	4:20:00 PM	Water	Lab	2130-B	Turbidity	Total	44.40	NTU		0.10	0.20			10/01/2015	
DRWW	Suburban Labs	10-2	GWA-03	GWA-03	0.5	ft	North Mill Creek			Non-IEPA		10/20/2015	9:34:00 AM	10/20/2015	2:35:00 PM		10/21/2015	4:39:24 PM	10/22/2015	7:26:00 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.68	mg/L		0.02	0.02			10/27/2015
DRWW	Suburban Labs	10-2	GWA-03	GWA-03	0.5	ft	North Mill Creek			Non-IEPA		10/20/2015	9:34:00 AM	10/20/2015	2:35:00 PM			10/22/2015	3:31:32 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	4.54	mg/L		0.25	0.50			10/27/2015	
DRWW	Suburban Labs	10-2	GWA-03	GWA-03	0.5	ft	North Mill Creek			Non-IEPA		10/20/2015	9:34:00 AM	10/20/2015	2:35:00 PM			10/20/2015	5:45:00 PM	Water	Lab	2130-B	Turbidity	Total	79.70	NTU		0.10	0.20			10/27/2015	
DRWW	Suburban Labs	10-2	GWA-03	GWA-03	0.5	ft	North Mill Creek			Non-IEPA		11/30/2015	9:18:00 AM	11/30/2015	2:05:00 PM		12/01/2015	11:39:59 AM	12/02/2015	11:32:00 AM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.19	mg/L		0.02	0.02			12/09/2015
DRWW	Suburban Labs	10-2	GWA-03	GWA-03	0.5	ft	North Mill Creek			Non-IEPA		11/30/2015	9:18:00 AM	11/30/2015	2:05:00 PM			12/01/2015	6:06:12 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	2.13	mg/L		0.10	0.20			12/09/2015	
DRWW	Suburban Labs	10-2	GWA-03	GWA-03	0.5	ft	North Mill Creek			Non-IEPA		11/30/2015	9:18:00 AM	11/30/2015	2:05:00 PM			11/30/2015	4:30:00 PM	Water	Lab	2130-B	Turbidity	Total	31.60	NTU		0.10	0.20			12/09/2015	
DRWW	Suburban Labs	10-3	GWA-01	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		09/23/2015	10:41:00 AM	09/23/2015	1:45:00 PM			09/25/2015	10:45:38 AM	Water	APHA	4500-CL-(E)	Chloride	Total	52.20	mg/L		20.00	20.00			10/06/2015	
DRWW	Suburban Labs	10-3	GWA-01	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		09/23/2015	10:41:00 AM	09/23/2015	1:45:00 PM			09/23/2015	4:05:00 PM	Water	USEPA	E COLI MPN	E. Coli	Total	248.00	MPN/100mL		1.00	1.00			10/06/2015	
DRWW	Suburban Labs	10-3	GWA-01	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		09/23/2015	10:41:00 AM	09/23/2015	1:45:00 PM			09/30/2015	3:03:37 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30			10/06/2015	
DRWW	Suburban Labs	10-3	GWA-01	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		09/23/2015	10:41:00 AM	09/23/2015	1:45:00 PM		09/29/2015	2:04:52 PM	10/01/2015	1:55:00 PM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	1.54	mg/L	J	0.50	2.00			10/06/2015
DRWW	Suburban Labs	10-3	GWA-01	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		09/23/2015	10:41:00 AM	09/23/2015	1:45:00 PM			09/24/2015	4:30:00 PM	Water	USEPA	365.2	Orthophosphate (As P)	Total	0.07	mg/L		0.03	0.05			10/06/2015	
DRWW	Suburban Labs	10-3	GWA-01	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		09/23/2015	10:41:00 AM	09/23/2015	1:45:00 PM		09/28/2015	4:52:02 PM	09/30/2015	6:49:00 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.13	mg/L		0.02	0.02			10/06/2015
DRWW	Suburban Labs	10-3	GWA-01	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		09/23/2015	10:41:00 AM	09/23/2015	1:45:00 PM			09/24/2015	4:34:36 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.32	mg/L		0.05	0.10			10/06/2015	
DRWW	Suburban																																

Submittin g Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample- Depth Units	Waterbody Name	Public Water Supply Intake	Monitori ng Unit	Surface-Water Monitoring Program	Field- Blank ID	Sample- Collection Date	Sample- Collection Time	Sample- Receipt Date	Sample- Receipt Time	Preparatio n Date	Preparation Time	Sample- Analysis Date	Analysis Time	Sample Medium	Method Source	Method Code	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released		
DRWW	Suburban Labs		10-5	GWAA-L-A1 or GWAA-99	0.5	ft	North Mill Creek			Non-IEPA		11/30/2015	10:00 AM	11/30/2015	2:05:00 PM			11/30/2015	4:06:00 PM	Water	USEPA	E. COLI MPN	E. Coli	Total	34.50	MPN/100mL		1.00				12/09/2015		
DRWW	Suburban Labs		10-5	GWAA-L-A1 or GWAA-99	0.5	ft	North Mill Creek			Non-IEPA		11/30/2015	10:00 AM	11/30/2015	2:05:00 PM			12/02/2015	11:57:00 AM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.08	mg/L		0.02				12/09/2015		
DRWW	Suburban Labs		10-5	GWAA-L-A1 or GWAA-99	0.5	ft	North Mill Creek			Non-IEPA		11/30/2015	10:00 AM	11/30/2015	2:05:00 PM			12/01/2015	5:44:35 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.17	mg/L		0.05				12/09/2015		
DRWW	Suburban Labs		10-5	GWAA-L-A1 or GWAA-99	0.5	ft	North Mill Creek			Non-IEPA		11/30/2015	10:00 AM	11/30/2015	2:05:00 PM			11/30/2015	4:30:00 PM	Water	Lab	2130-B	Turbidity	Total	3.58	NTU		0.10				12/09/2015		
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		09/24/2015	12:06:00 PM	09/24/2015	3:45:00 PM			09/25/2015	10:49:32 AM	Water	ALPHA	4500-CL-(E)	Chloride	Total	141.00	mg/L		20.00				10/13/2015		
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		09/24/2015	12:06:00 PM	09/24/2015	3:45:00 PM			09/24/2015	5:03:00 PM	Water	USEPA	E. COLI MPN	E. Coli	Total	411.00	MPN/100mL		1.00				10/13/2015		
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		09/24/2015	12:06:00 PM	09/24/2015	3:45:00 PM			09/24/2015	5:00:00 PM	Water	USEPA	DISSOLVED	Filtered and Preserved	Total	complete			0.00					10/13/2015	
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		09/24/2015	12:06:00 PM	09/24/2015	3:45:00 PM			09/30/2015	3:28:25 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10				10/13/2015		
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		09/24/2015	12:06:00 PM	09/24/2015	3:45:00 PM		09/30/2015	2:57:18 PM	09/30/2015	3:36:59 PM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	1.27	mg/L	J	0.50				10/13/2015	
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		09/24/2015	12:06:00 PM	09/24/2015	3:45:00 PM			09/25/2015	5:00:00 PM	Water	USEPA	365.2	Orthophosphate (As P)	Total	0.06	mg/L		0.03				10/13/2015		
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		09/24/2015	12:06:00 PM	09/24/2015	3:45:00 PM		09/28/2015	4:52:02 PM	09/30/2015	7:11:00 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.15	mg/L		0.02				10/13/2015	
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		09/24/2015	12:06:00 PM	09/24/2015	3:45:00 PM			10/02/2015	1:31:47 PM	Water	USEPA	375.2	Sulfate	Total	52.20	mg/L		4.00				10/13/2015		
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		09/24/2015	12:06:00 PM	09/24/2015	3:45:00 PM			10/01/2015	11:10:13 AM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.49	mg/L		0.05				10/13/2015		
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		09/24/2015	12:06:00 PM	09/24/2015	3:45:00 PM			10/07/2015	4:40:00 PM	Water	ALPHA	5310-C	Total Organic Carbon	Total	9.70	mg/L	G	1.00					10/13/2015	
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		09/24/2015	12:06:00 PM	09/24/2015	3:45:00 PM			09/29/2015	1:35:00 PM	Water	USEPA	2540-D	Total Suspended Solids	Total	42.20	mg/L		0.20					10/13/2015	
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		09/24/2015	12:06:00 PM	09/24/2015	3:45:00 PM			09/24/2015	4:20:00 PM	Water	Lab	2130-B	Turbidity	Total	38.10	NTU		0.10					10/13/2015	
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		09/24/2015	12:06:00 PM	09/24/2015	3:45:00 PM			09/29/2015	1:35:00 PM	Water	USEPA	2540-D	Volatile Suspended Solids	Total	7.00	mg/L		0.20					10/13/2015	
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		10/20/2015	10:45:00 AM	10/20/2015	2:35:00 PM		10/21/2015	1:43:20 PM	10/28/2015	2:25:00 AM	Water	USEPA	8270D	Surr: 2-Fluorobiphenyl	Total	3.22	%Rec		0.10					11/06/2015
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		10/20/2015	10:45:00 AM	10/20/2015	2:35:00 PM		10/21/2015	1:43:20 PM	10/23/2015	8:30:00 PM	Water	USEPA	8260B	Surr: 4-Bromofluorobenzene	Total	46.30	%Rec		0.00					11/06/2015
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		10/20/2015	10:45:00 AM	10/20/2015	2:35:00 PM		10/21/2015	1:43:20 PM	10/28/2015	2:25:00 AM	Water	USEPA	8270D	Surr: 4-Terphenyl-d14	Total	3.31	%Rec		0.10					11/06/2015
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		10/20/2015	10:45:00 AM	10/20/2015	2:35:00 PM		10/21/2015	1:43:20 PM	10/23/2015	8:30:00 PM	Water	USEPA	8260B	Surr: Dibromofluoromethane	Total	42.50	%Rec		0.00					11/06/2015
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		10/20/2015	10:45:00 AM	10/20/2015	2:35:00 PM		10/21/2015	1:43:20 PM	10/28/2015	2:25:00 AM	Water	USEPA	8270D	Surr: Nitrobenzene-d5	Total	3.67	%Rec		0.10					11/06/2015
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		10/20/2015	10:45:00 AM	10/20/2015	2:35:00 PM		10/22/2015	10:09:41 AM	10/24/2015	1:34:00 AM	Water	USEPA	8081	Surr: Tetrachloro-m-xylene	Total	0.29	%Rec		0.00					11/06/2015
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		10/20/2015	10:45:00 AM	10/20/2015	2:35:00 PM		10/22/2015	10:09:35 AM	10/24/2015	1:34:00 AM	Water	USEPA	8081	Surr: Tetrachloro-m-xylene	Total	0.28	%Rec		0.00					11/06/2015
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		10/20/2015	10:45:00 AM	10/20/2015	2:35:00 PM			10/23/2015	8:30:00 PM	Water	USEPA	8260B	Surr: Toluene-d8	Total	49.50	%Rec		0.00					11/06/2015	
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		10/20/2015	10:45:00 AM	10/20/2015	2:35:00 PM			10/23/2015	8:30:00 PM	Water	USEPA	8260B	1,1,1-Trichloroethane	Total	ND	ug/L		1.00					11/06/2015	
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		10/20/2015	10:45:00 AM	10/20/2015	2:35:00 PM			10/23/2015	8:30:00 PM	Water	USEPA	8260B	1,1,2,2-Tetrachloroethane	Total	ND	ug/L		1.00					11/06/2015	
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		10/20/2015	10:45:00 AM	10/20/2015	2:35:00 PM			10/23/2015	8:30:00 PM	Water	USEPA	8260B	1,1,2-Trichloroethane	Total	ND	ug/L		1.00					11/06/2015	
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		10/20/2015	10:45:00 AM	10/20/2015	2:35:00 PM			10/23/2015	8:30:00 PM	Water	USEPA	8260B	1,1-Dichloroethane	Total	ND	ug/L		1.00					11/06/2015	
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		10/20/2015	10:45:00 AM	10/20/2015	2:35:00 PM			10/23/2015	8:30:00 PM	Water	USEPA	8260B	1,1-Dichloroethane	Total	ND	ug/L		1.00					11/06/2015	
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		10/20/2015	10:45:00 AM	10/20/2015	2:35:00 PM			10/23/2015	8:30:00 PM	Water	USEPA	8260B	1,2-Dichlorobenzene	Total	ND	ug/L		1.00					11/06/2015	
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		10/20/2015	10:45:00 AM	10/20/2015	2:35:00 PM			10/23/2015	8:30:00 PM	Water	USEPA	8260B	1,2-Dichlorobenzene	Total	ND	ug/L		1.00					11/06/2015	
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		10/20/2015	10:45:00 AM	10/20/2015	2:35:00 PM			10/23/2015	8:30:00 PM	Water	USEPA	8260B	1,2-Dichlorobenzene	Total	ND	ug/L		1.00					11/06/2015	
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		10/20/2015	10:45:00 AM	10/20/2015	2:35:00 PM			10/23/2015	8:30:00 PM	Water	USEPA	8260B	1,2-Dichlorobenzene	Total	ND	ug/L		1.00					11/06/2015	
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		10/20/2015	10:45:00 AM	10/20/2015	2:35:00 PM			10/23/2015	8:30:00 PM	Water	USEPA	8270D	1,3-Dichlorobenzene	Total	ND	ug/L		1.00					11/06/2015	
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		10/20/2015	10:45:00 AM	10/20/2015	2:35:00 PM			10/23/2015	8:30:00 PM	Water	USEPA	8270D	1,4-Dichlorobenzene	Total	ND	ug/L		1.00					11/06/2015	
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		10/20/2015	10:45:00 AM	10/20/2015	2:35:00 PM			10/23/2015	8:30:00 PM	Water	USEPA	8260B	2-Butanone	Total	ND	ug/L		10.00					11/06/2015	
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		10/20/2015	10:45:00 AM	10/20/2015	2:35:00 PM			10/23/2015	8:30:00 PM	Water														

Submittin g Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample- Depth Units	Waterbody Name	Public Water Supply Intake	Monitori ng Unit	Surface-Water Monitoring Program	Field- Blank ID	Sample- Collection Date	Sample- Collection Time	Sample- Receipt Date	Sample- Receipt Time	Preparatio n Date	Preparation Time	Sample- Analysis Date	Analysis Time	Sample Medium	Method Source	Method Code	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs	11-1	GW-02	GW-02	0.5	ft	Mill Creek			Non-IEPA		10/20/2015	10:45:00 AM	10/20/2015	2:35:00 PM	10/21/2015	1:43:20 PM	10/22/2015	2:25:00 AM	Water	USEPA	8270D	Naphthalene	Total	ND	µg/L		0.10	0.10		11/06/2015	
DRWW	Suburban Labs	11-1	GW-02	GW-02	0.5	ft	Mill Creek			Non-IEPA		10/20/2015	10:45:00 AM	10/20/2015	2:35:00 PM	10/21/2015	4:33:58 PM	10/22/2015	5:12:00 PM	Water	USEPA	200.8	Nickel	Total	0.00	mg/L		0.00	0.00		11/06/2015	
DRWW	Suburban Labs	11-1	GW-02	GW-02	0.5	ft	Mill Creek			Non-IEPA		10/20/2015	10:45:00 AM	10/20/2015	2:35:00 PM			10/23/2015	4:16:00 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30		11/06/2015	
DRWW	Suburban Labs	11-1	GW-02	GW-02	0.5	ft	Mill Creek			Non-IEPA		10/20/2015	10:45:00 AM	10/20/2015	2:35:00 PM	10/26/2015	11:51:36 AM	10/27/2015	10:33:05 AM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	1.24	mg/L	J	0.50	2.00		11/06/2015	
DRWW	Suburban Labs	11-1	GW-02	GW-02	0.5	ft	Mill Creek			Non-IEPA		10/20/2015	10:45:00 AM	10/20/2015	2:35:00 PM	10/21/2015	10/21/2015	10/21/2015	5:30:00 PM	Water	USEPA	365.2	Orthophosphate (As P)	Total	ND	mg/L		0.03	0.05		11/06/2015	
DRWW	Suburban Labs	11-1	GW-02	GW-02	0.5	ft	Mill Creek			Non-IEPA		10/20/2015	10:45:00 AM	10/20/2015	2:35:00 PM	10/21/2015	1:43:20 PM	10/23/2015	8:30:00 PM	Water	USEPA	8260B	p-Xylene	Total	ND	µg/L		1.00	1.00		11/06/2015	
DRWW	Suburban Labs	11-1	GW-02	GW-02	0.5	ft	Mill Creek			Non-IEPA		10/20/2015	10:45:00 AM	10/20/2015	2:35:00 PM	10/21/2015	1:43:20 PM	10/28/2015	2:25:00 AM	Water	USEPA	8270D	Phenanthrene	Total	ND	µg/L		0.10	0.10		11/06/2015	
DRWW	Suburban Labs	11-1	GW-02	GW-02	0.5	ft	Mill Creek			Non-IEPA		10/20/2015	10:45:00 AM	10/20/2015	2:35:00 PM	10/21/2015	4:33:58 PM	10/26/2015	7:58:00 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.11	mg/L		0.02	0.02		11/06/2015	
DRWW	Suburban Labs	11-1	GW-02	GW-02	0.5	ft	Mill Creek			Non-IEPA		10/20/2015	10:45:00 AM	10/20/2015	2:35:00 PM	10/21/2015	1:43:20 PM	10/28/2015	2:25:00 AM	Water	USEPA	8270D	Pyrene	Total	ND	µg/L		0.10	0.10		11/06/2015	
DRWW	Suburban Labs	11-1	GW-02	GW-02	0.5	ft	Mill Creek			Non-IEPA		10/20/2015	10:45:00 AM	10/20/2015	2:35:00 PM	11/03/2015	8:39:17 AM	11/05/2015	1:47:05 PM	Water	USEPA	200.7	Sodium	Total	94.30	mg/L		0.10	0.20		11/06/2015	
DRWW	Suburban Labs	11-1	GW-02	GW-02	0.5	ft	Mill Creek			Non-IEPA		10/20/2015	10:45:00 AM	10/20/2015	2:35:00 PM	10/23/2015	10/23/2015	10/23/2015	8:30:00 PM	Water	USEPA	8260B	Styrene	Total	ND	µg/L		1.00	1.00		11/06/2015	
DRWW	Suburban Labs	11-1	GW-02	GW-02	0.5	ft	Mill Creek			Non-IEPA		10/20/2015	10:45:00 AM	10/20/2015	2:35:00 PM	10/29/2015	10/29/2015	10/29/2015	4:53:54 PM	Water	USEPA	375.2	Sulfate	Total	67.80	mg/L		10.00	30.00		11/06/2015	
DRWW	Suburban Labs	11-1	GW-02	GW-02	0.5	ft	Mill Creek			Non-IEPA		10/20/2015	10:45:00 AM	10/20/2015	2:35:00 PM	10/23/2015	10/23/2015	10/23/2015	8:30:00 PM	Water	USEPA	8260B	Tetrachloroethene	Total	ND	µg/L		1.00	1.00		11/06/2015	
DRWW	Suburban Labs	11-1	GW-02	GW-02	0.5	ft	Mill Creek			Non-IEPA		10/20/2015	10:45:00 AM	10/20/2015	2:35:00 PM	10/23/2015	10/23/2015	10/23/2015	8:30:00 PM	Water	USEPA	8260B	Toluene	Total	ND	µg/L		1.00	1.00		11/06/2015	
DRWW	Suburban Labs	11-1	GW-02	GW-02	0.5	ft	Mill Creek			Non-IEPA		10/20/2015	10:45:00 AM	10/20/2015	2:35:00 PM	10/22/2015	10/22/2015	10/22/2015	2:02:48 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	1.91	mg/L		0.05	0.10		11/06/2015	
DRWW	Suburban Labs	11-1	GW-02	GW-02	0.5	ft	Mill Creek			Non-IEPA		10/20/2015	10:45:00 AM	10/20/2015	2:35:00 PM	10/28/2015	10/28/2015	10/28/2015	2:21:00 PM	Water	APHA	5310-C	Total Organic Carbon	Total	9.90	mg/L	G	1.00	1.00		11/06/2015	
DRWW	Suburban Labs	11-1	GW-02	GW-02	0.5	ft	Mill Creek			Non-IEPA		10/20/2015	10:45:00 AM	10/20/2015	2:35:00 PM	10/21/2015	10/21/2015	10/21/2015	2:10:00 PM	Water	USEPA	2540-D	Total Suspended Solids	Total	22.00	mg/L		0.20	5.00		11/06/2015	
DRWW	Suburban Labs	11-1	GW-02	GW-02	0.5	ft	Mill Creek			Non-IEPA		10/20/2015	10:45:00 AM	10/20/2015	2:35:00 PM	10/23/2015	10/23/2015	10/23/2015	8:30:00 PM	Water	USEPA	8260B	Total Xylenes	Total	ND	µg/L		2.00	2.00		11/06/2015	
DRWW	Suburban Labs	11-1	GW-02	GW-02	0.5	ft	Mill Creek			Non-IEPA		10/20/2015	10:45:00 AM	10/20/2015	2:35:00 PM	10/22/2015	10:09:35 AM	10/24/2015	1:34:00 AM	Water	USEPA	8081	Toxaphene	Total	ND	µg/L		0.20	0.20		11/06/2015	
DRWW	Suburban Labs	11-1	GW-02	GW-02	0.5	ft	Mill Creek			Non-IEPA		10/20/2015	10:45:00 AM	10/20/2015	2:35:00 PM	10/23/2015	10/23/2015	10/23/2015	8:30:00 PM	Water	USEPA	8260B	trans-1,2-Dichloroethene	Total	ND	µg/L		1.00	1.00		11/06/2015	
DRWW	Suburban Labs	11-1	GW-02	GW-02	0.5	ft	Mill Creek			Non-IEPA		10/20/2015	10:45:00 AM	10/20/2015	2:35:00 PM	10/23/2015	10/23/2015	10/23/2015	8:30:00 PM	Water	USEPA	8260B	trans-1,3-Dichloropropene	Total	ND	µg/L		1.00	1.00		11/06/2015	
DRWW	Suburban Labs	11-1	GW-02	GW-02	0.5	ft	Mill Creek			Non-IEPA		10/20/2015	10:45:00 AM	10/20/2015	2:35:00 PM	10/23/2015	10/23/2015	10/23/2015	8:30:00 PM	Water	USEPA	8260B	Trichloroethene	Total	ND	µg/L		1.00	1.00		11/06/2015	
DRWW	Suburban Labs	11-1	GW-02	GW-02	0.5	ft	Mill Creek			Non-IEPA		10/20/2015	10:45:00 AM	10/20/2015	2:35:00 PM	10/23/2015	10/23/2015	10/23/2015	8:30:00 PM	Water	USEPA	8260B	Trichlorofluoromethane	Total	ND	µg/L		1.00	1.00		11/06/2015	
DRWW	Suburban Labs	11-1	GW-02	GW-02	0.5	ft	Mill Creek			Non-IEPA		10/20/2015	10:45:00 AM	10/20/2015	2:35:00 PM	10/20/2015	10/20/2015	10/20/2015	5:45:00 PM	Water	Lab	2130-B	Turbidity	Total	20.50	NTU		0.10	0.20		11/06/2015	
DRWW	Suburban Labs	11-1	GW-02	GW-02	0.5	ft	Mill Creek			Non-IEPA		10/20/2015	10:45:00 AM	10/20/2015	2:35:00 PM	10/23/2015	10/23/2015	10/23/2015	8:30:00 PM	Water	USEPA	8260B	Vinyl chloride	Total	ND	µg/L		1.00	1.00		11/06/2015	
DRWW	Suburban Labs	11-1	GW-02	GW-02	0.5	ft	Mill Creek			Non-IEPA		10/20/2015	10:45:00 AM	10/20/2015	2:35:00 PM	10/21/2015	10/21/2015	10/21/2015	2:10:00 PM	Water	USEPA	2540-D	Volatile Suspended Solids	Total	7.60	mg/L		0.20	5.00		11/06/2015	
DRWW	Suburban Labs	11-1	GW-02	GW-02	0.5	ft	Mill Creek			Non-IEPA		10/20/2015	10:45:00 AM	10/20/2015	2:35:00 PM	10/21/2015	4:33:58 PM	10/26/2015	7:58:00 PM	Water	USEPA	200.7	Zinc	Total	0.01	mg/L		0.01	0.01		11/06/2015	
DRWW	Suburban Labs	11-1	GW-02	GW-02	0.5	ft	Mill Creek			Non-IEPA		11/30/2015	10:21:00 AM	11/30/2015	2:05:00 PM	11/30/2015	10:40:34 AM	12/02/2015	10:40:34 AM	Water	APHA	4500-CL-(E)	Chloride	Total	125.00	mg/L		20.00	20.00		12/16/2015	
DRWW	Suburban Labs	11-1	GW-02	GW-02	0.5	ft	Mill Creek			Non-IEPA		11/30/2015	10:21:00 AM	11/30/2015	2:05:00 PM	11/30/2015	11/30/2015	11/30/2015	4:06:00 PM	Water	USEPA	E COLI MPN	E. Coli	Total	461.00	MPN/100mL		1.00	1.00		12/16/2015	
DRWW	Suburban Labs	11-1	GW-02	GW-02	0.5	ft	Mill Creek			Non-IEPA		11/30/2015	10:21:00 AM	11/30/2015	2:05:00 PM	11/30/2015	11/30/2015	11/30/2015	5:00:00 PM	Water	USEPA	DISSOLVED	Filtered and Preserved	Total	complete			0.00	0.00		12/16/2015	
DRWW	Suburban Labs	11-1	GW-02	GW-02	0.5	ft	Mill Creek			Non-IEPA		11/30/2015	10:21:00 AM	11/30/2015	2:05:00 PM	11/30/2015	11/30/2015	12/03/2015	5:05:00 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30		12/16/2015	
DRWW	Suburban Labs	11-1	GW-02	GW-02	0.5	ft	Mill Creek			Non-IEPA		11/30/2015	10:21:00 AM	11/30/2015	2:05:00 PM	12/02/2015	10:08:34 AM	12/07/2015	1:15:55 PM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	1.41	mg/L	J	0.50	2.00		12/16/2015	
DRWW	Suburban Labs	11-1	GW-02	GW-02	0.5	ft	Mill Creek			Non-IEPA		11/30/2015	10:21:00 AM	11/30/2015	2:05:00 PM	12/01/2015	12/01/2015	12/01/2015	4:30:00 PM	Water	USEPA	365.2	Orthophosphate (As P)	Total	0.06	mg/L		0.03	0.05		12/16/2015	
DRWW	Suburban Labs	11-1	GW-02	GW-02	0.5	ft	Mill Creek			Non-IEPA		11/30/2015	10:21:00 AM	11/30/2015	2:05:00 PM	12/01/2015	11:39:59 AM	12/02/2015	11:42:00 AM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.14	mg/L		0.02	0.02		12/16/2015	
DRWW	Suburban Labs	11-1	GW-02	GW-02	0.5	ft	Mill Creek			Non-IEPA		11/30/2015	10:21:00 AM	11/30/2015	2:05:00 PM	12/14/2015	12/14/2015	12/14/2015	12:25:01 PM	Water	USEPA	375.2	Sulfate	Total	46.30	mg/L	S	4.00	12.00		12/16/2015	
DRWW	Suburban Labs	11-1	GW-02	GW-02	0.5	ft	Mill Creek			Non-IEPA		11/30/2015	10:21:00 AM	11/30/2015	2:05:00 PM	12/01/2015	12/01/2015	12/01/2015	5:39:47 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	1.43	mg/L		0.05	0.10		12/16/2015	
DRWW	Suburban Labs	11-1	GW-02	GW-02	0.5	ft	Mill Creek			Non-IEPA		11/30/2015	10:21:00 AM	11/30/2015	2:05:00 PM	12/08/2015	12/08/2015	12/08/2015	3:23:00 PM	Water	APHA	5310-C	Total Organic Carbon	Total	9.00	mg/L	G	1.43	5.00		12/16/2015	
DRWW	Suburban Labs	11-1	GW-02	GW-02	0.5	ft	Mill Creek			Non-IEPA		11/30/2015	10:21:00 AM	11/30/2015	2:05:00 PM	12/03/2015	12/03/2015	12/03/2015	11:30:00 AM	Water	USEPA	2540-D	Total Suspended Solids	Total	24.40	mg/L		5.00	5.00		12/16/2015	
DRWW	Suburban Labs	11-1	GW-02	GW-02	0.5	ft	Mill Creek			Non-IEPA		11/30/2015	10:21:00 AM	11/30/2015	2:05:00 PM	11/30/2015	11/30/2015	11/30/2015	4:30:00 PM	Water	Lab	2130-B	Turbidity	Total	28.20	NTU		0.10	0.20		12/16/2015	
DRWW	Suburban Labs	11-1	GW-02	GW-02	0.5	ft	Mill Creek			Non-IEPA		11/30/2015	10:21:00 AM	11/30/2015	2:05:00 PM	12/03/2015	12/03/2015	12/03/2015	11:30:00 AM	Water	USEPA	2540-D	Volatile Suspended Solids	Total	4.00	mg/L	J	0.20	5.00		12/16/2015	
DRWW	Suburban Labs	11-2	GW-05	GW-05	0.5	ft	Mill Creek																									

Submittin g Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample- Depth Units	Waterbody Name	Public Water Supply Intake	Monitori ng Unit	Surface-Water Monitoring Program	Field- Blank ID	Sample- Collection Date	Sample- Collection Time	Sample- Receipt Date	Sample- Receipt Time	Preparatio n Date	Preparation Time	Sample- Analysis Date	Analysis Time	Sample Medium	Method Source	Method Code	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released					
DRWW	Suburban Labs		11-5	GW-07	0.5	ft	Mill Creek			Non-IEPA		10/20/2015	11:52:00 AM	10/20/2015	2:35:00 PM			10/22/2015	7:43:00 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.06	mg/L		0.02			10/27/2015						
DRWW	Suburban Labs		11-5	GW-07	0.5	ft	Mill Creek			Non-IEPA		10/20/2015	11:52:00 AM	10/20/2015	2:35:00 PM			10/22/2015	2:07:36 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.05			10/27/2015						
DRWW	Suburban Labs		11-5	GW-07	0.5	ft	Mill Creek			Non-IEPA		10/20/2015	11:52:00 AM	10/20/2015	2:35:00 PM			10/20/2015	5:45:00 PM	Water	Lab	2130-B	Turbidity	Total	14.10	NTU		0.10			10/27/2015						
DRWW	Suburban Labs		11-5	GW-07	0.5	ft	Mill Creek			Non-IEPA		11/30/2015	11:31:00 AM	11/30/2015	2:05:00 PM			12/02/2015	10:43:16 AM	Water	AFPA	4500-CL-(E)	Chloride	Total	148.00	mg/L	S	20.00				12/09/2015					
DRWW	Suburban Labs		11-5	GW-07	0.5	ft	Mill Creek			Non-IEPA		11/30/2015	11:31:00 AM	11/30/2015	2:05:00 PM			11/30/2015	4:06:00 PM	Water	USEPA	E COLI MPN	E. Coli	Total	308.00	MPN/100mL		1.00				12/09/2015					
DRWW	Suburban Labs		11-5	GW-07	0.5	ft	Mill Creek			Non-IEPA		11/30/2015	11:31:00 AM	11/30/2015	2:05:00 PM			12/01/2015	11:39:59 AM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.08	mg/L		0.02				12/09/2015					
DRWW	Suburban Labs		11-5	GW-07	0.5	ft	Mill Creek			Non-IEPA		11/30/2015	11:31:00 AM	11/30/2015	2:05:00 PM			12/01/2015	5:49:24 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	1.64	mg/L		0.05				12/09/2015					
DRWW	Suburban Labs		11-5	GW-07	0.5	ft	Mill Creek			Non-IEPA		11/30/2015	11:31:00 AM	11/30/2015	2:05:00 PM			11/30/2015	4:30:00 PM	Water	Lab	2130-B	Turbidity	Total	22.30	NTU		0.10				12/09/2015					
DRWW	Suburban Labs		11-6	GW-08	0.5	ft	Mill Creek			Non-IEPA		09/24/2015	2:07:00 PM	09/24/2015	3:45:00 PM			09/25/2015	10:53:07 AM	Water	AFPA	4500-CL-(E)	Chloride	Total	104.00	mg/L		20.00					10/06/2015				
DRWW	Suburban Labs		11-6	GW-08	0.5	ft	Mill Creek			Non-IEPA		09/24/2015	2:07:00 PM	09/24/2015	3:45:00 PM			09/24/2015	5:03:00 PM	Water	USEPA	E COLI MPN	E. Coli	Total	488.00	MPN/100mL		1.00					10/06/2015				
DRWW	Suburban Labs		11-6	GW-08	0.5	ft	Mill Creek			Non-IEPA		09/24/2015	2:07:00 PM	09/24/2015	3:45:00 PM			10/05/2015	6:38:00 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.13	mg/L		0.02					10/06/2015				
DRWW	Suburban Labs		11-6	GW-08	0.5	ft	Mill Creek			Non-IEPA		09/24/2015	2:07:00 PM	09/24/2015	3:45:00 PM			10/01/2015	11:23:26 AM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.75	mg/L		0.05					10/06/2015				
DRWW	Suburban Labs		11-6	GW-08	0.5	ft	Mill Creek			Non-IEPA		09/24/2015	2:07:00 PM	09/24/2015	3:45:00 PM			09/24/2015	4:20:00 PM	Water	Lab	2130-B	Turbidity	Total	15.00	NTU		0.10					10/06/2015				
DRWW	Suburban Labs		11-6	GW-08	0.5	ft	Mill Creek			Non-IEPA		10/20/2015	12:11:00 PM	10/20/2015	2:35:00 PM			10/30/2015	12:39:32 PM	Water	AFPA	4500-CL-(E)	Chloride	Total	140.00	mg/L		20.00						10/30/2015			
DRWW	Suburban Labs		11-6	GW-08	0.5	ft	Mill Creek			Non-IEPA		10/20/2015	12:11:00 PM	10/20/2015	2:35:00 PM			10/20/2015	3:50:00 PM	Water	USEPA	E COLI MPN	E. Coli	Total	435.00	MPN/100mL		1.00						10/30/2015			
DRWW	Suburban Labs		11-6	GW-08	0.5	ft	Mill Creek			Non-IEPA		10/20/2015	12:11:00 PM	10/20/2015	2:35:00 PM			10/22/2015	7:47:00 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.06	mg/L		0.02							10/30/2015		
DRWW	Suburban Labs		11-6	GW-08	0.5	ft	Mill Creek			Non-IEPA		10/20/2015	12:11:00 PM	10/20/2015	2:35:00 PM			10/22/2015	2:11:12 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.61	mg/L		0.05						10/30/2015			
DRWW	Suburban Labs		11-6	GW-08	0.5	ft	Mill Creek			Non-IEPA		10/20/2015	12:11:00 PM	10/20/2015	2:35:00 PM			10/20/2015	5:45:00 PM	Water	Lab	2130-B	Turbidity	Total	19.80	NTU		0.10						10/30/2015			
DRWW	Suburban Labs		11-6	GW-08	0.5	ft	Mill Creek			Non-IEPA		11/30/2015	11:51:00 AM	11/30/2015	2:05:00 PM			12/02/2015	10:41:28 AM	Water	AFPA	4500-CL-(E)	Chloride	Total	94.20	mg/L		20.00							12/16/2015		
DRWW	Suburban Labs		11-6	GW-08	0.5	ft	Mill Creek			Non-IEPA		11/30/2015	11:51:00 AM	11/30/2015	2:05:00 PM			11/30/2015	4:06:00 PM	Water	USEPA	E COLI MPN	E. Coli	Total	387.00	MPN/100mL		1.00							12/16/2015		
DRWW	Suburban Labs		11-6	GW-08	0.5	ft	Mill Creek			Non-IEPA		11/30/2015	11:51:00 AM	11/30/2015	2:05:00 PM			12/01/2015	11:39:59 AM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.12	mg/L		0.02							12/16/2015		
DRWW	Suburban Labs		11-6	GW-08	0.5	ft	Mill Creek			Non-IEPA		11/30/2015	11:51:00 AM	11/30/2015	2:05:00 PM			12/14/2015	3:58:48 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	2.43	mg/L		0.10							12/16/2015		
DRWW	Suburban Labs		12-1	GZB-99	0.5	ft	Newport Drainage Ditch			Non-IEPA		11/30/2015	11:51:00 AM	11/30/2015	2:05:00 PM			11/30/2015	4:30:00 PM	Water	Lab	2130-B	Turbidity	Total	33.80	NTU		0.10						12/16/2015			
DRWW	Suburban Labs		12-1	GZB-99	0.5	ft	Newport Drainage Ditch			Non-IEPA		09/28/2015	8:27:00 AM	09/28/2015	3:00:00 PM			09/30/2015	11:05:38 AM	Water	AFPA	4500-CL-(E)	Chloride	Total	124.00	mg/L		20.00							10/06/2015		
DRWW	Suburban Labs		12-1	GZB-99	0.5	ft	Newport Drainage Ditch			Non-IEPA		09/28/2015	8:27:00 AM	09/28/2015	3:00:00 PM			10/01/2015	4:13:00 PM	Water	USEPA	E COLI MPN	E. Coli	Total	365.00	MPN/100mL		1.00							10/06/2015		
DRWW	Suburban Labs		12-1	GZB-99	0.5	ft	Newport Drainage Ditch			Non-IEPA		09/28/2015	8:27:00 AM	09/28/2015	3:00:00 PM			10/05/2015	9:36:00 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.07	mg/L		0.02								10/06/2015	
DRWW	Suburban Labs		12-1	GZB-99	0.5	ft	Newport Drainage Ditch			Non-IEPA		09/28/2015	8:27:00 AM	09/28/2015	3:00:00 PM			10/01/2015	2:28:19 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.21	mg/L		0.05							10/06/2015		
DRWW	Suburban Labs		12-1	GZB-99	0.5	ft	Newport Drainage Ditch			Non-IEPA		09/28/2015	8:27:00 AM	09/28/2015	3:00:00 PM			09/28/2015	4:45:00 PM	Water	Lab	2130-B	Turbidity	Total	6.12	NTU		0.10							10/06/2015		
DRWW	Suburban Labs		12-1	GZB-99	0.5	ft	Newport Drainage Ditch			Non-IEPA		10/22/2015	10:02:00 AM	10/22/2015	2:20:00 PM			10/23/2015	11:33:51 AM	Water	AFPA	4500-CL-(E)	Chloride	Total	125.00	mg/L		20.00								11/04/2015	
DRWW	Suburban Labs		12-1	GZB-99	0.5	ft	Newport Drainage Ditch			Non-IEPA		10/22/2015	10:02:00 AM	10/22/2015	2:20:00 PM			10/22/2015	4:04:00 PM	Water	USEPA	E COLI MPN	E. Coli	Total	55.60	MPN/100mL		1.00								11/04/2015	
DRWW	Suburban Labs		12-1	GZB-99	0.5	ft	Newport Drainage Ditch			Non-IEPA		10/22/2015	10:02:00 AM	10/22/2015	2:20:00 PM			10/30/2015	4:46:00 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.04	mg/L		0.02								11/04/2015	
DRWW	Suburban Labs		12-1	GZB-99	0.5	ft	Newport Drainage Ditch			Non-IEPA		10/22/2015	10:02:00 AM	10/22/2015	2:20:00 PM			10/27/2015	3:17:33 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.33	mg/L		0.05								11/04/2015	
DRWW	Suburban Labs		12-1	GZB-99	0.5	ft	Newport Drainage Ditch			Non-IEPA		10/22/2015	10:02:00 AM	10/22/2015	2:20:00 PM			10/22/2015	5:23:00 PM	Water	Lab	2130-B	Turbidity	Total	6.20	NTU		0.10							11/04/2015		
DRWW	Suburban Labs		12-1	GZB-99	0.5	ft	Newport Drainage Ditch			Non-IEPA		12/01/2015	10:55:00 AM	12/01/2015	3:05:00 PM			12/02/2015	10:45:22 AM	Water	AFPA	4500-CL-(E)	Chloride	Total	87.70	mg/L		20.00								12/16/2015	
DRWW	Suburban Labs		12-1	GZB-99	0.5	ft	Newport Drainage Ditch			Non-IEPA		12/01/2015	10:55:00 AM	12/01/2015	3:05:00 PM			12/01/2015	3:50:00 PM	Water	USEPA	E COLI MPN	E. Coli	Total	461.00	MPN/100mL		1.00								12/16/2015	
DRWW	Suburban Labs		12-1	GZB-99	0.5	ft	Newport Drainage Ditch			Non-IEPA		12/01/2015	10:55:00 AM	12/01/2015	3:05:00 PM			12/14/2015	6:58:00 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.20	mg/L		0.04									12/16/2015
DRWW	Suburban Labs		12-1	GZB-99	0.5	ft	Newport Drainage Ditch			Non-IEPA		12/01/2015	10:55:00 AM	12/01/2015	3:05:00 PM			12/14/2015	3:55:12 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.89	mg/L		0.05									12/16/2015
DRWW	Suburban Labs		12-1	GZB-99	0.5	ft	Newport Drainage Ditch			Non-IEPA																											

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Preparation Date	Preparation Time	Sample-Analysis Date	Analysis Time	Sample Medium	Method Source	Method Code	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released	
DRWW	Suburban Labs	13-11	GZM-01	GZM-01	0.5	ft	Upper Des Plaines River			Non-IEPA		12/02/2015	11:35:00 AM	12/02/2015	2:40:00 PM			12/02/2015	3:53:00 PM	Water	USEPA	E. COLI MPN	E. Coli	Total	276.00	MPN/100mL		1.00	1.00			12/16/2015	
DRWW	Suburban Labs	13-11	GZM-01	GZM-01	0.5	ft	Upper Des Plaines River			Non-IEPA		12/02/2015	11:35:00 AM	12/02/2015	2:40:00 PM			12/14/2015	8:51:00 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.10	mg/L		0.04	0.04			12/16/2015	
DRWW	Suburban Labs	13-11	GZM-01	GZM-01	0.5	ft	Upper Des Plaines River			Non-IEPA		12/02/2015	11:35:00 AM	12/02/2015	2:40:00 PM		12/04/2015	2:38:24 PM	12/14/2015	4:38:25 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.87	mg/L		0.05	0.10			12/16/2015
DRWW	Suburban Labs	13-11	GZM-01	GZM-01	0.5	ft	Upper Des Plaines River			Non-IEPA		12/02/2015	11:35:00 AM	12/02/2015	2:40:00 PM			12/02/2015	4:30:00 PM	Water	Lab	2130-B	Turbidity	Total	6.87	NTU		0.10	0.20			12/16/2015	
DRWW	Suburban Labs	13-2	G-50	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		09/21/2015	12:54:00 PM	09/21/2015	3:18:00 PM			09/25/2015	10:35:25 AM	Water	ALPHA	4500-CL-(E)	Chloride	Total	102.00	mg/L		20.00	20.00			10/13/2015	
DRWW	Suburban Labs	13-2	G-50	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		09/21/2015	12:54:00 PM	09/21/2015	3:18:00 PM			09/21/2015	4:30:00 PM	Water	USEPA	E. COLI MPN	E. Coli	Total	236.00	MPN/100mL		1.00	1.00			10/13/2015	
DRWW	Suburban Labs	13-2	G-50	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		09/21/2015	12:54:00 PM	09/21/2015	3:18:00 PM			09/21/2015	5:00:00 PM	Water	USEPA	DISSOLVED	Filtered and Preserved	Total	complete			0.00	0.00			10/13/2015	
DRWW	Suburban Labs	13-2	G-50	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		09/21/2015	12:54:00 PM	09/21/2015	3:18:00 PM			09/29/2015	4:03:40 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30			10/13/2015	
DRWW	Suburban Labs	13-2	G-50	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		09/21/2015	12:54:00 PM	09/21/2015	3:18:00 PM		09/25/2015	1:59:27 PM	10/08/2015	4:00:00 PM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	1.20	mg/L	J	0.50	2.00			10/13/2015
DRWW	Suburban Labs	13-2	G-50	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		09/21/2015	12:54:00 PM	09/21/2015	3:18:00 PM			09/22/2015	3:00:00 PM	Water	USEPA	365.2	Orthophosphate (As P)	Total	0.17	mg/L		0.03	0.05			10/13/2015	
DRWW	Suburban Labs	13-2	G-50	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		09/21/2015	12:54:00 PM	09/21/2015	3:18:00 PM			09/28/2015	8:13:00 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.24	mg/L		0.02	0.02			10/13/2015	
DRWW	Suburban Labs	13-2	G-50	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		09/21/2015	12:54:00 PM	09/21/2015	3:18:00 PM			09/21/2015	5:25:25 PM	Water	USEPA	375.2	Sulfate	Total	32.20	mg/L		2.00	6.00			10/13/2015	
DRWW	Suburban Labs	13-2	G-50	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		09/21/2015	12:54:00 PM	09/21/2015	3:18:00 PM			09/24/2015	4:00:59 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	1.30	mg/L		0.05	0.10			10/13/2015	
DRWW	Suburban Labs	13-2	G-50	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		09/21/2015	12:54:00 PM	09/21/2015	3:18:00 PM			10/05/2015	12:00:00 AM	Water	ALPHA	5310-C	Total Organic Carbon	Total	8.00	mg/L	G	1.00	1.00			10/13/2015	
DRWW	Suburban Labs	13-2	G-50	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		09/21/2015	12:54:00 PM	09/21/2015	3:18:00 PM			09/28/2015	12:45:00 PM	Water	USEPA	2540-D	Total Suspended Solids	Total	8.20	mg/L		0.20	5.00			10/13/2015	
DRWW	Suburban Labs	13-2	G-50	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		09/21/2015	12:54:00 PM	09/21/2015	3:18:00 PM			09/24/2015	4:20:00 PM	Water	Lab	2130-B	Turbidity	Total	9.36	NTU	H	0.10	0.20			10/13/2015	
DRWW	Suburban Labs	13-2	G-50	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		09/21/2015	12:54:00 PM	09/21/2015	3:18:00 PM			09/28/2015	12:45:00 PM	Water	USEPA	2540-D	Volatile Suspended Solids	Total	2.80	mg/L	J	0.20	5.00			10/13/2015	
DRWW	Suburban Labs	13-2	G-50	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	10:54:00 AM	10/22/2015	2:20:00 PM		10/26/2015	9:30:21 AM	10/28/2015	6:16:00 PM	Water	USEPA	8270D	Surr: 2-Fluorobiphenyl	Total	4.25	%Rec		0.10				11/05/2015
DRWW	Suburban Labs	13-2	G-50	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	10:54:00 AM	10/22/2015	2:20:00 PM			10/26/2015	3:42:00 PM	Water	USEPA	8260B	Surr: 4-Bromofluorobenzene	Total	47.80	%Rec		0.00				11/05/2015	
DRWW	Suburban Labs	13-2	G-50	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	10:54:00 AM	10/22/2015	2:20:00 PM		10/26/2015	9:30:21 AM	10/28/2015	6:16:00 PM	Water	USEPA	8270D	Surr: 4-Terphenyl-d14	Total	4.29	%Rec		0.10				11/05/2015
DRWW	Suburban Labs	13-2	G-50	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	10:54:00 AM	10/22/2015	2:20:00 PM			10/26/2015	3:42:00 PM	Water	USEPA	8260B	Surr: Dibromofluoromethane	Total	45.80	%Rec		0.00				11/05/2015	
DRWW	Suburban Labs	13-2	G-50	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	10:54:00 AM	10/22/2015	2:20:00 PM		10/26/2015	9:30:21 AM	10/28/2015	6:16:00 PM	Water	USEPA	8270D	Surr: Nitrobenzene-d5	Total	4.45	%Rec		0.10				11/05/2015
DRWW	Suburban Labs	13-2	G-50	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	10:54:00 AM	10/22/2015	2:20:00 PM		10/26/2015	2:13:43 PM	10/28/2015	9:06:00 PM	Water	USEPA	8081	Surr: Tetrachloro-m-xylene	Total	0.25	%Rec		0.00				11/05/2015
DRWW	Suburban Labs	13-2	G-50	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	10:54:00 AM	10/22/2015	2:20:00 PM		10/26/2015	2:13:36 PM	10/28/2015	9:06:00 PM	Water	USEPA	8081	Surr: Tetrachloro-m-xylene	Total	0.24	%Rec		0.00				11/05/2015
DRWW	Suburban Labs	13-2	G-50	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	10:54:00 AM	10/22/2015	2:20:00 PM			10/26/2015	3:42:00 PM	Water	USEPA	8260B	Surr: Toluene-d8	Total	53.10	%Rec		0.00				11/05/2015	
DRWW	Suburban Labs	13-2	G-50	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	10:54:00 AM	10/22/2015	2:20:00 PM			10/26/2015	3:42:00 PM	Water	USEPA	8260B	1,1,1-Trichloroethane	Total	ND	ug/L		1.00	1.00			11/05/2015	
DRWW	Suburban Labs	13-2	G-50	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	10:54:00 AM	10/22/2015	2:20:00 PM			10/26/2015	3:42:00 PM	Water	USEPA	8260B	1,1,2,2-Tetrachloroethane	Total	ND	ug/L		1.00	1.00			11/05/2015	
DRWW	Suburban Labs	13-2	G-50	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	10:54:00 AM	10/22/2015	2:20:00 PM			10/26/2015	3:42:00 PM	Water	USEPA	8260B	1,1,2-Trichloroethane	Total	ND	ug/L		1.00	1.00			11/05/2015	
DRWW	Suburban Labs	13-2	G-50	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	10:54:00 AM	10/22/2015	2:20:00 PM			10/26/2015	3:42:00 PM	Water	USEPA	8260B	1,1-Dichloroethane	Total	ND	ug/L		1.00	1.00			11/05/2015	
DRWW	Suburban Labs	13-2	G-50	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	10:54:00 AM	10/22/2015	2:20:00 PM			10/26/2015	3:42:00 PM	Water	USEPA	8260B	1,1-Dichloroethane	Total	ND	ug/L		1.00	1.00			11/05/2015	
DRWW	Suburban Labs	13-2	G-50	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	10:54:00 AM	10/22/2015	2:20:00 PM			10/26/2015	3:42:00 PM	Water	USEPA	8260B	1,2-Dichlorobenzene	Total	ND	ug/L		1.00	1.00			11/05/2015	
DRWW	Suburban Labs	13-2	G-50	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	10:54:00 AM	10/22/2015	2:20:00 PM			10/26/2015	3:42:00 PM	Water	USEPA	8260B	1,2-Dibromo-3-chloropropane	Total	ND	ug/L		1.00	1.00			11/05/2015	
DRWW	Suburban Labs	13-2	G-50	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	10:54:00 AM	10/22/2015	2:20:00 PM			10/26/2015	3:42:00 PM	Water	USEPA	8260B	1,2-Dichlorobenzene	Total	ND	ug/L		1.00	1.00			11/05/2015	
DRWW	Suburban Labs	13-2	G-50	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	10:54:00 AM	10/22/2015	2:20:00 PM			10/26/2015	3:42:00 PM	Water	USEPA	8260B	1,2-Dichlorobenzene	Total	ND	ug/L		1.00	1.00			11/05/2015	
DRWW	Suburban Labs	13-2	G-50	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	10:54:00 AM	10/22/2015	2:20:00 PM			10/26/2015	3:42:00 PM	Water	USEPA	8270D	1,3-Dichlorobenzene	Total	ND	ug/L		1.00	1.00			11/05/2015	
DRWW	Suburban Labs	13-2	G-50	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	10:54:00 AM	10/22/2015	2:20:00 PM			10/26/2015	3:42:00 PM	Water	USEPA	8270D	1,4-Dichlorobenzene	Total	ND	ug/L		1.00	1.00			11/05/2015	
DRWW	Suburban Labs	13-2	G-50	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	10:54:00 AM	10/22/2015	2:20:00 PM			10/26/2015	3:42:00 PM	Water	USEPA	8260B	2-Butanone	Total	ND	ug/L		10.00	10.00			11/05/2015	
DRWW	Suburban Labs	13-2	G-50	G-50	0.5	ft	Upper Des Plaines River</																										

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Preparation Date	Preparation Time	Sample-Analysis Date	Analysis Time	Sample Medium	Method Source	Method Code	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs	13-2	G-50	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	10:54:00 AM	10/22/2015	2:20:00 PM			10/28/2015	9:56:00 PM	Water	USEPA	200.7	Nickel	Total	0.00	mg/L		0.00				11/05/2015
DRWW	Suburban Labs	13-2	G-50	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	10:54:00 AM	10/22/2015	2:20:00 PM			10/27/2015	7:12:45 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10				11/05/2015
DRWW	Suburban Labs	13-2	G-50	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	10:54:00 AM	10/22/2015	2:20:00 PM			10/30/2015	12:49:18 PM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	0.83	mg/L	JS	0.50				11/05/2015
DRWW	Suburban Labs	13-2	G-50	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	10:54:00 AM	10/22/2015	2:20:00 PM			10/23/2015	5:30:00 PM	Water	USEPA	365.2	Orthophosphate (As P)	Total	1.00	mg/L		0.10				11/05/2015
DRWW	Suburban Labs	13-2	G-50	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	10:54:00 AM	10/22/2015	2:20:00 PM			10/26/2015	3:42:00 PM	Water	USEPA	8260B	p-Xylene	Total	ND	ug/L		1.00				11/05/2015
DRWW	Suburban Labs	13-2	G-50	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	10:54:00 AM	10/22/2015	2:20:00 PM			10/26/2015	6:16:00 PM	Water	USEPA	8270D	Phenanthrene	Total	ND	ug/L		0.10				11/05/2015
DRWW	Suburban Labs	13-2	G-50	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	10:54:00 AM	10/22/2015	2:20:00 PM			10/30/2015	3:17:33 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	1.06	mg/L		0.02				11/05/2015
DRWW	Suburban Labs	13-2	G-50	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	10:54:00 AM	10/22/2015	2:20:00 PM			10/26/2015	6:16:00 PM	Water	USEPA	8270D	Pyrene	Total	ND	ug/L		0.10				11/05/2015
DRWW	Suburban Labs	13-2	G-50	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	10:54:00 AM	10/22/2015	2:20:00 PM			11/02/2015	8:38:08 PM	Water	USEPA	200.7	Sodium	Total	96.50	mg/L		0.10				11/05/2015
DRWW	Suburban Labs	13-2	G-50	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	10:54:00 AM	10/22/2015	2:20:00 PM			10/26/2015	3:42:00 PM	Water	USEPA	8260B	Styrene	Total	ND	ug/L		1.00				11/05/2015
DRWW	Suburban Labs	13-2	G-50	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	10:54:00 AM	10/22/2015	2:20:00 PM			10/29/2015	5:02:36 PM	Water	USEPA	375.2	Sulfate	Total	75.60	mg/L		10.00				11/05/2015
DRWW	Suburban Labs	13-2	G-50	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	10:54:00 AM	10/22/2015	2:20:00 PM			10/26/2015	3:42:00 PM	Water	USEPA	8260B	Tetrachloroethene	Total	ND	ug/L		1.00				11/05/2015
DRWW	Suburban Labs	13-2	G-50	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	10:54:00 AM	10/22/2015	2:20:00 PM			10/26/2015	3:42:00 PM	Water	USEPA	8260B	Toluene	Total	ND	ug/L		1.00				11/05/2015
DRWW	Suburban Labs	13-2	G-50	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	10:54:00 AM	10/22/2015	2:20:00 PM			10/22/2015	6:10:51 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.45	mg/L		0.05				11/05/2015
DRWW	Suburban Labs	13-2	G-50	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	10:54:00 AM	10/22/2015	2:20:00 PM			10/28/2015	2:21:00 PM	Water	APHA	5310-C	Total Organic Carbon	Total	6.00	mg/L		1.00				11/05/2015
DRWW	Suburban Labs	13-2	G-50	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	10:54:00 AM	10/22/2015	2:20:00 PM			10/28/2015	10:55:00 AM	Water	USEPA	2540-D	Total Suspended Solids	Total	6.00	mg/L		0.20				11/05/2015
DRWW	Suburban Labs	13-2	G-50	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	10:54:00 AM	10/22/2015	2:20:00 PM			10/26/2015	3:42:00 PM	Water	USEPA	8260B	Total Xylenes	Total	ND	ug/L		2.00				11/05/2015
DRWW	Suburban Labs	13-2	G-50	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	10:54:00 AM	10/22/2015	2:20:00 PM			10/26/2015	9:06:00 PM	Water	USEPA	8081	Toxaphene	Total	ND	ug/L		0.20				11/05/2015
DRWW	Suburban Labs	13-2	G-50	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	10:54:00 AM	10/22/2015	2:20:00 PM			10/26/2015	3:42:00 PM	Water	USEPA	8260B	trans-1,2-Dichloroethene	Total	ND	ug/L		1.00				11/05/2015
DRWW	Suburban Labs	13-2	G-50	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	10:54:00 AM	10/22/2015	2:20:00 PM			10/26/2015	3:42:00 PM	Water	USEPA	8260B	trans-1,3-Dichloropropene	Total	ND	ug/L		1.00				11/05/2015
DRWW	Suburban Labs	13-2	G-50	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	10:54:00 AM	10/22/2015	2:20:00 PM			10/26/2015	3:42:00 PM	Water	USEPA	8260B	Trichloroethene	Total	ND	ug/L		1.00				11/05/2015
DRWW	Suburban Labs	13-2	G-50	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	10:54:00 AM	10/22/2015	2:20:00 PM			10/26/2015	3:42:00 PM	Water	USEPA	8260B	Trichlorofluoromethane	Total	ND	ug/L		1.00				11/05/2015
DRWW	Suburban Labs	13-2	G-50	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	10:54:00 AM	10/22/2015	2:20:00 PM			10/22/2015	5:23:00 PM	Water	Lab	2130-B	Turbidity	Total	5.21	NTU		0.10				11/05/2015
DRWW	Suburban Labs	13-2	G-50	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	10:54:00 AM	10/22/2015	2:20:00 PM			10/26/2015	3:42:00 PM	Water	USEPA	8260B	Vinyl chloride	Total	ND	ug/L		1.00				11/05/2015
DRWW	Suburban Labs	13-2	G-50	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	10:54:00 AM	10/22/2015	2:20:00 PM			10/28/2015	10:55:00 AM	Water	USEPA	2540-D	Volatile Suspended Solids	Total	1.40	mg/L	J	0.20				11/05/2015
DRWW	Suburban Labs	13-2	G-50	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	10:54:00 AM	10/22/2015	2:20:00 PM			10/27/2015	3:17:33 PM	Water	USEPA	200.7	Zinc	Total	0.01	mg/L		0.01				11/05/2015
DRWW	Suburban Labs	13-2	G-50	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		12/01/2015	11:35:00 AM	12/01/2015	3:05:00 PM			12/02/2015	10:46:52 AM	Water	APHA	4500-CL-(E)	Chloride	Total	106.00	mg/L		20.00				12/16/2015
DRWW	Suburban Labs	13-2	G-50	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		12/01/2015	11:35:00 AM	12/01/2015	3:05:00 PM			12/01/2015	3:50:00 PM	Water	USEPA	E_COLI MPN	E. Coli	Total	326.00	MPN/100mL		1.00				12/16/2015
DRWW	Suburban Labs	13-2	G-50	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		12/01/2015	11:35:00 AM	12/01/2015	3:05:00 PM			12/01/2015	4:00:00 PM	Water	USEPA	DISSOLVED	Filtered and Preserved	Total	ND			0.00				12/16/2015
DRWW	Suburban Labs	13-2	G-50	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		12/01/2015	11:35:00 AM	12/01/2015	3:05:00 PM			12/03/2015	5:23:00 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10				12/16/2015
DRWW	Suburban Labs	13-2	G-50	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		12/01/2015	11:35:00 AM	12/01/2015	3:05:00 PM			12/07/2015	2:53:20 PM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	0.97	mg/L	J	0.50				12/16/2015
DRWW	Suburban Labs	13-2	G-50	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		12/01/2015	11:35:00 AM	12/01/2015	3:05:00 PM			12/02/2015	5:00:00 PM	Water	USEPA	365.2	Orthophosphate (As P)	Total	0.16	mg/L		0.03				12/16/2015
DRWW	Suburban Labs	13-2	G-50	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		12/01/2015	11:35:00 AM	12/01/2015	3:05:00 PM			12/03/2015	12:47:11 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.18	mg/L		0.02				12/16/2015
DRWW	Suburban Labs	13-2	G-50	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		12/01/2015	11:35:00 AM	12/01/2015	3:05:00 PM			12/14/2015	12:28:55 PM	Water	USEPA	375.2	Sulfate	Total	46.40	mg/L		4.00				12/16/2015
DRWW	Suburban Labs	13-2	G-50	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		12/01/2015	11:35:00 AM	12/01/2015	3:05:00 PM			12/14/2015	5:26:26 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	2.78	mg/L		0.10				12/16/2015
DRWW	Suburban Labs	13-2	G-50	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		12/01/2015	11:35:00 AM	12/01/2015	3:05:00 PM			12/08/2015	3:23:00 PM	Water	APHA	5310-C	Total Organic Carbon	Total	8.00	mg/L	G	1.43				12/16/2015
DRWW	Suburban Labs	13-2	G-50	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		12/01/2015	11:35:00 AM	12/01/2015	3:05:00 PM			12/04/2015	10:36:00 AM	Water	USEPA	2540-D	Total Suspended Solids	Total	16.40	mg/L		0.20				12/16/2015
DRWW	Suburban Labs	13-2	G-50	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		12/01/2015	11:35:00 AM	12/01/2015	3:05:00 PM			12/02/2015	2:40:00 PM	Water	Lab	2130-B	Turbidity	Total	30.10	NTU		0.10				12/16/2015
DRWW	Suburban Labs	13-2	G-50	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		12/01/2015	11:35:00 AM	12/01/2015	3:05:00 PM			12/04/2015	10:36:00 AM	Water	USEPA	2540-D	Volatile Suspended Solids	Total	4.40	mg/L	J	0.20				12/16/2015
DRWW	Suburban Labs	13-2 Trip Blank	G-50	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	12:00:00 AM	10/22/2015	2:20:00 PM			10/27/2015	7:11:25 PM	Water	USEPA	1631	Mercury	Total	ND	ng/L		0.50				11/05/2015
DRWW	Suburban Labs	13-3	G-51	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		09/28/2015	9:25:00 AM	09/28/2015	3:00:00 PM			09/30/2015	11:05:20 AM	Water	APHA	4500-CL-(E)	Chloride	Total	93.70	mg/L		20.00				10/13/2015
DRWW	Suburban Labs	13-3	G-51	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		09/28/2015	9:25:00 AM	09/28/2015	3:00:00 PM			09/28/2015	4:13:00 PM	Water	USEPA	E_COLI MPN	E. Coli	Total	144.00	MPN/100mL		1.00				10/13/2015
DRWW	Suburban Labs	13-3	G-51	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		09/28/2015	9:25:00 AM	09/28/2015	3:00:00 PM			09/28/2015	5:15:00 PM	Water	USEPA	DISSOLVED	Filtered and Preserved	Total	complete			0.00				10/13/2015
DRWW	Suburban Labs	13-3	G-51	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		09/28/2015	9:25:00 AM	09/28/2015	3:00:00 PM			10/														

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Preparation Date	Preparation Time	Sample-Analysis Date	Analysis Time	Sample Medium	Method Source	Method Code	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs	13-3	G-51	Non-IEPA	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	11:16:00 AM	10/22/2015	2:20:00 PM			10/26/2015	9:30:21 AM	10/28/2015	6:55:00 PM	Water	USEPA 8260B	Chloromethane	Total	ND	µg/L		1.00			11/05/2015
DRWW	Suburban Labs	13-3	G-51	Non-IEPA	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	11:16:00 AM	10/22/2015	2:20:00 PM			10/26/2015	9:30:21 AM	10/28/2015	6:55:00 PM	Water	USEPA 8270D	Chrysenes	Total	ND	µg/L		0.10			11/05/2015
DRWW	Suburban Labs	13-3	G-51	Non-IEPA	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	11:16:00 AM	10/22/2015	2:20:00 PM			10/26/2015	9:30:21 AM	10/28/2015	6:55:00 PM	Water	USEPA 8260B	cis-1,2-Dichloroethene	Total	ND	µg/L		1.00			11/05/2015
DRWW	Suburban Labs	13-3	G-51	Non-IEPA	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	11:16:00 AM	10/22/2015	2:20:00 PM			10/26/2015	9:30:21 AM	10/28/2015	6:55:00 PM	Water	USEPA 8260B	cis-1,3-Dichloropropene	Total	ND	µg/L		1.00			11/05/2015
DRWW	Suburban Labs	13-3	G-51	Non-IEPA	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	11:16:00 AM	10/22/2015	2:20:00 PM			10/27/2015	3:17:33 PM	10/28/2015	10:00:00 PM	Water	USEPA 200.7	Copper	Total	0.00	mg/L	J	0.00			11/05/2015
DRWW	Suburban Labs	13-3	G-51	Non-IEPA	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	11:16:00 AM	10/22/2015	2:20:00 PM			10/26/2015	2:13:36 PM	10/28/2015	9:25:00 PM	Water	USEPA 8081	delta-BHC	Total	ND	µg/L		0.03			11/05/2015
DRWW	Suburban Labs	13-3	G-51	Non-IEPA	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	11:16:00 AM	10/22/2015	2:20:00 PM			10/26/2015	9:30:21 AM	10/28/2015	6:55:00 PM	Water	USEPA 8270D	Dibenz(a,h)anthracene	Total	ND	µg/L		0.10			11/05/2015
DRWW	Suburban Labs	13-3	G-51	Non-IEPA	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	11:16:00 AM	10/22/2015	2:20:00 PM			10/26/2015	9:30:21 AM	10/28/2015	6:55:00 PM	Water	USEPA 8260B	Dibromochloromethane	Total	ND	µg/L		1.00			11/05/2015
DRWW	Suburban Labs	13-3	G-51	Non-IEPA	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	11:16:00 AM	10/22/2015	2:20:00 PM			10/26/2015	9:30:21 AM	10/28/2015	6:55:00 PM	Water	USEPA 8260B	Dichlorodifluoromethane	Total	ND	µg/L		1.00			11/05/2015
DRWW	Suburban Labs	13-3	G-51	Non-IEPA	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	11:16:00 AM	10/22/2015	2:20:00 PM			10/26/2015	2:13:36 PM	10/28/2015	9:25:00 PM	Water	USEPA 8081	Dieldrin	Total	ND	µg/L		0.05			11/05/2015
DRWW	Suburban Labs	13-3	G-51	Non-IEPA	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	11:16:00 AM	10/22/2015	2:20:00 PM			10/22/2015	11:16:00 AM	10/28/2015	4:04:00 PM	Water	USEPA E. COLI MPN	E. Coli	Total	1050.00	MPN/100mL		1.00			11/05/2015
DRWW	Suburban Labs	13-3	G-51	Non-IEPA	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	11:16:00 AM	10/22/2015	2:20:00 PM			10/26/2015	2:13:36 PM	10/28/2015	9:25:00 PM	Water	USEPA 8081	Endosulfan I	Total	ND	µg/L		0.03			11/05/2015
DRWW	Suburban Labs	13-3	G-51	Non-IEPA	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	11:16:00 AM	10/22/2015	2:20:00 PM			10/26/2015	2:13:36 PM	10/28/2015	9:25:00 PM	Water	USEPA 8081	Endosulfan II	Total	ND	µg/L		0.05			11/05/2015
DRWW	Suburban Labs	13-3	G-51	Non-IEPA	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	11:16:00 AM	10/22/2015	2:20:00 PM			10/26/2015	2:13:36 PM	10/28/2015	9:25:00 PM	Water	USEPA 8081	Endosulfan sulfate	Total	ND	µg/L		0.05			11/05/2015
DRWW	Suburban Labs	13-3	G-51	Non-IEPA	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	11:16:00 AM	10/22/2015	2:20:00 PM			10/26/2015	2:13:36 PM	10/28/2015	9:25:00 PM	Water	USEPA 8081	Endrin	Total	ND	µg/L		0.05			11/05/2015
DRWW	Suburban Labs	13-3	G-51	Non-IEPA	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	11:16:00 AM	10/22/2015	2:20:00 PM			10/26/2015	2:13:36 PM	10/28/2015	9:25:00 PM	Water	USEPA 8081	Endrin aldehyde	Total	ND	µg/L		0.05			11/05/2015
DRWW	Suburban Labs	13-3	G-51	Non-IEPA	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	11:16:00 AM	10/22/2015	2:20:00 PM			10/26/2015	2:13:36 PM	10/28/2015	9:25:00 PM	Water	USEPA 8081	Endrin ketone	Total	ND	µg/L		0.05			11/05/2015
DRWW	Suburban Labs	13-3	G-51	Non-IEPA	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	11:16:00 AM	10/22/2015	2:20:00 PM			10/26/2015	11:16:00 AM	10/22/2015	2:20:00 PM	Water	USEPA 8260B	Ethylbenzene	Total	ND	µg/L		1.00			11/05/2015
DRWW	Suburban Labs	13-3	G-51	Non-IEPA	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	11:16:00 AM	10/22/2015	2:20:00 PM			10/22/2015	11:16:00 AM	10/22/2015	4:30:00 PM	Water	USEPA DISSOLVED	Filtered and Preserved	Total	complete			0.00			11/05/2015
DRWW	Suburban Labs	13-3	G-51	Non-IEPA	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	11:16:00 AM	10/22/2015	2:20:00 PM			10/26/2015	9:30:21 AM	10/28/2015	6:55:00 PM	Water	USEPA 8270D	Fluoranthene	Total	ND	µg/L		0.10			11/05/2015
DRWW	Suburban Labs	13-3	G-51	Non-IEPA	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	11:16:00 AM	10/22/2015	2:20:00 PM			10/26/2015	9:30:21 AM	10/28/2015	6:55:00 PM	Water	USEPA 8270D	Fluorene	Total	ND	µg/L		0.10			11/05/2015
DRWW	Suburban Labs	13-3	G-51	Non-IEPA	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	11:16:00 AM	10/22/2015	2:20:00 PM			10/26/2015	2:13:36 PM	10/28/2015	9:25:00 PM	Water	USEPA 8081	gamma-BHC	Total	ND	µg/L		0.03			11/05/2015
DRWW	Suburban Labs	13-3	G-51	Non-IEPA	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	11:16:00 AM	10/22/2015	2:20:00 PM			10/26/2015	1:31:19 PM	10/31/2015	8:55:57 PM	Water	USEPA 200.7	Hardness (As CaCO3)	Total	368.00	mg/L		0.05			11/05/2015
DRWW	Suburban Labs	13-3	G-51	Non-IEPA	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	11:16:00 AM	10/22/2015	2:20:00 PM			10/26/2015	2:13:36 PM	10/28/2015	9:25:00 PM	Water	USEPA 8081	Heptachlor	Total	ND	µg/L		0.03			11/05/2015
DRWW	Suburban Labs	13-3	G-51	Non-IEPA	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	11:16:00 AM	10/22/2015	2:20:00 PM			10/26/2015	2:13:36 PM	10/28/2015	9:25:00 PM	Water	USEPA 8081	Heptachlor epoxide	Total	ND	µg/L		0.03			11/05/2015
DRWW	Suburban Labs	13-3	G-51	Non-IEPA	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	11:16:00 AM	10/22/2015	2:20:00 PM			10/26/2015	9:30:21 AM	10/28/2015	6:55:00 PM	Water	USEPA 8270D	Indeno(1,2,3-cd)pyrene	Total	ND	µg/L		0.10			11/05/2015
DRWW	Suburban Labs	13-3	G-51	Non-IEPA	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	11:16:00 AM	10/22/2015	2:20:00 PM			10/28/2015	3:01:19 PM	10/31/2015	8:55:57 PM	Water	USEPA 200.7	Iron	Total	0.38	mg/L		0.01			11/05/2015
DRWW	Suburban Labs	13-3	G-51	Non-IEPA	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	11:16:00 AM	10/22/2015	2:20:00 PM			10/26/2015	4:16:00 PM	10/28/2015	9:25:00 PM	Water	USEPA 8260B	m,p-Xylene	Total	ND	µg/L		2.00			11/05/2015
DRWW	Suburban Labs	13-3	G-51	Non-IEPA	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	11:16:00 AM	10/22/2015	2:20:00 PM			10/31/2015	8:55:57 PM	10/28/2015	9:25:00 PM	Water	USEPA 200.7	Magnesium	Total	40.90	mg/L		0.01			11/05/2015
DRWW	Suburban Labs	13-3	G-51	Non-IEPA	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	11:16:00 AM	10/22/2015	2:20:00 PM			10/27/2015	3:17:33 PM	10/28/2015	10:00:00 PM	Water	USEPA 200.7	Manganese	Total	0.12	mg/L		0.00			11/05/2015
DRWW	Suburban Labs	13-3	G-51	Non-IEPA	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	11:16:00 AM	10/22/2015	2:20:00 PM			10/27/2015	7:16:11 PM	10/28/2015	7:16:11 PM	Water	USEPA 1631	Mercury	Total	0.76	ng/L		0.50			11/05/2015
DRWW	Suburban Labs	13-3	G-51	Non-IEPA	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	11:16:00 AM	10/22/2015	2:20:00 PM			10/26/2015	2:13:36 PM	10/28/2015	9:25:00 PM	Water	USEPA 8081	Methoxychlor	Total	ND	µg/L		0.25			11/05/2015
DRWW	Suburban Labs	13-3	G-51	Non-IEPA	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	11:16:00 AM	10/22/2015	2:20:00 PM			10/26/2015	4:16:00 PM	10/28/2015	9:25:00 PM	Water	USEPA 8260B	Methyl tert-butyl ether	Total	ND	µg/L		1.00			11/05/2015
DRWW	Suburban Labs	13-3	G-51	Non-IEPA	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	11:16:00 AM	10/22/2015	2:20:00 PM			10/26/2015	4:16:00 PM	10/28/2015	9:25:00 PM	Water	USEPA 8260B	Methylene chloride	Total	ND	µg/L		5.00			11/05/2015
DRWW	Suburban Labs	13-3	G-51	Non-IEPA	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	11:16:00 AM	10/22/2015	2:20:00 PM			10/26/2015	9:30:21 AM	10/28/2015	6:55:00 PM	Water	USEPA 8270D	Naphthalene	Total	ND	µg/L		0.10			11/05/2015
DRWW	Suburban Labs	13-3	G-51	Non-IEPA	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	11:16:00 AM	10/22/2015	2:20:00 PM			10/27/2015	3:17:33 PM	10/28/2015	10:00:00 PM	Water	USEPA 200.7	Nickel	Total	0.00	mg/L		0.00			11/05/2015
DRWW	Suburban Labs	13-3	G-51	Non-IEPA	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	11:16:00 AM	10/22/2015	2:20:00 PM			10/27/2015	7:18:55 PM	10/28/2015	7:18:55 PM	Water	USEPA 350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10			11/05/2015
DRWW	Suburban Labs	13-3	G-51	Non-IEPA	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	11:16:00 AM	10/22/2015	2:20:00 PM			10/29/2015	6:12:41 PM	10/30/2015	5:58:00 PM	Water	USEPA 351.2	Nitrogen, Kjeldahl, Total	Total	1.13	mg/L	J	0.50			11/05/2015
DRWW	Suburban Labs	13-3	G-51	Non-IEPA	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	11:16:00 AM	10/22/2015	2:20:00 PM			10/23/2015	5:30:00 PM	10/26/2015	5:30:00 PM	Water	USEPA 365.2	Orthophosphate (As P)	Total	0.03	mg/L	J	0.03			11/05/2015
DRWW	Suburban Labs	13-3	G-51	Non-IEPA	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	11:16:00 AM	10/22/2015	2:20:00 PM			10/26/2015	4:16:00 PM	10/28/2015	9:25:00 PM	Water	USEPA 8260B	p-Xylene	Total	ND	µg/L		1.00			11/05/2015
DRWW	Suburban Labs	13-3	G-51	Non-IEPA	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	11:16:00 AM	10/22/2015	2:20:00 PM			10/26/2015	9:30:21 AM	1												

Submittin g Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample- Depth Units	Waterbody Name	Public Water Supply Intake	Monitori ng Unit	Surface-Water Monitoring Program	Field- Blank ID	Sample- Collection Date	Sample- Collection Time	Sample- Receipt Date	Sample- Receipt Time	Preparatio n Date	Preparation Time	Sample- Analysis Date	Analysis Time	Sample Medium	Method Source	Method Code	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs	13-5	G-34	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		09/21/2015	1:34:00 PM	09/21/2015	3:18:00 PM			09/21/2015	4:30:00 PM	Water	USEPA	E. COLI MPN	E. Coli	Total	131.00	MPN/100mL		1.00	1.00		10/09/2015	
DRWW	Suburban Labs	13-5	G-34	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		09/21/2015	1:34:00 PM	09/21/2015	3:18:00 PM			09/21/2015	5:00:00 PM	Water	USEPA	DISSOLVED	Filtered and Preserved	Total	complete			0.00	0.00		10/09/2015	
DRWW	Suburban Labs	13-5	G-34	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		09/21/2015	1:34:00 PM	09/21/2015	3:18:00 PM			09/29/2015	4:14:03 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30		10/09/2015	
DRWW	Suburban Labs	13-5	G-34	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		09/21/2015	1:34:00 PM	09/21/2015	3:18:00 PM	09/25/2015	1:59:27 PM	10/08/2015	4:22:00 PM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	1.24	mg/L	J	0.50	2.00		10/09/2015	
DRWW	Suburban Labs	13-5	G-34	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		09/21/2015	1:34:00 PM	09/21/2015	3:18:00 PM			09/22/2015	3:00:00 PM	Water	USEPA	365.2	Orthophosphate (As P)	Total	0.23	mg/L		0.03	0.05		10/09/2015	
DRWW	Suburban Labs	13-5	G-34	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		09/21/2015	1:34:00 PM	09/21/2015	3:18:00 PM	09/25/2015	3:06:24 PM	09/28/2015	8:26:00 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.21	mg/L		0.02	0.02		10/09/2015	
DRWW	Suburban Labs	13-5	G-34	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		09/21/2015	1:34:00 PM	09/21/2015	3:18:00 PM			09/24/2015	4:04:35 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.72	mg/L		0.05	0.10		10/09/2015	
DRWW	Suburban Labs	13-5	G-34	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		09/21/2015	1:34:00 PM	09/21/2015	3:18:00 PM			09/28/2015	12:45:00 PM	Water	USEPA	2540-D	Total Suspended Solids	Total	4.00	mg/L	J	0.20	5.00		10/09/2015	
DRWW	Suburban Labs	13-5	G-34	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		09/21/2015	1:34:00 PM	09/21/2015	3:18:00 PM			09/24/2015	4:20:00 PM	Water	Lab	2130-B	Turbidity	Total	9.09	NTU	H	0.10	0.20		10/09/2015	
DRWW	Suburban Labs	13-5	G-34	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		09/21/2015	1:34:00 PM	09/21/2015	3:18:00 PM			09/28/2015	12:45:00 PM	Water	USEPA	2540-D	Volatle Suspended Solids	Total	1.40	mg/L	J	0.20	5.00		10/09/2015	
DRWW	Suburban Labs	13-5	G-34	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	11:44:00 AM	10/22/2015	2:20:00 PM	10/28/2015	3:01:19 PM	10/31/2015	9:39:28 PM	Water	USEPA	200.7	Calcium	Total	83.20	mg/L		0.02	0.05		11/02/2015	
DRWW	Suburban Labs	13-5	G-34	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	11:44:00 AM	10/22/2015	2:20:00 PM			10/23/2015	11:36:15 AM	Water	APHA	4500-CL-(E)	Chloride	Total	150.00	mg/L		20.00	20.00		11/02/2015	
DRWW	Suburban Labs	13-5	G-34	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	11:44:00 AM	10/22/2015	2:20:00 PM			10/22/2015	4:04:00 PM	Water	USEPA	E. COLI MPN	E. Coli	Total	59.40	MPN/100mL		1.00	1.00		11/02/2015	
DRWW	Suburban Labs	13-5	G-34	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	11:44:00 AM	10/22/2015	2:20:00 PM			10/22/2015	4:30:00 PM	Water	USEPA	DISSOLVED	Filtered and Preserved	Total	complete			0.00	0.00		11/02/2015	
DRWW	Suburban Labs	13-5	G-34	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	11:44:00 AM	10/22/2015	2:20:00 PM	10/28/2015	3:01:19 PM	10/31/2015	9:39:28 PM	Water	USEPA	200.7	Hardness (As CaCO3)	Total	392.00	mg/L		0.05	0.15		11/02/2015	
DRWW	Suburban Labs	13-5	G-34	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	11:44:00 AM	10/22/2015	2:20:00 PM	10/28/2015	3:01:19 PM	10/31/2015	9:39:28 PM	Water	USEPA	200.7	Magnesium	Total	44.60	mg/L		0.01	0.05		11/02/2015	
DRWW	Suburban Labs	13-5	G-34	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	11:44:00 AM	10/22/2015	2:20:00 PM	10/27/2015	3:17:33 PM	10/28/2015	10:09:00 PM	Water	USEPA	200.7	Manganese	Total	0.07	mg/L		0.00	0.00		11/02/2015	
DRWW	Suburban Labs	13-5	G-34	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	11:44:00 AM	10/22/2015	2:20:00 PM			10/27/2015	7:23:03 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30		11/02/2015	
DRWW	Suburban Labs	13-5	G-34	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	11:44:00 AM	10/22/2015	2:20:00 PM	10/29/2015	6:12:41 PM	10/30/2015	6:05:00 PM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	0.93	mg/L	J	0.50	2.00		11/02/2015	
DRWW	Suburban Labs	13-5	G-34	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	11:44:00 AM	10/22/2015	2:20:00 PM	10/23/2015		10/23/2015	5:30:00 PM	Water	USEPA	365.2	Orthophosphate (As P)	Total	ND	mg/L		0.03	0.05		11/02/2015	
DRWW	Suburban Labs	13-5	G-34	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	11:44:00 AM	10/22/2015	2:20:00 PM	10/27/2015	3:17:33 PM	10/30/2015	5:08:00 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.05	mg/L		0.02	0.02		11/02/2015	
DRWW	Suburban Labs	13-5	G-34	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	11:44:00 AM	10/22/2015	2:20:00 PM	10/27/2015	3:17:33 PM	10/27/2015	3:20:26 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.05	0.10		11/02/2015	
DRWW	Suburban Labs	13-5	G-34	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	11:44:00 AM	10/22/2015	2:20:00 PM	10/28/2015		10/28/2015	10:55:00 AM	Water	USEPA	2540-D	Total Suspended Solids	Total	5.00	mg/L		0.20	5.00		11/02/2015	
DRWW	Suburban Labs	13-5	G-34	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	11:44:00 AM	10/22/2015	2:20:00 PM	10/22/2015		10/22/2015	5:23:00 PM	Water	Lab	2130-B	Turbidity	Total	4.21	NTU		0.10	0.20		11/02/2015	
DRWW	Suburban Labs	13-5	G-34	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	11:44:00 AM	10/22/2015	2:20:00 PM	10/28/2015		10/28/2015	10:55:00 AM	Water	USEPA	2540-D	Volatle Suspended Solids	Total	1.20	mg/L	J	0.20	5.00		11/02/2015	
DRWW	Suburban Labs	13-5	G-34	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		12/01/2015	12:17:00 PM	12/01/2015	3:05:00 PM			12/02/2015	10:47:46 AM	Water	APHA	4500-CL-(E)	Chloride	Total	78.20	mg/L		20.00	20.00		12/16/2015	
DRWW	Suburban Labs	13-5	G-34	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		12/01/2015	12:17:00 PM	12/01/2015	3:05:00 PM			12/01/2015	3:50:00 PM	Water	USEPA	E. COLI MPN	E. Coli	Total	201.00	MPN/100mL		1.00	1.00		12/16/2015	
DRWW	Suburban Labs	13-5	G-34	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		12/01/2015	12:17:00 PM	12/01/2015	3:05:00 PM			12/01/2015	4:00:00 PM	Water	USEPA	DISSOLVED	Filtered and Preserved	Total	ND			0.00	0.00		12/16/2015	
DRWW	Suburban Labs	13-5	G-34	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		12/01/2015	12:17:00 PM	12/01/2015	3:05:00 PM	12/03/2015		12/03/2015	5:42:00 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30		12/16/2015	
DRWW	Suburban Labs	13-5	G-34	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		12/01/2015	12:17:00 PM	12/01/2015	3:05:00 PM	12/03/2015	11:44:51 AM	12/07/2015	2:58:27 PM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	1.60	mg/L	J	0.50	2.00		12/16/2015	
DRWW	Suburban Labs	13-5	G-34	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		12/01/2015	12:17:00 PM	12/01/2015	3:05:00 PM	12/02/2015		12/02/2015	5:00:00 PM	Water	USEPA	365.2	Orthophosphate (As P)	Total	0.19	mg/L		0.03	0.05		12/16/2015	
DRWW	Suburban Labs	13-5	G-34	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		12/01/2015	12:17:00 PM	12/01/2015	3:05:00 PM	12/03/2015	12:47:11 PM	12/14/2015	7:33:00 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.23	mg/L		0.04	0.04		12/16/2015	
DRWW	Suburban Labs	13-5	G-34	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		12/01/2015	12:17:00 PM	12/01/2015	3:05:00 PM	12/14/2015		12/14/2015	5:28:50 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	4.05	mg/L		0.25	0.50		12/16/2015	
DRWW	Suburban Labs	13-5	G-34	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		12/01/2015	12:17:00 PM	12/01/2015	3:05:00 PM	12/04/2015		12/04/2015	10:36:00 AM	Water	USEPA	2540-D	Total Suspended Solids	Total	15.00	mg/L		0.20	5.00		12/16/2015	
DRWW	Suburban Labs	13-5	G-34	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		12/01/2015	12:17:00 PM	12/01/2015	3:05:00 PM	12/02/2015		12/02/2015	2:40:00 PM	Water	Lab	2130-B	Turbidity	Total	34.80	NTU		0.10	0.20		12/16/2015	
DRWW	Suburban Labs	13-5	G-34	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		12/01/2015	12:17:00 PM	12/01/2015	3:05:00 PM	12/04/2015		12/04/2015	10:36:00 AM	Water	USEPA	2540-D	Volatle Suspended Solids	Total	3.00	mg/L	J	0.20	5.00		12/16/2015	
DRWW	Suburban Labs	13-6	G-08	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		09/21/2015	1:55:00 PM	09/21/2015	3:18:00 PM			09/25/2015	10:37:49 AM	Water	APHA	4500-CL-(E)	Chloride	Total	69.30	mg/L		20.00	20.00		10/13/2015	
DRWW	Suburban Labs	13-6	G-08	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		09/21/2015	1:55:00 PM	09/21/2015	3:18:00 PM			09/21/2015	4:30:00 PM	Water	USEPA	E. COLI MPN	E. Coli	Total	133.00	MPN/100mL		1.00	1.00		10/13/2015	
DRWW	Suburban Labs	13-6	G-08	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		09/21/2015	1:55:00 PM	09/21/2015	3:18:00 PM			09/21/2015	5:00:00 PM	Water	USEPA	DISSOLVED	Filtered and Preserved	Total	complete			0.00	0.00		10/13/2015	
DRWW	Suburban Labs	13-6	G-08	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		09/21/2015	1:55:00 PM	09/21/2015	3:18:00 PM			09/29/2015	4:16:06 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30		10/13/2015	
DRWW	Suburban Labs	13-6	G-08	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		09/21/2015	1:55:00 PM	09/21/2015	3:18:00 PM	09/25/2015	1:59:27 PM	10/08/2015	4:24:00 PM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	1.92	mg/L	J	0.50	2.00		10/13/2015	
DRWW	Suburban Labs	13-6	G-08	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		09/21/2015	1:55:00 PM	09/21/2015	3:18:00 PM			09/22/2015	3:00:00 PM	Water												

Submittin g Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample- Depth Units	Waterbody Name	Public Water Supply Intake	Monitori ng Unit	Surface-Water Monitoring Program	Field- Blank ID	Sample- Collection Date	Sample- Collection Time	Sample- Receipt Date	Sample- Receipt Time	Preparatio n Date	Preparation Time	Sample- Analysis Date	Analysis Time	Sample Medium	Method Source	Method Code	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs	13-6	G-08	Non-IEPA	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	12:05:00 PM	10/22/2015	2:20:00 PM	10/27/2015	3:17:33 PM	10/28/2015	10:43:00 PM	Water	USEPA	200.7	Copper	Total	0.00	mg/L	J	0.00	0.00			11/05/2015
DRWW	Suburban Labs	13-6	G-08	Non-IEPA	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	12:05:00 PM	10/22/2015	2:20:00 PM	10/26/2015	2:13:36 PM	10/28/2015	9:43:00 PM	Water	USEPA	8081	delta-BHC	Total	ND	µg/L		0.03	0.03			11/05/2015
DRWW	Suburban Labs	13-6	G-08	Non-IEPA	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	12:05:00 PM	10/22/2015	2:20:00 PM	10/26/2015	9:30:21 AM	10/28/2015	7:33:00 PM	Water	USEPA	8270D	Dibenzo(a,h)anthracene	Total	ND	µg/L		0.10	0.10			11/05/2015
DRWW	Suburban Labs	13-6	G-08	Non-IEPA	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	12:05:00 PM	10/22/2015	2:20:00 PM	10/26/2015	9:30:21 AM	10/28/2015	4:50:00 PM	Water	USEPA	8260B	Dibromochloromethane	Total	ND	µg/L		1.00	1.00			11/05/2015
DRWW	Suburban Labs	13-6	G-08	Non-IEPA	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	12:05:00 PM	10/22/2015	2:20:00 PM	10/26/2015	9:30:21 AM	10/28/2015	4:50:00 PM	Water	USEPA	8260B	Dichlorodifluoromethane	Total	ND	µg/L		1.00	1.00			11/05/2015
DRWW	Suburban Labs	13-6	G-08	Non-IEPA	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	12:05:00 PM	10/22/2015	2:20:00 PM	10/26/2015	2:13:36 PM	10/28/2015	9:43:00 PM	Water	USEPA	8081	Dieldrin	Total	ND	µg/L		0.05	0.05			11/05/2015
DRWW	Suburban Labs	13-6	G-08	Non-IEPA	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	12:05:00 PM	10/22/2015	2:20:00 PM	10/26/2015	9:30:21 AM	10/28/2015	4:04:00 PM	Water	USEPA	E COLI MPN	E. Coli	Total	70.60	MPN/100mL		1.00	1.00			11/05/2015
DRWW	Suburban Labs	13-6	G-08	Non-IEPA	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	12:05:00 PM	10/22/2015	2:20:00 PM	10/26/2015	2:13:36 PM	10/28/2015	9:43:00 PM	Water	USEPA	8081	Endosulfan I	Total	ND	µg/L		0.03	0.03			11/05/2015
DRWW	Suburban Labs	13-6	G-08	Non-IEPA	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	12:05:00 PM	10/22/2015	2:20:00 PM	10/26/2015	2:13:36 PM	10/28/2015	9:43:00 PM	Water	USEPA	8081	Endosulfan II	Total	ND	µg/L		0.05	0.05			11/05/2015
DRWW	Suburban Labs	13-6	G-08	Non-IEPA	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	12:05:00 PM	10/22/2015	2:20:00 PM	10/26/2015	2:13:36 PM	10/28/2015	9:43:00 PM	Water	USEPA	8081	Endosulfan sulfate	Total	ND	µg/L		0.05	0.05			11/05/2015
DRWW	Suburban Labs	13-6	G-08	Non-IEPA	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	12:05:00 PM	10/22/2015	2:20:00 PM	10/26/2015	3:01:19 PM	10/28/2015	9:43:00 PM	Water	USEPA	8081	Endrin	Total	ND	µg/L		0.05	0.05			11/05/2015
DRWW	Suburban Labs	13-6	G-08	Non-IEPA	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	12:05:00 PM	10/22/2015	2:20:00 PM	10/26/2015	2:13:36 PM	10/28/2015	9:43:00 PM	Water	USEPA	8081	Endrin aldehyde	Total	ND	µg/L		0.05	0.05			11/05/2015
DRWW	Suburban Labs	13-6	G-08	Non-IEPA	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	12:05:00 PM	10/22/2015	2:20:00 PM	10/26/2015	2:13:36 PM	10/28/2015	9:43:00 PM	Water	USEPA	8081	Endrin ketone	Total	ND	µg/L		0.05	0.05			11/05/2015
DRWW	Suburban Labs	13-6	G-08	Non-IEPA	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	12:05:00 PM	10/22/2015	2:20:00 PM	10/26/2015	9:30:21 AM	10/28/2015	7:33:00 PM	Water	USEPA	8270D	Indeno(1,2,3-cd)pyrene	Total	ND	µg/L		0.10	0.10			11/05/2015
DRWW	Suburban Labs	13-6	G-08	Non-IEPA	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	12:05:00 PM	10/22/2015	2:20:00 PM	10/26/2015	3:01:19 PM	10/28/2015	8:59:55 PM	Water	USEPA	200.7	Iron	Total	0.25	mg/L		0.01	0.05			11/05/2015
DRWW	Suburban Labs	13-6	G-08	Non-IEPA	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	12:05:00 PM	10/22/2015	2:20:00 PM	10/26/2015	9:30:21 AM	10/28/2015	4:50:00 PM	Water	USEPA	8260B	m,p-Xylene	Total	ND	µg/L		2.00	2.00			11/05/2015
DRWW	Suburban Labs	13-6	G-08	Non-IEPA	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	12:05:00 PM	10/22/2015	2:20:00 PM	10/26/2015	3:01:19 PM	10/28/2015	8:59:55 PM	Water	USEPA	200.7	Magnesium	Total	45.50	mg/L		0.01	0.05			11/05/2015
DRWW	Suburban Labs	13-6	G-08	Non-IEPA	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	12:05:00 PM	10/22/2015	2:20:00 PM	10/27/2015	3:17:33 PM	10/28/2015	10:43:00 PM	Water	USEPA	200.7	Manganese	Total	0.04	mg/L		0.00	0.00			11/05/2015
DRWW	Suburban Labs	13-6	G-08	Non-IEPA	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	12:05:00 PM	10/22/2015	2:20:00 PM	10/27/2015	7:25:43 PM	10/28/2015	7:25:43 PM	Water	USEPA	1631	Mercury	Total	0.96	ng/L		0.50	0.50			11/05/2015
DRWW	Suburban Labs	13-6	G-08	Non-IEPA	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	12:05:00 PM	10/22/2015	2:20:00 PM	10/26/2015	2:13:36 PM	10/28/2015	9:43:00 PM	Water	USEPA	8081	Methoxychlor	Total	ND	µg/L		0.25	0.25			11/05/2015
DRWW	Suburban Labs	13-6	G-08	Non-IEPA	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	12:05:00 PM	10/22/2015	2:20:00 PM	10/26/2015	9:30:21 AM	10/28/2015	4:50:00 PM	Water	USEPA	8260B	Methyl tert-butyl ether	Total	ND	µg/L		1.00	1.00			11/05/2015
DRWW	Suburban Labs	13-6	G-08	Non-IEPA	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	12:05:00 PM	10/22/2015	2:20:00 PM	10/26/2015	9:30:21 AM	10/28/2015	4:50:00 PM	Water	USEPA	8260B	Methylene chloride	Total	ND	µg/L		5.00	5.00			11/05/2015
DRWW	Suburban Labs	13-6	G-08	Non-IEPA	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	12:05:00 PM	10/22/2015	2:20:00 PM	10/26/2015	9:30:21 AM	10/28/2015	7:33:00 PM	Water	USEPA	8270D	Naphthalene	Total	ND	µg/L		0.10	0.10			11/05/2015
DRWW	Suburban Labs	13-6	G-08	Non-IEPA	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	12:05:00 PM	10/22/2015	2:20:00 PM	10/27/2015	3:17:33 PM	10/28/2015	10:43:00 PM	Water	USEPA	200.7	Nickel	Total	0.00	mg/L		0.00	0.00			11/05/2015
DRWW	Suburban Labs	13-6	G-08	Non-IEPA	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	12:05:00 PM	10/22/2015	2:20:00 PM	10/27/2015	7:27:09 PM	10/28/2015	7:27:09 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30			11/05/2015
DRWW	Suburban Labs	13-6	G-08	Non-IEPA	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	12:05:00 PM	10/22/2015	2:20:00 PM	10/29/2015	6:12:41 PM	10/30/2015	6:06:00 PM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	1.05	mg/L	J	0.50	2.00			11/05/2015
DRWW	Suburban Labs	13-6	G-08	Non-IEPA	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	12:05:00 PM	10/22/2015	2:20:00 PM	10/23/2015	5:30:00 PM	10/28/2015	5:30:00 PM	Water	USEPA	365.2	Orthophosphate (As P)	Total	ND	mg/L		0.03	0.05			11/05/2015
DRWW	Suburban Labs	13-6	G-08	Non-IEPA	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	12:05:00 PM	10/22/2015	2:20:00 PM	10/26/2015	9:30:21 AM	10/28/2015	4:50:00 PM	Water	USEPA	8260B	p-Xylene	Total	ND	µg/L		1.00	1.00			11/05/2015
DRWW	Suburban Labs	13-6	G-08	Non-IEPA	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	12:05:00 PM	10/22/2015	2:20:00 PM	10/26/2015	9:30:21 AM	10/28/2015	7:33:00 PM	Water	USEPA	8270D	Phenanthrene	Total	ND	µg/L		0.10	0.10			11/05/2015
DRWW	Suburban Labs	13-6	G-08	Non-IEPA	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	12:05:00 PM	10/22/2015	2:20:00 PM	10/27/2015	3:17:33 PM	10/30/2015	5:38:00 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.04	mg/L		0.02	0.02			11/05/2015
DRWW	Suburban Labs	13-6	G-08	Non-IEPA	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	12:05:00 PM	10/22/2015	2:20:00 PM	10/26/2015	9:30:21 AM	10/28/2015	7:33:00 PM	Water	USEPA	8270D	Pyrene	Total	ND	µg/L		0.10	0.10			11/05/2015
DRWW	Suburban Labs	13-6	G-08	Non-IEPA	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	12:05:00 PM	10/22/2015	2:20:00 PM	10/28/2015	3:01:19 PM	11/02/2015	8:46:19 PM	Water	USEPA	200.7	Sodium	Total	79.30	mg/L		0.10	0.20			11/05/2015
DRWW	Suburban Labs	13-6	G-08	Non-IEPA	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	12:05:00 PM	10/22/2015	2:20:00 PM	10/26/2015	9:30:21 AM	10/28/2015	4:50:00 PM	Water	USEPA	8260B	Styrene	Total	ND	µg/L		1.00	1.00			11/05/2015
DRWW	Suburban Labs	13-6	G-08	Non-IEPA	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	12:05:00 PM	10/22/2015	2:20:00 PM	10/29/2015	5:03:48 PM	10/29/2015	5:03:48 PM	Water	USEPA	375.2	Sulfate	Total	108.00	mg/L		10.00	30.00			11/05/2015
DRWW	Suburban Labs	13-6	G-08	Non-IEPA	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	12:05:00 PM	10/22/2015	2:20:00 PM	10/26/2015	9:30:21 AM	10/28/2015	4:50:00 PM	Water	USEPA	8260B	Tetrachloroethene	Total	ND	µg/L		1.00	1.00			11/05/2015
DRWW	Suburban Labs	13-6	G-08	Non-IEPA	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	12:05:00 PM	10/22/2015	2:20:00 PM	10/26/2015	9:30:21 AM	10/28/2015	4:50:00 PM	Water	USEPA	8260B	Toluene	Total	ND	µg/L		1.00	1.00			11/05/2015
DRWW	Suburban Labs	13-6	G-08	Non-IEPA	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	12:05:00 PM	10/22/2015	2:20:00 PM	10/27/2015	3:21:38 PM	10/27/2015	3:21:38 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.05	0.10			11/05/2015
DRWW	Suburban Labs	13-6	G-08	Non-IEPA	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	12:05:00 PM	10/22/2015	2:20:00 PM	10/28/2015	2:21:00 PM	10/28/2015	2:21:00 PM	Water	APHA	5310-C	Total Organic Carbon	Total	7.00	mg/L	G	1.00	1.00			11/05/2015
DRWW	Suburban Labs	13-6	G-08	Non-IEPA	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	12:05:00 PM	10/22/2015	2:20:00 PM	10/28/2015	10:55:00 AM	10/28/2015	10:55:00 AM	Water	USEPA	2540-D	Total Suspended Solids	Total	3.20	mg/L	J	0.20	5.00			11/05/2015
DRWW	Suburban Labs	13-6	G-08	Non-IEPA	0.5	ft	Upper Des Plaines River			Non-IEPA		10/22/2015	12:05:00 PM	10/22/2015	2:20:00 PM	10/26/2015	9:30:21 AM	10/28/2015	4:50:00 PM	Water	USEPA	8260B</										

Submittin g Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample- Depth Units	Waterbody Name	Public Water Supply Intake	Monitori ng Unit	Surface-Water Monitoring Program	Field- Blank ID	Sample- Collection Date	Sample- Collection Time	Sample- Receipt Date	Sample- Receipt Time	Preparatio n Date	Preparation Time	Sample- Analysis Date	Analysis Time	Sample Medium	Method Source	Method Code	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs	13-9	GZJ-01	Non-IEPA	0.5	ft	Upper Des Plaines River			Non-IEPA		12/02/2015	10:57:00 AM	12/02/2015	2:40:00 PM	12/07/2015	5:19:47 PM	12/14/2015	5:45:00 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	ND	mg/L	0.04	0.04		12/16/2015		
DRWW	Suburban Labs	13-9	GZJ-01	Non-IEPA	0.5	ft	Upper Des Plaines River			Non-IEPA		12/02/2015	10:57:00 AM	12/02/2015	2:40:00 PM			12/14/2015	4:31:13 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	1.71	mg/L	0.05	0.10		12/16/2015		
DRWW	Suburban Labs	13-9	GZJ-01	Non-IEPA	0.5	ft	Upper Des Plaines River			Non-IEPA		12/02/2015	10:57:00 AM	12/02/2015	2:40:00 PM			12/02/2015	4:30:00 PM	Water	Lab	2130-B	Turbidity	Total	6.40	NTU	0.10	0.20		12/16/2015		
DRWW	Suburban Labs	14-1	GV-01	Non-IEPA	0.5	ft	Bull Creek			Non-IEPA		09/23/2015	12:00:00 PM	09/23/2015	1:45:00 PM			09/25/2015	10:47:26 AM	Water	AFPHA	4500-CL-(E)	Chloride	Total	159.00	mg/L	20.00	20.00		10/06/2015		
DRWW	Suburban Labs	14-1	GV-01	Non-IEPA	0.5	ft	Bull Creek			Non-IEPA		09/23/2015	12:00:00 PM	09/23/2015	1:45:00 PM			09/23/2015	4:05:00 PM	Water	USEPA	E COLI MPN	E. Coli	Total	210.00	MPN/100mL	1.00	1.00		10/06/2015		
DRWW	Suburban Labs	14-1	GV-01	Non-IEPA	0.5	ft	Bull Creek			Non-IEPA		09/23/2015	12:00:00 PM	09/23/2015	1:45:00 PM			09/23/2015	4:20:00 PM	Water	USEPA	DISSOLVED	Filtered and Preserved	Total	complete		0.00	0.00		10/06/2015		
DRWW	Suburban Labs	14-1	GV-01	Non-IEPA	0.5	ft	Bull Creek			Non-IEPA		09/23/2015	12:00:00 PM	09/23/2015	1:45:00 PM			09/30/2015	3:07:44 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L	0.10	0.30		10/06/2015		
DRWW	Suburban Labs	14-1	GV-01	Non-IEPA	0.5	ft	Bull Creek			Non-IEPA		09/23/2015	12:00:00 PM	09/23/2015	1:45:00 PM			10/01/2015	1:59:00 PM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	1.00	mg/L	J	0.50	2.00		10/06/2015	
DRWW	Suburban Labs	14-1	GV-01	Non-IEPA	0.5	ft	Bull Creek			Non-IEPA		09/23/2015	12:00:00 PM	09/23/2015	1:45:00 PM			09/24/2015	4:30:00 PM	Water	USEPA	365.2	Orthophosphate (As P)	Total	0.03	mg/L	J	0.03	0.05		10/06/2015	
DRWW	Suburban Labs	14-1	GV-01	Non-IEPA	0.5	ft	Bull Creek			Non-IEPA		09/23/2015	12:00:00 PM	09/23/2015	1:45:00 PM			09/28/2015	4:52:02 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.06	mg/L	0.02	0.02		10/06/2015		
DRWW	Suburban Labs	14-1	GV-01	Non-IEPA	0.5	ft	Bull Creek			Non-IEPA		09/23/2015	12:00:00 PM	09/23/2015	1:45:00 PM			10/01/2015	10:29:24 AM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.27	mg/L	0.05	0.10		10/06/2015		
DRWW	Suburban Labs	14-1	GV-01	Non-IEPA	0.5	ft	Bull Creek			Non-IEPA		09/23/2015	12:00:00 PM	09/23/2015	1:45:00 PM			09/29/2015	1:35:00 PM	Water	USEPA	2540-D	Total Suspended Solids	Total	11.20	mg/L	0.20	5.00		10/06/2015		
DRWW	Suburban Labs	14-1	GV-01	Non-IEPA	0.5	ft	Bull Creek			Non-IEPA		09/23/2015	12:00:00 PM	09/23/2015	1:45:00 PM			09/24/2015	4:20:00 PM	Water	Lab	2130-B	Turbidity	Total	11.20	NTU	0.10	0.20		10/06/2015		
DRWW	Suburban Labs	14-1	GV-01	Non-IEPA	0.5	ft	Bull Creek			Non-IEPA		09/23/2015	12:00:00 PM	09/23/2015	1:45:00 PM			09/29/2015	1:35:00 PM	Water	USEPA	2540-D	Volatlie Suspended Solids	Total	3.00	mg/L	J	0.20	5.00		10/06/2015	
DRWW	Suburban Labs	14-1	GV-01	Non-IEPA	0.5	ft	Bull Creek			Non-IEPA		10/21/2015	10:08:00 AM	10/21/2015	2:20:00 PM	10/28/2015	3:01:19 PM	10/31/2015	9:03:54 PM	Water	USEPA	200.7	Calcium	Total	94.70	mg/L	0.02	0.05		11/02/2015		
DRWW	Suburban Labs	14-1	GV-01	Non-IEPA	0.5	ft	Bull Creek			Non-IEPA		10/21/2015	10:08:00 AM	10/21/2015	2:20:00 PM			10/23/2015	1:20:00 PM	Water	AFPHA	4500-CL-(E)	Chloride	Total	292.00	mg/L	40.00	40.00		11/02/2015		
DRWW	Suburban Labs	14-1	GV-01	Non-IEPA	0.5	ft	Bull Creek			Non-IEPA		10/21/2015	10:08:00 AM	10/21/2015	2:20:00 PM			10/21/2015	2:59:00 PM	Water	USEPA	E COLI MPN	E. Coli	Total	201.00	MPN/100mL	1.00	1.00		11/02/2015		
DRWW	Suburban Labs	14-1	GV-01	Non-IEPA	0.5	ft	Bull Creek			Non-IEPA		10/21/2015	10:08:00 AM	10/21/2015	2:20:00 PM			10/21/2015	5:00:00 PM	Water	USEPA	DISSOLVED	Filtered and Preserved	Total	complete		0.00	0.00		11/02/2015		
DRWW	Suburban Labs	14-1	GV-01	Non-IEPA	0.5	ft	Bull Creek			Non-IEPA		10/21/2015	10:08:00 AM	10/21/2015	2:20:00 PM	10/28/2015	3:01:19 PM	10/31/2015	9:03:54 PM	Water	USEPA	200.7	Hardness (As CaCO3)	Total	430.00	mg/L	0.05	0.15		11/02/2015		
DRWW	Suburban Labs	14-1	GV-01	Non-IEPA	0.5	ft	Bull Creek			Non-IEPA		10/21/2015	10:08:00 AM	10/21/2015	2:20:00 PM	10/28/2015	3:01:19 PM	10/31/2015	9:03:54 PM	Water	USEPA	200.7	Magnesium	Total	47.00	mg/L	0.01	0.05		11/02/2015		
DRWW	Suburban Labs	14-1	GV-01	Non-IEPA	0.5	ft	Bull Creek			Non-IEPA		10/21/2015	10:08:00 AM	10/21/2015	2:20:00 PM	10/21/2015	4:39:24 PM	10/22/2015	8:21:00 PM	Water	USEPA	200.7	Manganese	Total	0.03	mg/L	0.00	0.00		11/02/2015		
DRWW	Suburban Labs	14-1	GV-01	Non-IEPA	0.5	ft	Bull Creek			Non-IEPA		10/21/2015	10:08:00 AM	10/21/2015	2:20:00 PM	10/21/2015	10:23/2015	4:57:00 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L	0.10	0.30		11/02/2015			
DRWW	Suburban Labs	14-1	GV-01	Non-IEPA	0.5	ft	Bull Creek			Non-IEPA		10/21/2015	10:08:00 AM	10/21/2015	2:20:00 PM	10/26/2015	11:51:36 AM	10/27/2015	10:38:14 AM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	ND	mg/L	0.50	2.00		11/02/2015		
DRWW	Suburban Labs	14-1	GV-01	Non-IEPA	0.5	ft	Bull Creek			Non-IEPA		10/21/2015	10:08:00 AM	10/21/2015	2:20:00 PM	10/21/2015	10:27/2015	5:30:00 PM	Water	USEPA	365.2	Orthophosphate (As P)	Total	ND	mg/L	0.03	0.05		11/02/2015			
DRWW	Suburban Labs	14-1	GV-01	Non-IEPA	0.5	ft	Bull Creek			Non-IEPA		10/21/2015	10:08:00 AM	10/21/2015	2:20:00 PM	10/21/2015	4:39:24 PM	10/22/2015	8:21:00 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.03	mg/L	0.02	0.02		11/02/2015		
DRWW	Suburban Labs	14-1	GV-01	Non-IEPA	0.5	ft	Bull Creek			Non-IEPA		10/21/2015	10:08:00 AM	10/21/2015	2:20:00 PM	10/22/2015	3:37:32 PM	10/22/2015	3:37:32 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.38	mg/L	0.05	0.10		11/02/2015		
DRWW	Suburban Labs	14-1	GV-01	Non-IEPA	0.5	ft	Bull Creek			Non-IEPA		10/21/2015	10:08:00 AM	10/21/2015	2:20:00 PM	10/28/2015	10/28/2015	10/28/2015	10:55:00 PM	Water	USEPA	2540-D	Total Suspended Solids	Total	1.20	mg/L	J	0.20	5.00		11/02/2015	
DRWW	Suburban Labs	14-1	GV-01	Non-IEPA	0.5	ft	Bull Creek			Non-IEPA		10/21/2015	10:08:00 AM	10/21/2015	2:20:00 PM			10/21/2015	5:25:00 PM	Water	Lab	2130-B	Turbidity	Total	3.13	NTU	0.10	0.20		11/02/2015		
DRWW	Suburban Labs	14-1	GV-01	Non-IEPA	0.5	ft	Bull Creek			Non-IEPA		10/21/2015	10:08:00 AM	10/21/2015	2:20:00 PM	10/28/2015	10/28/2015	10/28/2015	10:55:00 PM	Water	USEPA	2540-D	Volatlie Suspended Solids	Total	1.20	mg/L	J	0.20	5.00		11/02/2015	
DRWW	Suburban Labs	14-1	GV-01	Non-IEPA	0.5	ft	Bull Creek			Non-IEPA		11/30/2015	12:15:00 PM	11/30/2015	2:05:00 PM			12/02/2015	10:44:10 AM	Water	AFPHA	4500-CL-(E)	Chloride	Total	178.00	mg/L	20.00	20.00		12/09/2015		
DRWW	Suburban Labs	14-1	GV-01	Non-IEPA	0.5	ft	Bull Creek			Non-IEPA		11/30/2015	12:15:00 PM	11/30/2015	2:05:00 PM			11/30/2015	4:06:00 PM	Water	USEPA	E COLI MPN	E. Coli	Total	184.00	MPN/100mL	1.00	1.00		12/09/2015		
DRWW	Suburban Labs	14-1	GV-01	Non-IEPA	0.5	ft	Bull Creek			Non-IEPA		11/30/2015	12:15:00 PM	11/30/2015	2:05:00 PM			11/30/2015	5:00:00 PM	Water	USEPA	DISSOLVED	Filtered and Preserved	Total	complete		0.00	0.00		12/09/2015		
DRWW	Suburban Labs	14-1	GV-01	Non-IEPA	0.5	ft	Bull Creek			Non-IEPA		11/30/2015	12:15:00 PM	11/30/2015	2:05:00 PM			12/03/2015	5:09:00 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L	0.10	0.30		12/09/2015		
DRWW	Suburban Labs	14-1	GV-01	Non-IEPA	0.5	ft	Bull Creek			Non-IEPA		11/30/2015	12:15:00 PM	11/30/2015	2:05:00 PM	12/02/2015	10:08:34 AM	12/07/2015	1:19:20 PM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	0.65	mg/L	J	0.50	2.00		12/09/2015	
DRWW	Suburban Labs	14-1	GV-01	Non-IEPA	0.5	ft	Bull Creek			Non-IEPA		11/30/2015	12:15:00 PM	11/30/2015	2:05:00 PM			12/01/2015	4:30:00 PM	Water	USEPA	365.2	Orthophosphate (As P)	Total	ND	mg/L	0.03	0.05		12/09/2015		
DRWW	Suburban Labs	14-1	GV-01	Non-IEPA	0.5	ft	Bull Creek			Non-IEPA		11/30/2015	12:15:00 PM	11/30/2015	2:05:00 PM	12/01/2015	11:39:59 AM	12/02/2015	12:12:00 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.05	mg/L	0.02	0.02		12/09/2015		
DRWW	Suburban Labs	14-1	GV-01	Non-IEPA	0.5	ft	Bull Creek			Non-IEPA		11/30/2015	12:15:00 PM	11/30/2015	2:05:00 PM			12/01/2015	5:50:36 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.83	mg/L	0.05	0.10		12/09/2015		
DRWW	Suburban Labs	14-1	GV-01	Non-IEPA	0.5	ft	Bull Creek			Non-IEPA		11/30/2015	12:15:00 PM	11/30/2015	2:05:00 PM			12/03/2015	11:30:00 AM	Water	USEPA	2540-D	Total Suspended Solids	Total	11.80	mg/L	0.20	5.00		12/09/2015		
DRWW	Suburban Labs	14-1	GV-01	Non-IEPA	0.5	ft	Bull Creek			Non-IEPA		11/30/2015	12:15:00 PM	11/30/2015	2:05:00 PM			11/30/2015	4:30:00 PM	Water	Lab	2130-B	Turbidity	Total	14.40	NTU	0.10	0.20		12/09/2015		
DRWW	Suburban Labs	14-1	GV-01	Non-IEPA	0.5	ft	Bull Creek			Non-IEPA		11/30/2015	12:15:00 PM	11/30/2015	2:05:00 PM			12/03/2015	11:30:00 AM	Water	USEPA	2540-D	Volatlie Suspended Solids	Total	1.60	mg/L	J	0.20	5.00		12/09/2015	
DRWW	Suburban Labs	14-2	GV-02	Non-IEPA	0.5	ft	Bull Creek			Non-IEPA		09/23/2015	12:15:00 PM	09/23/2015	1:45:00 PM			09/25/2015	10:47:44 AM	Water	AFPHA	4500-CL-(E)	Chloride	Total	190.00	mg/L	20.00	20.00		10/06/2015		
DRWW	Suburban Labs	14-2	GV-02	Non-IEPA	0.5	ft	Bull Creek			Non-IEPA		09/23/2015	12:15:00 PM	09/23/2015	1:45:00 PM			09/23/2015	4:05:00 PM	Water	USEPA	E COLI MPN	E. Coli	Total	86.50	MPN/100mL	1.00	1.00		10/06/2015		
DRWW	Suburban Labs	14-2	GV-02	Non-IEPA	0.5	ft	Bull Creek			Non-IEPA		09/23/2015																				

Submittin g Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample- Depth Units	Waterbody Name	Public Water Supply Intake	Monitori ng Unit	Surface-Water Monitoring Program	Field- Blank ID	Sample- Collection Date	Sample- Collection Time	Sample- Receipt Date	Sample- Receipt Time	Preparatio n Date	Preparation Time	Sample- Analysis Date	Analysis Time	Sample Medium	Method Source	Method Code	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		10/21/2015	11:03:00 AM	10/21/2015	2:20:00 PM			10/22/2015	3:45:56 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L	J	0.05	0.10			11/02/2015
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		10/21/2015	11:03:00 AM	10/21/2015	2:20:00 PM			10/28/2015	10:55:00 AM	Water	USEPA	2540-D	Total Suspended Solids	Total	0.80	mg/L	J	0.20	5.00			11/02/2015
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		10/21/2015	11:03:00 AM	10/21/2015	2:20:00 PM			10/21/2015	5:25:00 PM	Water	Lab	2130-B	Turbidity	Total	1.88	NTU		0.10	0.20			11/02/2015
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		10/21/2015	11:03:00 AM	10/21/2015	2:20:00 PM			10/28/2015	10:55:00 AM	Water	USEPA	2540-D	Volatile Suspended Solids	Total	0.80	mg/L	J	0.20	5.00			11/02/2015
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		12/02/2015	12:27:00 PM	12/02/2015	2:40:00 PM			12/12/2015	4:02:11 PM	Water	APHA	4500-CL(E)	Chloride	Total	174.00	mg/L		20.00	20.00			12/16/2015
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		12/02/2015	12:27:00 PM	12/02/2015	2:40:00 PM			12/02/2015	3:53:00 PM	Water	USEPA	E. COLI MPN	E. Coli	Total	365.00	MPN/100mL		1.00	1.00			12/16/2015
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		12/02/2015	12:27:00 PM	12/02/2015	2:40:00 PM			12/02/2015	4:00:00 PM	Water	USEPA	DISSOLVED	Filtered and Preserved	Total	complete			0.00	0.00			12/16/2015
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		12/02/2015	12:27:00 PM	12/02/2015	2:40:00 PM			12/09/2015	4:16:00 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30			12/16/2015
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		12/02/2015	12:27:00 PM	12/02/2015	2:40:00 PM	12/04/2015	1:14:19 PM	12/10/2015	4:53:41 PM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	0.94	mg/L	J	0.50	2.00			12/16/2015
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		12/02/2015	12:27:00 PM	12/02/2015	2:40:00 PM			12/03/2015	5:50:00 PM	Water	USEPA	365.2	Orthophosphate (As P)	Total	ND	mg/L		0.03	0.05			12/16/2015
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		12/02/2015	12:27:00 PM	12/02/2015	2:40:00 PM			12/14/2015	5:52:00 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.05	mg/L		0.04	0.04			12/16/2015
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		12/02/2015	12:27:00 PM	12/02/2015	2:40:00 PM			12/14/2015	4:36:01 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.49	mg/L		0.05	0.10			12/16/2015
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		12/02/2015	12:27:00 PM	12/02/2015	2:40:00 PM			12/04/2015	10:36:00 AM	Water	USEPA	2540-D	Total Suspended Solids	Total	9.20	mg/L		0.20	5.00			12/16/2015
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		12/02/2015	12:27:00 PM	12/02/2015	2:40:00 PM			12/02/2015	4:30:00 PM	Water	Lab	2130-B	Turbidity	Total	9.79	NTU		0.10	0.20			12/16/2015
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		12/02/2015	12:27:00 PM	12/02/2015	2:40:00 PM			12/04/2015	10:36:00 AM	Water	USEPA	2540-D	Volatile Suspended Solids	Total	5.80	mg/L		0.20	5.00			12/16/2015
DRWW	Suburban Labs		15-2 Duplicate	GU-06	0.5	ft	Indian Creek			Non-IEPA		10/21/2015	11:03:00 AM	10/21/2015	2:20:00 PM	10/28/2015	3:01:19 PM	10/31/2015	9:15:53 PM	Water	USEPA	200.7	Calcium	Total	65.60	mg/L		0.02	0.05			11/02/2015
DRWW	Suburban Labs		15-2 Duplicate	GU-06	0.5	ft	Indian Creek			Non-IEPA		10/21/2015	11:03:00 AM	10/21/2015	2:20:00 PM			10/30/2015	12:41:56 PM	Water	APHA	4500-CL(E)	Chloride	Total	150.00	mg/L		20.00	20.00			11/02/2015
DRWW	Suburban Labs		15-2 Duplicate	GU-06	0.5	ft	Indian Creek			Non-IEPA		10/21/2015	11:03:00 AM	10/21/2015	2:20:00 PM			10/21/2015	2:59:00 PM	Water	USEPA	E. COLI MPN	E. Coli	Total	387.00	MPN/100mL		1.00	1.00			11/02/2015
DRWW	Suburban Labs		15-2 Duplicate	GU-06	0.5	ft	Indian Creek			Non-IEPA		10/21/2015	11:03:00 AM	10/21/2015	2:20:00 PM			10/21/2015	5:00:00 PM	Water	USEPA	DISSOLVED	Filtered and Preserved	Total	complete			0.00	0.00			11/02/2015
DRWW	Suburban Labs		15-2 Duplicate	GU-06	0.5	ft	Indian Creek			Non-IEPA		10/21/2015	11:03:00 AM	10/21/2015	2:20:00 PM	10/28/2015	3:01:19 PM	10/31/2015	9:15:53 PM	Water	USEPA	200.7	Hardness (As CaCO3)	Total	288.00	mg/L		0.05	0.15			11/02/2015
DRWW	Suburban Labs		15-2 Duplicate	GU-06	0.5	ft	Indian Creek			Non-IEPA		10/21/2015	11:03:00 AM	10/21/2015	2:20:00 PM	10/28/2015	3:01:19 PM	10/31/2015	9:15:53 PM	Water	USEPA	200.7	Magnesium	Total	30.20	mg/L		0.01	0.05			11/02/2015
DRWW	Suburban Labs		15-2 Duplicate	GU-06	0.5	ft	Indian Creek			Non-IEPA		10/21/2015	11:03:00 AM	10/21/2015	2:20:00 PM	10/27/2015		10/28/2015	8:47:00 PM	Water	USEPA	200.7	Manganese	Total	0.03	mg/L		0.00	0.00			11/02/2015
DRWW	Suburban Labs		15-2 Duplicate	GU-06	0.5	ft	Indian Creek			Non-IEPA		10/21/2015	11:03:00 AM	10/21/2015	2:20:00 PM	10/27/2015		10/27/2015	6:33:25 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30			11/02/2015
DRWW	Suburban Labs		15-2 Duplicate	GU-06	0.5	ft	Indian Creek			Non-IEPA		10/21/2015	11:03:00 AM	10/21/2015	2:20:00 PM	10/26/2015	11:51:36 AM	10/27/2015	10:43:19 AM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	ND	mg/L		0.50	2.00			11/02/2015
DRWW	Suburban Labs		15-2 Duplicate	GU-06	0.5	ft	Indian Creek			Non-IEPA		10/21/2015	11:03:00 AM	10/21/2015	2:20:00 PM	10/21/2015		10/21/2015	5:30:00 PM	Water	USEPA	365.2	Orthophosphate (As P)	Total	ND	mg/L		0.03	0.05			11/02/2015
DRWW	Suburban Labs		15-2 Duplicate	GU-06	0.5	ft	Indian Creek			Non-IEPA		10/21/2015	11:03:00 AM	10/21/2015	2:20:00 PM	10/27/2015	3:17:33 PM	10/30/2015	3:50:00 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.03	mg/L		0.02	0.02			11/02/2015
DRWW	Suburban Labs		15-2 Duplicate	GU-06	0.5	ft	Indian Creek			Non-IEPA		10/21/2015	11:03:00 AM	10/21/2015	2:20:00 PM	10/22/2015		10/22/2015	3:47:08 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.05	0.10			11/02/2015
DRWW	Suburban Labs		15-2 Duplicate	GU-06	0.5	ft	Indian Creek			Non-IEPA		10/21/2015	11:03:00 AM	10/21/2015	2:20:00 PM	10/28/2015		10/28/2015	10:55:00 AM	Water	USEPA	2540-D	Total Suspended Solids	Total	1.20	mg/L	J	0.20	5.00			11/02/2015
DRWW	Suburban Labs		15-2 Duplicate	GU-06	0.5	ft	Indian Creek			Non-IEPA		10/21/2015	11:03:00 AM	10/21/2015	2:20:00 PM	10/21/2015		10/21/2015	5:25:00 PM	Water	Lab	2130-B	Turbidity	Total	1.90	NTU		0.10	0.20			11/02/2015
DRWW	Suburban Labs		15-2 Duplicate	GU-06	0.5	ft	Indian Creek			Non-IEPA		10/21/2015	11:03:00 AM	10/21/2015	2:20:00 PM	10/28/2015		10/28/2015	10:55:00 AM	Water	USEPA	2540-D	Volatile Suspended Solids	Total	1.20	mg/L	J	0.20	5.00			11/02/2015
DRWW	Suburban Labs		15-3	GUB-03	0.5	ft	Indian Creek			Non-IEPA		09/25/2015	11:30:00 AM	09/25/2015	3:00:00 PM			09/30/2015	10:53:38 AM	Water	APHA	4500-CL(E)	Chloride	Total	113.00	mg/L	S	20.00	20.00			10/06/2015
DRWW	Suburban Labs		15-3	GUB-03	0.5	ft	Indian Creek			Non-IEPA		09/25/2015	11:30:00 AM	09/25/2015	3:00:00 PM			09/25/2015	4:34:00 PM	Water	USEPA	E. COLI MPN	E. Coli	Total	196.00	MPN/100mL		1.00	1.00			10/06/2015
DRWW	Suburban Labs		15-3	GUB-03	0.5	ft	Indian Creek			Non-IEPA		09/25/2015	11:30:00 AM	09/25/2015	3:00:00 PM	09/30/2015	4:05:26 PM	10/05/2015	6:42:00 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.08	mg/L		0.02	0.02			10/06/2015
DRWW	Suburban Labs		15-3	GUB-03	0.5	ft	Indian Creek			Non-IEPA		09/25/2015	11:30:00 AM	09/25/2015	3:00:00 PM	10/01/2015		10/01/2015	11:31:50 AM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.29	mg/L		0.05	0.10			10/06/2015
DRWW	Suburban Labs		15-3	GUB-03	0.5	ft	Indian Creek			Non-IEPA		09/25/2015	11:30:00 AM	09/25/2015	3:00:00 PM			09/25/2015	3:45:00 PM	Water	Lab	2130-B	Turbidity	Total	3.16	NTU		0.10	0.20			10/06/2015
DRWW	Suburban Labs		15-3	GUB-03	0.5	ft	Indian Creek			Non-IEPA		10/21/2015	11:30:00 AM	10/21/2015	2:20:00 PM			10/30/2015	12:42:32 PM	Water	APHA	4500-CL(E)	Chloride	Total	184.00	mg/L		20.00	20.00			11/02/2015
DRWW	Suburban Labs		15-3	GUB-03	0.5	ft	Indian Creek			Non-IEPA		10/21/2015	11:30:00 AM	10/21/2015	2:20:00 PM	10/21/2015		10/21/2015	2:59:00 PM	Water	USEPA	E. COLI MPN	E. Coli	Total	>2419.6	MPN/100mL		1.00	1.00			11/02/2015
DRWW	Suburban Labs		15-3	GUB-03	0.5	ft	Indian Creek			Non-IEPA		10/21/2015	11:30:00 AM	10/21/2015	2:20:00 PM	10/27/2015	3:17:33 PM	10/30/2015	3:59:00 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.05	mg/L		0.02	0.02			11/02/2015
DRWW	Suburban Labs		15-3	GUB-03	0.5	ft	Indian Creek			Non-IEPA		10/21/2015	11:30:00 AM	10/21/2015	2:20:00 PM	10/22/2015		10/22/2015	3:51:56 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.26	mg/L		0.05	0.10			11/02/2015
DRWW	Suburban Labs		15-3	GUB-03	0.5	ft	Indian Creek			Non-IEPA		10/21/2015	11:30:00 AM	10/21/2015	2:20:00 PM	10/21/2015		10/21/2015	5:25:00 PM	Water	Lab	2130-B	Turbidity	Total	3.37	NTU		0.10	0.20			11/02/2015
DRWW	Suburban Labs		15-3	GUB-03	0.5	ft	Indian Creek			Non-IEPA		12/02/2015	12:47:00 PM	12/02/2015	2:40:00 PM			12/12/2015	4:02:29 PM	Water	APHA	4500-CL(E)	Chloride	Total	261.00	mg/L		40.00	40.00			12/16/2015
DRWW	Suburban Labs		15-3	GUB-03	0.5	ft	Indian Creek			Non-IEPA		12/02/2015	12:47:00 PM	12/02/2015	2:40:00 PM			12/02/2015	3:53:00 PM	Water	USEPA	E. COLI MPN	E. Coli	Total	866.00	MPN/100mL		1.00	1.00			12/16/2015
DRWW	Suburban Labs																															

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Preparation Date	Preparation Time	Sample-Analysis Date	Analysis Time	Sample Medium	Method Source	Method Code	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs	16-1	G-13	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		09/22/2015	11:15:00 AM	09/22/2015	3:05:00 PM			09/22/2015	12:00:00 AM	Water	ALPHA	5310-C	Total Organic Carbon	Total	6.90	mg/L	G	1.00				10/13/2015
DRWW	Suburban Labs	16-1	G-13	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		09/22/2015	11:15:00 AM	09/22/2015	3:05:00 PM			09/28/2015	12:45:00 PM	Water	USEPA	2540-D	Total Suspended Solids	Total	18.80	mg/L		0.20				10/13/2015
DRWW	Suburban Labs	16-1	G-13	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		09/22/2015	11:15:00 AM	09/22/2015	3:05:00 PM			09/24/2015	4:20:00 PM	Water	Lab	2130-B	Turbidity	Total	15.20	NTU	H	0.10				10/13/2015
DRWW	Suburban Labs	16-1	G-13	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		09/22/2015	11:15:00 AM	09/22/2015	3:05:00 PM			09/28/2015	12:45:00 PM	Water	USEPA	2540-D	Volatile Suspended Solids	Total	4.20	mg/L	J	0.20				10/13/2015
DRWW	Suburban Labs	16-1	G-13	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:54:00 PM	10/23/2015	2:10:00 PM	10/26/2015	9:30:21 AM	10/28/2015	8:11:00 PM	Water	USEPA	8270D	Surr: 2-Fluorobiphenyl	Total	1.35	%Rec		0.04				11/24/2015
DRWW	Suburban Labs	16-1	G-13	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:54:00 PM	10/23/2015	2:10:00 PM	10/26/2015	9:30:21 AM	10/26/2015	7:06:00 PM	Water	USEPA	8260B	Surr: 4-Bromofluorobenzene	Total	52.90	%Rec		0.00				11/24/2015
DRWW	Suburban Labs	16-1	G-13	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:54:00 PM	10/23/2015	2:10:00 PM	10/26/2015	9:30:21 AM	10/28/2015	8:11:00 PM	Water	USEPA	8270D	Surr: 4-Terphenyl-d14	Total	1.35	%Rec		0.04				11/24/2015
DRWW	Suburban Labs	16-1	G-13	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:54:00 PM	10/23/2015	2:10:00 PM	10/26/2015	9:30:21 AM	10/26/2015	7:06:00 PM	Water	USEPA	8260B	Surr: Dibromofluoromethane	Total	44.50	%Rec		0.00				11/24/2015
DRWW	Suburban Labs	16-1	G-13	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:54:00 PM	10/23/2015	2:10:00 PM	10/26/2015	9:30:21 AM	10/28/2015	8:11:00 PM	Water	USEPA	8270D	Surr: Nitrobenzene-d5	Total	1.42	%Rec		0.04				11/24/2015
DRWW	Suburban Labs	16-1	G-13	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:54:00 PM	10/23/2015	2:10:00 PM	10/26/2015	2:13:43 PM	10/28/2015	10:02:00 PM	Water	USEPA	8082	Surr: Tetrachloro-m-xylene	Total	0.25	%Rec		0.00				11/24/2015
DRWW	Suburban Labs	16-1	G-13	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:54:00 PM	10/23/2015	2:10:00 PM	10/26/2015	2:13:36 PM	10/28/2015	10:02:00 PM	Water	USEPA	8082	Surr: Tetrachloro-m-xylene	Total	0.25	%Rec		0.00				11/24/2015
DRWW	Suburban Labs	16-1	G-13	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:54:00 PM	10/23/2015	2:10:00 PM	10/26/2015	9:30:21 AM	10/28/2015	7:06:00 PM	Water	USEPA	8260B	Surr: Toluene-d8	Total	51.30	%Rec		0.00				11/24/2015
DRWW	Suburban Labs	16-1	G-13	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:54:00 PM	10/23/2015	2:10:00 PM	10/26/2015	9:30:21 AM	10/28/2015	7:06:00 PM	Water	USEPA	8260B	1,1,1-Trichloroethane	Total	ND	µg/L		1.00				11/24/2015
DRWW	Suburban Labs	16-1	G-13	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:54:00 PM	10/23/2015	2:10:00 PM	10/26/2015	9:30:21 AM	10/28/2015	7:06:00 PM	Water	USEPA	8260B	1,1,2,2-Tetrachloroethane	Total	ND	µg/L		1.00				11/24/2015
DRWW	Suburban Labs	16-1	G-13	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:54:00 PM	10/23/2015	2:10:00 PM	10/26/2015	9:30:21 AM	10/28/2015	7:06:00 PM	Water	USEPA	8260B	1,1,2-Trichloroethane	Total	ND	µg/L		1.00				11/24/2015
DRWW	Suburban Labs	16-1	G-13	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:54:00 PM	10/23/2015	2:10:00 PM	10/26/2015	9:30:21 AM	10/28/2015	7:06:00 PM	Water	USEPA	8260B	1,1-Dichloroethane	Total	ND	µg/L		1.00				11/24/2015
DRWW	Suburban Labs	16-1	G-13	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:54:00 PM	10/23/2015	2:10:00 PM	10/26/2015	9:30:21 AM	10/28/2015	7:06:00 PM	Water	USEPA	8260B	1,2-Dichloroethane	Total	ND	µg/L		1.00				11/24/2015
DRWW	Suburban Labs	16-1	G-13	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:54:00 PM	10/23/2015	2:10:00 PM	10/26/2015	9:30:21 AM	10/28/2015	7:06:00 PM	Water	USEPA	8260B	1,2-Dichlorobenzene	Total	ND	µg/L		1.00				11/24/2015
DRWW	Suburban Labs	16-1	G-13	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:54:00 PM	10/23/2015	2:10:00 PM	10/26/2015	9:30:21 AM	10/28/2015	7:06:00 PM	Water	USEPA	8260B	1,2-Dichloropropane	Total	ND	µg/L		1.00				11/24/2015
DRWW	Suburban Labs	16-1	G-13	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:54:00 PM	10/23/2015	2:10:00 PM	10/26/2015	9:30:21 AM	10/28/2015	7:06:00 PM	Water	USEPA	8270D	1,3-Dichlorobenzene	Total	ND	µg/L		1.00				11/24/2015
DRWW	Suburban Labs	16-1	G-13	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:54:00 PM	10/23/2015	2:10:00 PM	10/26/2015	9:30:21 AM	10/28/2015	7:06:00 PM	Water	USEPA	8270D	1,4-Dichlorobenzene	Total	ND	µg/L		1.00				11/24/2015
DRWW	Suburban Labs	16-1	G-13	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:54:00 PM	10/23/2015	2:10:00 PM	10/26/2015	9:30:21 AM	11/05/2015	2:55:00 PM	Water	USEPA	8260B	2-Butanone	Total	ND	µg/L		10.00				11/24/2015
DRWW	Suburban Labs	16-1	G-13	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:54:00 PM	10/23/2015	2:10:00 PM	10/26/2015	9:30:21 AM	10/26/2015	7:06:00 PM	Water	USEPA	8260B	2-Chloroethyl vinyl ether	Total	ND	µg/L		10.00				11/24/2015
DRWW	Suburban Labs	16-1	G-13	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:54:00 PM	10/23/2015	2:10:00 PM	10/26/2015	9:30:21 AM	10/26/2015	7:06:00 PM	Water	USEPA	8260B	2-Hexanone	Total	ND	µg/L		25.00				11/24/2015
DRWW	Suburban Labs	16-1	G-13	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:54:00 PM	10/23/2015	2:10:00 PM	10/26/2015	2:13:36 PM	10/28/2015	10:02:00 PM	Water	USEPA	8081	4,4'-DDD	Total	ND	µg/L		0.05				11/24/2015
DRWW	Suburban Labs	16-1	G-13	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:54:00 PM	10/23/2015	2:10:00 PM	10/26/2015	2:13:36 PM	10/28/2015	10:02:00 PM	Water	USEPA	8081	4,4'-DDE	Total	ND	µg/L		0.05				11/24/2015
DRWW	Suburban Labs	16-1	G-13	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:54:00 PM	10/23/2015	2:10:00 PM	10/26/2015	2:13:36 PM	10/28/2015	10:02:00 PM	Water	USEPA	8081	4,4'-DDT	Total	ND	µg/L		0.05				11/24/2015
DRWW	Suburban Labs	16-1	G-13	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:54:00 PM	10/23/2015	2:10:00 PM	10/26/2015	9:30:21 AM	10/28/2015	7:06:00 PM	Water	USEPA	8260B	4-Methyl-2-pentanone	Total	ND	µg/L		25.00				11/24/2015
DRWW	Suburban Labs	16-1	G-13	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:54:00 PM	10/23/2015	2:10:00 PM	10/26/2015	9:30:21 AM	10/28/2015	8:11:00 PM	Water	USEPA	8270D	Acenaphthene	Total	ND	µg/L		0.04				11/24/2015
DRWW	Suburban Labs	16-1	G-13	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:54:00 PM	10/23/2015	2:10:00 PM	10/26/2015	9:30:21 AM	10/28/2015	8:11:00 PM	Water	USEPA	8270D	Acenaphthylene	Total	ND	µg/L		0.04				11/24/2015
DRWW	Suburban Labs	16-1	G-13	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:54:00 PM	10/23/2015	2:10:00 PM	10/26/2015	9:30:21 AM	11/05/2015	2:55:00 PM	Water	USEPA	8260B	Acetone	Total	ND	µg/L		25.00				11/24/2015
DRWW	Suburban Labs	16-1	G-13	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:54:00 PM	10/23/2015	2:10:00 PM	10/26/2015	9:30:21 AM	10/26/2015	7:06:00 PM	Water	USEPA	8260B	Acrolein	Total	ND	µg/L		25.00				11/24/2015
DRWW	Suburban Labs	16-1	G-13	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:54:00 PM	10/23/2015	2:10:00 PM	10/26/2015	9:30:21 AM	10/26/2015	7:06:00 PM	Water	USEPA	8260B	Acrylonitrile	Total	ND	µg/L		25.00				11/24/2015
DRWW	Suburban Labs	16-1	G-13	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:54:00 PM	10/23/2015	2:10:00 PM	10/26/2015	2:13:36 PM	10/28/2015	10:02:00 PM	Water	USEPA	8081	Aldrin	Total	ND	µg/L		0.03				11/24/2015
DRWW	Suburban Labs	16-1	G-13	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:54:00 PM	10/23/2015	2:10:00 PM	10/26/2015	2:13:36 PM	10/28/2015	10:02:00 PM	Water	USEPA	8081	alpha-BHC	Total	ND	µg/L		0.03				11/24/2015
DRWW	Suburban Labs	16-1	G-13	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:54:00 PM	10/23/2015	2:10:00 PM	10/26/2015	2:13:36 PM	10/28/2015	10:02:00 PM	Water	USEPA	8081	alpha-Chlordane	Total	ND	µg/L		0.03				11/24/2015
DRWW	Suburban Labs	16-1	G-13	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:54:00 PM	10/23/2015	2:10:00 PM	10/26/2015	9:30:21 AM	10/28/2015	8:11:00 PM	Water	USEPA	8270D	Anthracene	Total	ND	µg/L		0.04				11/24/2015
DRWW	Suburban Labs	16-1	G-13	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:54:00 PM	10/23/2015	2:10:00 PM	10/26/2015	2:13:43 PM	10/28/2015	10:02:00 PM	Water	USEPA	8082	Aroclor 1016	Total	ND	µg/L		0.10				11/24/2015
DRWW	Suburban Labs	16-1	G-13	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:54:00 PM	10/23/2015	2:10:00 PM	10/26/2015	2:13:43 PM	10/28/2015	10:02:00 PM	Water	USEPA	8082	Aroclor 1221	Total	ND	µg/L		0.10				11/24/2015
DRWW	Suburban Labs	16-1	G-13	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:54:00 PM	10/23/2015	2:10:00 PM	10/26/2015	2:13:43 PM	10/28/2015	10:02:00 PM	Water	USEPA	8082	Aroclor 1232	Total	ND	µg/L		0.10				11/24/2015
DRWW	Suburban Labs	16-1	G-13	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:54:00 PM	10/23/2015	2:10:00 PM	10/26/2015	2:13:43 PM	10/28/2015	10:02:00 PM													

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Preparation Date	Preparation Time	Sample-Analysis Date	Analysis Time	Sample Medium	Method Source	Method Code	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs	16-1	G-13	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:54:00 PM	10/23/2015	2:10:00 PM			10/27/2015	5:17:52 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	11.60	mg/L	J	0.50	1.00			11/24/2015
DRWW	Suburban Labs	16-1	G-13	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:54:00 PM	10/23/2015	2:10:00 PM			10/28/2015	2:21:00 PM	Water	APHA	5310-C	Total Organic Carbon	Total	5.50	mg/L	G	1.00				11/24/2015
DRWW	Suburban Labs	16-1	G-13	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:54:00 PM	10/23/2015	2:10:00 PM			10/29/2015	6:35:00 PM	Water	USEPA	2540-D	Total Suspended Solids	Total	1.20	mg/L	J	0.20	5.00			11/24/2015
DRWW	Suburban Labs	16-1	G-13	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:54:00 PM	10/23/2015	2:10:00 PM			10/26/2015	7:06:00 PM	Water	USEPA	8260B	Total Xylenes	Total	ND	ug/L		2.00	2.00			11/24/2015
DRWW	Suburban Labs	16-1	G-13	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:54:00 PM	10/23/2015	2:10:00 PM	10/26/2015	2:13:36 PM	10/28/2015	10:02:00 PM	Water	USEPA	8081	Toxaphene	Total	ND	ug/L		0.20	0.20			11/24/2015
DRWW	Suburban Labs	16-1	G-13	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:54:00 PM	10/23/2015	2:10:00 PM			10/26/2015	7:06:00 PM	Water	USEPA	8260B	trans-1,2-Dichloroethene	Total	ND	ug/L		1.00	1.00			11/24/2015
DRWW	Suburban Labs	16-1	G-13	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:54:00 PM	10/23/2015	2:10:00 PM			10/26/2015	7:06:00 PM	Water	USEPA	8260B	trans-1,3-Dichloropropene	Total	ND	ug/L		1.00	1.00			11/24/2015
DRWW	Suburban Labs	16-1	G-13	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:54:00 PM	10/23/2015	2:10:00 PM			10/26/2015	7:06:00 PM	Water	USEPA	8260B	Trichloroethene	Total	ND	ug/L		1.00	1.00			11/24/2015
DRWW	Suburban Labs	16-1	G-13	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:54:00 PM	10/23/2015	2:10:00 PM			10/26/2015	7:06:00 PM	Water	USEPA	8260B	Trichlorofluoromethane	Total	ND	ug/L		1.00	1.00			11/24/2015
DRWW	Suburban Labs	16-1	G-13	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:54:00 PM	10/23/2015	2:10:00 PM			10/23/2015	4:55:00 PM	Water	Lab	2130-B	Turbidity	Total	1.56	NTU		0.10	0.20			11/24/2015
DRWW	Suburban Labs	16-1	G-13	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:54:00 PM	10/23/2015	2:10:00 PM			10/26/2015	7:06:00 PM	Water	USEPA	8260B	Vinyl chloride	Total	ND	ug/L		1.00	1.00			11/24/2015
DRWW	Suburban Labs	16-1	G-13	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:54:00 PM	10/23/2015	2:10:00 PM			10/29/2015	6:35:00 PM	Water	USEPA	2540-D	Volatiles Suspended Solids	Total	1.00	mg/L	J	0.20	5.00			11/24/2015
DRWW	Suburban Labs	16-1	G-13	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:54:00 PM	10/23/2015	2:10:00 PM	10/31/2015	2:45:09 PM	11/02/2015	7:37:00 PM	Water	USEPA	200.7	Zinc	Total	0.01	mg/L		0.01				11/24/2015
DRWW	Suburban Labs	16-1	G-13	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		12/04/2015	12:38:00 PM	12/04/2015	2:35:00 PM			12/12/2015	4:12:06 PM	Water	APHA	4500-CL-(E)	Chloride	Total	129.00	mg/L		20.00	20.00			12/22/2015
DRWW	Suburban Labs	16-1	G-13	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		12/04/2015	12:38:00 PM	12/04/2015	2:35:00 PM			12/04/2015	3:42:00 PM	Water	USEPA	E COLI MPN	E. Coli	Total	167.00	MPN/100mL		1.00	1.00			12/22/2015
DRWW	Suburban Labs	16-1	G-13	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		12/04/2015	12:38:00 PM	12/04/2015	2:35:00 PM			12/04/2015	5:00:00 PM	Water	USEPA	DISSOLVED	Filtered and Preserved	Total	complete		G	0.00	0.00			12/22/2015
DRWW	Suburban Labs	16-1	G-13	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		12/04/2015	12:38:00 PM	12/04/2015	2:35:00 PM			12/09/2015	5:18:00 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30			12/22/2015
DRWW	Suburban Labs	16-1	G-13	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		12/04/2015	12:38:00 PM	12/04/2015	2:35:00 PM	12/10/2015	12:38:45 PM	12/14/2015	4:52:50 PM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	0.53	mg/L	J	0.50	2.00			12/22/2015
DRWW	Suburban Labs	16-1	G-13	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		12/04/2015	12:38:00 PM	12/04/2015	2:35:00 PM			12/04/2015	5:30:00 PM	Water	USEPA	365.2	Orthophosphate (As P)	Total	0.17	mg/L		0.03	0.05			12/22/2015
DRWW	Suburban Labs	16-1	G-13	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		12/04/2015	12:38:00 PM	12/04/2015	2:35:00 PM	12/04/2015	2:38:24 PM	12/14/2015	9:57:00 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.19	mg/L		0.04	0.04			12/22/2015
DRWW	Suburban Labs	16-1	G-13	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		12/04/2015	12:38:00 PM	12/04/2015	2:35:00 PM			12/14/2015	12:35:49 PM	Water	USEPA	375.2	Sulfate	Total	53.30	mg/L		4.00	12.00			12/22/2015
DRWW	Suburban Labs	16-1	G-13	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		12/04/2015	12:38:00 PM	12/04/2015	2:35:00 PM			12/21/2015	4:52:09 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	2.77	mg/L		0.10	0.20			12/22/2015
DRWW	Suburban Labs	16-1	G-13	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		12/04/2015	12:38:00 PM	12/04/2015	2:35:00 PM			12/08/2015	3:23:00 PM	Water	APHA	5310-C	Total Organic Carbon	Total	7.50	mg/L	G	1.43	5.00			12/22/2015
DRWW	Suburban Labs	16-1	G-13	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		12/04/2015	12:38:00 PM	12/04/2015	2:35:00 PM			12/09/2015	12:37:00 PM	Water	USEPA	2540-D	Total Suspended Solids	Total	13.20	mg/L		5.00	5.00			12/22/2015
DRWW	Suburban Labs	16-1	G-13	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		12/04/2015	12:38:00 PM	12/04/2015	2:35:00 PM			12/04/2015	6:30:00 PM	Water	Lab	2130-B	Turbidity	Total	19.20	NTU		0.10	0.20			12/22/2015
DRWW	Suburban Labs	16-1	G-13	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		12/04/2015	12:38:00 PM	12/04/2015	2:35:00 PM			12/09/2015	12:37:00 PM	Water	USEPA	2540-D	Volatiles Suspended Solids	Total	2.20	mg/L	J	0.20	5.00			12/22/2015
DRWW	Suburban Labs	16-1 Trip Blank	G-13	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:54:00 PM	10/23/2015	2:10:00 PM			10/27/2015	7:49:35 PM	Water	USEPA	1631	Mercury	Total	ND	ng/L		0.50	0.50			11/24/2015
DRWW	Suburban Labs	16-2	G-10	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		09/22/2015	11:43:00 AM	09/22/2015	3:05:00 PM			09/25/2015	10:40:31 AM	Water	APHA	4500-CL-(E)	Chloride	Total	123.00	mg/L		20.00	20.00			10/13/2015
DRWW	Suburban Labs	16-2	G-10	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		09/22/2015	11:43:00 AM	09/22/2015	3:05:00 PM			09/22/2015	3:51:00 PM	Water	USEPA	E COLI MPN	E. Coli	Total	261.00	MPN/100mL		1.00	1.00			10/13/2015
DRWW	Suburban Labs	16-2	G-10	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		09/22/2015	11:43:00 AM	09/22/2015	3:05:00 PM			09/22/2015	5:45:00 PM	Water	USEPA	DISSOLVED	Filtered and Preserved	Total	complete		G	0.00	0.00			10/13/2015
DRWW	Suburban Labs	16-2	G-10	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		09/22/2015	11:43:00 AM	09/22/2015	3:05:00 PM			09/29/2015	4:30:31 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30			10/13/2015
DRWW	Suburban Labs	16-2	G-10	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		09/22/2015	11:43:00 AM	09/22/2015	3:05:00 PM	09/29/2015	2:04:52 PM	10/01/2015	1:48:00 PM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	1.00	mg/L	J	0.50	2.00			10/13/2015
DRWW	Suburban Labs	16-2	G-10	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		09/22/2015	11:43:00 AM	09/22/2015	3:05:00 PM			09/23/2015	12:30:00 PM	Water	USEPA	365.2	Orthophosphate (As P)	Total	0.24	mg/L		0.03	0.05			10/13/2015
DRWW	Suburban Labs	16-2	G-10	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		09/22/2015	11:43:00 AM	09/22/2015	3:05:00 PM	09/25/2015	3:06:24 PM	09/28/2015	9:09:00 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.29	mg/L		0.02	0.02			10/13/2015
DRWW	Suburban Labs	16-2	G-10	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		09/22/2015	11:43:00 AM	09/22/2015	3:05:00 PM			10/02/2015	1:26:59 PM	Water	USEPA	375.2	Sulfate	Total	50.20	mg/L		4.00	12.00			10/13/2015
DRWW	Suburban Labs	16-2	G-10	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		09/22/2015	11:43:00 AM	09/22/2015	3:05:00 PM			09/24/2015	4:27:24 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	1.85	mg/L		0.05	0.10			10/13/2015
DRWW	Suburban Labs	16-2	G-10	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		09/22/2015	11:43:00 AM	09/22/2015	3:05:00 PM			10/05/2015	12:00:00 AM	Water	APHA	5310-C	Total Organic Carbon	Total	7.10	mg/L	G	1.00	1.00			10/13/2015
DRWW	Suburban Labs	16-2	G-10	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		09/22/2015	11:43:00 AM	09/22/2015	3:05:00 PM			09/														

Submittin g Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample- Depth Units	Waterbody Name	Public Water Supply Intake	Monitori ng Unit	Surface-Water Monitoring Program	Field- Blank ID	Sample- Collection Date	Sample- Collection Time	Sample- Receipt Date	Sample- Receipt Time	Preparatio n Date	Preparation Time	Sample- Analysis Date	Analysis Time	Sample Medium	Method Source	Method Code	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs	16-2	G-10	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:01:00 PM	10/23/2015	2:10:00 PM	10/26/2015	2:13:36 PM	10/28/2015	10:21:00 PM	Water	USEPA	8081	Endosulfan sulfate	Total	ND	µg/L		0.05	0.05			11/24/2015
DRWW	Suburban Labs	16-2	G-10	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:31:00 PM	10/23/2015	2:10:00 PM	10/26/2015	2:13:36 PM	10/28/2015	10:21:00 PM	Water	USEPA	8081	Endrin	Total	ND	µg/L		0.05	0.05			11/24/2015
DRWW	Suburban Labs	16-2	G-10	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:31:00 PM	10/23/2015	2:10:00 PM	10/26/2015	2:13:36 PM	10/28/2015	10:21:00 PM	Water	USEPA	8081	Endrin aldehyde	Total	ND	µg/L		0.05	0.05			11/24/2015
DRWW	Suburban Labs	16-2	G-10	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:31:00 PM	10/23/2015	2:10:00 PM	10/26/2015	2:13:36 PM	10/28/2015	10:21:00 PM	Water	USEPA	8081	Endrin ketone	Total	ND	µg/L		0.05	0.05			11/24/2015
DRWW	Suburban Labs	16-2	G-10	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:31:00 PM	10/23/2015	2:10:00 PM	10/26/2015	7:39:00 PM	10/28/2015	7:39:00 PM	Water	USEPA	8260B	Ethylbenzene	Total	ND	µg/L		1.00	1.00			11/24/2015
DRWW	Suburban Labs	16-2	G-10	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:31:00 PM	10/23/2015	2:10:00 PM	10/26/2015	3:20:00 PM	10/28/2015	3:20:00 PM	Water	USEPA	DISSOLVED	Filtered and Preserved	Total	complete			0.00	0.00			11/24/2015
DRWW	Suburban Labs	16-2	G-10	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:31:00 PM	10/23/2015	2:10:00 PM	10/26/2015	9:30:21 AM	10/28/2015	8:49:00 PM	Water	USEPA	8270D	Fluoranthene	Total	ND	µg/L		0.10	0.10			11/24/2015
DRWW	Suburban Labs	16-2	G-10	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:31:00 PM	10/23/2015	2:10:00 PM	10/26/2015	9:30:21 AM	10/28/2015	8:49:00 PM	Water	USEPA	8270D	Fluorene	Total	ND	µg/L		0.10	0.10			11/24/2015
DRWW	Suburban Labs	16-2	G-10	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:31:00 PM	10/23/2015	2:10:00 PM	10/26/2015	2:13:36 PM	10/28/2015	10:21:00 PM	Water	USEPA	8081	gamma-BHC	Total	ND	µg/L		0.03	0.03			11/24/2015
DRWW	Suburban Labs	16-2	G-10	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:31:00 PM	10/23/2015	2:10:00 PM	10/26/2015	2:13:36 PM	10/28/2015	10:21:00 PM	Water	USEPA	8081	gamma-Chlordane	Total	ND	µg/L		0.03	0.03			11/24/2015
DRWW	Suburban Labs	16-2	G-10	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:31:00 PM	10/23/2015	2:10:00 PM	10/30/2015	2:22:49 PM	11/05/2015	12:59:11 PM	Water	USEPA	200.7	Hardness (As CaCO3)	Total	281.00	mg/L		0.05	0.15			11/24/2015
DRWW	Suburban Labs	16-2	G-10	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:31:00 PM	10/23/2015	2:10:00 PM	10/26/2015	2:13:36 PM	10/28/2015	10:21:00 PM	Water	USEPA	8081	Heptachlor	Total	ND	µg/L		0.03	0.03			11/24/2015
DRWW	Suburban Labs	16-2	G-10	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:31:00 PM	10/23/2015	2:10:00 PM	10/26/2015	2:13:36 PM	10/28/2015	10:21:00 PM	Water	USEPA	8081	Heptachlor epoxide	Total	ND	µg/L		0.03	0.03			11/24/2015
DRWW	Suburban Labs	16-2	G-10	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:31:00 PM	10/23/2015	2:10:00 PM	10/26/2015	9:30:21 AM	10/28/2015	8:49:00 PM	Water	USEPA	8270D	Indeno(1,2,3-cd)pyrene	Total	ND	µg/L		0.10	0.10			11/24/2015
DRWW	Suburban Labs	16-2	G-10	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:31:00 PM	10/23/2015	2:10:00 PM	10/30/2015	2:22:49 PM	11/02/2015	9:20:08 PM	Water	USEPA	200.7	Iron	Total	0.14	mg/L		0.01	0.05			11/24/2015
DRWW	Suburban Labs	16-2	G-10	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:31:00 PM	10/23/2015	2:10:00 PM	10/26/2015	7:39:00 PM	10/28/2015	7:39:00 PM	Water	USEPA	8260B	m,p-Xylene	Total	ND	µg/L		2.00	2.00			11/24/2015
DRWW	Suburban Labs	16-2	G-10	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:31:00 PM	10/23/2015	2:10:00 PM	10/30/2015	2:22:49 PM	11/05/2015	12:59:11 PM	Water	USEPA	200.7	Magnesium	Total	28.00	mg/L		0.01	0.05			11/24/2015
DRWW	Suburban Labs	16-2	G-10	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:31:00 PM	10/23/2015	2:10:00 PM	10/31/2015	2:45:09 PM	11/02/2015	8:07:00 PM	Water	USEPA	200.7	Manganese	Total	0.03	mg/L		0.00	0.00			11/24/2015
DRWW	Suburban Labs	16-2	G-10	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:31:00 PM	10/23/2015	2:10:00 PM	10/27/2015	8:08:38 PM	10/27/2015	8:08:38 PM	Water	USEPA	1631	Mercury	Total	1.03	ng/L		0.50	0.50			11/24/2015
DRWW	Suburban Labs	16-2	G-10	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:31:00 PM	10/23/2015	2:10:00 PM	10/26/2015	10:21:00 PM	10/28/2015	10:21:00 PM	Water	USEPA	8081	Methoxychlor	Total	ND	µg/L		0.25	0.25			11/24/2015
DRWW	Suburban Labs	16-2	G-10	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:31:00 PM	10/23/2015	2:10:00 PM	10/26/2015	7:39:00 PM	10/28/2015	7:39:00 PM	Water	USEPA	8260B	Methyl tert-butyl ether	Total	ND	µg/L		1.00	1.00			11/24/2015
DRWW	Suburban Labs	16-2	G-10	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:31:00 PM	10/23/2015	2:10:00 PM	10/26/2015	7:39:00 PM	10/28/2015	7:39:00 PM	Water	USEPA	8260B	Methylene chloride	Total	ND	µg/L		5.00	5.00			11/24/2015
DRWW	Suburban Labs	16-2	G-10	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:31:00 PM	10/23/2015	2:10:00 PM	10/26/2015	9:30:21 AM	10/28/2015	8:49:00 PM	Water	USEPA	8270D	Naphthalene	Total	ND	µg/L		0.10	0.10			11/24/2015
DRWW	Suburban Labs	16-2	G-10	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:31:00 PM	10/23/2015	2:10:00 PM	10/31/2015	2:45:09 PM	11/02/2015	8:07:00 PM	Water	USEPA	200.7	Nickel	Total	0.00	mg/L		0.00	0.00			11/24/2015
DRWW	Suburban Labs	16-2	G-10	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:31:00 PM	10/23/2015	2:10:00 PM	10/29/2015	6:32:21 PM	10/29/2015	6:32:21 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30			11/24/2015
DRWW	Suburban Labs	16-2	G-10	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:31:00 PM	10/23/2015	2:10:00 PM	10/29/2015	6:13:00 PM	10/30/2015	6:13:00 PM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	0.94	mg/L	J	0.50	2.00			11/24/2015
DRWW	Suburban Labs	16-2	G-10	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:31:00 PM	10/23/2015	2:10:00 PM	10/24/2015	1:00:00 PM	10/24/2015	1:00:00 PM	Water	USEPA	365.2	Orthophosphate (As P)	Total	1.50	mg/L		0.13	0.25			11/24/2015
DRWW	Suburban Labs	16-2	G-10	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:31:00 PM	10/23/2015	2:10:00 PM	10/26/2015	7:39:00 PM	10/28/2015	7:39:00 PM	Water	USEPA	8260B	o-Xylene	Total	ND	µg/L		1.00	1.00			11/24/2015
DRWW	Suburban Labs	16-2	G-10	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:31:00 PM	10/23/2015	2:10:00 PM	10/26/2015	9:30:21 AM	10/28/2015	8:49:00 PM	Water	USEPA	8270D	Phenanthrene	Total	ND	µg/L		0.10	0.10			11/24/2015
DRWW	Suburban Labs	16-2	G-10	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		11/11/2015	12:31:00 PM	10/23/2015	2:10:00 PM	11/12/2015	2:10:34 PM	11/12/2015	3:32:00 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	1.49	mg/L		0.02	0.02			11/24/2015
DRWW	Suburban Labs	16-2	G-10	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:31:00 PM	10/23/2015	2:10:00 PM	10/26/2015	9:30:21 AM	10/28/2015	8:49:00 PM	Water	USEPA	8270D	Pyrene	Total	ND	µg/L		0.10	0.10			11/24/2015
DRWW	Suburban Labs	16-2	G-10	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:31:00 PM	10/23/2015	2:10:00 PM	10/30/2015	2:22:49 PM	11/05/2015	12:59:11 PM	Water	USEPA	200.7	Sodium	Total	130.00	mg/L		0.10	0.20			11/24/2015
DRWW	Suburban Labs	16-2	G-10	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:31:00 PM	10/23/2015	2:10:00 PM	10/26/2015	7:39:00 PM	10/28/2015	7:39:00 PM	Water	USEPA	8260B	Styrene	Total	ND	µg/L		1.00	1.00			11/24/2015
DRWW	Suburban Labs	16-2	G-10	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:31:00 PM	10/23/2015	2:10:00 PM	10/29/2015	5:05:00 PM	10/29/2015	5:05:00 PM	Water	USEPA	375.2	Sulfate	Total	94.20	mg/L		10.00	30.00			11/24/2015
DRWW	Suburban Labs	16-2	G-10	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:31:00 PM	10/23/2015	2:10:00 PM	10/26/2015	7:39:00 PM	10/28/2015	7:39:00 PM	Water	USEPA	8260B	Tetrachloroethene	Total	ND	µg/L		1.00	1.00			11/24/2015
DRWW	Suburban Labs	16-2	G-10	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:31:00 PM	10/23/2015	2:10:00 PM	10/26/2015	7:39:00 PM	10/28/2015	7:39:00 PM	Water	USEPA	8260B	Toluene	Total	ND	µg/L		1.00	1.00			11/24/2015
DRWW	Suburban Labs	16-2	G-10	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:31:00 PM	10/23/2015	2:10:00 PM	10/27/2015	5:19:04 PM	10/27/2015	5:19:04 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	11.70	mg/L		0.50	1.00			11/24/2015
DRWW	Suburban Labs	16-2	G-10	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:31:00 PM	10/23/2015	2:10:00 PM	10/28/2015	2:21:00 PM	10/28/2015	2:21:00 PM	Water	APHA	5310-C	Total Organic Carbon	Total	5.90	mg/L	G	1.00	1.00			11/24/2015
DRWW	Suburban Labs	16-2	G-10	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:31:00 PM	10/23/2015	2:10:00 PM	10/29/2015	6:35:00 PM	10/29/2015	6:35:00 PM	Water	USEPA	2540-D	Total Suspended Solids	Total	2.00	mg/L	J	0.20	5.00			11/24/2015
DRWW	Suburban Labs	16-2	G-10	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	12:31:00 PM	10/23/2015	2:10:00 PM	10/26/2015	7:39:00 PM	10/28/2015	7:39:00 PM	Water	USEPA	8260B	Total Xylenes	Total	ND	µg/L		2.				

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Preparation Date	Preparation Time	Sample-Analysis Date	Analysis Time	Sample Medium	Method Source	Method Code	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs	16-5	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/22/2015	10:41:43 AM	09/22/2015	3:05:00 PM			09/25/2015	10:41:43 AM	Water	ALPHA	4500-CL-(E)	Chloride	Total	114.00	mg/L		20.00	20.00		10/13/2015	
DRWW	Suburban Labs	16-5	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/22/2015	12:54:00 PM	09/22/2015	3:05:00 PM			09/22/2015	3:51:00 PM	Water	USEPA	E. COLI MPN	E. Coli	Total	435.00	MPN/100mL		1.00	1.00		10/13/2015	
DRWW	Suburban Labs	16-5	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/22/2015	12:54:00 PM	09/22/2015	3:05:00 PM			09/22/2015	5:45:00 PM	Water	USEPA	DISSOLVED	Filtered and Preserved	Total	complete		0.00	0.00		10/13/2015		
DRWW	Suburban Labs	16-5	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/22/2015	12:54:00 PM	09/22/2015	3:05:00 PM			09/29/2015	4:38:47 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30		10/13/2015	
DRWW	Suburban Labs	16-5	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/22/2015	12:54:00 PM	09/22/2015	3:05:00 PM	09/29/2015	2:04:52 PM	10/01/2015	1:52:00 PM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	1.07	mg/L	J	0.50	2.00		10/13/2015	
DRWW	Suburban Labs	16-5	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/22/2015	12:54:00 PM	09/22/2015	3:05:00 PM			09/23/2015	12:30:00 PM	Water	USEPA	365.2	Orthophosphate (As P)	Total	0.27	mg/L		0.03	0.05		10/13/2015	
DRWW	Suburban Labs	16-5	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/22/2015	12:54:00 PM	09/22/2015	3:05:00 PM	09/25/2015	3:06:24 PM	09/28/2015	9:22:00 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.33	mg/L		0.02	0.02		10/13/2015	
DRWW	Suburban Labs	16-5	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/22/2015	12:54:00 PM	09/22/2015	3:05:00 PM			10/02/2015	1:29:05 PM	Water	USEPA	375.2	Sulfate	Total	46.80	mg/L		4.00	12.00		10/13/2015	
DRWW	Suburban Labs	16-5	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/22/2015	12:54:00 PM	09/22/2015	3:05:00 PM			09/24/2015	4:29:48 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	1.95	mg/L		0.05	0.10		10/13/2015	
DRWW	Suburban Labs	16-5	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/22/2015	12:54:00 PM	09/22/2015	3:05:00 PM			10/05/2015	1:30:00 PM	Water	ALPHA	5310-C	Total Organic Carbon	Total	7.50	mg/L	G	1.00	1.00		10/13/2015	
DRWW	Suburban Labs	16-5	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/22/2015	12:54:00 PM	09/22/2015	3:05:00 PM			09/28/2015	12:45:00 PM	Water	USEPA	2540-D	Total Suspended Solids	Total	18.20	mg/L		0.20	5.00		10/13/2015	
DRWW	Suburban Labs	16-5	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/22/2015	12:54:00 PM	09/22/2015	3:05:00 PM			09/24/2015	4:20:00 PM	Water	Lab	2130-B	Turbidity	Total	15.40	NTU	H	0.10	0.20		10/13/2015	
DRWW	Suburban Labs	16-5	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM	10/26/2015	9:30:21 AM	10/29/2015	8:12:00 PM	Water	USEPA	8270D	Volatile Suspended Solids	Total	4.60	mg/L	J	0.20	5.00		10/13/2015	
DRWW	Suburban Labs	16-5	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM	10/26/2015	9:30:21 AM	10/29/2015	8:12:00 PM	Water	USEPA	8260B	Surr: 2-Fluorobiphenyl	Total	4.41	%Rec		0.10			11/24/2015	
DRWW	Suburban Labs	16-5	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM	10/26/2015	9:30:21 AM	10/29/2015	8:12:00 PM	Water	USEPA	8270D	Surr: 4-Bromofluorobenzene	Total	50.40	%Rec		0.00			11/24/2015	
DRWW	Suburban Labs	16-5	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM	10/26/2015	9:30:21 AM	10/29/2015	8:12:00 PM	Water	USEPA	8270D	Surr: 4-Terphenyl-d14	Total	4.94	%Rec		0.10			11/24/2015	
DRWW	Suburban Labs	16-5	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM	10/26/2015	9:30:21 AM	10/29/2015	8:12:00 PM	Water	USEPA	8260B	Surr: Dibromofluoromethane	Total	41.00	%Rec		0.00			11/24/2015	
DRWW	Suburban Labs	16-5	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM	10/26/2015	2:13:43 PM	10/28/2015	10:59:00 PM	Water	USEPA	8270D	Surr: Nitrobenzene-d5	Total	4.32	%Rec		0.10			11/24/2015	
DRWW	Suburban Labs	16-5	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM	10/26/2015	2:13:43 PM	10/28/2015	10:59:00 PM	Water	USEPA	8082	Surr: Tetrachloro-m-xylene	Total	0.26	%Rec		0.00			11/24/2015	
DRWW	Suburban Labs	16-5	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM	10/26/2015	2:13:36 PM	10/28/2015	10:59:00 PM	Water	USEPA	8082	Surr: Tetrachloro-m-xylene	Total	0.25	%Rec		0.00			11/24/2015	
DRWW	Suburban Labs	16-5	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM	10/26/2015		10/26/2015	8:47:00 PM	Water	USEPA	8260B	Surr: Toluene-d8	Total	44.20	%Rec		0.00			11/24/2015	
DRWW	Suburban Labs	16-5	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM	10/26/2015		10/26/2015	8:47:00 PM	Water	USEPA	8260B	1,1,1-Trichloroethane	Total	ND	ug/L		1.00	1.00		11/24/2015	
DRWW	Suburban Labs	16-5	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM	10/26/2015		10/26/2015	8:47:00 PM	Water	USEPA	8260B	1,1,2,2-Tetrachloroethane	Total	ND	ug/L		1.00	1.00		11/24/2015	
DRWW	Suburban Labs	16-5	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM	10/26/2015		10/26/2015	8:47:00 PM	Water	USEPA	8260B	1,1,2-Trichloroethane	Total	ND	ug/L		1.00	1.00		11/24/2015	
DRWW	Suburban Labs	16-5	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM	10/26/2015		10/26/2015	8:47:00 PM	Water	USEPA	8260B	1,1-Dichloroethane	Total	ND	ug/L		1.00	1.00		11/24/2015	
DRWW	Suburban Labs	16-5	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM	10/26/2015		10/26/2015	8:47:00 PM	Water	USEPA	8260B	1,1-Dichloroethane	Total	ND	ug/L		1.00	1.00		11/24/2015	
DRWW	Suburban Labs	16-5	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM	10/26/2015		10/26/2015	8:47:00 PM	Water	USEPA	8260B	1,2-Dibromo-3-chloropropane	Total	ND	ug/L		1.00	1.00		11/24/2015	
DRWW	Suburban Labs	16-5	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM	10/26/2015		10/26/2015	8:47:00 PM	Water	USEPA	8260B	1,2-Dichlorobenzene	Total	ND	ug/L		1.00	1.00		11/24/2015	
DRWW	Suburban Labs	16-5	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM	10/26/2015		10/26/2015	8:47:00 PM	Water	USEPA	8260B	1,2-Dichloroethane	Total	ND	ug/L		1.00	1.00		11/24/2015	
DRWW	Suburban Labs	16-5	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM	10/26/2015		10/26/2015	8:47:00 PM	Water	USEPA	8260B	1,2-Dichloropropane	Total	ND	ug/L		1.00	1.00		11/24/2015	
DRWW	Suburban Labs	16-5	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM	10/26/2015		10/26/2015	8:47:00 PM	Water	USEPA	8270D	1,3-Dichlorobenzene	Total	ND	ug/L		1.00	1.00		11/24/2015	
DRWW	Suburban Labs	16-5	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM	10/26/2015		10/26/2015	8:47:00 PM	Water	USEPA	8270D	1,4-Dichlorobenzene	Total	ND	ug/L		1.00	1.00		11/24/2015	
DRWW	Suburban Labs	16-5	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM	10/26/2015		10/26/2015	8:47:00 PM	Water	USEPA	8260B	2-Butanone	Total	ND	ug/L		10.00	10.00		11/24/2015	
DRWW	Suburban Labs	16-5	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM	10/26/2015		10/26/2015	8:47:00 PM	Water	USEPA	8260B	2-Chloroethyl vinyl ether	Total	ND	ug/L		10.00	10.00		11/24/2015	
DRWW	Suburban Labs	16-5	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM	10/26/2015		10/26/2015	8:47:00 PM	Water	USEPA	8260B	2-Hexanone	Total	ND	ug/L		25.00	25.00		11/24/2015	
DRWW	Suburban Labs	16-5	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM	10/26/2015	2:13:36 PM	10/28/2015	10:59:00 PM	Water	USEPA	8081	4,4'-DDD	Total	ND	ug/L		0.05	0.05		11/24/2015	
DRWW	Suburban Labs	16-5	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM	10/26/2015	2:13:36 PM	10/28/2015	10:59:00 PM	Water	USEPA	8081	4,4'-DDE	Total	ND	ug/L		0.05	0.05		11/24/2015	
DRWW	Suburban Labs	16-5	G-20	G-20	0.5	ft																										

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Preparation Date	Preparation Time	Sample-Analysis Date	Analysis Time	Sample Medium	Method Source	Method Code	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs	16-5	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM			10/26/2015	8:47:00 PM	Water	USEPA	8260B	o-Xylene	Total	ND	µg/L		1.00	1.00			11/24/2015
DRWW	Suburban Labs	16-5	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM	10/26/2015	9:30:21 AM	10/29/2015	8:12:00 PM	Water	USEPA	8270D	Phenanthrene	Total	ND	µg/L		0.10	0.10			11/24/2015
DRWW	Suburban Labs	16-5	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		11/11/2015	2:10:34 PM	10/23/2015	2:10:00 PM	11/12/2015	2:10:34 PM	10/29/2015	3:40:00 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	1.58	mg/L		0.02	0.02			11/24/2015
DRWW	Suburban Labs	16-5	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM	10/26/2015	9:30:21 AM	10/29/2015	8:12:00 PM	Water	USEPA	8270D	Pyrene	Total	ND	µg/L		0.10	0.10			11/24/2015
DRWW	Suburban Labs	16-5	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM	10/30/2015	2:22:49 PM	11/05/2015	1:09:19 PM	Water	USEPA	200.7	Sodium	Total	127.00	mg/L		0.10	0.20			11/24/2015
DRWW	Suburban Labs	16-5	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM	10/26/2015		10/26/2015	8:47:00 PM	Water	USEPA	8260B	Styrene	Total	ND	µg/L		1.00	1.00			11/24/2015
DRWW	Suburban Labs	16-5	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM	10/29/2015		10/29/2015	5:08:18 PM	Water	USEPA	375.2	Sulfate	Total	82.30	mg/L	10.00	30.00			11/24/2015	
DRWW	Suburban Labs	16-5	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM	10/26/2015		10/26/2015	8:47:00 PM	Water	USEPA	8260B	Tetrachloroethene	Total	ND	µg/L		1.00	1.00			11/24/2015
DRWW	Suburban Labs	16-5	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM	10/26/2015		10/26/2015	8:47:00 PM	Water	USEPA	8260B	Toluene	Total	ND	µg/L		1.00	1.00			11/24/2015
DRWW	Suburban Labs	16-5	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM	10/27/2015		10/27/2015	5:22:40 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	12.40	mg/L		0.50	1.00			11/24/2015
DRWW	Suburban Labs	16-5	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM	10/28/2015		10/28/2015	2:21:00 PM	Water	APHA	5310-C	Total Organic Carbon	Total	5.80	mg/L	G	1.00	1.00			11/24/2015
DRWW	Suburban Labs	16-5	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM	10/29/2015		10/29/2015	6:35:00 PM	Water	USEPA	2540-D	Total Suspended Solids	Total	3.00	mg/L	J	0.20	5.00			11/24/2015
DRWW	Suburban Labs	16-5	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM	10/26/2015		10/26/2015	8:47:00 PM	Water	USEPA	8260B	Total Xylenes	Total	ND	µg/L		2.00	2.00			11/24/2015
DRWW	Suburban Labs	16-5	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM	10/26/2015	2:13:36 PM	10/28/2015	10:59:00 PM	Water	USEPA	8081	Toxaphene	Total	ND	µg/L		0.20	0.20			11/24/2015
DRWW	Suburban Labs	16-5	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM	10/26/2015		10/26/2015	8:47:00 PM	Water	USEPA	8260B	trans-1,2-Dichloroethene	Total	ND	µg/L		1.00	1.00			11/24/2015
DRWW	Suburban Labs	16-5	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM	10/26/2015		10/26/2015	8:47:00 PM	Water	USEPA	8260B	trans-1,3-Dichloropropene	Total	ND	µg/L		1.00	1.00			11/24/2015
DRWW	Suburban Labs	16-5	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM	10/26/2015		10/26/2015	8:47:00 PM	Water	USEPA	8260B	Trichloroethene	Total	ND	µg/L		1.00	1.00			11/24/2015
DRWW	Suburban Labs	16-5	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM	10/26/2015		10/26/2015	8:47:00 PM	Water	USEPA	8260B	Trichlorofluoromethane	Total	ND	µg/L		1.00	1.00			11/24/2015
DRWW	Suburban Labs	16-5	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM	10/23/2015		10/23/2015	4:55:00 PM	Water	Lab	2130-B	Turbidity	Total	3.13	NTU		0.10	0.20			11/24/2015
DRWW	Suburban Labs	16-5	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM	10/26/2015		10/26/2015	8:47:00 PM	Water	USEPA	8260B	Vinyl chloride	Total	ND	µg/L		1.00	1.00			11/24/2015
DRWW	Suburban Labs	16-5	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM	10/29/2015		10/29/2015	6:35:00 PM	Water	USEPA	2540-D	Volatile Suspended Solids	Total	0.60	mg/L	J	0.20	5.00			11/24/2015
DRWW	Suburban Labs	16-5	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM	10/31/2015	2:45:09 PM	11/02/2015	8:15:00 PM	Water	USEPA	200.7	Zinc	Total	0.01	mg/L		0.01	0.01			11/24/2015
DRWW	Suburban Labs	16-5	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		12/03/2015	8:59:00 AM	12/03/2015	2:05:00 PM			12/12/2015	4:04:35 PM	Water	APHA	4500-CL(E)	Chloride	Total	121.00	mg/L		20.00	20.00			12/16/2015
DRWW	Suburban Labs	16-5	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		12/03/2015	8:59:00 AM	12/03/2015	2:05:00 PM			12/03/2015	3:15:00 PM	Water	USEPA	E_COLI_MPN	E. Coli	Total	210.00	MPN/100mL		1.00	1.00			12/16/2015
DRWW	Suburban Labs	16-5	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		12/03/2015	8:59:00 AM	12/03/2015	2:05:00 PM			12/03/2015	3:00:00 PM	Water	USEPA	DISSOLVED	Filtered and Preserved	Total	complete			0.00	0.00			12/16/2015
DRWW	Suburban Labs	16-5	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		12/03/2015	8:59:00 AM	12/03/2015	2:05:00 PM	12/09/2015		12/09/2015	4:26:00 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30			12/16/2015
DRWW	Suburban Labs	16-5	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		12/03/2015	8:59:00 AM	12/03/2015	2:05:00 PM	12/04/2015	1:14:19 PM	12/10/2015	5:09:02 PM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	1.82	mg/L	J	0.50	2.00			12/16/2015
DRWW	Suburban Labs	16-5	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		12/03/2015	8:59:00 AM	12/03/2015	2:05:00 PM	12/04/2015		12/04/2015	5:30:00 PM	Water	USEPA	365.2	Orthophosphate (As P)	Total	0.17	mg/L		0.03	0.05			12/16/2015
DRWW	Suburban Labs	16-5	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		12/03/2015	8:59:00 AM	12/03/2015	2:05:00 PM	12/04/2015	2:38:24 PM	12/14/2015	9:10:00 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.24	mg/L		0.04	0.04			12/16/2015
DRWW	Suburban Labs	16-5	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		12/03/2015	8:59:00 AM	12/03/2015	2:05:00 PM	12/14/2015		12/14/2015	12:32:13 PM	Water	USEPA	375.2	Sulfate	Total	50.00	mg/L		4.00	12.00			12/16/2015
DRWW	Suburban Labs	16-5	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		12/03/2015	8:59:00 AM	12/03/2015	2:05:00 PM	12/14/2015		12/14/2015	5:40:51 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	2.74	mg/L		0.25	0.50			12/16/2015
DRWW	Suburban Labs	16-5	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		12/03/2015	8:59:00 AM	12/03/2015	2:05:00 PM	12/08/2015		12/08/2015	3:23:00 PM	Water	APHA	5310-C	Total Organic Carbon	Total	7.70	mg/L	G	1.43	5.00			12/16/2015
DRWW	Suburban Labs	16-5	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		12/03/2015	8:59:00 AM	12/03/2015	2:05:00 PM	12/04/2015		12/04/2015	12:45:00 PM	Water	USEPA	2540-D	Total Suspended Solids	Total	7.40	mg/L		0.20	5.00			12/16/2015
DRWW	Suburban Labs	16-5	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		12/03/2015	8:59:00 AM	12/03/2015	2:05:00 PM	12/04/2015		12/04/2015	6:30:00 PM	Water	Lab	2130-B	Turbidity	Total	25.60	NTU		0.10	0.20			12/16/2015
DRWW	Suburban Labs	16-5	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		12/03/2015	8:59:00 AM	12/03/2015	2:05:00 PM	12/04/2015		12/04/2015	12:45:00 PM	Water	USEPA	2540-D	Volatile Suspended Solids	Total	3.60	mg/L	J	0.20	5.00			12/16/2015
DRWW	Suburban Labs	16-5 DUPLICATE	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM	10/26/2015	9:30:21 AM	10/29/2015	8:50:00 PM	Water	USEPA	8270D	Surr: 2-Fluorobiphenyl	Total	4.87	%Rec		0.10				11/24/2015
DRWW	Suburban Labs	16-5 DUPLICATE	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM	10/26/2015		10/26/2015	9:21:00 PM	Water	USEPA	8260B	Surr: 4-Bromofluorobenzene	Total	47.90	%Rec		0.00				11/24/2015
DRWW	Suburban Labs	16-5 DUPLICATE	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM	10/26/2015	9:30:21 AM	10/29/2015	8:50:00 PM	Water	USEPA	8270D	Surr: 4-Terphenyl-d14	Total	5.14	%Rec		0.10				11/24/2015
DRWW	Suburban Labs	16-5 DUPLICATE	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM	10/26/2015		10/26/2015	9:21:00 PM	Water	USEPA	8260B	Surr: Dibromofluoromethane	Total	48.50	%Rec		0.00				11/24/2015
DRWW	Suburban Labs	16-5 DUPLICATE	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM	10/26/2015	9:30:21 AM	10/29/2015	8:50:00 PM	Water	USEPA	8270D	Surr: Nitrobenzene-d5	Total	4.67	%Rec		0.10				11/24/2015
DRWW	Suburban Labs	16-5 DUPLICATE	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM	10/26/2015	2:13:43 PM	10/28/2015	11:17:00 PM	Water	USEPA	8082	Surr: Tetrachloro-m-xylene	Total	0.26	%Rec		0.00				

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Preparation Date	Preparation Time	Sample-Analysis Date	Analysis Time	Sample Medium	Method Source	Method Code	Method Code	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs	16-5 DUPLICATE	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM			10/23/2015	3:20:00 PM	Water	USEPA	8270D	DISOLVED	Filtered and Preserved	Total	complete			0.00	0.00			11/24/2015
DRWW	Suburban Labs	16-5 DUPLICATE	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM	10/26/2015	9:30:21 AM	10/29/2015	8:50:00 PM	Water	USEPA	8270D	DISOLVED	Fluoranthene	Total	ND	µg/L		0.10	0.10			11/24/2015
DRWW	Suburban Labs	16-5 DUPLICATE	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM	10/26/2015	9:30:21 AM	10/29/2015	8:50:00 PM	Water	USEPA	8270D	DISOLVED	Fluorene	Total	ND	µg/L		0.10	0.10			11/24/2015
DRWW	Suburban Labs	16-5 DUPLICATE	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM	10/26/2015	2:13:36 PM	10/28/2015	11:17:00 PM	Water	USEPA	8081	DISOLVED	gamma-BHC	Total	ND	µg/L		0.03	0.03			11/24/2015
DRWW	Suburban Labs	16-5 DUPLICATE	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM	10/26/2015	2:13:36 PM	10/28/2015	11:17:00 PM	Water	USEPA	8081	DISOLVED	gamma-Chlordane	Total	ND	µg/L		0.03	0.03			11/24/2015
DRWW	Suburban Labs	16-5 DUPLICATE	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM	10/30/2015	2:22:49 PM	11/05/2015	1:14:23 PM	Water	USEPA	200.7	DISOLVED	Hardness (As CaCO3)	Total	296.00	mg/L		0.05	0.15			11/24/2015
DRWW	Suburban Labs	16-5 DUPLICATE	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM	10/26/2015	2:13:36 PM	10/28/2015	11:17:00 PM	Water	USEPA	8081	DISOLVED	Heptachlor	Total	ND	µg/L		0.03	0.03			11/24/2015
DRWW	Suburban Labs	16-5 DUPLICATE	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM	10/26/2015	2:13:36 PM	10/28/2015	11:17:00 PM	Water	USEPA	8081	DISOLVED	Heptachlor epoxide	Total	ND	µg/L		0.03	0.03			11/24/2015
DRWW	Suburban Labs	16-5 DUPLICATE	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM	10/26/2015	9:30:21 AM	10/29/2015	8:50:00 PM	Water	USEPA	8270D	DISOLVED	Indeno(1,2,3-cd)pyrene	Total	ND	µg/L		0.10	0.10			11/24/2015
DRWW	Suburban Labs	16-5 DUPLICATE	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM	10/30/2015	2:22:49 PM	11/02/2015	9:36:16 PM	Water	USEPA	200.7	DISOLVED	Iron	Total	0.20	mg/L		0.01	0.05			11/24/2015
DRWW	Suburban Labs	16-5 DUPLICATE	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM	10/26/2015	9:21:00 PM	10/29/2015	9:21:00 PM	Water	USEPA	8260B	DISOLVED	m,p-Xylene	Total	ND	µg/L		2.00	2.00			11/24/2015
DRWW	Suburban Labs	16-5 DUPLICATE	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM	10/30/2015	2:22:49 PM	11/05/2015	1:14:23 PM	Water	USEPA	200.7	DISOLVED	Magnesium	Total	29.50	mg/L		0.01	0.05			11/24/2015
DRWW	Suburban Labs	16-5 DUPLICATE	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM	10/31/2015	2:45:09 PM	11/02/2015	8:19:00 PM	Water	USEPA	200.7	DISOLVED	Manganese	Total	0.04	mg/L		0.00	0.00			11/24/2015
DRWW	Suburban Labs	16-5 DUPLICATE	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM	10/26/2015	4:04:04 PM	11/06/2015	4:04:04 PM	Water	USEPA	1631	DISOLVED	Mercury	Total	0.76	ng/L		0.50	0.50			11/24/2015
DRWW	Suburban Labs	16-5 DUPLICATE	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM	10/26/2015	2:13:36 PM	10/28/2015	11:17:00 PM	Water	USEPA	8081	DISOLVED	Methoxychlor	Total	ND	µg/L		0.25	0.25			11/24/2015
DRWW	Suburban Labs	16-5 DUPLICATE	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM	10/26/2015	9:21:00 PM	10/28/2015	9:21:00 PM	Water	USEPA	8260B	DISOLVED	Methyl tert-butyl ether	Total	ND	µg/L		1.00	1.00			11/24/2015
DRWW	Suburban Labs	16-5 DUPLICATE	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM	10/26/2015	9:21:00 PM	10/28/2015	9:21:00 PM	Water	USEPA	8260B	DISOLVED	Methylene chloride	Total	ND	µg/L		5.00	5.00			11/24/2015
DRWW	Suburban Labs	16-5 DUPLICATE	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM	10/26/2015	9:30:21 AM	10/29/2015	8:50:00 PM	Water	USEPA	8270D	DISOLVED	Naphthalene	Total	ND	µg/L		0.10	0.10			11/24/2015
DRWW	Suburban Labs	16-5 DUPLICATE	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM	10/31/2015	2:45:09 PM	11/02/2015	8:19:00 PM	Water	USEPA	200.7	DISOLVED	Nickel	Total	0.00	mg/L		0.00	0.00			11/24/2015
DRWW	Suburban Labs	16-5 DUPLICATE	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM	10/29/2015	6:12:41 PM	10/31/2015	2:32:00 PM	Water	USEPA	350.3	DISOLVED	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30			11/24/2015
DRWW	Suburban Labs	16-5 DUPLICATE	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM	10/24/2015	1:00:00 PM	10/24/2015	1:00:00 PM	Water	USEPA	351.2	DISOLVED	Nitrogen, Kjeldahl, Total	Total	0.96	mg/L	J	0.50	2.00			11/24/2015
DRWW	Suburban Labs	16-5 DUPLICATE	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM	10/26/2015	1:00:00 PM	10/26/2015	1:00:00 PM	Water	USEPA	365.2	DISOLVED	Orthophosphate (As P)	Total	1.80	mg/L		0.13	0.25			11/24/2015
DRWW	Suburban Labs	16-5 DUPLICATE	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM	10/26/2015	9:30:21 AM	10/26/2015	9:21:00 PM	Water	USEPA	8260B	DISOLVED	o-Xylene	Total	ND	µg/L		1.00	1.00			11/24/2015
DRWW	Suburban Labs	16-5 DUPLICATE	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM	10/26/2015	9:30:21 AM	10/29/2015	8:50:00 PM	Water	USEPA	8270D	DISOLVED	Phenanthrene	Total	ND	µg/L		0.10	0.10			11/24/2015
DRWW	Suburban Labs	16-5 DUPLICATE	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM	11/11/2015	2:10:34 PM	11/12/2015	3:45:00 PM	Water	USEPA	200.7	DISOLVED	Phosphorus, Total (as P)	Total	1.57	mg/L		0.02	0.02			11/24/2015
DRWW	Suburban Labs	16-5 DUPLICATE	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM	10/26/2015	9:30:21 AM	10/29/2015	8:50:00 PM	Water	USEPA	8270D	DISOLVED	Pyrene	Total	ND	µg/L		0.10	0.10			11/24/2015
DRWW	Suburban Labs	16-5 DUPLICATE	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM	10/30/2015	2:22:49 PM	11/05/2015	1:14:23 PM	Water	USEPA	200.7	DISOLVED	Sodium	Total	131.00	mg/L		0.10	0.20			11/24/2015
DRWW	Suburban Labs	16-5 DUPLICATE	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM	10/26/2015	9:21:00 PM	10/26/2015	9:21:00 PM	Water	USEPA	8260B	DISOLVED	Styrene	Total	ND	µg/L		1.00	1.00			11/24/2015
DRWW	Suburban Labs	16-5 DUPLICATE	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM	10/29/2015	5:08:37 PM	10/29/2015	5:08:37 PM	Water	USEPA	375.2	DISOLVED	Sulfate	Total	79.80	mg/L		10.00	30.00			11/24/2015
DRWW	Suburban Labs	16-5 DUPLICATE	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM	10/26/2015	9:21:00 PM	10/26/2015	9:21:00 PM	Water	USEPA	8260B	DISOLVED	Tetrachloroethene	Total	ND	µg/L		1.00	1.00			11/24/2015
DRWW	Suburban Labs	16-5 DUPLICATE	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM	10/26/2015	9:21:00 PM	10/26/2015	9:21:00 PM	Water	USEPA	8260B	DISOLVED	Toluene	Total	ND	µg/L		1.00	1.00			11/24/2015
DRWW	Suburban Labs	16-5 DUPLICATE	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM	10/27/2015	5:23:52 PM	10/27/2015	5:23:52 PM	Water	USEPA	353.2	DISOLVED	Total Nitrates (Nitrate+Nitrite)	Total	11.00	mg/L		0.50	1.00			11/24/2015
DRWW	Suburban Labs	16-5 DUPLICATE	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM	10/28/2015	2:21:00 PM	10/28/2015	2:21:00 PM	Water	APHA	5310-C	DISOLVED	Total Organic Carbon	Total	5.80	mg/L	J	1.00	1.00			11/24/2015
DRWW	Suburban Labs	16-5 DUPLICATE	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM	10/29/2015	6:35:00 PM	10/29/2015	6:35:00 PM	Water	USEPA	2540-D	DISOLVED	Total Suspended Solids	Total	2.60	mg/L	G	0.20	5.00			11/24/2015
DRWW	Suburban Labs	16-5 DUPLICATE	G-20	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	11:08:00 AM	10/23/2015	2:10:00 PM	10/26/2015	9:21:00 PM	10/26/2015	9:21:00 PM	Water	USEPA	8260B	DISOLVED	Total Xylenes	Total								

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Preparation Date	Preparation Time	Sample-Analysis Date	Analysis Time	Sample Medium	Method Source	Method Code	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs	16-6	G-94	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	10:33:00 AM	10/23/2015	2:10:00 PM			10/26/2015	9:55:00 PM	Water	USEPA	8260B	Carbon tetrachloride	Total	ND	µg/L		1.00	1.00			11/24/2015
DRWW	Suburban Labs	16-6	G-94	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	10:33:00 AM	10/23/2015	2:10:00 PM			10/28/2015	11:55:00 PM	Water	USEPA	8081	Chloride	Total	ND	µg/L		0.10	0.10			11/24/2015
DRWW	Suburban Labs	16-6	G-94	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	10:33:00 AM	10/23/2015	2:10:00 PM	10/26/2015	2:13:36 PM	10/28/2015	12:47:02 PM	Water	APHA	4500-CL-(E)	Chloride	Total	194.00	mg/L		20.00	20.00			11/24/2015
DRWW	Suburban Labs	16-6	G-94	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	10:33:00 AM	10/23/2015	2:10:00 PM			10/26/2015	9:55:00 PM	Water	USEPA	8260B	Chlorobenzene	Total	ND	µg/L		1.00	1.00			11/24/2015
DRWW	Suburban Labs	16-6	G-94	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	10:33:00 AM	10/23/2015	2:10:00 PM			10/26/2015	9:55:00 PM	Water	USEPA	8260B	Chloroethane	Total	ND	µg/L		1.00	1.00			11/24/2015
DRWW	Suburban Labs	16-6	G-94	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	10:33:00 AM	10/23/2015	2:10:00 PM			10/26/2015	9:55:00 PM	Water	USEPA	8260B	Chloroform	Total	ND	µg/L		1.00	1.00			11/24/2015
DRWW	Suburban Labs	16-6	G-94	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	10:33:00 AM	10/23/2015	2:10:00 PM			10/26/2015	9:55:00 PM	Water	USEPA	8260B	Chloromethane	Total	ND	µg/L		1.00	1.00			11/24/2015
DRWW	Suburban Labs	16-6	G-94	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	10:33:00 AM	10/23/2015	2:10:00 PM	10/26/2015	9:30:21 AM	10/29/2015	10:05:00 PM	Water	USEPA	8270D	Chrysene	Total	ND	µg/L		0.10	0.10			11/24/2015
DRWW	Suburban Labs	16-6	G-94	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	10:33:00 AM	10/23/2015	2:10:00 PM			10/26/2015	9:55:00 PM	Water	USEPA	8260B	cis-1,2-Dichloroethene	Total	ND	µg/L		1.00	1.00			11/24/2015
DRWW	Suburban Labs	16-6	G-94	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	10:33:00 AM	10/23/2015	2:10:00 PM			10/26/2015	9:55:00 PM	Water	USEPA	8260B	cis-1,3-Dichloropropene	Total	ND	µg/L		1.00	1.00			11/24/2015
DRWW	Suburban Labs	16-6	G-94	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	10:33:00 AM	10/23/2015	2:10:00 PM	10/31/2015	2:45:09 PM	11/02/2015	8:28:00 PM	Water	USEPA	200.7	Copper	Total	0.00	mg/L		0.00	0.00			11/24/2015
DRWW	Suburban Labs	16-6	G-94	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	10:33:00 AM	10/23/2015	2:10:00 PM	10/26/2015	2:13:36 PM	10/28/2015	11:55:00 PM	Water	USEPA	8081	delta-BHC	Total	ND	µg/L		0.03	0.03			11/24/2015
DRWW	Suburban Labs	16-6	G-94	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	10:33:00 AM	10/23/2015	2:10:00 PM	10/26/2015	9:30:21 AM	10/29/2015	10:05:00 PM	Water	USEPA	8270D	Dibenz(a,h)anthracene	Total	ND	µg/L		0.10	0.10			11/24/2015
DRWW	Suburban Labs	16-6	G-94	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	10:33:00 AM	10/23/2015	2:10:00 PM			10/26/2015	9:55:00 PM	Water	USEPA	8260B	Dibromochloromethane	Total	ND	µg/L		1.00	1.00			11/24/2015
DRWW	Suburban Labs	16-6	G-94	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	10:33:00 AM	10/23/2015	2:10:00 PM	10/26/2015	2:13:36 PM	10/28/2015	11:55:00 PM	Water	USEPA	8081	Dieldrin	Total	ND	µg/L		0.05	0.05			11/24/2015
DRWW	Suburban Labs	16-6	G-94	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	10:33:00 AM	10/23/2015	2:10:00 PM			10/23/2015	4:01:00 PM	Water	USEPA	E. COLI MPN	E. Coli	Total	108.00	MPN/100mL		1.00	1.00			11/24/2015
DRWW	Suburban Labs	16-6	G-94	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	10:33:00 AM	10/23/2015	2:10:00 PM	10/26/2015	2:13:36 PM	10/28/2015	11:55:00 PM	Water	USEPA	8081	Endosulfan I	Total	ND	µg/L		0.03	0.03			11/24/2015
DRWW	Suburban Labs	16-6	G-94	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	10:33:00 AM	10/23/2015	2:10:00 PM	10/26/2015	2:13:36 PM	10/28/2015	11:55:00 PM	Water	USEPA	8081	Endosulfan II	Total	ND	µg/L		0.05	0.05			11/24/2015
DRWW	Suburban Labs	16-6	G-94	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	10:33:00 AM	10/23/2015	2:10:00 PM	10/26/2015	2:13:36 PM	10/28/2015	11:55:00 PM	Water	USEPA	8081	Endosulfan sulfate	Total	ND	µg/L		0.05	0.05			11/24/2015
DRWW	Suburban Labs	16-6	G-94	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	10:33:00 AM	10/23/2015	2:10:00 PM	10/26/2015	2:13:36 PM	10/28/2015	11:55:00 PM	Water	USEPA	8081	Endrin	Total	ND	µg/L		0.05	0.05			11/24/2015
DRWW	Suburban Labs	16-6	G-94	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	10:33:00 AM	10/23/2015	2:10:00 PM	10/26/2015	2:13:36 PM	10/28/2015	11:55:00 PM	Water	USEPA	8081	Endrin aldehyde	Total	ND	µg/L		0.05	0.05			11/24/2015
DRWW	Suburban Labs	16-6	G-94	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	10:33:00 AM	10/23/2015	2:10:00 PM	10/26/2015	2:13:36 PM	10/28/2015	11:55:00 PM	Water	USEPA	8081	Endrin ketone	Total	ND	µg/L		0.05	0.05			11/24/2015
DRWW	Suburban Labs	16-6	G-94	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	10:33:00 AM	10/23/2015	2:10:00 PM	10/26/2015	9:55:00 PM	10/23/2015	3:20:00 PM	Water	USEPA	DISSOLVED	Filtered and Preserved	Total	complete			0.00	0.00			11/24/2015
DRWW	Suburban Labs	16-6	G-94	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	10:33:00 AM	10/23/2015	2:10:00 PM	10/26/2015	9:30:21 AM	10/29/2015	10:05:00 PM	Water	USEPA	8270D	Fluoranthene	Total	ND	µg/L		0.10	0.10			11/24/2015
DRWW	Suburban Labs	16-6	G-94	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	10:33:00 AM	10/23/2015	2:10:00 PM	10/26/2015	9:30:21 AM	10/29/2015	10:05:00 PM	Water	USEPA	8270D	Fluorene	Total	ND	µg/L		0.10	0.10			11/24/2015
DRWW	Suburban Labs	16-6	G-94	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	10:33:00 AM	10/23/2015	2:10:00 PM	10/26/2015	2:13:36 PM	10/28/2015	11:55:00 PM	Water	USEPA	8081	gamma-BHC	Total	ND	µg/L		0.03	0.03			11/24/2015
DRWW	Suburban Labs	16-6	G-94	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	10:33:00 AM	10/23/2015	2:10:00 PM	10/26/2015	2:13:36 PM	10/28/2015	11:55:00 PM	Water	USEPA	8081	gamma-Chlordane	Total	ND	µg/L		0.03	0.03			11/24/2015
DRWW	Suburban Labs	16-6	G-94	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	10:33:00 AM	10/23/2015	2:10:00 PM	10/30/2015	2:22:49 PM	11/05/2015	1:23:31 PM	Water	USEPA	200.7	Hardness (As CaCO3)	Total	292.00	mg/L		0.05	0.15			11/24/2015
DRWW	Suburban Labs	16-6	G-94	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	10:33:00 AM	10/23/2015	2:10:00 PM	10/26/2015	2:13:36 PM	10/28/2015	11:55:00 PM	Water	USEPA	8081	Heptachlor	Total	ND	µg/L		0.03	0.03			11/24/2015
DRWW	Suburban Labs	16-6	G-94	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	10:33:00 AM	10/23/2015	2:10:00 PM	10/26/2015	2:13:36 PM	10/28/2015	11:55:00 PM	Water	USEPA	8081	Heptachlor epoxide	Total	ND	µg/L		0.03	0.03			11/24/2015
DRWW	Suburban Labs	16-6	G-94	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	10:33:00 AM	10/23/2015	2:10:00 PM	10/26/2015	9:30:21 AM	10/29/2015	10:05:00 PM	Water	USEPA	8270D	Indeno(1,2,3-cd)pyrene	Total	ND	µg/L		0.10	0.10			11/24/2015
DRWW	Suburban Labs	16-6	G-94	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	10:33:00 AM	10/23/2015	2:10:00 PM	10/30/2015	2:22:49 PM	11/02/2015	9:46:06 PM	Water	USEPA	200.7	Iron	Total	0.20	mg/L		0.01	0.05			11/24/2015
DRWW	Suburban Labs	16-6	G-94	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	10:33:00 AM	10/23/2015	2:10:00 PM	10/26/2015	9:55:00 PM	10/26/2015	9:55:00 PM	Water	USEPA	8260B	m,p-Xylene	Total	ND	µg/L		2.00	2.00			11/24/2015
DRWW	Suburban Labs	16-6	G-94	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	10:33:00 AM	10/23/2015	2:10:00 PM	10/30/2015	2:22:49 PM	11/05/2015	1:23:31 PM	Water	USEPA	200.7	Magnesium	Total	28.90	mg/L		0.01	0.05			11/24/2015
DRWW	Suburban Labs	16-6	G-94	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	10:33:00 AM	10/23/2015	2:10:00 PM	10/31/2015	2:45:09 PM	11/02/2015	8:28:00 PM	Water	USEPA	200.7	Manganese	Total	0.04	mg/L		0.00	0.00			11/24/2015
DRWW	Suburban Labs	16-6	G-94	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	10:33:00 AM	10/23/2015	2:10:00 PM	11/06/2015	4:13:37 PM	11/06/2015	4:13:37 PM	Water	USEPA	1631	Mercury	Total	0.62	ng/L		0.50	0.50			11/24/2015
DRWW	Suburban Labs	16-6	G-94	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2015	10:33:00 AM	10/23/2015	2:10:0																	

Submittin g Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample- Depth Units	Waterbody Name	Public Water Supply Intake	Monitori ng Unit	Surface-Water Monitoring Program	Field- Blank ID	Sample- Collection Date	Sample- Collection Time	Sample- Receipt Date	Sample- Receipt Time	Preparatio n Date	Preparation Time	Sample- Analysis Date	Analysis Time	Sample Medium	Method Source	Method Code	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs	17-1	GS-01	GS-01	0.5	ft	Buffalo Creek			Non-IEPA		12/04/2015	12:22:00 PM	12/04/2015	2:35:00 PM	12/04/2015	2:38:24 PM	12/14/2015	9:53:00 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	ND	mg/L		0.04	0.04		12/22/2015	
DRWW	Suburban Labs	17-1	GS-01	GS-01	0.5	ft	Buffalo Creek			Non-IEPA		12/04/2015	12:22:00 PM	12/04/2015	2:35:00 PM			12/21/2015	3:54:31 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.68	mg/L		0.05	0.10		12/22/2015	
DRWW	Suburban Labs	17-1	GS-01	GS-01	0.5	ft	Buffalo Creek			Non-IEPA		12/04/2015	12:22:00 PM	12/04/2015	2:35:00 PM			12/09/2015	12:37:00 PM	Water	USEPA	2540-D	Total Suspended Solids	Total	8.20	mg/L		5.00			12/22/2015	
DRWW	Suburban Labs	17-1	GS-01	GS-01	0.5	ft	Buffalo Creek			Non-IEPA		12/04/2015	12:22:00 PM	12/04/2015	2:35:00 PM			12/04/2015	6:30:00 PM	Water	Lab	2130-B	Turbidity	Total	7.01	NTU		0.10	0.20		12/22/2015	
DRWW	Suburban Labs	17-1	GS-01	GS-01	0.5	ft	Buffalo Creek			Non-IEPA		12/04/2015	12:22:00 PM	12/04/2015	2:35:00 PM			12/09/2015	12:37:00 PM	Water	USEPA	2540-D	Volatile Suspended Solids	Total	1.60	mg/L	J	0.20	5.00		12/22/2015	
DRWW	Suburban Labs	17-2	GST-02	GST-02	0.5	ft	Buffalo Creek			Non-IEPA		09/28/2015	1:13:00 PM	09/28/2015	3:00:00 PM			09/30/2015	11:02:20 AM	Water	APHA	4500-CL(E)	Chloride	Total	156.00	mg/L		20.00	20.00		10/13/2015	
DRWW	Suburban Labs	17-2	GST-02	GST-02	0.5	ft	Buffalo Creek			Non-IEPA		09/28/2015	1:13:00 PM	09/28/2015	3:00:00 PM			09/28/2015	4:13:00 PM	Water	USEPA	E COLI MPN	E. Coli	Total	38.80	MPN/100mL		1.00	1.00		10/13/2015	
DRWW	Suburban Labs	17-2	GST-02	GST-02	0.5	ft	Buffalo Creek			Non-IEPA		09/28/2015	1:13:00 PM	09/28/2015	3:00:00 PM		10/06/2015	3:13:26 PM	10/07/2015	5:43:00 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.05	mg/L		0.02	0.02		10/13/2015
DRWW	Suburban Labs	17-2	GST-02	GST-02	0.5	ft	Buffalo Creek			Non-IEPA		09/28/2015	1:13:00 PM	09/28/2015	3:00:00 PM			10/01/2015	2:16:19 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.11	mg/L		0.05	0.10		10/13/2015	
DRWW	Suburban Labs	17-2	GST-02	GST-02	0.5	ft	Buffalo Creek			Non-IEPA		09/28/2015	1:13:00 PM	09/28/2015	3:00:00 PM			09/28/2015	4:45:00 PM	Water	Lab	2130-B	Turbidity	Total	3.17	NTU		0.10	0.20		10/13/2015	
DRWW	Suburban Labs	17-2	GST-02	GST-02	0.5	ft	Buffalo Creek			Non-IEPA		10/19/2015	11:46:00 AM	10/19/2015	2:00:00 PM			10/23/2015	1:16:24 PM	Water	APHA	4500-CL(E)	Chloride	Total	238.00	mg/L		40.00	40.00		10/27/2015	
DRWW	Suburban Labs	17-2	GST-02	GST-02	0.5	ft	Buffalo Creek			Non-IEPA		10/19/2015	11:46:00 AM	10/19/2015	2:00:00 PM			10/19/2015	3:20:00 PM	Water	USEPA	E COLI MPN	E. Coli	Total	79.80	MPN/100mL		1.00	1.00		10/27/2015	
DRWW	Suburban Labs	17-2	GST-02	GST-02	0.5	ft	Buffalo Creek			Non-IEPA		10/19/2015	11:46:00 AM	10/19/2015	2:00:00 PM		10/21/2015	4:39:24 PM	10/22/2015	6:44:00 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.04	mg/L		0.02	0.02		10/27/2015
DRWW	Suburban Labs	17-2	GST-02	GST-02	0.5	ft	Buffalo Creek			Non-IEPA		10/19/2015	11:46:00 AM	10/19/2015	2:00:00 PM			10/20/2015	7:28:58 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.13	mg/L		0.05	0.10		10/27/2015	
DRWW	Suburban Labs	17-2	GST-02	GST-02	0.5	ft	Buffalo Creek			Non-IEPA		10/19/2015	11:46:00 AM	10/19/2015	2:00:00 PM			10/19/2015	5:43:00 PM	Water	Lab	2130-B	Turbidity	Total	3.11	NTU		0.10	0.20		10/27/2015	
DRWW	Suburban Labs	17-2	GST-02	GST-02	0.5	ft	Buffalo Creek			Non-IEPA		12/04/2015	11:45:00 AM	12/04/2015	2:35:00 PM			12/12/2015	4:14:12 PM	Water	APHA	4500-CL(E)	Chloride	Total	197.00	mg/L	S	40.00	40.00		12/22/2015	
DRWW	Suburban Labs	17-2	GST-02	GST-02	0.5	ft	Buffalo Creek			Non-IEPA		12/04/2015	11:45:00 AM	12/04/2015	2:35:00 PM			12/04/2015	3:42:00 PM	Water	USEPA	E COLI MPN	E. Coli	Total	74.30	MPN/100mL		1.00	1.00		12/22/2015	
DRWW	Suburban Labs	17-2	GST-02	GST-02	0.5	ft	Buffalo Creek			Non-IEPA		12/04/2015	11:45:00 AM	12/04/2015	2:35:00 PM			12/14/2015	10:24:00 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	ND	mg/L		0.04	0.04		12/22/2015	
DRWW	Suburban Labs	17-2	GST-02	GST-02	0.5	ft	Buffalo Creek			Non-IEPA		12/04/2015	11:45:00 AM	12/04/2015	2:35:00 PM			12/21/2015	4:04:07 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.61	mg/L		0.05	0.10		12/22/2015	
DRWW	Suburban Labs	17-2	GST-02	GST-02	0.5	ft	Buffalo Creek			Non-IEPA		12/4/2015	11:45:00 AM	12/04/2015	2:35:00 PM			12/04/2015	6:30:00 PM	Water	Lab	2130-B	Turbidity	Total	6.90	NTU		0.10	0.20		12/22/2015	
DRWW	Suburban Labs	17-3	GST-03	GST-03	0.5	ft	Buffalo Creek			Non-IEPA		09/28/2015	1:30:00 PM	09/28/2015	3:00:00 PM			09/30/2015	11:06:14 AM	Water	APHA	4500-CL(E)	Chloride	Total	150.00	mg/L		20.00	20.00		10/13/2015	
DRWW	Suburban Labs	17-3	GST-03	GST-03	0.5	ft	Buffalo Creek			Non-IEPA		09/28/2015	1:30:00 PM	09/28/2015	3:00:00 PM			09/28/2015	4:13:00 PM	Water	USEPA	E COLI MPN	E. Coli	Total	179.00	MPN/100mL		1.00	1.00		10/13/2015	
DRWW	Suburban Labs	17-3	GST-03	GST-03	0.5	ft	Buffalo Creek			Non-IEPA		09/28/2015	1:30:00 PM	09/28/2015	3:00:00 PM		10/01/2015	1:34:17 PM	10/07/2015	3:10:00 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.07	mg/L		0.02	0.02		10/13/2015
DRWW	Suburban Labs	17-3	GST-03	GST-03	0.5	ft	Buffalo Creek			Non-IEPA		09/28/2015	1:30:00 PM	09/28/2015	3:00:00 PM			10/01/2015	2:30:43 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.18	mg/L		0.05	0.10		10/13/2015	
DRWW	Suburban Labs	17-3	GST-03	GST-03	0.5	ft	Buffalo Creek			Non-IEPA		09/28/2015	1:30:00 PM	09/28/2015	3:00:00 PM			09/28/2015	4:45:00 PM	Water	Lab	2130-B	Turbidity	Total	6.00	NTU		0.10	0.20		10/13/2015	
DRWW	Suburban Labs	17-3	GST-03	GST-03	0.5	ft	Buffalo Creek			Non-IEPA		10/19/2015	12:05:00 PM	10/19/2015	2:00:00 PM			10/23/2015	11:20:38 AM	Water	APHA	4500-CL(E)	Chloride	Total	191.00	mg/L		20.00	20.00		10/27/2015	
DRWW	Suburban Labs	17-3	GST-03	GST-03	0.5	ft	Buffalo Creek			Non-IEPA		10/19/2015	12:05:00 PM	10/19/2015	2:00:00 PM			10/19/2015	3:20:00 PM	Water	USEPA	E COLI MPN	E. Coli	Total	72.70	MPN/100mL		1.00	1.00		10/27/2015	
DRWW	Suburban Labs	17-3	GST-03	GST-03	0.5	ft	Buffalo Creek			Non-IEPA		10/19/2015	12:05:00 PM	10/19/2015	2:00:00 PM		10/21/2015	4:39:24 PM	10/22/2015	7:18:00 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.07	mg/L		0.02	0.02		10/27/2015
DRWW	Suburban Labs	17-3	GST-03	GST-03	0.5	ft	Buffalo Creek			Non-IEPA		10/19/2015	12:05:00 PM	10/19/2015	2:00:00 PM			10/22/2015	1:49:35 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.05	0.10		10/27/2015	
DRWW	Suburban Labs	17-3	GST-03	GST-03	0.5	ft	Buffalo Creek			Non-IEPA		10/19/2015	12:05:00 PM	10/19/2015	2:00:00 PM			10/19/2015	5:43:00 PM	Water	Lab	2130-B	Turbidity	Total	2.02	NTU		0.10	0.20		10/27/2015	
DRWW	Suburban Labs	17-3	GST-03	GST-03	0.5	ft	Buffalo Creek			Non-IEPA		12/04/2015	11:08:00 AM	12/04/2015	2:35:00 PM			12/12/2015	4:13:54 PM	Water	APHA	4500-CL(E)	Chloride	Total	167.00	mg/L		20.00	20.00		12/22/2015	
DRWW	Suburban Labs	17-3	GST-03	GST-03	0.5	ft	Buffalo Creek			Non-IEPA		12/04/2015	11:08:00 AM	12/04/2015	2:35:00 PM			12/04/2015	3:42:00 PM	Water	USEPA	E COLI MPN	E. Coli	Total	72.70	MPN/100mL		1.00	1.00		12/22/2015	
DRWW	Suburban Labs	17-3	GST-03	GST-03	0.5	ft	Buffalo Creek			Non-IEPA		12/04/2015	11:08:00 AM	12/04/2015	2:35:00 PM			12/14/2015	10:20:00 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.04	mg/L		0.04	0.04		12/22/2015	
DRWW	Suburban Labs	17-3	GST-03	GST-03	0.5	ft	Buffalo Creek			Non-IEPA		12/04/2015	11:08:00 AM	12/04/2015	2:35:00 PM			12/21/2015	4:02:55 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.71	mg/L		0.05	0.10		12/22/2015	
DRWW	Suburban Labs	17-3	GST-03	GST-03	0.5	ft	Buffalo Creek			Non-IEPA		12/04/2015	11:08:00 AM	12/04/2015	2:35:00 PM			12/04/2015	6:30:00 PM	Water	Lab	2130-B	Turbidity	Total	8.70	NTU		0.10	0.20		12/22/2015	
DRWW	Suburban Labs	17-4	GSTZA-01	GSTZA-01	0.5	ft	Buffalo Creek			Non-IEPA		09/28/2015	1:40:00 PM	09/28/2015	3:00:00 PM			09/30/2015	11:05:56 AM	Water	APHA	4500-CL(E)	Chloride	Total	199.00	mg/L		20.00	20.00		10/13/2015	
DRWW	Suburban Labs	17-4	GSTZA-01	GSTZA-01	0.5	ft	Buffalo Creek			Non-IEPA		09/28/2015	1:40:00 PM	09/28/2015	3:00:00 PM			09/28/2015	4:13:00 PM	Water	USEPA	E COLI MPN	E. Coli	Total	210.00	MPN/100mL		1.00	1.00		10/13/2015	
DRWW	Suburban Labs	17-4	GSTZA-01	GSTZA-01	0.5	ft	Buffalo Creek			Non-IEPA		09/28/2015	1:40:00 PM	09/28/2015	3:00:00 PM			09/28/2015	5:15:00 PM	Water	USEPA	DISSOLVED	Filtered and Preserved	Total	complete		H	0.00	0.00		10/13/2015	
DRWW	Suburban Labs	17-4	GSTZA-01	GSTZA-01	0.5	ft	Buffalo Creek			Non-IEPA		09/28/2015	1:40:00 PM	09/28/2015	3:00:00 PM			10/02/2015	2:03:26 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30		10/13/2015	
DRWW	Suburban Labs	17-4	GSTZA-01	GSTZA-01	0.5	ft	Buffalo Creek			Non-IEPA		09/28/2015	1:40:00 PM	09/28/2015	3:00:00 PM		10/02/2015	9:56:06 AM	10/08/2015	2:09:00 PM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	0.99	mg/L	J	0.50	2.00		10/13/2015
DRWW	Suburban Labs	17-4	GSTZA-01	GSTZA-01	0.5	ft	Buffalo Creek			Non-IEPA		09/28/2015	1:40:00 PM	09/28/2015	3:00:00 PM			09/29/2015	5:00:00 PM	Water	USEPA	365.2	Orthophosphate (As P)	Total	ND	mg/L		0.03	0.05		10/13/2015	
DRWW	Suburban Labs	17-4	GSTZA-01	GSTZA-01	0.5	ft	Buffalo Creek			Non-IEPA		09/28/2015	1:40:00 PM	09/28/2015	3:00:00 PM			10/07/2015	2:49:00 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.07	mg/L		0.02	0.02		10/13/2015	
DRWW	Suburban Labs	17-4	GSTZA-01																													

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Preparation Date	Preparation Time	Sample-Analysis Date	Analysis Time	Sample Medium	Method Source	Method Code	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs		18-2	GZC-02	0.5	ft	Aptakisc Creek			Non-IEPA		10/19/2015	10:58:00 AM	10/19/2015	2:00:00 PM			10/23/2015	1:16:06 PM	Water	ALPHA	4500-CL(E)	Chloride	Total	204.00	mg/L		40.00	40.00		10/27/2015	
DRWW	Suburban Labs		18-2	GZC-02	0.5	ft	Aptakisc Creek			Non-IEPA		10/19/2015	10:58:00 AM	10/19/2015	2:00:00 PM			10/19/2015	3:20:00 PM	Water	USEPA	E. COLI MPN	E. Coli	Total	345.00	MPN/100mL		1.00	1.00		10/27/2015	
DRWW	Suburban Labs		18-2	GZC-02	0.5	ft	Aptakisc Creek			Non-IEPA		10/19/2015	10:58:00 AM	10/19/2015	2:00:00 PM	10/21/2015	4:39:24 PM	10/19/2015	6:40:00 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.03	mg/L		0.02	0.02		10/27/2015	
DRWW	Suburban Labs		18-2	GZC-02	0.5	ft	Aptakisc Creek			Non-IEPA		10/19/2015	10:58:00 AM	10/19/2015	2:00:00 PM			10/20/2015	7:27:46 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.07	mg/L	J	0.05	0.10		10/27/2015	
DRWW	Suburban Labs		18-2	GZC-02	0.5	ft	Aptakisc Creek			Non-IEPA		10/19/2015	10:58:00 AM	10/19/2015	2:00:00 PM			10/19/2015	5:43:00 PM	Water	Lab	2130-B	Turbidity	Total	8.22	NTU		0.10	0.20		10/27/2015	
DRWW	Suburban Labs		18-2	GZC-02	0.5	ft	Aptakisc Creek			Non-IEPA		12/03/2015	9:36:00 AM	12/03/2015	2:05:00 PM			12/12/2015	4:06:23 PM	Water	ALPHA	4500-CL(E)	Chloride	Total	236.00	mg/L	S	40.00	40.00		12/16/2015	
DRWW	Suburban Labs		18-2	GZC-02	0.5	ft	Aptakisc Creek			Non-IEPA		12/03/2015	9:36:00 AM	12/03/2015	2:05:00 PM			12/03/2015	3:15:00 PM	Water	USEPA	E. COLI MPN	E. Coli	Total	172.00	MPN/100mL		1.00	1.00		12/16/2015	
DRWW	Suburban Labs		18-2	GZC-02	0.5	ft	Aptakisc Creek			Non-IEPA		12/03/2015	9:36:00 AM	12/03/2015	2:05:00 PM	12/04/2015	2:38:24 PM	12/14/2015	9:37:00 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.04	mg/L		0.04	0.04		12/16/2015	
DRWW	Suburban Labs		18-2	GZC-02	0.5	ft	Aptakisc Creek			Non-IEPA		12/03/2015	9:36:00 AM	12/03/2015	2:05:00 PM			12/14/2015	4:52:49 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.65	mg/L		0.05	0.10		12/16/2015	
DRWW	Suburban Labs		18-2	GZC-02	0.5	ft	Aptakisc Creek			Non-IEPA		12/03/2015	9:36:00 AM	12/03/2015	2:05:00 PM			12/04/2015	6:30:00 PM	Water	Lab	2130-B	Turbidity	Total	11.80	NTU		0.10	0.20		12/16/2015	
DRWW	Suburban Labs			DUPLICATE	0.5	ft				Non-IEPA		09/28/2015	12:35:00 PM	09/28/2015	3:00:00 PM			09/30/2015	11:02:56 AM	Water	ALPHA	4500-CL(E)	Chloride	Total	174.00	mg/L		20.00	20.00		10/13/2015	
DRWW	Suburban Labs			DUPLICATE	0.5	ft				Non-IEPA		09/28/2015	12:35:00 PM	09/28/2015	3:00:00 PM			09/28/2015	4:13:00 PM	Water	USEPA	E. COLI MPN	E. Coli	Total	770.00	MPN/100mL		1.00	1.00		10/13/2015	
DRWW	Suburban Labs			DUPLICATE	0.5	ft				Non-IEPA		09/28/2015	12:35:00 PM	09/28/2015	3:00:00 PM			09/28/2015	5:15:00 PM	Water	USEPA	DISSOLVED	Filtered and Preserved	Total	complete			0.00	0.00		10/13/2015	
DRWW	Suburban Labs			DUPLICATE	0.5	ft				Non-IEPA		09/28/2015	12:35:00 PM	09/28/2015	3:00:00 PM			10/02/2015	1:59:19 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30		10/13/2015	
DRWW	Suburban Labs			DUPLICATE	0.5	ft				Non-IEPA		09/28/2015	12:35:00 PM	09/28/2015	3:00:00 PM	10/02/2015	9:56:06 AM	10/08/2015	2:02:00 PM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	ND	mg/L		0.50	2.00		10/13/2015	
DRWW	Suburban Labs			DUPLICATE	0.5	ft				Non-IEPA		09/29/2015	12:35:00 PM	09/29/2015	3:00:00 PM			09/29/2015	5:00:00 PM	Water	USEPA	365.2	Orthophosphate (As P)	Total	ND	mg/L		0.03	0.05		10/13/2015	
DRWW	Suburban Labs			DUPLICATE	0.5	ft				Non-IEPA		09/28/2015	12:35:00 PM	09/28/2015	3:00:00 PM	10/01/2015	1:34:17 PM	10/05/2015	8:48:00 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.05	mg/L		0.02	0.02		10/13/2015	
DRWW	Suburban Labs			DUPLICATE	0.5	ft				Non-IEPA		09/28/2015	12:35:00 PM	09/28/2015	3:00:00 PM			10/08/2015	2:18:43 PM	Water	USEPA	375.2	Sulfate	Total	73.00	mg/L		10.00	30.00		10/13/2015	
DRWW	Suburban Labs			DUPLICATE	0.5	ft				Non-IEPA		09/28/2015	12:35:00 PM	09/28/2015	3:00:00 PM			10/01/2015	2:18:43 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.16	mg/L		0.05	0.10		10/13/2015	
DRWW	Suburban Labs			DUPLICATE	0.5	ft				Non-IEPA		09/28/2015	12:35:00 PM	09/28/2015	3:00:00 PM			10/05/2015	1:30:00 PM	Water	ALPHA	5310-C	Total Organic Carbon	Total	6.00	mg/L	G	1.00	1.00		10/13/2015	
DRWW	Suburban Labs			DUPLICATE	0.5	ft				Non-IEPA		09/28/2015	12:35:00 PM	09/28/2015	3:00:00 PM			09/29/2015	1:35:00 PM	Water	USEPA	2540-D	Total Suspended Solids	Total	3.20	mg/L	J	0.20	5.00		10/13/2015	
DRWW	Suburban Labs			DUPLICATE	0.5	ft				Non-IEPA		09/28/2015	12:35:00 PM	09/28/2015	3:00:00 PM			09/28/2015	4:45:00 PM	Water	Lab	2130-B	Turbidity	Total	3.42	NTU		0.10	0.20		10/13/2015	
DRWW	Suburban Labs			DUPLICATE	0.5	ft				Non-IEPA		09/28/2015	12:35:00 PM	09/28/2015	3:00:00 PM			09/29/2015	1:35:00 PM	Water	USEPA	2540-D	Volatile Suspended Solids	Total	2.00	mg/L	J	0.20	5.00		10/13/2015	
DRWW	Suburban Labs			Duplicate	0.5	ft				Non-IEPA		12/01/2015	1:00:00 PM	12/01/2015	3:05:00 PM			12/02/2015	10:48:40 AM	Water	ALPHA	4500-CL(E)	Chloride	Total	105.00	mg/L		20.00	20.00		12/16/2015	
DRWW	Suburban Labs			Duplicate	0.5	ft				Non-IEPA		12/01/2015	1:00:00 PM	12/01/2015	3:05:00 PM			12/01/2015	3:50:00 PM	Water	USEPA	E. COLI MPN	E. Coli	Total	144.00	MPN/100mL		1.00	1.00		12/16/2015	
DRWW	Suburban Labs			Duplicate	0.5	ft				Non-IEPA		12/01/2015	1:00:00 PM	12/01/2015	3:05:00 PM	12/03/2015	12:47:11 PM	12/14/2015	7:45:00 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.06	mg/L		0.04	0.04		12/16/2015	
DRWW	Suburban Labs			Duplicate	0.5	ft				Non-IEPA		12/01/2015	1:00:00 PM	12/01/2015	3:05:00 PM			12/14/2015	4:13:13 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.36	mg/L		0.05	0.10		12/16/2015	
DRWW	Suburban Labs			Duplicate	0.5	ft				Non-IEPA		12/01/2015	1:00:00 PM	12/01/2015	3:05:00 PM			12/02/2015	2:40:00 PM	Water	Lab	2130-B	Turbidity	Total	16.00	NTU		0.10	0.20		12/16/2015	
DRWW	Suburban Labs			Duplicate	0.5	ft				Non-IEPA		12/04/2015	11:23:00 AM	12/04/2015	2:35:00 PM			12/12/2015	4:11:11 PM	Water	ALPHA	4500-CL(E)	Chloride	Total	288.00	mg/L		40.00	40.00		12/28/2015	
DRWW	Suburban Labs			Duplicate	0.5	ft				Non-IEPA		12/04/2015	11:23:00 AM	12/04/2015	2:35:00 PM			12/04/2015	3:42:00 PM	Water	USEPA	E. COLI MPN	E. Coli	Total	131.00	MPN/100mL		1.00	1.00		12/28/2015	
DRWW	Suburban Labs			Duplicate	0.5	ft				Non-IEPA		12/04/2015	11:23:00 AM	12/04/2015	2:35:00 PM			12/04/2015	5:00:00 PM	Water	USEPA	DISSOLVED	Filtered and Preserved	Total	complete		G	0.00	0.00		12/28/2015	
DRWW	Suburban Labs			Duplicate	0.5	ft				Non-IEPA		12/04/2015	11:23:00 AM	12/04/2015	2:35:00 PM			12/09/2015	5:12:00 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30		12/28/2015	
DRWW	Suburban Labs			Duplicate	0.5	ft				Non-IEPA		12/04/2015	11:23:00 AM	12/04/2015	2:35:00 PM	12/08/2015	2:32:14 PM	12/22/2015	1:38:48 PM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	0.79	mg/L	J	0.50	2.00		12/28/2015	
DRWW	Suburban Labs			Duplicate	0.5	ft				Non-IEPA		12/04/2015	11:23:00 AM	12/04/2015	2:35:00 PM			12/04/2015	5:30:00 PM	Water	USEPA	365.2	Orthophosphate (As P)	Total	ND	mg/L		0.03	0.05		12/28/2015	
DRWW	Suburban Labs			Duplicate	0.5	ft				Non-IEPA		12/04/2015	11:23:00 AM	12/04/2015	2:35:00 PM	12/04/2015	2:38:24 PM	12/14/2015	9:45:00 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	ND	mg/L		0.04	0.04		12/28/2015	
DRWW	Suburban Labs			Duplicate	0.5	ft				Non-IEPA		12/04/2015	11:23:00 AM	12/04/2015	2:35:00 PM			12/14/2015	5:20:26 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.61	mg/L		0.05	0.10		12/28/2015	
DRWW	Suburban Labs			Duplicate	0.5	ft				Non-IEPA		12/04/2015	11:23:00 AM	12/04/2015	2:35:00 PM			12/09/2015	12:37:00 PM	Water	USEPA	2540-D	Total Suspended Solids	Total	6.20	mg/L		0.20	5.00		12/28/2015	
DRWW	Suburban Labs			Duplicate	0.5	ft				Non-IEPA		12/04/2015	11:23:00 AM	12/04/2015	2:35:00 PM			12/04/2015	6:30:00 PM	Water	Lab	2130-B	Turbidity	Total	6.57	NTU		0.10	0.20		12/28/2015	
DRWW	Suburban Labs			Duplicate	0.5	ft				Non-IEPA		12/04/2015	11:23:00 AM	12/04/2015	2:35:00 PM			12/09/2015	12:37:00 PM	Water	USEPA	2540-D	Volatile Suspended Solids	Total	1.20	mg/L	J	0.20	5.00		12/28/2015	
DRWW	Suburban Labs			Field blank	0.5	ft				Non-IEPA		09/24/2015	12:45:00 PM	09/24/2015	3:45:00 PM			09/25/2015	10:52:13 AM	Water												

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Preparation Date	Preparation Time	Sample-Analysis Date	Analysis Time	Sample Medium	Method Source	Method Code	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs		FIELD BLANK		0.5	ft				Non-IEPA		10/23/2015	11:20:00 AM	10/23/2015	2:10:00 PM	10/26/2015	9:30:21 AM	10/29/2015	9:28:00 PM	Water	USEPA	8270D	Anthracene	Total	ND	µg/L		0.10	0.10			11/24/2015
DRWW	Suburban Labs		FIELD BLANK		0.5	ft				Non-IEPA		10/23/2015	11:20:00 AM	10/23/2015	2:10:00 PM	10/26/2015	2:13:43 PM	10/28/2015	11:36:00 PM	Water	USEPA	8082	Aroclor 1016	Total	ND	µg/L		0.10	0.10			11/24/2015
DRWW	Suburban Labs		FIELD BLANK		0.5	ft				Non-IEPA		10/23/2015	11:20:00 AM	10/23/2015	2:10:00 PM	10/26/2015	2:13:43 PM	10/28/2015	11:36:00 PM	Water	USEPA	8082	Aroclor 1221	Total	ND	µg/L		0.10	0.10			11/24/2015
DRWW	Suburban Labs		FIELD BLANK		0.5	ft				Non-IEPA		10/23/2015	11:20:00 AM	10/23/2015	2:10:00 PM	10/26/2015	2:13:43 PM	10/28/2015	11:36:00 PM	Water	USEPA	8082	Aroclor 1232	Total	ND	µg/L		0.10	0.10			11/24/2015
DRWW	Suburban Labs		FIELD BLANK		0.5	ft				Non-IEPA		10/23/2015	11:20:00 AM	10/23/2015	2:10:00 PM	10/26/2015	2:13:43 PM	10/28/2015	11:36:00 PM	Water	USEPA	8082	Aroclor 1242	Total	ND	µg/L		0.10	0.10			11/24/2015
DRWW	Suburban Labs		FIELD BLANK		0.5	ft				Non-IEPA		10/23/2015	11:20:00 AM	10/23/2015	2:10:00 PM	10/26/2015	2:13:43 PM	10/28/2015	11:36:00 PM	Water	USEPA	8082	Aroclor 1248	Total	ND	µg/L		0.10	0.10			11/24/2015
DRWW	Suburban Labs		FIELD BLANK		0.5	ft				Non-IEPA		10/23/2015	11:20:00 AM	10/23/2015	2:10:00 PM	10/26/2015	2:13:43 PM	10/28/2015	11:36:00 PM	Water	USEPA	8082	Aroclor 1254	Total	ND	µg/L		0.10	0.10			11/24/2015
DRWW	Suburban Labs		FIELD BLANK		0.5	ft				Non-IEPA		10/23/2015	11:20:00 AM	10/23/2015	2:10:00 PM	10/26/2015	2:13:43 PM	10/28/2015	11:36:00 PM	Water	USEPA	8082	Aroclor 1260	Total	ND	µg/L		0.10	0.10			11/24/2015
DRWW	Suburban Labs		FIELD BLANK		0.5	ft				Non-IEPA		10/23/2015	11:20:00 AM	10/23/2015	2:10:00 PM	10/31/2015	2:45:09 PM	11/02/2015	8:23:00 PM	Water	USEPA	200.8	Arsenic	Total	ND	mg/L		0.00	0.00			11/24/2015
DRWW	Suburban Labs		FIELD BLANK		0.5	ft				Non-IEPA		10/23/2015	11:20:00 AM	10/23/2015	2:10:00 PM	10/29/2015	4:55:00 PM	10/29/2015	4:55:00 PM	Water	USEPA	8260B	Benzene	Total	ND	µg/L		1.00	1.00			11/24/2015
DRWW	Suburban Labs		FIELD BLANK		0.5	ft				Non-IEPA		10/23/2015	11:20:00 AM	10/23/2015	2:10:00 PM	10/26/2015	9:30:21 AM	10/29/2015	9:28:00 PM	Water	USEPA	8270D	Benzo(a)anthracene	Total	ND	µg/L		0.10	0.10			11/24/2015
DRWW	Suburban Labs		FIELD BLANK		0.5	ft				Non-IEPA		10/23/2015	11:20:00 AM	10/23/2015	2:10:00 PM	10/26/2015	9:30:21 AM	10/29/2015	9:28:00 PM	Water	USEPA	8270D	Benzo(a)pyrene	Total	ND	µg/L		0.10	0.10			11/24/2015
DRWW	Suburban Labs		FIELD BLANK		0.5	ft				Non-IEPA		10/23/2015	11:20:00 AM	10/23/2015	2:10:00 PM	10/26/2015	9:30:21 AM	10/29/2015	9:28:00 PM	Water	USEPA	8270D	Benzo(b)fluoranthene	Total	ND	µg/L		0.10	0.10			11/24/2015
DRWW	Suburban Labs		FIELD BLANK		0.5	ft				Non-IEPA		10/23/2015	11:20:00 AM	10/23/2015	2:10:00 PM	10/26/2015	9:30:21 AM	10/29/2015	9:28:00 PM	Water	USEPA	8270D	Benzo(g,h,i)perylene	Total	ND	µg/L		0.10	0.10			11/24/2015
DRWW	Suburban Labs		FIELD BLANK		0.5	ft				Non-IEPA		10/23/2015	11:20:00 AM	10/23/2015	2:10:00 PM	10/26/2015	9:30:21 AM	10/29/2015	9:28:00 PM	Water	USEPA	8270D	Benzo(k)fluoranthene	Total	ND	µg/L		0.10	0.10			11/24/2015
DRWW	Suburban Labs		FIELD BLANK		0.5	ft				Non-IEPA		10/23/2015	11:20:00 AM	10/23/2015	2:10:00 PM	10/26/2015	2:13:36 PM	10/28/2015	11:36:00 PM	Water	USEPA	8081	beta-BHC	Total	ND	µg/L		0.03	0.03			11/24/2015
DRWW	Suburban Labs		FIELD BLANK		0.5	ft				Non-IEPA		10/23/2015	11:20:00 AM	10/23/2015	2:10:00 PM	10/29/2015	4:55:00 PM	10/29/2015	4:55:00 PM	Water	USEPA	8260B	Bromodichloromethane	Total	ND	µg/L		1.00	1.00			11/24/2015
DRWW	Suburban Labs		FIELD BLANK		0.5	ft				Non-IEPA		10/23/2015	11:20:00 AM	10/23/2015	2:10:00 PM	10/29/2015	4:55:00 PM	10/29/2015	4:55:00 PM	Water	USEPA	8260B	Bromoforn	Total	ND	µg/L		1.00	1.00			11/24/2015
DRWW	Suburban Labs		FIELD BLANK		0.5	ft				Non-IEPA		10/23/2015	11:20:00 AM	10/23/2015	2:10:00 PM	10/29/2015	4:55:00 PM	10/29/2015	4:55:00 PM	Water	USEPA	8260B	Bromomethane	Total	ND	µg/L		1.00	1.00			11/24/2015
DRWW	Suburban Labs		FIELD BLANK		0.5	ft				Non-IEPA		10/23/2015	11:20:00 AM	10/23/2015	2:10:00 PM	10/30/2015	2:22:49 PM	11/05/2015	11:19:33 PM	Water	USEPA	200.7	Calcium	Total	0.03	mg/L	J	0.02	0.05			11/24/2015
DRWW	Suburban Labs		FIELD BLANK		0.5	ft				Non-IEPA		10/23/2015	11:20:00 AM	10/23/2015	2:10:00 PM	10/29/2015	4:55:00 PM	10/29/2015	4:55:00 PM	Water	USEPA	8260B	Carbon disulfide	Total	ND	µg/L		1.00	1.00			11/24/2015
DRWW	Suburban Labs		FIELD BLANK		0.5	ft				Non-IEPA		10/23/2015	11:20:00 AM	10/23/2015	2:10:00 PM	10/29/2015	4:55:00 PM	10/29/2015	4:55:00 PM	Water	USEPA	8260B	Carbon tetrachloride	Total	ND	µg/L		1.00	1.00			11/24/2015
DRWW	Suburban Labs		FIELD BLANK		0.5	ft				Non-IEPA		10/23/2015	11:20:00 AM	10/23/2015	2:10:00 PM	10/26/2015	2:13:36 PM	10/28/2015	11:36:00 PM	Water	USEPA	8081	Chlordane	Total	ND	µg/L		0.10	0.10			11/24/2015
DRWW	Suburban Labs		FIELD BLANK		0.5	ft				Non-IEPA		10/23/2015	11:20:00 AM	10/23/2015	2:10:00 PM	10/30/2015	12:46:44 PM	10/30/2015	12:46:44 PM	Water	APHA	4500-CL(-E)	Chloride	Total	ND	mg/L		20.00	20.00			11/24/2015
DRWW	Suburban Labs		FIELD BLANK		0.5	ft				Non-IEPA		10/23/2015	11:20:00 AM	10/23/2015	2:10:00 PM	10/29/2015	4:55:00 PM	10/29/2015	4:55:00 PM	Water	USEPA	8260B	Chlorobenzene	Total	ND	µg/L		1.00	1.00			11/24/2015
DRWW	Suburban Labs		FIELD BLANK		0.5	ft				Non-IEPA		10/23/2015	11:20:00 AM	10/23/2015	2:10:00 PM	10/29/2015	4:55:00 PM	10/29/2015	4:55:00 PM	Water	USEPA	8260B	Chloroethane	Total	ND	µg/L		1.00	1.00			11/24/2015
DRWW	Suburban Labs		FIELD BLANK		0.5	ft				Non-IEPA		10/23/2015	11:20:00 AM	10/23/2015	2:10:00 PM	10/29/2015	4:55:00 PM	10/29/2015	4:55:00 PM	Water	USEPA	8260B	Chloroform	Total	ND	µg/L		1.00	1.00			11/24/2015
DRWW	Suburban Labs		FIELD BLANK		0.5	ft				Non-IEPA		10/23/2015	11:20:00 AM	10/23/2015	2:10:00 PM	10/29/2015	4:55:00 PM	10/29/2015	4:55:00 PM	Water	USEPA	8260B	Chloromethane	Total	ND	µg/L		1.00	1.00			11/24/2015
DRWW	Suburban Labs		FIELD BLANK		0.5	ft				Non-IEPA		10/23/2015	11:20:00 AM	10/23/2015	2:10:00 PM	10/26/2015	9:30:21 AM	10/29/2015	9:28:00 PM	Water	USEPA	8270D	Chrysene	Total	ND	µg/L		0.10	0.10			11/24/2015
DRWW	Suburban Labs		FIELD BLANK		0.5	ft				Non-IEPA		10/23/2015	11:20:00 AM	10/23/2015	2:10:00 PM	10/29/2015	4:55:00 PM	10/29/2015	4:55:00 PM	Water	USEPA	8260B	cis-1,2-Dichloroethene	Total	ND	µg/L		1.00	1.00			11/24/2015
DRWW	Suburban Labs		FIELD BLANK		0.5	ft				Non-IEPA		10/23/2015	11:20:00 AM	10/23/2015	2:10:00 PM	10/29/2015	4:55:00 PM	10/29/2015	4:55:00 PM	Water	USEPA	8260B	cis-1,3-Dichloropropene	Total	ND	µg/L		1.00	1.00			11/24/2015
DRWW	Suburban Labs		FIELD BLANK		0.5	ft				Non-IEPA		10/23/2015	11:20:00 AM	10/23/2015	2:10:00 PM	10/31/2015	2:45:09 PM	11/02/2015	8:23:00 PM	Water	USEPA	200.7	Copper	Total	ND	mg/L		0.00	0.00			11/24/2015
DRWW	Suburban Labs		FIELD BLANK		0.5	ft				Non-IEPA		10/23/2015	11:20:00 AM	10/23/2015	2:10:00 PM	10/26/2015	2:13:36 PM	10/28/2015	11:36:00 PM	Water	USEPA	8081	delta-BHC	Total	ND	µg/L		0.03	0.03			11/24/2015
DRWW	Suburban Labs		FIELD BLANK		0.5	ft				Non-IEPA		10/23/2015	11:20:00 AM	10/23/2015	2:10:00 PM	10/26/2015	9:30:21 AM	10/29/2015	9:28:00 PM	Water	USEPA	8270D	Dibenzo(a,h)anthracene	Total	ND	µg/L		0.10	0.10			11/24/2015
DRWW	Suburban Labs		FIELD BLANK		0.5	ft				Non-IEPA		10/23/2015	11:20:00 AM	10/23/2015	2:10:00 PM	10/29/2015	4:55:00 PM	10/29/2015	4:55:00 PM	Water	USEPA	8260B	Dibromochloromethane	Total	ND	µg/L		1.00	1.00			11/24/2015
DRWW	Suburban Labs		FIELD BLANK		0.5	ft				Non-IEPA		10/23/2015	11:20:00 AM	10/23/2015	2:10:00 PM	10/29/2015	4:55:00 PM	10/29/2015	4:55:00 PM	Water	USEPA	8260B	Dichlorodifluoromethane	Total	ND	µg/L		1.00	1.00			11/24/2015
DRWW	Suburban Labs		FIELD BLANK		0.5	ft				Non-IEPA		10/23/2015	11:20:00 AM	10/23/2015	2:10:00 PM	10/26/2015	2:13:36 PM	10/28/2015	11:36:00 PM	Water	USEPA	8081	Dieldrin	Total	ND	µg/L		0.05	0.05			11/24/2015
DRWW	Suburban Labs		FIELD BLANK		0.5	ft				Non-IEPA		10/23/2015	11:20:00 AM	10/23/2015	2:10:00 PM	10/23/2015	11:20:00 AM	10/23/2015	4:01:00 PM	Water	USEPA	E COLI MPN	E. Coli	Total	<1	MPN/100mL		1.00	1.00			11/24/2015
DRWW	Suburban Labs		FIELD BLANK		0.5	ft				Non-IEPA		10/23/2015	11:20:00 AM	10/23/2015	2:10:00 PM	10/26/2015	2:13:36 PM	10/28/2015	11:36:00 PM	Water	USEPA	8081	Endosulfan I	Total	ND	µg/L		0.03	0.03			11/24/2015
DRWW	Suburban Labs		FIELD BLANK		0.5	ft				Non-IEPA		10/23/2015	11:20:00 AM	10/23/2015	2:10:00 PM	10/26/2015	2:13:36 PM	10/28/2015	11:36:00 PM	Water	USEPA	8081	Endosulfan II	Total	ND	µg/L		0.05	0.05			11/24/2015
DRWW	Suburban Labs		FIELD BLANK		0.5	ft				Non-IEPA		10/23/2015	11:20:00 AM	10/23/2015	2:10:00 PM	10/26/2015	2:13:36 PM	10/28/2015	11:36:00 PM	Water	USEPA	8081	Endosulfan sulfate	Total	ND	µg/L		0.05	0.05			11/24/2015
DRWW	Suburban Labs		FIELD BLANK		0.5	ft				Non-IEPA		10/23/2015	11:20:00 AM	10/23/2015	2:10:00 PM	10/26/2015	2:13:36 PM	10/28/2015	11:36:00 PM	Water	USEPA	8081	Endrin	Total	ND	µg/L		0.05	0.05			11/24/2015
DRWW	Suburban Labs		FIELD BLANK																													