

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code - IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		03/27/2017	9:57:07 A	03/27/2017	1:45:00 PM			03/27/2017	4:43:53 P	Water	APHA	4500-CL-	Chloride	Total	77.60	mg/L		20.00	20.00		04/24/2017	
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		03/27/2017	9:57:07 A	03/27/2017	1:45:00 PM					Water	YSI	EPA 120.	Conductivity		754.00	umhos/cm					04/24/2017	
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		03/27/2017	9:57:07 A	03/27/2017	1:45:00 PM					Water	YSI	Field	Dissolved Oxygen		10.60	mg/L					04/24/2017	
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		03/27/2017	9:57:07 A	03/27/2017	1:45:00 PM			03/27/2017	2:45:00 P	Water	USEPA	E COLI I	E. Coli	Total	517.00	MPN/100mL	1.00	1.00			04/24/2017	
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		03/27/2017	9:57:07 A	03/27/2017	1:45:00 PM					Water	USEPA	365.2	pH, Field		7.98	pH					04/24/2017	
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		03/27/2017	9:57:07 A	03/27/2017	1:45:00 PM			03/29/2017	1:58:50 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.19	mg/L		0.05	0.14		04/24/2017	
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		03/27/2017	9:57:07 A	03/27/2017	1:45:00 PM			03/29/2017	1:36:21 P	Water	Lab	2510B	Specific Conductivity	Total	732.00	umhos/cm	1.00	1.00			04/24/2017	
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		03/27/2017	9:57:07 A	03/27/2017	1:45:00 PM					Water	USEPA	SM 2550B	Temperature		7.61	°C					04/24/2017	
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		03/27/2017	9:57:07 A	03/27/2017	1:45:00 PM			03/27/2017	7:54:38 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	3.35	mg/L		0.10	0.20		04/24/2017	
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		03/27/2017	9:57:07 A	03/27/2017	1:45:00 PM			03/27/2017	3:23:00 P	Water	Lab	2130-B	Turbidity		66.20	NTU		0.10	0.20		04/24/2017	
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		03/27/2017	9:33:00 A	03/27/2017	10:27:25 AM			03/27/2017	4:44:33 P	Water	APHA	4500-CL-	Chloride	Total	76.90	mg/L		20.00	20.00		04/24/2017	
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		03/27/2017	9:33:00 A	03/27/2017	10:27:25 AM					Water	YSI	EPA 120.	Conductivity		758.00	umhos/cm					04/24/2017	
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		03/27/2017	9:33:00 A	03/27/2017	10:27:25 AM					Water	YSI	Field	Dissolved Oxygen		10.85	mg/L					04/24/2017	
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		03/27/2017	9:33:00 A	03/27/2017	10:27:25 AM			03/27/2017	2:45:00 P	Water	USEPA	E COLI I	E. Coli	Total	387.00	MPN/100mL	1.00	1.00			04/24/2017	
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		05/18/2017	9:40:00 A	05/18/2017	4:35:00 PM			05/19/2017	3:33:41 P	Water	APHA	4500-CL-	Chloride	Total	83.20	mg/L		20.00	20.00			06/01/2017
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		05/18/2017	9:40:00 A	05/18/2017	4:35:00 PM					Water	YSI	EPA 120.	Conductivity		759.00	umhos/cm					06/01/2017	
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		05/18/2017	9:40:00 A	05/18/2017	4:35:00 PM					Water	YSI	Field	Dissolved Oxygen		7.20	mg/L					06/01/2017	
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		05/18/2017	9:40:00 A	05/18/2017	4:35:00 PM			05/18/2017	5:33:00 P	Water	USEPA	E COLI I	E. Coli	Total	42.20	MPN/100mL	1.00	1.00			06/01/2017	
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		05/18/2017	9:40:00 A	05/18/2017	4:35:00 PM					Water	USEPA	365.2	pH, Field		8.14	pH					06/01/2017	
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		05/18/2017	9:40:00 A	05/18/2017	4:35:00 PM			05/23/2017	10:19:14 A	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.25	mg/L		0.05	0.14		06/01/2017	
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		05/18/2017	9:40:00 A	05/18/2017	4:35:00 PM			05/26/2017	2:21:36 P	Water	Lab	2510B	Specific Conductivity	Total	739.00	umhos/cm	1.00	1.00			06/01/2017	
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		05/18/2017	9:40:00 A	05/18/2017	4:35:00 PM					Water	USEPA	SM 2550B	Temperature		19.99	°C					06/01/2017	
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		05/18/2017	9:40:00 A	05/18/2017	4:35:00 PM			05/19/2017	7:05:46 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.80	mg/L		0.10	0.22		06/01/2017	
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		05/18/2017	9:40:00 A	05/18/2017	4:35:00 PM			05/18/2017	6:32:00 P	Water	Lab	2130-B	Turbidity		110.00	NTU		0.10	0.20		06/01/2017	
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		05/18/2017	10:05:00	05/18/2017	4:35:00 PM			05/19/2017	3:34:21 P	Water	APHA	4500-CL-	Chloride	Total	87.10	mg/L		20.00	20.00			06/01/2017
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		05/18/2017	10:05:00	05/18/2017	4:35:00 PM					Water	YSI	EPA 120.	Conductivity		759.00	umhos/cm					06/01/2017	
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		05/18/2017	10:05:00	05/18/2017	4:35:00 PM					Water	YSI	Field	Dissolved Oxygen		7.77	mg/L					06/01/2017	
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		05/18/2017	10:05:00	05/18/2017	4:35:00 PM			05/18/2017	5:33:00 P	Water	USEPA	E COLI I	E. Coli	Total	49.60	MPN/100mL	1.00	1.00			06/01/2017	
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		06/26/2017	9:45:00 A	06/26/2017	4:45:00 PM			06/29/2017	3:47:16 P	Water	APHA	4500-CL-	Chloride	Total	79.50	mg/L		20.00	20.00			07/06/2017
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		06/26/2017	9:45:00 A	06/26/2017	4:45:00 PM					Water	YSI	EPA 120.	Conductivity		763.00	umhos/cm					07/06/2017	
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		06/26/2017	9:45:00 A	06/26/2017	4:45:00 PM					Water	YSI	Field	Dissolved Oxygen		7.21	mg/L					07/06/2017	
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		06/26/2017	9:45:00 A	06/26/2017	4:45:00 PM			06/26/2017	5:16:07 P	Water	USEPA	E COLI I	E. Coli	Total	197.00	MPN/100mL	1.00	1.00			07/06/2017	
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		06/26/2017	9:45:00 A	06/26/2017	4:45:00 PM					Water	USEPA	365.2	pH, Field		8.12	pH					07/06/2017	
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		06/26/2017	9:45:00 A	06/26/2017	4:45:00 PM			06/27/2017	3:01:33 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.31	mg/L		0.05	0.14		07/06/2017	
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		06/26/2017	9:45:00 A	06/26/2017	4:45:00 PM			06/27/2017	10:48:08 A	Water	Lab	2510B	Specific Conductivity	Total	763.00	umhos/cm	1.00	1.00			07/06/2017	
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		06/26/2017	9:45:00 A	06/26/2017	4:45:00 PM					Water	USEPA	SM 2550B	Temperature		19.35	°C					07/06/2017	
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		06/26/2017	9:45:00 A	06/26/2017	4:45:00 PM			06/27/2017	8:07:41 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	1.90	mg/L		0.10	0.22		07/06/2017	
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		06/26/2017	9:45:00 A	06/26/2017	4:45:00 PM			06/26/2017	5:30:00 P	Water	Lab	2130-B	Turbidity		73.30	NTU		0.10	0.20		07/06/2017	
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		06/26/2017	10:18:00	06/26/2017	4:45:00 PM			06/29/2017	3:48:03 P	Water	APHA	4500-CL-	Chloride	Total	72.20	mg/L		20.00	20.00			07/06/2017
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		06/26/2017	10:18:00	06/26/2017	4:45:00 PM					Water	YSI	EPA 120.	Conductivity		775.00	umhos/cm					07/06/2017	
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		06/26/2017	10:18:00	06/26/2017	4:45:00 PM					Water	YSI	Field	Dissolved Oxygen		7.12	mg/L					07/06/2017	
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		06/26/2017	10:18:00	06/26/2017	4:45:00 PM			06/26/2017	5:16:07 P	Water	USEPA	E COLI I	E. Coli	Total	345.00	MPN/100mL	1.00	1.00			07/06/2017	
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		07/24/2017	11:16:00	07/24/2017	4:18:00 PM			07/25/2017	3:29:57 P	Water	APHA	4500-CL-	Chloride	Total	48.10	mg/L		20.00	20.00			08/10/2017
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		07/24/2017	11:16:00	07/24/2017	4:18:00 PM					Water	YSI	EPA 120.	Conductivity		480.00	umhos/cm					08/10/2017	
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		07/24/2017	11:16:00	07/24/2017	4:18:00 PM					Water	YSI	Field	Dissolved Oxygen		6.69	mg/L					08/10/2017	
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		07/24/2017	11:16:00	07/24/2017	4:18:00 PM			07/24/2017	4:35:49 P	Water	USEPA	E COLI I	E. Coli	Total	17.30	MPN/100mL	1.00	1.00			08/10/2017	
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		07/24/2017	1																			

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code - IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		09/25/2017	10:28:00	09/25/2017	4:08:00 PM			09/26/2017	2:10:17 P	Water	APHA	4500-CL-	Chloride	Total	148.00	mg/L		20.00	20.00			11/03/2017
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		09/25/2017	10:28:00	09/25/2017	4:08:00 PM					Water	YSI	EPA 120.	Conductivity		1072.00	umhos/cm						11/03/2017
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		09/25/2017	10:28:00	09/25/2017	4:08:00 PM					Water	YSI	Field	Dissolved Oxygen		3.71	mg/L						11/03/2017
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		09/25/2017	10:28:00	09/25/2017	4:08:00 PM			09/25/2017	4:50:52 P	Water	USEPA	E. COLI	E. Coli	Total	228.00	MPN/100mL	1.00	1.00				11/03/2017
DRWW	Suburban Labs		10-2	GWA-03	0.5	ft	North Mill Creek			Non-IEPA		03/27/2017	9:33:00 A	03/27/2017	10:27:25 AM					Water	USEPA	365.2	pH, Field		7.80	pH						04/24/2017
DRWW	Suburban Labs		10-2	GWA-03	0.5	ft	North Mill Creek			Non-IEPA		03/27/2017	9:33:00 A	03/27/2017	10:27:25 AM			03/29/2017	2:01:13 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.17	mg/L		0.05	0.14			04/24/2017
DRWW	Suburban Labs		10-2	GWA-03	0.5	ft	North Mill Creek			Non-IEPA		03/27/2017	9:33:00 A	03/27/2017	10:27:25 AM			03/29/2017	1:38:25 P	Water	Lab	2510B	Specific Conductivity	Total	737.00	umhos/cm	1.00	1.00				04/24/2017
DRWW	Suburban Labs		10-2	GWA-03	0.5	ft	North Mill Creek			Non-IEPA		03/27/2017	9:33:00 A	03/27/2017	10:27:25 AM					Water	USEPA	SM 2550B	Temperature		7.54	°C						04/24/2017
DRWW	Suburban Labs		10-2	GWA-03	0.5	ft	North Mill Creek			Non-IEPA		03/27/2017	9:33:00 A	03/27/2017	10:27:25 AM			03/27/2017	7:56:49 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	3.32	mg/L		0.10	0.20			04/24/2017
DRWW	Suburban Labs		10-2	GWA-03	0.5	ft	North Mill Creek			Non-IEPA		03/27/2017	9:33:00 A	03/27/2017	10:27:25 AM			03/27/2017	3:23:00 P	Water	Lab	2130-B	Turbidity		46.80	NTU		0.10	0.20			04/24/2017
DRWW	Suburban Labs		10-2	GWA-03	0.5	ft	North Mill Creek			Non-IEPA		05/18/2017	10:05:00	05/18/2017	4:35:00 PM					Water	USEPA	365.2	pH, Field		8.02	pH						06/01/2017
DRWW	Suburban Labs		10-2	GWA-03	0.5	ft	North Mill Creek			Non-IEPA		05/18/2017	10:05:00	05/18/2017	4:35:00 PM	05/23/2017	10:19:14	05/24/2017	2:32:27 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.31	mg/L		0.05	0.14			06/01/2017
DRWW	Suburban Labs		10-2	GWA-03	0.5	ft	North Mill Creek			Non-IEPA		05/18/2017	10:05:00	05/18/2017	4:35:00 PM			05/26/2017	2:22:23 P	Water	Lab	2510B	Specific Conductivity	Total	755.00	umhos/cm	1.00	1.00				06/01/2017
DRWW	Suburban Labs		10-2	GWA-03	0.5	ft	North Mill Creek			Non-IEPA		05/18/2017	10:05:00	05/18/2017	4:35:00 PM					Water	USEPA	SM 2550B	Temperature		19.27	°C						06/01/2017
DRWW	Suburban Labs		10-2	GWA-03	0.5	ft	North Mill Creek			Non-IEPA		05/18/2017	10:05:00	05/18/2017	4:35:00 PM			05/19/2017	7:08:04 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.77	mg/L		0.10	0.22			06/01/2017
DRWW	Suburban Labs		10-2	GWA-03	0.5	ft	North Mill Creek			Non-IEPA		05/18/2017	10:05:00	05/18/2017	4:35:00 PM			05/18/2017	6:32:00 P	Water	Lab	2130-B	Turbidity		128.00	NTU		0.10	0.20			06/01/2017
DRWW	Suburban Labs		10-2	GWA-03	0.5	ft	North Mill Creek			Non-IEPA		06/26/2017	10:18:00	06/26/2017	4:45:00 PM					Water	USEPA	365.2	pH, Field		8.05	pH						07/06/2017
DRWW	Suburban Labs		10-2	GWA-03	0.5	ft	North Mill Creek			Non-IEPA		06/26/2017	10:18:00	06/26/2017	4:45:00 PM	06/27/2017	3:01:33 P	06/29/2017	1:19:47 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.36	mg/L		0.05	0.14			07/06/2017
DRWW	Suburban Labs		10-2	GWA-03	0.5	ft	North Mill Creek			Non-IEPA		06/26/2017	10:18:00	06/26/2017	4:45:00 PM			06/27/2017	10:48:51	Water	Lab	2510B	Specific Conductivity	Total	777.00	umhos/cm	1.00	1.00				07/06/2017
DRWW	Suburban Labs		10-2	GWA-03	0.5	ft	North Mill Creek			Non-IEPA		06/26/2017	10:18:00	06/26/2017	4:45:00 PM					Water	USEPA	SM 2550B	Temperature		18.50	°C						07/06/2017
DRWW	Suburban Labs		10-2	GWA-03	0.5	ft	North Mill Creek			Non-IEPA		06/26/2017	10:18:00	06/26/2017	4:45:00 PM			06/27/2017	8:10:04 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	1.67	mg/L		0.10	0.22			07/06/2017
DRWW	Suburban Labs		10-2	GWA-03	0.5	ft	North Mill Creek			Non-IEPA		06/26/2017	10:18:00	06/26/2017	4:45:00 PM			06/26/2017	5:30:00 P	Water	Lab	2130-B	Turbidity		100.00	NTU		0.10	0.20			07/06/2017
DRWW	Suburban Labs		10-2	GWA-03	0.5	ft	North Mill Creek			Non-IEPA		07/24/2017	11:56:00	07/24/2017	4:18:00 PM					Water	USEPA	365.2	pH, Field		7.53	S.U.						08/10/2017
DRWW	Suburban Labs		10-2	GWA-03	0.5	ft	North Mill Creek			Non-IEPA		07/24/2017	11:56:00	07/24/2017	4:18:00 PM	07/25/2017	9:07:22 A	07/26/2017	12:59:25	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.33	mg/L		0.05	0.14			08/10/2017
DRWW	Suburban Labs		10-2	GWA-03	0.5	ft	North Mill Creek			Non-IEPA		07/24/2017	11:56:00	07/24/2017	4:18:00 PM			08/03/2017	11:34:06	Water	Lab	2510B	Specific Conductivity	Total	487.00	umhos/cm	1.00	1.00				08/10/2017
DRWW	Suburban Labs		10-2	GWA-03	0.5	ft	North Mill Creek			Non-IEPA		07/24/2017	11:56:00	07/24/2017	4:18:00 PM					Water	USEPA	SM 2550B	Temperature		23.91	°C						08/10/2017
DRWW	Suburban Labs		10-2	GWA-03	0.5	ft	North Mill Creek			Non-IEPA		07/24/2017	11:56:00	07/24/2017	4:18:00 PM			07/24/2017	8:28:33 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22			08/10/2017
DRWW	Suburban Labs		10-2	GWA-03	0.5	ft	North Mill Creek			Non-IEPA		07/24/2017	11:56:00	07/24/2017	4:18:00 PM			07/24/2017	5:51:00 P	Water	Lab	2130-B	Turbidity		5.66	NTU		0.10	0.20			08/10/2017
DRWW	Suburban Labs		10-2	GWA-03	0.5	ft	North Mill Creek			Non-IEPA		08/21/2017	10:09:00	08/21/2017	4:25:00 PM					Water	USEPA	365.2	pH, Field		8.08	S.U.						09/14/2017
DRWW	Suburban Labs		10-2	GWA-03	0.5	ft	North Mill Creek			Non-IEPA		08/21/2017	10:09:00	08/21/2017	4:25:00 PM			08/23/2017	7:01:34 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.44	mg/L		0.05	0.14			09/14/2017
DRWW	Suburban Labs		10-2	GWA-03	0.5	ft	North Mill Creek			Non-IEPA		08/21/2017	10:09:00	08/21/2017	4:25:00 PM			08/25/2017	2:43:10 P	Water	Lab	2510B	Specific Conductivity	Total	799.00	umhos/cm	1.00	1.00				09/14/2017
DRWW	Suburban Labs		10-2	GWA-03	0.5	ft	North Mill Creek			Non-IEPA		08/21/2017	10:09:00	08/21/2017	4:25:00 PM					Water	USEPA	SM 2550B	Temperature		24.06	°C						09/14/2017
DRWW	Suburban Labs		10-2	GWA-03	0.5	ft	North Mill Creek			Non-IEPA		08/21/2017	10:09:00	08/21/2017	4:25:00 PM			08/24/2017	1:56:41 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.78	mg/L		0.10	0.22			09/14/2017
DRWW	Suburban Labs		10-2	GWA-03	0.5	ft	North Mill Creek			Non-IEPA		08/21/2017	10:09:00	08/21/2017	4:25:00 PM			08/21/2017	4:51:52 P	Water	Lab	2130-B	Turbidity		89.60	NTU		0.10	0.20			09/14/2017
DRWW	Suburban Labs		10-2	GWA-03	0.5	ft	North Mill Creek			Non-IEPA		09/25/2017	10:28:00	09/25/2017	4:08:00 PM					Water	USEPA	365.2	pH, Field		8.18	S.U.						11/03/2017
DRWW	Suburban Labs		10-2	GWA-03	0.5	ft	North Mill Creek			Non-IEPA		09/25/2017	10:28:00	09/25/2017	4:08:00 PM	09/26/2017	2:52:23 P	09/27/2017	3:06:09 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.58	mg/L		0.05	0.14			11/03/2017
DRWW	Suburban Labs		10-2	GWA-03	0.5	ft	North Mill Creek			Non-IEPA		09/25/2017	10:28:00	09/25/2017	4:08:00 PM			09/26/2017	7:02:37 P	Water	Lab	2510B	Specific Conductivity	Total	990.00	umhos/cm	1.00	1.00				11/03/2017
DRWW	Suburban Labs		10-2	GWA-03	0.5	ft	North Mill Creek			Non-IEPA		09/25/2017	10:28:00	09/25/2017	4:08:00 PM					Water	USEPA	SM 2550B	Temperature		23.98	°C						11/03/2017
DRWW	Suburban Labs		10-2	GWA-03	0.5	ft	North Mill Creek			Non-IEPA		09/25/2017	10:28:00	09/25/2017	4:08:00 PM			09/26/2017	8:49:41 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.59	mg/L		0.10	0.22			11/03/2017
DRWW	Suburban Labs		10-2	GWA-03	0.5	ft	North Mill Creek			Non-IEPA		09/25/2017	10:28:00	09/25/2017	4:08:00 PM			09/25/2017	4:55:23 P	Water	Lab	2130-B	Turbidity		101.00	NTU		0.10	0.20			11/03/2017
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		03/27/2017	9:51:00 A	03/27/2017	1:45:05 PM			03/27/2017	4:45:14 P	Water	APHA	4500-CL-	Chloride	Total	54.10	mg/L		20.00	20.00			04/24/2017
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		03/27/2017	9:51:00 A	03/27/2017	1:45:05 PM					Water	YSI	EPA 120.	Conductivity		701.00	umhos/cm						04/24/2017
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		03/27/2017	9:51:00 A	03/27/2017	1:45:05 PM			03/27/2017	2:45:00 P	Water	USEPA	E. COLI	E. Coli	Total	67.00	MPN/100mL	1.00	1.00				04/24/2017
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		03/27/2017	9:51:00 A	03/27/2017	1:45:05 PM			03/27/2017	4:54:00 P	Water	USEPA	DISSOLV	Filtered and Preserved	Total	complete		V	0.00	0.00			04/24/2017
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		03/27/2017	9:51:00 A	03/27/2017	1:45:05 PM			03/28/2017	2:51:49 P	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30			0

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code - IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		06/26/2017	10:45:00	06/26/2017	4:45:00 PM			06/30/2017	4:34:27 P	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30		07/06/2017	
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		06/26/2017	10:45:00	06/26/2017	4:45:00 PM	06/28/2017	10:48:22 A	06/30/2017	1:28:28 P	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	3.26	mg/L	J	1.10	3.50		07/06/2017	
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		06/26/2017	10:45:00	06/26/2017	4:45:00 PM			06/27/2017	4:16:44 P	Water	USEPA	365.2	Orthophosphate (As P)	Total	0.03	mg/L	J	0.03	0.05		07/06/2017	
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		06/26/2017	10:45:00	06/26/2017	4:45:00 PM			06/29/2017	1:22:09 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.07	mg/L	J	0.05	0.14		07/06/2017	
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		06/26/2017	10:45:00	06/26/2017	4:45:00 PM			06/27/2017	10:49:30 A	Water	Lab	2510B	Specific Conductivity	Total	634.00	umhos/cm		1.00	1.00		07/06/2017	
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		06/26/2017	10:45:00	06/26/2017	4:45:00 PM					Water	USEPA	SM 2550B	Temperature		19.08	°C					07/06/2017	
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		06/26/2017	10:45:00	06/26/2017	4:45:00 PM			06/27/2017	8:16:56 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	1.23	mg/L		0.10	0.20		07/06/2017	
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		06/26/2017	10:45:00	06/26/2017	4:45:00 PM			06/27/2017	2:23:18 P	Water	USEPA	2540-D	Total Suspended Solids	Total	10.60	mg/L		0.20	5.00		07/06/2017	
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		06/26/2017	10:45:00	06/26/2017	4:45:00 PM			06/26/2017	5:30:00 P	Water	Lab	2130-B	Turbidity		9.09	NTU		0.10	0.20		07/06/2017	
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		06/26/2017	10:45:00	06/26/2017	4:45:00 PM			06/27/2017	2:23:18 P	Water	USEPA	2540-D	Volatile Suspended Solids	Total	1.60	mg/L	J	0.20	5.00		07/06/2017	
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		07/24/2017	12:17:00	07/24/2017	4:18:00 PM			07/25/2017	3:33:00 P	Water	APHA	4500-CL-	Chloride	Total	23.20	mg/L		20.00	20.00		08/10/2017	
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		07/24/2017	12:17:00	07/24/2017	4:18:00 PM					Water	YSI	EPA 120.	Conductivity		392.00	umhos/cm					08/10/2017	
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		07/24/2017	12:17:00	07/24/2017	4:18:00 PM					Water	YSI	Field	Dissolved Oxygen		8.55	mg/L					08/10/2017	
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		07/24/2017	12:17:00	07/24/2017	4:18:00 PM			07/24/2017	4:35:49 P	Water	USEPA	E_COLI	E. Coli	Total	228.00	MPN/100mL		1.00	1.00		08/10/2017	
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		07/24/2017	12:17:00	07/24/2017	4:18:00 PM			07/24/2017	5:03:00 P	Water	USEPA	DISSOLV	Filtered and Preserved	Total	complete		V	0.00	0.00		08/10/2017	
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		07/24/2017	12:17:00	07/24/2017	4:18:00 PM			07/25/2017	6:10:01 P	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	0.15	mg/L	J	0.10	0.30		08/10/2017	
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		07/24/2017	12:17:00	07/24/2017	4:18:00 PM	07/31/2017	11:33:52 A	08/02/2017	5:41:38 P	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	2.44	mg/L	J	1.10	3.50		08/10/2017	
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		07/24/2017	12:30:59	07/24/2017	4:18:00 PM			07/25/2017	5:07:31 P	Water	USEPA	365.2	Orthophosphate (As P)	Total	0.15	mg/L		0.03	0.05		08/10/2017	
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		07/24/2017	12:17:00	07/24/2017	4:18:00 PM					Water	USEPA	365.2	pH, Field		7.34	S.U.					08/10/2017	
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		07/24/2017	12:17:00	07/24/2017	4:18:00 PM	07/25/2017	9:07:22 A	07/26/2017	1:01:48 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.38	mg/L		0.05	0.14		08/10/2017	
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		07/24/2017	12:17:00	07/24/2017	4:18:00 PM			08/03/2017	11:34:36 A	Water	Lab	2510B	Specific Conductivity	Total	403.00	umhos/cm		1.00	1.00		08/10/2017	
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		07/24/2017	12:17:00	07/24/2017	4:18:00 PM					Water	USEPA	SM 2550B	Temperature		22.81	°C					08/10/2017	
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		07/24/2017	12:17:00	07/24/2017	4:18:00 PM			07/24/2017	8:30:51 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.20		08/10/2017	
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		07/24/2017	12:17:00	07/24/2017	4:18:00 PM			07/27/2017	11:40:04 A	Water	USEPA	2540-D	Total Suspended Solids	Total	14.50	mg/L		0.25	6.25		08/10/2017	
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		07/24/2017	12:17:00	07/24/2017	4:18:00 PM			07/24/2017	5:51:00 P	Water	Lab	2130-B	Turbidity		9.63	NTU		0.10	0.20		08/10/2017	
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		07/24/2017	12:17:00	07/24/2017	4:18:00 PM			07/27/2017	11:40:04 A	Water	USEPA	2540-D	Volatile Suspended Solids	Total	4.75	mg/L	J	0.25	6.25		08/10/2017	
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		08/21/2017	10:40:00	08/21/2017	4:25:00 PM			08/25/2017	1:19:04 P	Water	APHA	4500-CL-	Chloride	Total	30.50	mg/L		20.00	20.00		09/14/2017	
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		08/21/2017	10:40:00	08/21/2017	4:25:00 PM					Water	YSI	EPA 120.	Conductivity		619.00	umhos/cm					09/14/2017	
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		08/21/2017	10:40:00	08/21/2017	4:25:00 PM					Water	YSI	Field	Dissolved Oxygen		6.15	mg/L					09/14/2017	
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		08/21/2017	10:40:00	08/21/2017	4:25:00 PM			08/21/2017	4:54:21 P	Water	USEPA	E_COLI	E. Coli	Total	548.00	MPN/100mL		1.00	1.00		09/14/2017	
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		08/21/2017	10:40:00	08/21/2017	4:25:00 PM			08/21/2017	5:01:29 P	Water	USEPA	DISSOLV	Filtered and Preserved	Total	complete		V	0.00	0.00		09/14/2017	
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		08/21/2017	10:40:00	08/21/2017	4:25:00 PM			08/28/2017	1:14:13 P	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30		09/14/2017	
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		08/21/2017	10:40:00	08/21/2017	4:25:00 PM			08/24/2017	1:02:13 P	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	1.63	mg/L	J	1.10	3.50		09/14/2017	
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		08/21/2017	10:40:00	08/21/2017	4:25:00 PM			08/22/2017	5:34:31 P	Water	USEPA	365.2	Orthophosphate (As P)	Total	0.06	mg/L		0.03	0.05		09/14/2017	
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		08/21/2017	10:40:00	08/21/2017	4:25:00 PM					Water	USEPA	365.2	pH, Field		7.78	S.U.					09/14/2017	
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		08/21/2017	10:40:00	08/21/2017	4:25:00 PM			08/23/2017	7:06:25 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.15	mg/L		0.05	0.14		09/14/2017	
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		08/21/2017	10:40:00	08/21/2017	4:25:00 PM			08/25/2017	2:43:47 P	Water	Lab	2510B	Specific Conductivity	Total	613.00	umhos/cm		1.00	1.00		09/14/2017	
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		08/21/2017	10:40:00	08/21/2017	4:25:00 PM					Water	USEPA	SM 2550B	Temperature		22.58	°C					09/14/2017	
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		08/21/2017	10:40:00	08/21/2017	4:25:00 PM			08/24/2017	1:58:59 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.33	mg/L		0.10	0.20		09/14/2017	
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		08/21/2017	10:40:00	08/21/2017	4:25:00 PM			08/22/2017	8:48:00 A	Water	USEPA	2540-D	Total Suspended Solids	Total	38.40	mg/L		0.40	10.00		09/14/2017	
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		08/21/2017	10:40:00	08/21/2017	4:25:00 PM			08/21/2017	4:51:52 P	Water	Lab	2130-B	Turbidity		35.20	NTU		0.10	0.20		09/14/2017	
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		08/21/2017	10:40:00	08/21/2017	4:25:00 PM			08/22/2017	8:48:00 A	Water	USEPA	2540-D	Volatile Suspended Solids	Total	5.20	mg/L	J	0.40	10.00		09/14/2017	
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		09/25/2017	10:54:00	09/25/2017	4:08:00 PM	09/26/2017	2:52:23 P	09/27/2017	2:53:59 P	Water	USEPA	200.7	Calcium	Total	65.90	mg/L		0.01	0.02		11/03/2017	
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		09/25/2017	10:54:00	09/25/2017	4:08:00 PM			09/26/2017	2:11:38 P	Water	APHA	4500-CL-	Chloride	Total	28.90	mg/L		20.00	20.00		11/03/2017	
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		09/25/2017	10:54:00	09/25/2017	4:08:00 PM					Water	YSI	EPA 120.	Conductivity		667.00	umhos/cm					11/03/2017	

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code - IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs		10-4	GWAA-L	0.5	ft	North Mill Creek			Non-IEPA		03/27/2017	10:04:00	03/27/2017	1:45:15 PM			03/28/2017	3:14:00 P	Water	USEPA	2540-D	Total Suspended Solids	Total	15.60	mg/L		0.20	5.00		04/24/2017	
DRWW	Suburban Labs		10-4	GWAA-L	0.5	ft	North Mill Creek			Non-IEPA		03/27/2017	10:04:00	03/27/2017	1:45:15 PM			03/27/2017	3:23:00 P	Water	Lab	2130-B	Turbidity	Total	17.00	NTU		0.10	0.20		04/24/2017	
DRWW	Suburban Labs		10-4	GWAA-L	0.5	ft	North Mill Creek			Non-IEPA		03/27/2017	10:04:00	03/27/2017	1:45:15 PM			03/28/2017	3:14:00 P	Water	USEPA	2540-D	Volatile Suspended Solids	Total	2.80	mg/L	J	0.20	5.00		04/24/2017	
DRWW	Suburban Labs		10-4	GWAA-L	0.5	ft	North Mill Creek			Non-IEPA		05/18/2017	10:52:00	05/18/2017	4:35:00 PM			05/19/2017	3:35:40 P	Water	APHA	4500-CL	Chloride	Total	180.00	mg/L		20.00	20.00		06/01/2017	
DRWW	Suburban Labs		10-4	GWAA-L	0.5	ft	North Mill Creek			Non-IEPA		05/18/2017	10:52:00	05/18/2017	4:35:00 PM					Water	YSI	EPA 120	Conductivity	Total	1086.00	umhos/cm					06/01/2017	
DRWW	Suburban Labs		10-4	GWAA-L	0.5	ft	North Mill Creek			Non-IEPA		05/18/2017	10:52:00	05/18/2017	4:35:00 PM					Water	YSI	Field	Dissolved Oxygen	Total	11.53	mg/L					06/01/2017	
DRWW	Suburban Labs		10-4	GWAA-L	0.5	ft	North Mill Creek			Non-IEPA		05/18/2017	10:52:00	05/18/2017	4:35:00 PM			05/18/2017	5:33:00 P	Water	USEPA	E. COLI	E. Coli	Total	30.50	MPN/100mL		1.00	1.00		06/01/2017	
DRWW	Suburban Labs		10-4	GWAA-L	0.5	ft	North Mill Creek			Non-IEPA		05/18/2017	10:52:00	05/18/2017	4:35:00 PM			05/18/2017	5:52:03 P	Water	USEPA	DISSOLV	Filtered and Preserved	Total	complete		V	0.00	0.00		06/01/2017	
DRWW	Suburban Labs		10-4	GWAA-L	0.5	ft	North Mill Creek			Non-IEPA		05/18/2017	10:52:00	05/18/2017	4:35:00 PM			05/19/2017	8:08:46 P	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30		06/01/2017	
DRWW	Suburban Labs		10-4	GWAA-L	0.5	ft	North Mill Creek			Non-IEPA		05/18/2017	10:52:00	05/18/2017	4:35:00 PM	05/23/2017	10:15:01	05/24/2017	1:46:07 P	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	1.47	mg/L	J	1.10	3.50		06/01/2017	
DRWW	Suburban Labs		10-4	GWAA-L	0.5	ft	North Mill Creek			Non-IEPA		05/18/2017	10:52:00	05/18/2017	4:35:00 PM			05/19/2017	4:48:05 P	Water	USEPA	365.2	Orthophosphate (As P)	Total	0.06	mg/L		0.03	0.05		06/01/2017	
DRWW	Suburban Labs		10-4	GWAA-L	0.5	ft	North Mill Creek			Non-IEPA		05/18/2017	10:52:00	05/18/2017	4:35:00 PM					Water	USEPA	365.2	pH, Field	Total	7.98	pH					06/01/2017	
DRWW	Suburban Labs		10-4	GWAA-L	0.5	ft	North Mill Creek			Non-IEPA		05/18/2017	10:52:00	05/18/2017	4:35:00 PM	05/23/2017	10:19:14	05/24/2017	2:37:28 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.17	mg/L		0.05	0.14		06/01/2017	
DRWW	Suburban Labs		10-4	GWAA-L	0.5	ft	North Mill Creek			Non-IEPA		05/18/2017	10:52:00	05/18/2017	4:35:00 PM			05/26/2017	1:49:12 P	Water	Lab	2510B	Specific Conductivity	Total	1060.00	umhos/cm		1.00	1.00		06/01/2017	
DRWW	Suburban Labs		10-4	GWAA-L	0.5	ft	North Mill Creek			Non-IEPA		05/18/2017	10:52:00	05/18/2017	4:35:00 PM					Water	USEPA	SM 2550B	Temperature	Total	19.00	°C					06/01/2017	
DRWW	Suburban Labs		10-4	GWAA-L	0.5	ft	North Mill Creek			Non-IEPA		05/18/2017	10:52:00	05/18/2017	4:35:00 PM			05/19/2017	7:12:38 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	1.97	mg/L		0.10	0.22		06/01/2017	
DRWW	Suburban Labs		10-4	GWAA-L	0.5	ft	North Mill Creek			Non-IEPA		05/18/2017	10:52:00	05/18/2017	4:35:00 PM			05/22/2017	11:37:24 J	Water	USEPA	2540-D	Total Suspended Solids	Total	30.60	mg/L		0.20	5.00		06/01/2017	
DRWW	Suburban Labs		10-4	GWAA-L	0.5	ft	North Mill Creek			Non-IEPA		05/18/2017	10:52:00	05/18/2017	4:35:00 PM			05/18/2017	6:32:00 P	Water	Lab	2130-B	Turbidity	Total	30.30	NTU		0.10	0.20		06/01/2017	
DRWW	Suburban Labs		10-4	GWAA-L	0.5	ft	North Mill Creek			Non-IEPA		05/18/2017	10:52:00	05/18/2017	4:35:00 PM			05/22/2017	11:37:24 J	Water	USEPA	2540-D	Volatile Suspended Solids	Total	5.20	mg/L		0.20	5.00		06/01/2017	
DRWW	Suburban Labs		10-4	GWAA-L	0.5	ft	North Mill Creek			Non-IEPA		06/26/2017	11:14:00	06/26/2017	4:45:00 PM			06/29/2017	3:49:37 P	Water	APHA	4500-CL	Chloride	Total	175.00	mg/L		20.00	20.00		07/06/2017	
DRWW	Suburban Labs		10-4	GWAA-L	0.5	ft	North Mill Creek			Non-IEPA		06/26/2017	11:14:00	06/26/2017	4:45:00 PM					Water	YSI	EPA 120	Conductivity	Total	1153.00	umhos/cm					07/06/2017	
DRWW	Suburban Labs		10-4	GWAA-L	0.5	ft	North Mill Creek			Non-IEPA		06/26/2017	11:14:00	06/26/2017	4:45:00 PM					Water	YSI	Field	Dissolved Oxygen	Total	8.78	mg/L					07/06/2017	
DRWW	Suburban Labs		10-4	GWAA-L	0.5	ft	North Mill Creek			Non-IEPA		06/26/2017	11:14:00	06/26/2017	4:45:00 PM			06/26/2017	5:16:07 P	Water	USEPA	E. COLI	E. Coli	Total	179.00	MPN/100mL		1.00	1.00		07/06/2017	
DRWW	Suburban Labs		10-4	GWAA-L	0.5	ft	North Mill Creek			Non-IEPA		06/26/2017	11:14:00	06/26/2017	4:45:00 PM			06/26/2017	5:15:00 P	Water	USEPA	DISSOLV	Filtered and Preserved	Total	complete		V	0.00	0.00		07/06/2017	
DRWW	Suburban Labs		10-4	GWAA-L	0.5	ft	North Mill Creek			Non-IEPA		06/26/2017	11:14:00	06/26/2017	4:45:00 PM			06/30/2017	4:36:11 P	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30		07/06/2017	
DRWW	Suburban Labs		10-4	GWAA-L	0.5	ft	North Mill Creek			Non-IEPA		06/26/2017	11:14:00	06/26/2017	4:45:00 PM	06/28/2017	10:48:22	06/30/2017	1:29:50 P	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	4.72	mg/L		1.10	3.50		07/06/2017	
DRWW	Suburban Labs		10-4	GWAA-L	0.5	ft	North Mill Creek			Non-IEPA		06/26/2017	11:14:00	06/26/2017	4:45:00 PM			06/27/2017	4:16:44 P	Water	USEPA	365.2	Orthophosphate (As P)	Total	0.64	mg/L		0.03	0.05		07/06/2017	
DRWW	Suburban Labs		10-4	GWAA-L	0.5	ft	North Mill Creek			Non-IEPA		06/26/2017	11:14:00	06/26/2017	4:45:00 PM			06/26/2017	4:16:44 P	Water	USEPA	365.2	pH, Field	Total	7.79	pH					07/06/2017	
DRWW	Suburban Labs		10-4	GWAA-L	0.5	ft	North Mill Creek			Non-IEPA		06/26/2017	11:14:00	06/26/2017	4:45:00 PM	06/27/2017	3:01:33 P	06/29/2017	1:24:32 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.66	mg/L		0.05	0.14		07/06/2017	
DRWW	Suburban Labs		10-4	GWAA-L	0.5	ft	North Mill Creek			Non-IEPA		06/26/2017	11:14:00	06/26/2017	4:45:00 PM			06/27/2017	10:50:05 J	Water	Lab	2510B	Specific Conductivity	Total	1150.00	umhos/cm		1.00	1.00		07/06/2017	
DRWW	Suburban Labs		10-4	GWAA-L	0.5	ft	North Mill Creek			Non-IEPA		06/26/2017	11:14:00	06/26/2017	4:45:00 PM					Water	USEPA	SM 2550B	Temperature	Total	20.92	°C					07/06/2017	
DRWW	Suburban Labs		10-4	GWAA-L	0.5	ft	North Mill Creek			Non-IEPA		06/26/2017	11:14:00	06/26/2017	4:45:00 PM			06/27/2017	8:19:16 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	3.27	mg/L		0.10	0.20		07/06/2017	
DRWW	Suburban Labs		10-4	GWAA-L	0.5	ft	North Mill Creek			Non-IEPA		06/26/2017	11:14:00	06/26/2017	4:45:00 PM			06/27/2017	2:23:18 P	Water	USEPA	2540-D	Total Suspended Solids	Total	2.80	mg/L	J	0.20	5.00		07/06/2017	
DRWW	Suburban Labs		10-4	GWAA-L	0.5	ft	North Mill Creek			Non-IEPA		06/26/2017	11:14:00	06/26/2017	4:45:00 PM			06/26/2017	5:30:00 P	Water	Lab	2130-B	Turbidity	Total	3.06	NTU		0.10	0.20		07/06/2017	
DRWW	Suburban Labs		10-4	GWAA-L	0.5	ft	North Mill Creek			Non-IEPA		06/26/2017	11:14:00	06/26/2017	4:45:00 PM			06/27/2017	2:23:18 P	Water	USEPA	2540-D	Volatile Suspended Solids	Total	0.20	mg/L	J	0.20	5.00		07/06/2017	
DRWW	Suburban Labs		10-4	GWAA-L	0.5	ft	North Mill Creek			Non-IEPA		07/24/2017	12:40:00	07/24/2017	4:18:00 PM			07/25/2017	3:33:45 P	Water	APHA	4500-CL	Chloride	Total	121.00	mg/L	S	20.00	20.00		08/10/2017	
DRWW	Suburban Labs		10-4	GWAA-L	0.5	ft	North Mill Creek			Non-IEPA		07/24/2017	12:40:00	07/24/2017	4:18:00 PM					Water	YSI	EPA 120	Conductivity	Total	742.00	umhos/cm					08/10/2017	
DRWW	Suburban Labs		10-4	GWAA-L	0.5	ft	North Mill Creek			Non-IEPA		07/24/2017	12:40:00	07/24/2017	4:18:00 PM					Water	YSI	Field	Dissolved Oxygen	Total	7.98	mg/L					08/10/2017	
DRWW	Suburban Labs		10-4	GWAA-L	0.5	ft	North Mill Creek			Non-IEPA		07/24/2017	12:40:00	07/24/2017	4:18:00 PM			07/24/2017	4:35:49 P	Water	USEPA	E. COLI	E. Coli	Total	86.00	MPN/100mL		1.00	1.00		08/10/2017	
DRWW	Suburban Labs		10-4	GWAA-L	0.5	ft	North Mill Creek			Non-IEPA		07/24/2017	12:40:00	07/24/2017	4:18:00 PM			07/24/2017	5:03:00 P	Water	USEPA	DISSOLV	Filtered and Preserved	Total	complete		V	0.00	0.00		08/10/2017	
DRWW	Suburban Labs		10-4	GWAA-L	0.5	ft	North Mill Creek			Non-IEPA		07/24/2017	12:40:00	07/24/2017	4:18:00 PM			07/25/2017	6:11:38 P	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	0.14	mg/L	J	0.10	0.30		08/10/2017	
DRWW	Suburban Labs		10-4	GWAA-L	0.5	ft	North Mill Creek			Non-IEPA		07/24/2017	12:40:00	07/24/2017	4:18:00 PM	07/31/2017	11:33:52	08/02/2017	5:43:00 P	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	ND	mg/L		1.10	3.50		08/10/2017	
DRWW	Suburban Labs		10-4	GWAA-L	0.5	ft	North Mill Creek			Non-IEPA		07/24/2017	12:40:00	07/24/2017	4:18:00 PM			07/25/2017	5:07:31 P	Water	USEPA	365.2	Orthophosphate (As P)	Total	0.13	mg/L		0.03	0.05		08/10/2017	
DRWW	Suburban Labs		10-4	GWAA-L	0.5	ft	North Mill Creek			Non-IEPA		07/24/2017	12:40:00	07/24/2017	4:18:00 PM					Water	USEPA	365.2	pH, Field	Total	7.51	S.U.					08/10/2017	
DRWW	Suburban Labs		10-4	GWAA-L	0.5	ft	North Mill Creek			Non-IEPA		07/24/2017	12:40:00	07/24/2017	4:18:00 PM	07/25/2017	9:07:22 A	07/26/2017	1:04:10 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.23	mg/L		0.05	0.14		08/10/2017	
DRWW																																



Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code - IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs		10-4	GWAA-L	0.5	ft	North Mill Creek			Non-IEPA		09/25/2017	11:18:00	09/25/2017	4:08:00 PM			09/27/2017	7:41:47 P	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	0.53	mg/L		0.10	0.30			11/03/2017
DRWW	Suburban Labs		10-4	GWAA-L	0.5	ft	North Mill Creek			Non-IEPA		09/25/2017	11:18:00	09/25/2017	4:08:00 PM	09/28/2017	2:40:57 P	10/03/2017	3:12:19 P	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	ND	mg/L		1.19	3.78			11/03/2017
DRWW	Suburban Labs		10-4	GWAA-L	0.5	ft	North Mill Creek			Non-IEPA		09/25/2017	11:18:00	09/25/2017	4:08:00 PM			09/26/2017	5:34:55 P	Water	USEPA	365.2	Orthophosphate (As P)	Total	1.20	mg/L		0.13	0.25			11/03/2017
DRWW	Suburban Labs		10-4	GWAA-L	0.5	ft	North Mill Creek			Non-IEPA		09/25/2017	11:18:00	09/25/2017	4:08:00 PM			09/27/2017	2:56:22 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	1.18	mg/L		0.04	0.14			11/03/2017
DRWW	Suburban Labs		10-4	GWAA-L	0.5	ft	North Mill Creek			Non-IEPA		09/25/2017	11:18:00	09/25/2017	4:08:00 PM			09/26/2017	7:04:18 P	Water	Lab	2510B	Specific Conductivity	Total	1210.00	umhos/cm		1.00	1.00			11/03/2017
DRWW	Suburban Labs		10-4	GWAA-L	0.5	ft	North Mill Creek			Non-IEPA		09/25/2017	11:18:00	09/25/2017	4:08:00 PM					Water	USEPA	SM 2550B	Temperature		22.53	°C						11/03/2017
DRWW	Suburban Labs		10-4	GWAA-L	0.5	ft	North Mill Creek			Non-IEPA		09/25/2017	11:18:00	09/25/2017	4:08:00 PM			09/26/2017	8:56:15 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	2.66	mg/L		0.10	0.22			11/03/2017
DRWW	Suburban Labs		10-4	GWAA-L	0.5	ft	North Mill Creek			Non-IEPA		09/25/2017	11:18:00	09/25/2017	4:08:00 PM			09/28/2017	2:00:02 P	Water	USEPA	2540-D	Total Suspended Solids	Total	3.80	mg/L	J	0.20	5.00			11/03/2017
DRWW	Suburban Labs		10-4	GWAA-L	0.5	ft	North Mill Creek			Non-IEPA		09/25/2017	11:18:00	09/25/2017	4:08:00 PM			09/25/2017	4:55:23 P	Water	Lab	2130-B	Turbidity		4.34	NTU		0.10	0.20			11/03/2017
DRWW	Suburban Labs		10-4	GWAA-L	0.5	ft	North Mill Creek			Non-IEPA		09/25/2017	11:18:00	09/25/2017	4:08:00 PM			09/28/2017	2:00:02 P	Water	USEPA	2540-D	Volatile Suspended Solids	Total	1.20	mg/L	J	0.20	5.00			11/03/2017
DRWW	Suburban Labs		10-5	GWAA-L	0.5	ft	North Mill Creek			Non-IEPA		03/27/2017	10:16:00	03/27/2017	1:45:50 PM			03/27/2017	4:46:35 P	Water	APHA	4500-CL-	Chloride	Total	196.00	mg/L		20.00	20.00			04/24/2017
DRWW	Suburban Labs		10-5	GWAA-L	0.5	ft	North Mill Creek			Non-IEPA		03/27/2017	10:16:00	03/27/2017	1:45:50 PM					Water	YSI	EPA 120.	Conductivity		1084.00	umhos/cm						04/24/2017
DRWW	Suburban Labs		10-5	GWAA-L	0.5	ft	North Mill Creek			Non-IEPA		03/27/2017	10:16:00	03/27/2017	1:45:50 PM					Water	YSI	Field	Dissolved Oxygen		11.08	mg/L						04/24/2017
DRWW	Suburban Labs		10-5	GWAA-L	0.5	ft	North Mill Creek			Non-IEPA		03/27/2017	10:16:00	03/27/2017	1:45:50 PM			03/27/2017	2:45:00 P	Water	USEPA	E_COLI_	E. Coli	Total	5.20	MPN/100mL		1.00	1.00			04/24/2017
DRWW	Suburban Labs		10-5	GWAA-L	0.5	ft	North Mill Creek			Non-IEPA		03/27/2017	10:16:00	03/27/2017	1:45:50 PM					Water	USEPA	365.2	pH, Field		7.83	pH						04/24/2017
DRWW	Suburban Labs		10-5	GWAA-L	0.5	ft	North Mill Creek			Non-IEPA		03/27/2017	10:16:00	03/27/2017	1:45:50 PM			03/29/2017	2:09:00 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.07	mg/L	J	0.05	0.14			04/24/2017
DRWW	Suburban Labs		10-5	GWAA-L	0.5	ft	North Mill Creek			Non-IEPA		03/27/2017	10:16:00	03/27/2017	1:45:50 PM			03/29/2017	1:40:39 P	Water	Lab	2510B	Specific Conductivity	Total	1060.00	umhos/cm		1.00	1.00			04/24/2017
DRWW	Suburban Labs		10-5	GWAA-L	0.5	ft	North Mill Creek			Non-IEPA		03/27/2017	10:16:00	03/27/2017	1:45:50 PM					Water	USEPA	SM 2550B	Temperature		7.12	°C						04/24/2017
DRWW	Suburban Labs		10-5	GWAA-L	0.5	ft	North Mill Creek			Non-IEPA		03/27/2017	10:16:00	03/27/2017	1:45:50 PM			03/27/2017	8:05:34 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.20			04/24/2017
DRWW	Suburban Labs		10-5	GWAA-L	0.5	ft	North Mill Creek			Non-IEPA		03/27/2017	10:16:00	03/27/2017	1:45:50 PM			03/27/2017	3:23:00 P	Water	Lab	2130-B	Turbidity		4.16	NTU		0.10	0.20			04/24/2017
DRWW	Suburban Labs		10-5	GWAA-L	0.5	ft	North Mill Creek			Non-IEPA		05/18/2017	11:30:00	05/18/2017	4:35:00 PM			05/19/2017	3:36:19 P	Water	APHA	4500-CL-	Chloride	Total	186.00	mg/L		20.00	20.00			06/01/2017
DRWW	Suburban Labs		10-5	GWAA-L	0.5	ft	North Mill Creek			Non-IEPA		05/18/2017	11:30:00	05/18/2017	4:35:00 PM					Water	YSI	EPA 120.	Conductivity		1055.00	umhos/cm						06/01/2017
DRWW	Suburban Labs		10-5	GWAA-L	0.5	ft	North Mill Creek			Non-IEPA		05/18/2017	11:30:00	05/18/2017	4:35:00 PM					Water	YSI	Field	Dissolved Oxygen		6.03	mg/L						06/01/2017
DRWW	Suburban Labs		10-5	GWAA-L	0.5	ft	North Mill Creek			Non-IEPA		05/18/2017	11:30:00	05/18/2017	4:35:00 PM			05/18/2017	5:33:00 P	Water	USEPA	E_COLI_	E. Coli	Total	26.50	MPN/100mL		1.00	1.00			06/01/2017
DRWW	Suburban Labs		10-5	GWAA-L	0.5	ft	North Mill Creek			Non-IEPA		05/18/2017	11:30:00	05/18/2017	4:35:00 PM					Water	USEPA	365.2	pH, Field		8.03	pH						06/01/2017
DRWW	Suburban Labs		10-5	GWAA-L	0.5	ft	North Mill Creek			Non-IEPA		05/18/2017	11:30:00	05/18/2017	4:35:00 PM	05/23/2017	10:19:14	05/24/2017	2:40:04 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.11	mg/L	J	0.05	0.14			06/01/2017
DRWW	Suburban Labs		10-5	GWAA-L	0.5	ft	North Mill Creek			Non-IEPA		05/18/2017	11:30:00	05/18/2017	4:35:00 PM			05/26/2017	2:22:58 P	Water	Lab	2510B	Specific Conductivity	Total	1030.00	umhos/cm		1.00	1.00			06/01/2017
DRWW	Suburban Labs		10-5	GWAA-L	0.5	ft	North Mill Creek			Non-IEPA		05/18/2017	11:30:00	05/18/2017	4:35:00 PM					Water	USEPA	SM 2550B	Temperature		21.04	°C						06/01/2017
DRWW	Suburban Labs		10-5	GWAA-L	0.5	ft	North Mill Creek			Non-IEPA		05/18/2017	11:30:00	05/18/2017	4:35:00 PM			05/19/2017	7:19:31 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22			06/01/2017
DRWW	Suburban Labs		10-5	GWAA-L	0.5	ft	North Mill Creek			Non-IEPA		05/18/2017	11:30:00	05/18/2017	4:35:00 PM			05/18/2017	6:32:00 P	Water	Lab	2130-B	Turbidity		30.20	NTU		0.10	0.20			06/01/2017
DRWW	Suburban Labs		10-5	GWAA-L	0.5	ft	North Mill Creek			Non-IEPA		06/26/2017	11:40:00	06/26/2017	4:45:00 PM			06/29/2017	3:51:56 P	Water	APHA	4500-CL-	Chloride	Total	197.00	mg/L		20.00	20.00			07/06/2017
DRWW	Suburban Labs		10-5	GWAA-L	0.5	ft	North Mill Creek			Non-IEPA		06/26/2017	11:40:00	06/26/2017	4:45:00 PM					Water	YSI	EPA 120.	Conductivity		949.00	umhos/cm						07/06/2017
DRWW	Suburban Labs		10-5	GWAA-L	0.5	ft	North Mill Creek			Non-IEPA		06/26/2017	11:40:00	06/26/2017	4:45:00 PM					Water	YSI	Field	Dissolved Oxygen		6.58	mg/L						07/06/2017
DRWW	Suburban Labs		10-5	GWAA-L	0.5	ft	North Mill Creek			Non-IEPA		06/26/2017	11:40:00	06/26/2017	4:45:00 PM			06/26/2017	5:16:07 P	Water	USEPA	E_COLI_	E. Coli	Total	76.70	MPN/100mL		1.00	1.00			07/06/2017
DRWW	Suburban Labs		10-5	GWAA-L	0.5	ft	North Mill Creek			Non-IEPA		06/26/2017	11:40:00	06/26/2017	4:45:00 PM					Water	USEPA	365.2	pH, Field		8.54	pH						07/06/2017
DRWW	Suburban Labs		10-5	GWAA-L	0.5	ft	North Mill Creek			Non-IEPA		06/26/2017	11:40:00	06/26/2017	4:45:00 PM			06/27/2017	3:01:33 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	ND	mg/L		0.05	0.14			07/06/2017
DRWW	Suburban Labs		10-5	GWAA-L	0.5	ft	North Mill Creek			Non-IEPA		06/26/2017	11:40:00	06/26/2017	4:45:00 PM			06/27/2017	10:50:44	Water	Lab	2510B	Specific Conductivity	Total	948.00	umhos/cm		1.00	1.00			07/06/2017
DRWW	Suburban Labs		10-5	GWAA-L	0.5	ft	North Mill Creek			Non-IEPA		06/26/2017	11:40:00	06/26/2017	4:45:00 PM					Water	USEPA	SM 2550B	Temperature		21.49	°C						07/06/2017
DRWW	Suburban Labs		10-5	GWAA-L	0.5	ft	North Mill Creek			Non-IEPA		06/26/2017	11:40:00	06/26/2017	4:45:00 PM			06/27/2017	8:21:35 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.13	mg/L	J	0.10	0.22			07/06/2017
DRWW	Suburban Labs		10-5	GWAA-L	0.5	ft	North Mill Creek			Non-IEPA		06/26/2017	11:40:00	06/26/2017	4:45:00 PM			06/26/2017	5:30:00 P	Water	Lab	2130-B	Turbidity		2.57	NTU		0.10	0.20			

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code - IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		03/27/2017	10:47:00	03/27/2017	1:45:23 PM			03/28/2017	2:56:45 P	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30			04/24/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		03/27/2017	10:47:00	03/27/2017	1:45:23 PM			04/03/2017	2:35:02 P	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	1.57	mg/L	J	1.10	3.50			04/24/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		03/27/2017	10:47:00	03/27/2017	1:45:23 PM			03/28/2017	5:14:54 P	Water	USEPA	365.2	Orthophosphate (As P)	Total	0.06	mg/L		0.03	0.05			04/24/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		03/27/2017	10:47:00	03/27/2017	1:45:23 PM					Water	USEPA	365.2	pH, Field		7.73	pH						04/24/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		03/27/2017	10:47:00	03/27/2017	1:45:23 PM			03/29/2017	2:23:48 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.19	mg/L		0.05	0.14			04/24/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		03/27/2017	10:47:00	03/27/2017	1:45:23 PM			03/29/2017	1:43:16 P	Water	Lab	2510B	Specific Conductivity	Total	964.00	umhos/cm		1.00	1.00			04/24/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		03/27/2017	10:47:00	03/27/2017	1:45:23 PM			03/29/2017	5:26:29 P	Water	USEPA	375.2	Sulfate	Total	64.70	mg/L		10.00	25.50			04/24/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		03/27/2017	10:47:00	03/27/2017	1:45:23 PM					Water	USEPA	SM 2550B	Temperature		8.04	°C						04/24/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		03/27/2017	10:47:00	03/27/2017	1:45:23 PM			03/27/2017	8:14:20 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	2.08	mg/L		0.10	0.20			04/24/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		03/27/2017	10:47:00	03/27/2017	1:45:23 PM			03/29/2017	2:14:42 P	Water	APHA	5310-C	Total Organic Carbon	Total	6.83	mg/L		1.00	1.00			04/24/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		03/27/2017	10:47:00	03/27/2017	1:45:23 PM			03/28/2017	3:14:00 P	Water	USEPA	2540-D	Total Suspended Solids	Total	70.00	mg/L		0.40	10.00			04/24/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		03/27/2017	10:47:00	03/27/2017	1:45:23 PM			03/27/2017	3:23:00 P	Water	Lab	2130-B	Turbidity		84.70	NTU		0.10	0.20			04/24/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		03/27/2017	10:47:00	03/27/2017	1:45:23 PM			03/28/2017	3:14:00 P	Water	USEPA	2540-D	Volatile Suspended Solids	Total	9.60	mg/L	J	0.40	10.00			04/24/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		05/18/2017	12:07:00	05/18/2017	4:35:00 PM			05/19/2017	3:38:22 P	Water	APHA	4500-CL-	Chloride	Total	111.00	mg/L		20.00	20.00			06/01/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		05/18/2017	12:07:00	05/18/2017	4:35:00 PM					Water	YSI	EPA 120.	Conductivity		903.00	umhos/cm						06/01/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		05/18/2017	12:07:00	05/18/2017	4:35:00 PM					Water	YSI	Field	Dissolved Oxygen		7.02	mg/L						06/01/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		05/18/2017	12:07:00	05/18/2017	4:35:00 PM			05/18/2017	5:33:00 P	Water	USEPA	E. COLI	E. Coli	Total	36.90	MPN/100mL		1.00	1.00			06/01/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		05/18/2017	12:07:00	05/18/2017	4:35:00 PM			05/18/2017	5:52:03 P	Water	USEPA	DISSOLV	Filtered and Preserved	Total	complete		V	0.00	0.00			06/01/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		05/18/2017	12:07:00	05/18/2017	4:35:00 PM			05/19/2017	8:10:32 P	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30			06/01/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		05/18/2017	12:07:00	05/18/2017	4:35:00 PM	05/23/2017	10:15:01	05/24/2017	1:47:22 P	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	ND	mg/L		1.10	3.50			06/01/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		05/18/2017	12:07:00	05/18/2017	4:35:00 PM			05/19/2017	4:48:05 P	Water	USEPA	365.2	Orthophosphate (As P)	Total	0.05	mg/L		0.03	0.05			06/01/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		05/18/2017	12:07:00	05/18/2017	4:35:00 PM					Water	USEPA	365.2	pH, Field		8.13	pH						06/01/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		05/18/2017	12:07:00	05/18/2017	4:35:00 PM	05/23/2017	10:19:14	05/24/2017	2:42:41 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.14	mg/L	J	0.05	0.14			06/01/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		05/18/2017	12:07:00	05/18/2017	4:35:00 PM			05/26/2017	2:23:43 P	Water	Lab	2510B	Specific Conductivity	Total	879.00	umhos/cm		1.00	1.00			06/01/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		05/18/2017	12:07:00	05/18/2017	4:35:00 PM			05/22/2017	5:28:17 P	Water	USEPA	375.2	Sulfate	Total	46.30	mg/L		10.00	25.50			06/01/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		05/18/2017	12:07:00	05/18/2017	4:35:00 PM					Water	USEPA	SM 2550B	Temperature		21.60	°C						06/01/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		05/18/2017	12:07:00	05/18/2017	4:35:00 PM			05/19/2017	7:21:51 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.71	mg/L		0.10	0.22			06/01/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		05/18/2017	12:07:00	05/18/2017	4:35:00 PM			05/19/2017	2:41:22 P	Water	APHA	5310-C	Total Organic Carbon	Total	8.61	mg/L	G	1.00	1.00			06/01/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		05/18/2017	12:07:00	05/18/2017	4:35:00 PM			05/22/2017	11:37:24	Water	USEPA	2540-D	Total Suspended Solids	Total	38.50	mg/L		0.25	6.25			06/01/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		05/18/2017	12:07:00	05/18/2017	4:35:00 PM			05/18/2017	6:32:00 P	Water	Lab	2130-B	Turbidity		36.90	NTU		0.10	0.20			06/01/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		05/18/2017	12:07:00	05/18/2017	4:35:00 PM			05/22/2017	11:37:24	Water	USEPA	2540-D	Volatile Suspended Solids	Total	5.00	mg/L	J	0.25	6.25			06/01/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		06/26/2017	12:14:00	06/26/2017	4:45:00 PM			06/29/2017	3:52:43 P	Water	APHA	4500-CL-	Chloride	Total	133.00	mg/L		20.00	20.00			07/06/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		06/26/2017	12:14:00	06/26/2017	4:45:00 PM					Water	YSI	EPA 120.	Conductivity		873.00	umhos/cm						07/06/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		06/26/2017	12:14:00	06/26/2017	4:45:00 PM			06/26/2017	5:16:07 P	Water	USEPA	E. COLI	E. Coli	Total	59.80	MPN/100mL		1.00	1.00			07/06/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		06/26/2017	12:14:00	06/26/2017	4:45:00 PM			06/26/2017	5:15:00 P	Water	USEPA	DISSOLV	Filtered and Preserved	Total	complete		V	0.00	0.00			07/06/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		06/26/2017	12:14:00	06/26/2017	4:45:00 PM			06/30/2017	4:37:57 P	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30			07/06/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		06/26/2017	12:14:00	06/26/2017	4:45:00 PM	06/28/2017	10:48:22	06/30/2017	1:33:58 P	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	4.40	mg/L		1.10	3.50			07/06/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		06/26/2017	12:14:00	06/26/2017	4:45:00 PM			06/27/2017	4:16:44 P	Water	USEPA	365.2	Orthophosphate (As P)	Total	0.06	mg/L		0.03	0.05			07/06/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		06/26/2017	12:14:00	06/26/2017	4:45:00 PM					Water	USEPA	365.2	pH, Field		8.14	pH						07/06/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		06/26/2017	12:14:00	06/26/2017	4:45:00 PM	06/27/2017	3:01:33 P	06/29/2017	1:29:16 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.16	mg/L		0.05	0.14			07/06/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		06/26/2017	12:14:00	06/26/2017	4:45:00 PM			06/27/2017	10:51:25	Water	Lab	2510B	Specific Conductivity	Total	875.00	umhos/cm		1.00	1.00			07/06/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		06/26/2017	12:14:00	06/26/2017	4:45:00 PM			06/30/2017	3:44:55 P	Water	USEPA	375.2	Sulfate	Total	41.60	mg/L		10.00	25.50			07/06/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		06/26/2017	12:14:00	06/26/2017	4:45:00 PM					Water	USEPA	SM 2550B	Temperature		21.36	°C						07/06/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		06/26/2017	12:14:00	06/26/2017	4:45:00 PM			06/27/2017	8:23:52 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	1.09	mg/L		0.10	0.20			07/06/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		06/26/2017	12:14:00	06																		

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code - IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		08/21/2017	11:53:00	08/21/2017	4:25:00 PM			08/23/2017	7:13:39 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.18	mg/L		0.05	0.14			09/14/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		08/21/2017	11:53:00	08/21/2017	4:25:00 PM			08/25/2017	2:46:32 P	Water	Lab	2510B	Specific Conductivity	Total	714.00	umhos/cm		1.00	1.00			09/14/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		08/21/2017	11:53:00	08/21/2017	4:25:00 PM			08/31/2017	4:16:42 P	Water	USEPA	375.2	Sulfate	Total	28.60	mg/L		10.00	25.50			09/14/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		08/21/2017	11:53:00	08/21/2017	4:25:00 PM					Water	USEPA	SM 2550B	Temperature	Total	24.44	°C						09/14/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		08/21/2017	11:53:00	08/21/2017	4:25:00 PM			08/24/2017	2:05:54 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.53	mg/L		0.10	0.20			09/14/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		08/21/2017	11:53:00	08/21/2017	4:25:00 PM			08/23/2017	1:09:35 P	Water	APHA	5310-C	Total Organic Carbon	Total	9.88	mg/L	G	1.00	1.00			09/14/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		08/21/2017	11:53:00	08/21/2017	4:25:00 PM			08/22/2017	8:48:00 A	Water	USEPA	2540-D	Total Suspended Solids	Total	42.40	mg/L		0.40	10.00			09/14/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		08/21/2017	11:53:00	08/21/2017	4:25:00 PM			08/21/2017	4:51:52 P	Water	Lab	2130-B	Turbidity	Total	47.60	NTU		0.10	0.20			09/14/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		08/21/2017	11:53:00	08/21/2017	4:25:00 PM			08/22/2017	8:48:00 A	Water	USEPA	2540-D	Volatile Suspended Solids	Total	5.60	mg/L	J	0.40	10.00			09/14/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	12:10:00	09/25/2017	4:08:00 PM	09/26/2017	10:43:43	09/26/2017	5:09:00 P	Water	USEPA	8270D	Surr: 2-Fluorobiphenyl	Total	3.30	%Rec		0.10				11/03/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	12:10:00	09/25/2017	4:08:00 PM			09/27/2017	5:58:00 P	Water	USEPA	8260B	Surr: 4-Bromofluorobenzene	Total	48.70	%Rec		0.00				11/03/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	12:10:00	09/25/2017	4:08:00 PM	09/26/2017	10:43:43	09/26/2017	5:09:00 P	Water	USEPA	8270D	Surr: 4-Terphenyl-d15	Total	3.66	%Rec		0.10				11/03/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	12:10:00	09/25/2017	4:08:00 PM			09/27/2017	5:58:00 P	Water	USEPA	8260B	Surr: Dibromofluoromethane	Total	41.90	%Rec		0.00				11/03/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	12:10:00	09/25/2017	4:08:00 PM	09/26/2017	10:43:43	09/26/2017	5:09:00 P	Water	USEPA	8270D	Surr: Nitrobenzene-d6	Total	3.39	%Rec		0.10				11/03/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	12:10:00	09/25/2017	4:08:00 PM	09/27/2017	7:46:36 A	09/27/2017	5:29:00 P	Water	USEPA	8082	Surr: Tetrachloro-m-xylene	Total	0.27	%Rec		0.00				11/03/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	12:10:00	09/25/2017	4:08:00 PM	09/27/2017	7:48:03 A	09/27/2017	5:29:00 P	Water	USEPA	8082	Surr: Tetrachloro-m-xylene	Total	0.25	%Rec		0.00				11/03/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	12:10:00	09/25/2017	4:08:00 PM			09/27/2017	5:58:00 P	Water	USEPA	8260B	Surr: Toluene-d8	Total	49.20	%Rec		0.00				11/03/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	12:10:00	09/25/2017	4:08:00 PM			09/27/2017	5:58:00 P	Water	USEPA	8260B	1,1,1-Trichloroethane	Total	ND	ug/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	12:10:00	09/25/2017	4:08:00 PM			09/27/2017	5:58:00 P	Water	USEPA	8260B	1,1,2,2-Tetrachloroethane	Total	ND	ug/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	12:10:00	09/25/2017	4:08:00 PM			09/27/2017	5:58:00 P	Water	USEPA	8260B	1,1,2-Trichloroethane	Total	ND	ug/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	12:10:00	09/25/2017	4:08:00 PM			09/27/2017	5:58:00 P	Water	USEPA	8260B	1,1-Dichloroethane	Total	ND	ug/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	12:10:00	09/25/2017	4:08:00 PM			09/27/2017	5:58:00 P	Water	USEPA	8260B	1,1-Dichloroethane	Total	ND	ug/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	12:10:00	09/25/2017	4:08:00 PM			09/27/2017	5:58:00 P	Water	USEPA	8260B	1,2-Dichloroethane	Total	ND	ug/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	12:10:00	09/25/2017	4:08:00 PM			09/27/2017	5:58:00 P	Water	USEPA	8260B	1,2-Dichloropropane	Total	ND	ug/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	12:10:00	09/25/2017	4:08:00 PM			09/27/2017	5:58:00 P	Water	USEPA	8260B	2-Butanone	Total	ND	ug/L		10.00	10.00			11/03/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	12:10:00	09/25/2017	4:08:00 PM			09/27/2017	5:58:00 P	Water	USEPA	8260B	2-Hexanone	Total	ND	ug/L		25.00	25.00			11/03/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	12:10:00	09/25/2017	4:08:00 PM	09/27/2017	7:46:36 A	09/27/2017	5:29:00 P	Water	USEPA	8081	4,4'-DDD	Total	ND	ug/L	S	0.05	0.05			11/03/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	12:10:00	09/25/2017	4:08:00 PM	09/27/2017	7:46:36 A	09/27/2017	5:29:00 P	Water	USEPA	8081	4,4'-DDE	Total	ND	ug/L	S	0.05	0.05			11/03/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	12:10:00	09/25/2017	4:08:00 PM	09/27/2017	7:46:36 A	09/27/2017	5:29:00 P	Water	USEPA	8081	4,4'-DDT	Total	ND	ug/L	S	0.05	0.05			11/03/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	12:10:00	09/25/2017	4:08:00 PM			09/27/2017	5:58:00 P	Water	USEPA	8260B	4-Methyl-2-pentanone	Total	ND	ug/L		25.00	25.00			11/03/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	12:10:00	09/25/2017	4:08:00 PM	09/26/2017	10:43:43	09/26/2017	5:09:00 P	Water	USEPA	8270D	Acenaphthene	Total	ND	ug/L		0.10	0.10			11/03/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	12:10:00	09/25/2017	4:08:00 PM	09/26/2017	10:43:43	09/26/2017	5:09:00 P	Water	USEPA	8270D	Acenaphthylene	Total	ND	ug/L		0.10	0.10			11/03/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	12:10:00	09/25/2017	4:08:00 PM			09/27/2017	5:58:00 P	Water	USEPA	8260B	Acetone	Total	ND	ug/L		25.00	25.00			11/03/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	12:10:00	09/25/2017	4:08:00 PM	09/27/2017	7:46:36 A	09/27/2017	5:29:00 P	Water	USEPA	8081	Aldrin	Total	ND	ug/L	S	0.03	0.03			11/03/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	12:10:00	09/25/2017	4:08:00 PM	09/27/2017	7:46:36 A	09/27/2017	5:29:00 P	Water	USEPA	8081	alpha-BHC	Total	ND	ug/L	S	0.03	0.03			11/03/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	12:10:00	09/25/2017	4:08:00 PM	09/27/2017	7:46:36 A	09/27/2017	5:29:00 P	Water	USEPA	8081	alpha-Chlordane	Total	ND	ug/L	S	0.03	0.03			11/03/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	12:10:00	09/25/2017	4:08:00 PM	09/26/2017	10:43:43	09/26/2017	5:09:00 P	Water	USEPA	8270D	Anthracene	Total	ND	ug/L		0.10	0.10			11/03/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	12:10:00	09/25/2017	4:08:00 PM	09/27/2017	7:48:03 A	09/27/2017	5:29:00 P	Water	USEPA	8082	Aroclor 1016	Total	ND	ug/L		0.10	0.10			11/03/2017

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code - IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	12:10:00	09/25/2017	4:08:00 P	09/27/2017	7:46:36 A	09/27/2017	5:29:00 P	Water	USEPA	8081	Endosulfan II	Total	ND	µg/L	S	0.05	0.05			11/03/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	12:10:00	09/25/2017	4:08:00 P	09/27/2017	7:46:36 A	09/27/2017	5:29:00 P	Water	USEPA	8081	Endosulfan sulfate	Total	ND	µg/L	S	0.05	0.05			11/03/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	12:10:00	09/25/2017	4:08:00 P	09/27/2017	7:46:36 A	09/27/2017	5:29:00 P	Water	USEPA	8081	Endrin	Total	ND	µg/L	S	0.05	0.05			11/03/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	12:10:00	09/25/2017	4:08:00 P	09/27/2017	7:46:36 A	09/27/2017	5:29:00 P	Water	USEPA	8081	Endrin aldehyde	Total	ND	µg/L		0.05	0.05			11/03/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	12:10:00	09/25/2017	4:08:00 P	09/27/2017	7:46:36 A	09/27/2017	5:29:00 P	Water	USEPA	8081	Endrin ketone	Total	ND	µg/L	S	0.05	0.05			11/03/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	12:10:00	09/25/2017	4:08:00 PM			09/27/2017	5:58:00 P	Water	USEPA	8260B	Ethylbenzene	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	12:10:00	09/25/2017	4:08:00 PM			09/25/2017	5:04:00 P	Water	USEPA	DISSOLV	Filtered and Preserved	Total	complete		V	0.00	0.00			11/03/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	12:10:00	09/25/2017	4:08:00 P	09/26/2017	10:43:43	09/26/2017	5:09:00 P	Water	USEPA	8270D	Fluoranthene	Total	ND	µg/L		0.10	0.10			11/03/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	12:10:00	09/25/2017	4:08:00 P	09/26/2017	10:43:43	09/26/2017	5:09:00 P	Water	USEPA	8270D	Fluorene	Total	ND	µg/L		0.10	0.10			11/03/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	12:10:00	09/25/2017	4:08:00 P	09/27/2017	7:46:36 A	09/27/2017	5:29:00 P	Water	USEPA	8081	gamma-BHC	Total	ND	µg/L	S	0.03	0.03			11/03/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	12:10:00	09/25/2017	4:08:00 P	09/27/2017	7:46:36 A	09/27/2017	5:29:00 P	Water	USEPA	8081	gamma-Chlordane	Total	ND	µg/L	S	0.03	0.03			11/03/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	12:10:00	09/25/2017	4:08:00 P	09/26/2017	2:52:23 P	09/27/2017	2:51:35 P	Water	USEPA	200.7	Hardness (As CaCO3)	Total	248.00	mg/L		0.05	0.15			11/03/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	12:10:00	09/25/2017	4:08:00 P	09/27/2017	7:46:36 A	09/27/2017	5:29:00 P	Water	USEPA	8081	Heptachlor	Total	ND	µg/L	S	0.03	0.03			11/03/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	12:10:00	09/25/2017	4:08:00 P	09/27/2017	7:46:36 A	09/27/2017	5:29:00 P	Water	USEPA	8081	Heptachlor epoxide	Total	ND	µg/L	S	0.03	0.03			11/03/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	12:10:00	09/25/2017	4:08:00 P	09/26/2017	10:43:43	09/26/2017	5:09:00 P	Water	USEPA	8270D	Indeno(1,2,3-cd)pyrene	Total	ND	µg/L		0.10	0.10			11/03/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	12:10:00	09/25/2017	4:08:00 P	09/26/2017	2:52:23 P	09/27/2017	2:51:35 P	Water	USEPA	200.7	Iron	Total	0.20	mg/L		0.00	0.01			11/03/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	12:10:00	09/25/2017	4:08:00 PM			09/27/2017	5:58:00 P	Water	USEPA	8260B	m,p-Xylene	Total	ND	µg/L		2.00	2.00			11/03/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	12:10:00	09/25/2017	4:08:00 P	09/26/2017	2:52:23 P	09/27/2017	2:51:35 P	Water	USEPA	200.7	Magnesium	Total	28.00	mg/L		0.00	0.00			11/03/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	12:10:00	09/25/2017	4:08:00 P	09/26/2017	2:52:23 P	09/27/2017	2:51:35 P	Water	USEPA	200.7	Manganese	Total	0.15	mg/L		0.00	0.01			11/03/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	12:10:00	09/25/2017	4:08:00 PM			09/29/2017	11:50:35	Water	USEPA	1631	Mercury	Total	1.10	ng/L		0.50	0.50			11/03/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	12:10:00	09/25/2017	4:08:00 P	09/27/2017	7:46:36 A	09/27/2017	5:29:00 P	Water	USEPA	8081	Methoxychlor	Total	ND	µg/L	S	0.25	0.25			11/03/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	12:10:00	09/25/2017	4:08:00 PM			09/27/2017	5:58:00 P	Water	USEPA	8260B	Methyl tert-butyl ether	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	12:10:00	09/25/2017	4:08:00 PM			09/27/2017	5:58:00 P	Water	USEPA	8260B	Methylene chloride	Total	ND	µg/L		5.00	5.00			11/03/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	12:10:00	09/25/2017	4:08:00 P	09/26/2017	10:43:43	09/26/2017	5:09:00 P	Water	USEPA	8270D	Naphthalene	Total	ND	µg/L		0.10	0.10			11/03/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	12:10:00	09/25/2017	4:08:00 P	09/26/2017	2:52:23 P	09/27/2017	2:51:35 P	Water	USEPA	200.7	Nickel	Total	0.00	mg/L		0.00	0.00			11/03/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	12:10:00	09/25/2017	4:08:00 PM			09/27/2017	7:43:31 P	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30			11/03/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	12:10:00	09/25/2017	4:08:00 P	09/28/2017	2:40:57 P	10/03/2017	3:13:43 P	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	ND	mg/L		1.19	3.78			11/03/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	12:10:00	09/25/2017	4:08:00 PM			09/26/2017	5:34:55 P	Water	USEPA	365.2	Orthophosphate (As P)	Total	0.10	mg/L		0.03	0.05			11/03/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	12:10:00	09/25/2017	4:08:00 PM			09/27/2017	5:58:00 P	Water	USEPA	8260B	o-Xylene	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	12:10:00	09/25/2017	4:08:00 PM					Water	USEPA	365.2	pH, Field		7.74	pH						11/03/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	12:10:00	09/25/2017	4:08:00 P	09/26/2017	10:43:43	09/26/2017	5:09:00 P	Water	USEPA	8270D	Phenanthrene	Total	ND	µg/L		0.10	0.10			11/03/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	12:10:00	09/25/2017	4:08:00 P	09/26/2017	2:52:23 P	09/27/2017	2:51:35 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.14	mg/L		0.04	0.14			11/03/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	12:10:00	09/25/2017	4:08:00 P	09/26/2017	10:43:43	09/26/2017	5:09:00 P	Water	USEPA	8270D	Pyrene	Total	ND	µg/L		0.10	0.10			11/03/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	12:10:00	09/25/2017	4:08:00 P	09/26/2017	2:52:23 P	09/27/2017	2:51:35 P	Water	USEPA	200.7	Sodium	Total	65.50	mg/L		0.03	0.09			11/03/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	12:10:00	09/25/2017	4:08:00 PM			09/26/2017	7:04:57 P	Water	Lab	2510B	Specific Conductivity	Total	816.00	µmhos/cm		1.00	1.00			11/03/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	12:10:00	09/25/2017	4:08:00 PM			09/27/2017	5:58:00 P	Water	USEPA	8260B	Styrene	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	12:10:00	09/25/2017	4:08:00 PM			10/03/2017	3:55:06 P	Water	USEPA	375.2	Sulfate	Total	46.50	mg/L	S	4.00	10.20			11/03/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	12:10:00	09/25/2017	4:08:00 PM					Water	USEPA	SM 2550B	Temperature		23.34	°C						11/03/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	12:10:00	09/25/2017	4:08:00 PM			09/27/2017	5:58:00 P	Water	USEPA	8260B	Tetrachloroethene	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	12:10:00	09/25/2017	4:08:00 PM			09/27/2017	5:58:00 P	Water	USEPA	8260B	Toluene	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	12:10:00	09/25/2017	4:08:00 PM			09/26/2017	8:58:26 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	1.80	mg/L		0.10	0.22			11/03/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	12:10:00	09/25/2017	4:08:00 PM			09/29/2017	12:01:45	Water	APHA	5310-C	Total Organic Carbon	Total	10.70	mg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	12:10:00	09/25/2017	4:08:00 PM																	



Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code - IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs		11-2	GW-05	0.5	ft	Mill Creek			Non-IEPA		05/18/2017	12:35:00	05/18/2017	4:35:00 PM					Water	USEPA	365.2	pH, Field		8.06	pH						06/01/2017
DRWW	Suburban Labs		11-2	GW-05	0.5	ft	Mill Creek			Non-IEPA		05/18/2017	12:35:00	05/18/2017	4:35:00 PM	05/23/2017	10:19:14	05/24/2017	2:58:16 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.12	mg/L	J	0.05	0.14			06/01/2017
DRWW	Suburban Labs		11-2	GW-05	0.5	ft	Mill Creek			Non-IEPA		05/18/2017	12:35:00	05/18/2017	4:35:00 PM			05/26/2017	2:24:54 P	Water	Lab	2510B	Specific Conductivity	Total	859.00	umhos/cm		1.00	1.00			06/01/2017
DRWW	Suburban Labs		11-2	GW-05	0.5	ft	Mill Creek			Non-IEPA		05/18/2017	12:35:00	05/18/2017	4:35:00 PM			05/19/2017	7:28:45 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.42	mg/L		0.10	0.22			06/01/2017
DRWW	Suburban Labs		11-2	GW-05	0.5	ft	Mill Creek			Non-IEPA		05/18/2017	12:35:00	05/18/2017	4:35:00 PM			05/22/2017	11:37:24	Water	USEPA	2540-D	Total Suspended Solids	Total	61.60	mg/L		0.40	10.00			06/01/2017
DRWW	Suburban Labs		11-2	GW-05	0.5	ft	Mill Creek			Non-IEPA		05/18/2017	12:35:00	05/18/2017	4:35:00 PM			05/18/2017	6:32:00 P	Water	Lab	2130-B	Turbidity	Total	72.30	NTU		0.10	0.20			06/01/2017
DRWW	Suburban Labs		11-2	GW-05	0.5	ft	Mill Creek			Non-IEPA		05/18/2017	12:35:00	05/18/2017	4:35:00 PM			05/22/2017	11:37:24	Water	USEPA	2540-D	Volatile Suspended Solids	Total	8.40	mg/L	J	0.40	10.00			06/01/2017
DRWW	Suburban Labs		11-2	GW-05	0.5	ft	Mill Creek			Non-IEPA		06/26/2017	12:52:00	06/26/2017	4:45:00 PM			06/29/2017	3:53:29 P	Water	APHA	4500-CL-	Chloride	Total	135.00	mg/L		20.00	20.00			07/06/2017
DRWW	Suburban Labs		11-2	GW-05	0.5	ft	Mill Creek			Non-IEPA		06/26/2017	12:52:00	06/26/2017	4:45:00 PM					Water	YSI	EPA 120.	Conductivity		869.00	umhos/cm						07/06/2017
DRWW	Suburban Labs		11-2	GW-05	0.5	ft	Mill Creek			Non-IEPA		06/26/2017	12:52:00	06/26/2017	4:45:00 PM					Water	YSI	Field	Dissolved Oxygen		7.04	mg/L						07/06/2017
DRWW	Suburban Labs		11-2	GW-05	0.5	ft	Mill Creek			Non-IEPA		06/26/2017	12:52:00	06/26/2017	4:45:00 PM			06/26/2017	5:16:07 P	Water	USEPA	E_COLI_I	E. Coli	Total	66.30	MPN/100mL		1.00	1.00			07/06/2017
DRWW	Suburban Labs		11-2	GW-05	0.5	ft	Mill Creek			Non-IEPA		06/26/2017	12:52:00	06/26/2017	4:45:00 PM			06/26/2017	5:15:00 P	Water	USEPA	DISSOLV	Filtered and Preserved	Total	complete		V	0.00	0.00			07/06/2017
DRWW	Suburban Labs		11-2	GW-05	0.5	ft	Mill Creek			Non-IEPA		06/26/2017	12:52:00	06/26/2017	4:45:00 PM			06/30/2017	4:39:43 P	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30			07/06/2017
DRWW	Suburban Labs		11-2	GW-05	0.5	ft	Mill Creek			Non-IEPA		06/26/2017	12:52:00	06/26/2017	4:45:00 PM			06/30/2017	1:36:40 P	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	4.38	mg/L		1.10	3.50			07/06/2017
DRWW	Suburban Labs		11-2	GW-05	0.5	ft	Mill Creek			Non-IEPA		06/26/2017	12:52:00	06/26/2017	4:45:00 PM			06/27/2017	4:16:44 P	Water	USEPA	365.2	Orthophosphate (As P)	Total	0.06	mg/L		0.03	0.05			07/06/2017
DRWW	Suburban Labs		11-2	GW-05	0.5	ft	Mill Creek			Non-IEPA		06/26/2017	12:52:00	06/26/2017	4:45:00 PM			06/27/2017	5:07:31 P	Water	USEPA	365.2	pH, Field		8.16	pH						07/06/2017
DRWW	Suburban Labs		11-2	GW-05	0.5	ft	Mill Creek			Non-IEPA		06/26/2017	12:52:00	06/26/2017	4:45:00 PM			06/29/2017	1:31:39 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.18	mg/L		0.05	0.14			07/06/2017
DRWW	Suburban Labs		11-2	GW-05	0.5	ft	Mill Creek			Non-IEPA		06/26/2017	12:52:00	06/26/2017	4:45:00 PM			06/27/2017	10:52:08	Water	Lab	2510B	Specific Conductivity	Total	860.00	umhos/cm		1.00	1.00			07/06/2017
DRWW	Suburban Labs		11-2	GW-05	0.5	ft	Mill Creek			Non-IEPA		06/26/2017	12:52:00	06/26/2017	4:45:00 PM					Water	USEPA	SM 2550B	Temperature		21.87	°C						07/06/2017
DRWW	Suburban Labs		11-2	GW-05	0.5	ft	Mill Creek			Non-IEPA		06/26/2017	12:52:00	06/26/2017	4:45:00 PM			06/27/2017	8:33:12 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.93	mg/L		0.10	0.20			07/06/2017
DRWW	Suburban Labs		11-2	GW-05	0.5	ft	Mill Creek			Non-IEPA		06/26/2017	12:52:00	06/26/2017	4:45:00 PM			06/27/2017	2:23:18 P	Water	USEPA	2540-D	Total Suspended Solids	Total	52.00	mg/L		0.50	12.50			07/06/2017
DRWW	Suburban Labs		11-2	GW-05	0.5	ft	Mill Creek			Non-IEPA		06/26/2017	12:52:00	06/26/2017	4:45:00 PM			06/26/2017	5:30:00 P	Water	Lab	2130-B	Turbidity		51.60	NTU		0.10	0.20			07/06/2017
DRWW	Suburban Labs		11-2	GW-05	0.5	ft	Mill Creek			Non-IEPA		06/26/2017	12:52:00	06/26/2017	4:45:00 PM			06/27/2017	2:23:18 P	Water	USEPA	2540-D	Volatile Suspended Solids	Total	6.50	mg/L	J	0.50	12.50			07/06/2017
DRWW	Suburban Labs		11-2	GW-05	0.5	ft	Mill Creek			Non-IEPA		07/24/2017	1:45:00 P	07/24/2017	4:18:00 PM			07/25/2017	3:37:29 P	Water	APHA	4500-CL-	Chloride	Total	64.80	mg/L		20.00	20.00			08/10/2017
DRWW	Suburban Labs		11-2	GW-05	0.5	ft	Mill Creek			Non-IEPA		07/24/2017	1:45:00 P	07/24/2017	4:18:00 PM					Water	YSI	EPA 120.	Conductivity		502.00	umhos/cm						08/10/2017
DRWW	Suburban Labs		11-2	GW-05	0.5	ft	Mill Creek			Non-IEPA		07/24/2017	1:45:00 P	07/24/2017	4:18:00 PM					Water	YSI	Field	Dissolved Oxygen		5.22	mg/L						08/10/2017
DRWW	Suburban Labs		11-2	GW-05	0.5	ft	Mill Creek			Non-IEPA		07/24/2017	1:45:00 P	07/24/2017	4:18:00 PM			07/24/2017	4:35:49 P	Water	USEPA	E_COLI_I	E. Coli	Total	66.30	MPN/100mL		1.00	1.00			08/10/2017
DRWW	Suburban Labs		11-2	GW-05	0.5	ft	Mill Creek			Non-IEPA		07/24/2017	1:45:00 P	07/24/2017	4:18:00 PM			07/24/2017	5:03:00 P	Water	USEPA	DISSOLV	Filtered and Preserved	Total	complete		V	0.00	0.00			08/10/2017
DRWW	Suburban Labs		11-2	GW-05	0.5	ft	Mill Creek			Non-IEPA		07/24/2017	1:45:00 P	07/24/2017	4:18:00 PM			07/25/2017	6:14:53 P	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30			08/10/2017
DRWW	Suburban Labs		11-2	GW-05	0.5	ft	Mill Creek			Non-IEPA		07/24/2017	1:45:00 P	07/24/2017	4:18:00 PM			08/02/2017	5:48:26 P	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	ND	mg/L		1.10	3.50			08/10/2017
DRWW	Suburban Labs		11-2	GW-05	0.5	ft	Mill Creek			Non-IEPA		07/24/2017	1:45:00 P	07/24/2017	4:18:00 PM			07/25/2017	5:07:31 P	Water	USEPA	365.2	Orthophosphate (As P)	Total	0.10	mg/L		0.03	0.05			08/10/2017
DRWW	Suburban Labs		11-2	GW-05	0.5	ft	Mill Creek			Non-IEPA		07/24/2017	1:45:00 P	07/24/2017	4:18:00 PM					Water	USEPA	365.2	pH, Field		7.76	S.U.						08/10/2017
DRWW	Suburban Labs		11-2	GW-05	0.5	ft	Mill Creek			Non-IEPA		07/24/2017	1:45:00 P	07/24/2017	4:18:00 PM			07/25/2017	9:07:22 A	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.17	mg/L		0.05	0.14			08/10/2017
DRWW	Suburban Labs		11-2	GW-05	0.5	ft	Mill Creek			Non-IEPA		07/24/2017	1:45:00 P	07/24/2017	4:18:00 PM			08/03/2017	11:36:43	Water	Lab	2510B	Specific Conductivity	Total	517.00	umhos/cm		1.00	1.00			08/10/2017
DRWW	Suburban Labs		11-2	GW-05	0.5	ft	Mill Creek			Non-IEPA		07/24/2017	1:45:00 P	07/24/2017	4:18:00 PM					Water	USEPA	SM 2550B	Temperature		24.46	°C						08/10/2017
DRWW	Suburban Labs		11-2	GW-05	0.5	ft	Mill Creek			Non-IEPA		07/24/2017	1:45:00 P	07/24/2017	4:18:00 PM			07/24/2017	8:40:00 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.20			08/10/2017
DRWW	Suburban Labs		11-2	GW-05	0.5	ft	Mill Creek			Non-IEPA		07/24/2017	1:45:00 P	07/24/2017	4:18:00 PM			07/27/2017	11:40:04	Water	USEPA	2540-D	Total Suspended Solids	Total	31.30	mg/L		0.25	6.25			08/10/2017
DRWW	Suburban Labs		11-2	GW-05	0.5	ft	Mill Creek			Non-IEPA		07/24/2017	1:45:00 P	07/24/2017	4:18:00 PM			07/24/2017	5:51:00 P	Water	Lab	2130-B	Turbidity		26.90	NTU		0.10	0.20			08/10/2017
DRWW	Suburban Labs		11-2	GW-05	0.5	ft	Mill Creek			Non-IEPA		07/24/2017	1:45:00 P	07/24/2017	4:18:00 PM			07/27/2017	11:40:04	Water	USEPA	2540-D	Volatile Suspended Solids	Total	4.00	mg/L	J	0.25	6.25			08/10/2017
DRWW	Suburban Labs		11-2	GW-05	0.5	ft	Mill Creek			Non-IEPA		08/21/2017	12:15:00	08/21/2017	4:25:00 PM			08/25/														

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code - IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released		
DRWW	Suburban Labs		11-3	GW-04	0.5	ft	Mill Creek			Non-IEPA		03/27/2017	11:03:00	03/27/2017	1:45:17 PM			03/27/2017	5:07:39 P	Water	APHA	4500-CL-	Chloride	Total	284.00	mg/L		40.00	40.00			04/24/2017		
DRWW	Suburban Labs		11-3	GW-04	0.5	ft	Mill Creek			Non-IEPA		03/27/2017	11:03:00	03/27/2017	1:45:17 PM					Water	YSI	EPA 120.	Conductivity		1498.00	umhos/cm						04/24/2017		
DRWW	Suburban Labs		11-3	GW-04	0.5	ft	Mill Creek			Non-IEPA		03/27/2017	11:03:00	03/27/2017	1:45:17 PM					Water	YSI	Field	Dissolved Oxygen		10.95	mg/L						04/24/2017		
DRWW	Suburban Labs		11-3	GW-04	0.5	ft	Mill Creek			Non-IEPA		03/27/2017	11:03:00	03/27/2017	1:45:17 PM			03/27/2017	2:45:00 P	Water	USEPA	E_COLI_	E. Coli	Total	45.50	MPN/100mL	1.00	1.00				04/24/2017		
DRWW	Suburban Labs		11-3	GW-04	0.5	ft	Mill Creek			Non-IEPA		03/27/2017	11:03:00	03/27/2017	1:45:17 PM					Water	USEPA	365.2	pH, Field		7.66	pH						04/24/2017		
DRWW	Suburban Labs		11-3	GW-04	0.5	ft	Mill Creek			Non-IEPA		03/27/2017	11:03:00	03/27/2017	1:45:17 PM			03/29/2017	2:26:11 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	ND	mg/L		0.05	0.14			04/24/2017		
DRWW	Suburban Labs		11-3	GW-04	0.5	ft	Mill Creek			Non-IEPA		03/27/2017	11:03:00	03/27/2017	1:45:17 PM			03/29/2017	1:44:06 P	Water	Lab	2510B	Specific Conductivity	Total	1450.00	umhos/cm	1.00	1.00				04/24/2017		
DRWW	Suburban Labs		11-3	GW-04	0.5	ft	Mill Creek			Non-IEPA		03/27/2017	11:03:00	03/27/2017	1:45:17 PM					Water	USEPA	SM 2550B	Temperature		8.31	°C						04/24/2017		
DRWW	Suburban Labs		11-3	GW-04	0.5	ft	Mill Creek			Non-IEPA		03/27/2017	11:03:00	03/27/2017	1:45:17 PM			03/27/2017	8:16:34 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.69	mg/L		0.10	0.20			04/24/2017		
DRWW	Suburban Labs		11-3	GW-04	0.5	ft	Mill Creek			Non-IEPA		03/27/2017	11:03:00	03/27/2017	1:45:17 PM			03/27/2017	3:23:00 P	Water	Lab	2130-B	Turbidity		12.40	NTU		0.10	0.20			04/24/2017		
DRWW	Suburban Labs		11-3	GW-04	0.5	ft	Mill Creek			Non-IEPA		05/18/2017	12:58:00	05/18/2017	4:35:00 PM			05/19/2017	3:39:43 P	Water	APHA	4500-CL-	Chloride	Total	151.00	mg/L		20.00	20.00				06/01/2017	
DRWW	Suburban Labs		11-3	GW-04	0.5	ft	Mill Creek			Non-IEPA		05/18/2017	12:58:00	05/18/2017	4:35:00 PM					Water	YSI	EPA 120.	Conductivity		1066.00	umhos/cm							06/01/2017	
DRWW	Suburban Labs		11-3	GW-04	0.5	ft	Mill Creek			Non-IEPA		05/18/2017	12:58:00	05/18/2017	4:35:00 PM					Water	YSI	Field	Dissolved Oxygen		7.52	mg/L							06/01/2017	
DRWW	Suburban Labs		11-3	GW-04	0.5	ft	Mill Creek			Non-IEPA		05/18/2017	12:58:00	05/18/2017	4:35:00 PM			05/18/2017	5:33:00 P	Water	USEPA	E_COLI_	E. Coli	Total	140.00	MPN/100mL	1.00	1.00					06/01/2017	
DRWW	Suburban Labs		11-3	GW-04	0.5	ft	Mill Creek			Non-IEPA		05/18/2017	12:58:00	05/18/2017	4:35:00 PM					Water	USEPA	365.2	pH, Field		8.05	pH							06/01/2017	
DRWW	Suburban Labs		11-3	GW-04	0.5	ft	Mill Creek			Non-IEPA		05/18/2017	12:58:00	05/18/2017	4:35:00 PM	05/23/2017	10:19:14	05/24/2017	3:00:53 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	ND	mg/L		0.05	0.14			06/01/2017		
DRWW	Suburban Labs		11-3	GW-04	0.5	ft	Mill Creek			Non-IEPA		05/18/2017	12:58:00	05/18/2017	4:35:00 PM			05/26/2017	1:52:14 P	Water	Lab	2510B	Specific Conductivity	Total	981.00	umhos/cm	1.00	1.00					06/01/2017	
DRWW	Suburban Labs		11-3	GW-04	0.5	ft	Mill Creek			Non-IEPA		05/18/2017	12:58:00	05/18/2017	4:35:00 PM					Water	USEPA	SM 2550B	Temperature		21.41	°C							06/01/2017	
DRWW	Suburban Labs		11-3	GW-04	0.5	ft	Mill Creek			Non-IEPA		05/18/2017	12:58:00	05/18/2017	4:35:00 PM			05/19/2017	7:31:02 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22			06/01/2017		
DRWW	Suburban Labs		11-3	GW-04	0.5	ft	Mill Creek			Non-IEPA		05/18/2017	12:58:00	05/18/2017	4:35:00 PM			05/18/2017	6:32:00 P	Water	Lab	2130-B	Turbidity		19.10	NTU		0.10	0.20				06/01/2017	
DRWW	Suburban Labs		11-3	GW-04	0.5	ft	Mill Creek			Non-IEPA		06/26/2017	1:17:00 P	06/26/2017	4:45:00 PM			06/29/2017	3:54:15 P	Water	APHA	4500-CL-	Chloride	Total	184.00	mg/L		20.00	20.00					07/06/2017
DRWW	Suburban Labs		11-3	GW-04	0.5	ft	Mill Creek			Non-IEPA		06/26/2017	1:17:00 P	06/26/2017	4:45:00 PM					Water	YSI	EPA 120.	Conductivity		980.00	umhos/cm							07/06/2017	
DRWW	Suburban Labs		11-3	GW-04	0.5	ft	Mill Creek			Non-IEPA		06/26/2017	1:17:00 P	06/26/2017	4:45:00 PM					Water	YSI	Field	Dissolved Oxygen		7.06	mg/L							07/06/2017	
DRWW	Suburban Labs		11-3	GW-04	0.5	ft	Mill Creek			Non-IEPA		06/26/2017	1:17:00 P	06/26/2017	4:45:00 PM			06/26/2017	5:16:07 P	Water	USEPA	E_COLI_	E. Coli	Total	146.00	MPN/100mL	1.00	1.00					07/06/2017	
DRWW	Suburban Labs		11-3	GW-04	0.5	ft	Mill Creek			Non-IEPA		06/26/2017	1:17:00 P	06/26/2017	4:45:00 PM					Water	USEPA	365.2	pH, Field		8.06	pH							07/06/2017	
DRWW	Suburban Labs		11-3	GW-04	0.5	ft	Mill Creek			Non-IEPA		06/26/2017	1:17:00 P	06/26/2017	4:45:00 PM			06/27/2017	3:01:33 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.06	mg/L	J	0.05	0.14				07/06/2017	
DRWW	Suburban Labs		11-3	GW-04	0.5	ft	Mill Creek			Non-IEPA		06/26/2017	1:17:00 P	06/26/2017	4:45:00 PM			06/27/2017	10:52:45	Water	Lab	2510B	Specific Conductivity	Total	979.00	umhos/cm	1.00	1.00					07/06/2017	
DRWW	Suburban Labs		11-3	GW-04	0.5	ft	Mill Creek			Non-IEPA		06/26/2017	1:17:00 P	06/26/2017	4:45:00 PM					Water	USEPA	SM 2550B	Temperature		20.63	°C							07/06/2017	
DRWW	Suburban Labs		11-3	GW-04	0.5	ft	Mill Creek			Non-IEPA		06/26/2017	1:17:00 P	06/26/2017	4:45:00 PM			06/27/2017	8:35:35 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.31	mg/L		0.10	0.22				07/06/2017	
DRWW	Suburban Labs		11-3	GW-04	0.5	ft	Mill Creek			Non-IEPA		06/26/2017	1:17:00 P	06/26/2017	4:45:00 PM			06/26/2017	5:30:00 P	Water	Lab	2130-B	Turbidity		16.90	NTU		0.10	0.20				07/06/2017	
DRWW	Suburban Labs		11-3	GW-04	0.5	ft	Mill Creek			Non-IEPA		07/26/2017	10:00:00	07/26/2017	4:08:00 PM			07/31/2017	6:03:29 P	Water	APHA	4500-CL-	Chloride	Total	76.40	mg/L		20.00	20.00					08/10/2017
DRWW	Suburban Labs		11-3	GW-04	0.5	ft	Mill Creek			Non-IEPA		07/26/2017	10:00:00	07/26/2017	4:08:00 PM					Water	YSI	EPA 120.	Conductivity		579.00	umhos/cm							08/10/2017	
DRWW	Suburban Labs		11-3	GW-04	0.5	ft	Mill Creek			Non-IEPA		07/26/2017	10:00:00	07/26/2017	4:08:00 PM					Water	YSI	Field	Dissolved Oxygen		4.56	mg/L							08/10/2017	
DRWW	Suburban Labs		11-3	GW-04	0.5	ft	Mill Creek			Non-IEPA		07/26/2017	10:00:00	07/26/2017	4:08:00 PM			07/26/2017	5:50:31 P	Water	USEPA	E_COLI_	E. Coli	Total	83.90	MPN/100mL	1.00	1.00					08/10/2017	
DRWW	Suburban Labs		11-3	GW-04	0.5	ft	Mill Creek			Non-IEPA		07/26/2017	10:00:00	07/26/2017	4:08:00 PM					Water	USEPA	365.2	pH, Field		7.16	S.U.							08/10/2017	
DRWW	Suburban Labs		11-3	GW-04	0.5	ft	Mill Creek			Non-IEPA		07/26/2017	10:00:00	07/26/2017	4:08:00 PM			07/27/2017	10:06:23	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.09	mg/L	J	0.05	0.14				08/10/2017	
DRWW	Suburban Labs		11-3	GW-04	0.5	ft	Mill Creek			Non-IEPA		07/26/2017	10:00:00	07/26/2017	4:08:00 PM			08/01/2017	2:20:54 P	Water	Lab	2510B	Specific Conductivity	Total	551.00	umhos/cm	1.00	1.00					08/10/2017	
DRWW	Suburban Labs		11-3	GW-04	0.5	ft	Mill Creek			Non-IEPA		07/26/2017	10:00:00	07/26/2017	4:08:00 PM					Water	USEPA	SM 2550B	Temperature		25.33	°C							08/10/2017	
DRWW	Suburban Labs		11-3	GW-04	0.5	ft	Mill Creek			Non-IEPA		07/26/2017	10:00:00	07/26/2017	4:08:00 PM			07/28/2017	6:59:54 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22				08/10/2017	
DRWW	Suburban Labs		11-3	GW-04	0.5	ft	Mill Creek			Non-IEPA		07/26/2017	10:00:00	07/26/2017	4:08:00 PM			07/26/2017	5:12:48 P	Water	Lab	2130-B	Turbidity		6.21	NTU		0.10	0.20				08/10/2017	
DRWW	Suburban Labs		11-3	GW-04	0.5	ft	Mill Creek			Non-IEPA		08/21/2017	12:36:00	08/21/2017	4:25:00 PM			08/25/2017	1:21:23 P	Water	APHA	4500-CL-	Chloride	Total	100.00	mg/L		20.00	20.00					09/14/2017
DRWW	Suburban Labs		11-3	GW-04	0.5	ft	Mill Creek			Non-IEPA		08/21/2017	12:36:00	08/21/2017	4:25:00 PM					Water	YSI	EPA 120.	Conductivity		666.00	umhos/cm							09/14/2017	
DRWW	Suburban Labs		11-3	GW-04	0.5	ft	Mill Creek			Non-IEPA		08/21/2017	12:36:00	08/21/2017	4:25:00 PM					Water	YSI	Field	Dissolved Oxygen		6.55	mg/L							09/14/2017	
DRWW	Suburban Labs		11-3	GW-04	0.5	ft	Mill Creek			Non-IEPA		08/21/2017	12:36:00	08/21/2017	4:25:00 PM			08/21/2017	4:54:21 P	Water	USEPA	E_COLI_	E. Coli	Total	125.00	MPN/100mL	1.00	1.00					09/14/2017	
DRWW	Suburban Labs		11-3	GW-04	0.5	ft	Mill Creek			Non-IEPA		08/21/2017	12:36:00	08/21/2017	4:25:00 PM					Water	USEPA	365.2	pH, Field		8.07	S.U.							09/14/2017	
DRWW	Suburban Labs		11-3	GW-04	0.5	ft	Mill Creek			Non-IEPA	</																							

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code - IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs		11-4	GW-03	0.5	ft	Mill Creek			Non-IEPA		05/18/2017	1:24:00 P	05/18/2017	4:35:00 PM			05/26/2017	1:49:55 P	Water	Lab	2510B	Specific Conductivity	Total	944.00	umhos/cm		1.00	1.00		06/01/2017	
DRWW	Suburban Labs		11-4	GW-03	0.5	ft	Mill Creek			Non-IEPA		05/18/2017	1:24:00 P	05/18/2017	4:35:00 PM					Water	USEPA	SM 2550B	Temperature		22.17	°C					06/01/2017	
DRWW	Suburban Labs		11-4	GW-03	0.5	ft	Mill Creek			Non-IEPA		05/18/2017	1:24:00 P	05/18/2017	4:35:00 PM			05/19/2017	7:33:20 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22		06/01/2017	
DRWW	Suburban Labs		11-4	GW-03	0.5	ft	Mill Creek			Non-IEPA		05/18/2017	1:24:00 P	05/18/2017	4:35:00 PM			05/18/2017	6:32:00 P	Water	Lab	2130-B	Turbidity		10.20	NTU		0.10	0.20		06/01/2017	
DRWW	Suburban Labs		11-4	GW-03	0.5	ft	Mill Creek			Non-IEPA		06/26/2017	1:42:00 P	06/26/2017	4:45:00 PM			06/29/2017	3:55:01 P	Water	APHA	4500-CL-	Chloride	Total	179.00	mg/L		20.00	20.00		07/06/2017	
DRWW	Suburban Labs		11-4	GW-03	0.5	ft	Mill Creek			Non-IEPA		06/26/2017	1:42:00 P	06/26/2017	4:45:00 PM					Water	YSI	EPA 120.	Conductivity		980.00	umhos/cm					07/06/2017	
DRWW	Suburban Labs		11-4	GW-03	0.5	ft	Mill Creek			Non-IEPA		06/26/2017	1:42:00 P	06/26/2017	4:45:00 PM					Water	YSI	Field	Dissolved Oxygen		8.47	mg/L					07/06/2017	
DRWW	Suburban Labs		11-4	GW-03	0.5	ft	Mill Creek			Non-IEPA		06/26/2017	1:42:00 P	06/26/2017	4:45:00 PM			06/26/2017	5:16:07 P	Water	USEPA	E. COLI	E. Coli	Total	260.00	MPN/100mL		1.00	1.00		07/06/2017	
DRWW	Suburban Labs		11-4	GW-03	0.5	ft	Mill Creek			Non-IEPA		06/26/2017	1:42:00 P	06/26/2017	4:45:00 PM			06/27/2017	3:01:33 P	Water	USEPA	365.2	pH, Field		8.54	pH					07/06/2017	
DRWW	Suburban Labs		11-4	GW-03	0.5	ft	Mill Creek			Non-IEPA		06/26/2017	1:42:00 P	06/26/2017	4:45:00 PM			06/29/2017	1:36:26 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	ND	mg/L		0.05	0.14		07/06/2017	
DRWW	Suburban Labs		11-4	GW-03	0.5	ft	Mill Creek			Non-IEPA		06/26/2017	1:42:00 P	06/26/2017	4:45:00 PM			06/27/2017	10:53:21	Water	Lab	2510B	Specific Conductivity	Total	979.00	umhos/cm		1.00	1.00		07/06/2017	
DRWW	Suburban Labs		11-4	GW-03	0.5	ft	Mill Creek			Non-IEPA		06/26/2017	1:42:00 P	06/26/2017	4:45:00 PM					Water	USEPA	SM 2550B	Temperature		22.82	°C					07/06/2017	
DRWW	Suburban Labs		11-4	GW-03	0.5	ft	Mill Creek			Non-IEPA		06/26/2017	1:42:00 P	06/26/2017	4:45:00 PM			06/27/2017	8:37:57 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.22	mg/L	J	0.10	0.22		07/06/2017	
DRWW	Suburban Labs		11-4	GW-03	0.5	ft	Mill Creek			Non-IEPA		06/26/2017	1:42:00 P	06/26/2017	4:45:00 PM			06/26/2017	5:30:00 P	Water	Lab	2130-B	Turbidity		3.40	NTU		0.10	0.20		07/06/2017	
DRWW	Suburban Labs		11-4	GW-03	0.5	ft	Mill Creek			Non-IEPA		07/26/2017	10:24:00	07/26/2017	4:08:00 PM			07/31/2017	6:04:08 P	Water	APHA	4500-CL-	Chloride	Total	74.20	mg/L		20.00	20.00		08/10/2017	
DRWW	Suburban Labs		11-4	GW-03	0.5	ft	Mill Creek			Non-IEPA		07/26/2017	10:24:00	07/26/2017	4:08:00 PM					Water	YSI	EPA 120.	Conductivity		566.00	umhos/cm					08/10/2017	
DRWW	Suburban Labs		11-4	GW-03	0.5	ft	Mill Creek			Non-IEPA		07/26/2017	10:24:00	07/26/2017	4:08:00 PM					Water	YSI	Field	Dissolved Oxygen		8.85	mg/L					08/10/2017	
DRWW	Suburban Labs		11-4	GW-03	0.5	ft	Mill Creek			Non-IEPA		07/26/2017	10:24:00	07/26/2017	4:08:00 PM			07/26/2017	5:50:31 P	Water	USEPA	E. COLI	E. Coli	Total	16.10	MPN/100mL		1.00	1.00		08/10/2017	
DRWW	Suburban Labs		11-4	GW-03	0.5	ft	Mill Creek			Non-IEPA		07/26/2017	10:24:00	07/26/2017	4:08:00 PM					Water	USEPA	365.2	pH, Field		7.07	S.U.					08/10/2017	
DRWW	Suburban Labs		11-4	GW-03	0.5	ft	Mill Creek			Non-IEPA		07/26/2017	10:24:00	07/26/2017	4:08:00 PM			07/27/2017	10:06:23	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.07	mg/L	J	0.05	0.14		08/10/2017	
DRWW	Suburban Labs		11-4	GW-03	0.5	ft	Mill Creek			Non-IEPA		07/26/2017	10:24:00	07/26/2017	4:08:00 PM			08/01/2017	2:22:41 P	Water	Lab	2510B	Specific Conductivity	Total	545.00	umhos/cm		1.00	1.00		08/10/2017	
DRWW	Suburban Labs		11-4	GW-03	0.5	ft	Mill Creek			Non-IEPA		07/26/2017	10:24:00	07/26/2017	4:08:00 PM					Water	USEPA	SM 2550B	Temperature		24.24	°C					08/10/2017	
DRWW	Suburban Labs		11-4	GW-03	0.5	ft	Mill Creek			Non-IEPA		07/26/2017	10:24:00	07/26/2017	4:08:00 PM			07/28/2017	7:06:47 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22		08/10/2017	
DRWW	Suburban Labs		11-4	GW-03	0.5	ft	Mill Creek			Non-IEPA		07/26/2017	10:24:00	07/26/2017	4:08:00 PM			07/26/2017	5:12:48 P	Water	Lab	2130-B	Turbidity		1.70	NTU		0.10	0.20		08/10/2017	
DRWW	Suburban Labs		11-4	GW-03	0.5	ft	Mill Creek			Non-IEPA		08/21/2017	12:57:00	08/21/2017	4:25:00 PM			08/25/2017	1:28:12 P	Water	APHA	4500-CL-	Chloride	Total	105.00	mg/L		20.00	20.00		09/14/2017	
DRWW	Suburban Labs		11-4	GW-03	0.5	ft	Mill Creek			Non-IEPA		08/21/2017	12:57:00	08/21/2017	4:25:00 PM					Water	YSI	EPA 120.	Conductivity		658.00	umhos/cm					09/14/2017	
DRWW	Suburban Labs		11-4	GW-03	0.5	ft	Mill Creek			Non-IEPA		08/21/2017	12:57:00	08/21/2017	4:25:00 PM					Water	YSI	Field	Dissolved Oxygen		6.18	mg/L					09/14/2017	
DRWW	Suburban Labs		11-4	GW-03	0.5	ft	Mill Creek			Non-IEPA		08/21/2017	12:57:00	08/21/2017	4:25:00 PM			08/21/2017	4:54:21 P	Water	USEPA	E. COLI	E. Coli	Total	488.00	MPN/100mL		1.00	1.00		09/14/2017	
DRWW	Suburban Labs		11-4	GW-03	0.5	ft	Mill Creek			Non-IEPA		08/21/2017	12:57:00	08/21/2017	4:25:00 PM					Water	USEPA	365.2	pH, Field		7.99	S.U.					09/14/2017	
DRWW	Suburban Labs		11-4	GW-03	0.5	ft	Mill Creek			Non-IEPA		08/21/2017	12:57:00	08/21/2017	4:25:00 PM			08/23/2017	7:21:07 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.05	mg/L	J	0.05	0.14		09/14/2017	
DRWW	Suburban Labs		11-4	GW-03	0.5	ft	Mill Creek			Non-IEPA		08/21/2017	12:57:00	08/21/2017	4:25:00 PM			08/25/2017	2:48:59 P	Water	Lab	2510B	Specific Conductivity	Total	660.00	umhos/cm		1.00	1.00		09/14/2017	
DRWW	Suburban Labs		11-4	GW-03	0.5	ft	Mill Creek			Non-IEPA		08/21/2017	12:57:00	08/21/2017	4:25:00 PM					Water	USEPA	SM 2550B	Temperature		25.71	°C					09/14/2017	
DRWW	Suburban Labs		11-4	GW-03	0.5	ft	Mill Creek			Non-IEPA		08/21/2017	12:57:00	08/21/2017	4:25:00 PM			08/24/2017	2:17:26 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22		09/14/2017	
DRWW	Suburban Labs		11-4	GW-03	0.5	ft	Mill Creek			Non-IEPA		08/21/2017	12:57:00	08/21/2017	4:25:00 PM			08/21/2017	4:51:52 P	Water	Lab	2130-B	Turbidity		5.56	NTU		0.10	0.20		09/14/2017	
DRWW	Suburban Labs		11-4	GW-03	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	1:26:00 P	09/25/2017	4:08:00 PM			09/26/2017	2:14:53 P	Water	APHA	4500-CL-	Chloride	Total	139.00	mg/L		20.00	20.00		11/03/2017	
DRWW	Suburban Labs		11-4	GW-03	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	1:26:00 P	09/25/2017	4:08:00 PM					Water	YSI	EPA 120.	Conductivity		764.00	umhos/cm					11/03/2017	
DRWW	Suburban Labs		11-4	GW-03	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	1:26:00 P	09/25/2017	4:08:00 PM					Water	YSI	Field	Dissolved Oxygen		6.08	mg/L					11/03/2017	
DRWW	Suburban Labs		11-4	GW-03	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	1:26:00 P	09/25/2017	4:08:00 PM			09/25/2017	4:50:52 P	Water	USEPA	E. COLI	E. Coli	Total	>2419.6	MPN/100mL		1.00	1.00		11/03/2017	
DRWW	Suburban Labs		11-4	GW-03	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	1:26:00 P	09/25/2017	4:08:00 PM					Water	USEPA	365.2	pH, Field		7.84	S.U.					11/03/2017	
DRWW	Suburban Labs		11-4	GW-03	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	1:26:00 P	09/25/2017	4:08:00 PM			09/26/2017	2:52:23 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.07	mg/L	J	0.05	0.14		11/03/2017	
DRWW	Suburban Labs		11-4	GW-03	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	1:26:00 P	09/25/2017	4:08:00 PM			09/26/2017	7:09:06 P	Water	Lab	2510B	Specific Conductivity	Total	715.00	umhos/cm		1.00	1.00		11/03/2017	
DRWW	Suburban Labs		11-4	GW-03	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	1:26:00 P	09/25/2017	4:08:00 PM					Water	USEPA	SM 2550B	Temperature		26.37	°C					11/03/2017	
DRWW	Suburban Labs		11-4	GW-03	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	1:26:00 P	09/25/2017	4:08:00 PM			09/26/2017	9:09:27 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22		11/03/2017	
DRWW	Suburban Labs		11-4	GW-03	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	1:26:00 P	09/25/2017	4:08:00 PM			09/25/2017	4:55:23 P	Water	Lab	2130-B	Turbidity		5.13	NTU		0.10	0.20		11/03/2017	
DRWW	Suburban Labs		11-5	GW-07	0.5	ft	Mill Creek			Non-IEPA		03/27/2017	11:35:00	03/27/2017	1:45:53 PM			03/27/2017	5:08:55 P	Water	APHA	4500-CL-	Chloride	Total	253.00	mg/L		40.00	40.00		04/24/2017	
DRWW	Suburban Labs		11-5	GW-07	0.5	ft	Mill Creek			Non-IEPA		03/27/2017	11:35:00	03/27/2017	1:45:53 PM					Water	YSI	EPA 120.	Conductivity		1458.00	umhos/cm					04/24/2017	
DRWW	Suburban Labs		11-5	GW-07	0.5	ft	Mill Creek			Non-IEPA		03/27/2017	11																			

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code - IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released			
DRWW	Suburban Labs		11-5	GW-07	0.5	ft	Mill Creek			Non-IEPA		07/26/2017	10:35:00	07/26/2017	4:08:00 PM					Water	YSI	Field	Dissolved Oxygen		3.95	mg/L						08/10/2017			
DRWW	Suburban Labs		11-5	GW-07	0.5	ft	Mill Creek			Non-IEPA		07/26/2017	10:35:00	07/26/2017	4:08:00 PM			07/26/2017	5:50:31 P	Water	USEPA	E_COLI	E. Coli	Total	1990.00	MPN/100mL		1.00	1.00			08/10/2017			
DRWW	Suburban Labs		11-5	GW-07	0.5	ft	Mill Creek			Non-IEPA		07/26/2017	10:35:00	07/26/2017	4:08:00 PM					Water	USEPA	365.2	pH, Field		7.20	S.U.						08/10/2017			
DRWW	Suburban Labs		11-5	GW-07	0.5	ft	Mill Creek			Non-IEPA		07/26/2017	10:35:00	07/26/2017	4:08:00 PM	07/27/2017	10:06:23	07/28/2017	12:38:08	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.11	mg/L	J	0.05	0.14			08/10/2017			
DRWW	Suburban Labs		11-5	GW-07	0.5	ft	Mill Creek			Non-IEPA		07/26/2017	10:35:00	07/26/2017	4:08:00 PM			08/01/2017	2:27:05 P	Water	Lab	2510B	Specific Conductivity	Total	572.00	umhos/cm		1.00	1.00			08/10/2017			
DRWW	Suburban Labs		11-5	GW-07	0.5	ft	Mill Creek			Non-IEPA		07/26/2017	10:35:00	07/26/2017	4:08:00 PM					Water	USEPA	SM 2550B	Temperature		23.14	°C						08/10/2017			
DRWW	Suburban Labs		11-5	GW-07	0.5	ft	Mill Creek			Non-IEPA		07/26/2017	10:35:00	07/26/2017	4:08:00 PM			07/28/2017	7:09:07 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22			08/10/2017			
DRWW	Suburban Labs		11-5	GW-07	0.5	ft	Mill Creek			Non-IEPA		07/26/2017	10:35:00	07/26/2017	4:08:00 PM			07/26/2017	5:12:48 P	Water	Lab	2130-B	Turbidity		21.10	NTU		0.10	0.20			08/10/2017			
DRWW	Suburban Labs		11-5	GW-07	0.5	ft	Mill Creek			Non-IEPA		08/22/2017	9:40:00 A	08/22/2017	4:20:00 PM			08/25/2017	1:27:27 P	Water	APHA	4500-CL-	Chloride	Total	96.20	mg/L		20.00	20.00			09/14/2017			
DRWW	Suburban Labs		11-5	GW-07	0.5	ft	Mill Creek			Non-IEPA		08/22/2017	9:40:00 A	08/22/2017	4:20:00 PM					Water	YSI	EPA 120.	Conductivity		772.00	umhos/cm						09/14/2017			
DRWW	Suburban Labs		11-5	GW-07	0.5	ft	Mill Creek			Non-IEPA		08/22/2017	9:40:00 A	08/22/2017	4:20:00 PM					Water	YSI	Field	Dissolved Oxygen		5.30	mg/L						09/14/2017			
DRWW	Suburban Labs		11-5	GW-07	0.5	ft	Mill Creek			Non-IEPA		08/22/2017	9:40:00 A	08/22/2017	4:20:00 PM			08/22/2017	5:20:15 P	Water	USEPA	E_COLI	E. Coli	Total	126.00	MPN/100mL		1.00	1.00			09/14/2017			
DRWW	Suburban Labs		11-5	GW-07	0.5	ft	Mill Creek			Non-IEPA		08/22/2017	9:40:00 A	08/22/2017	4:20:00 PM					Water	USEPA	365.2	pH, Field		7.52	S.U.						09/14/2017			
DRWW	Suburban Labs		11-5	GW-07	0.5	ft	Mill Creek			Non-IEPA		08/22/2017	9:40:00 A	08/22/2017	4:20:00 PM			08/25/2017	1:53:00 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.08	mg/L	J	0.05	0.14			09/14/2017			
DRWW	Suburban Labs		11-5	GW-07	0.5	ft	Mill Creek			Non-IEPA		08/22/2017	9:40:00 A	08/22/2017	4:20:00 PM			08/25/2017	2:58:26 P	Water	Lab	2510B	Specific Conductivity	Total	781.00	umhos/cm		1.00	1.00			09/14/2017			
DRWW	Suburban Labs		11-5	GW-07	0.5	ft	Mill Creek			Non-IEPA		08/22/2017	9:40:00 A	08/22/2017	4:20:00 PM					Water	USEPA	SM 2550B	Temperature		22.96	°C						09/14/2017			
DRWW	Suburban Labs		11-5	GW-07	0.5	ft	Mill Creek			Non-IEPA		08/22/2017	9:40:00 A	08/22/2017	4:20:00 PM			08/24/2017	2:26:40 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.19	mg/L	J	0.10	0.22			09/14/2017			
DRWW	Suburban Labs		11-5	GW-07	0.5	ft	Mill Creek			Non-IEPA		08/22/2017	9:40:00 A	08/22/2017	4:20:00 PM			08/22/2017	5:04:24 P	Water	Lab	2130-B	Turbidity		21.70	NTU		0.10	0.20			09/14/2017			
DRWW	Suburban Labs		11-5	GW-07	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	1:48:00 P	09/25/2017	4:08:00 PM			09/26/2017	2:15:31 P	Water	APHA	4500-CL-	Chloride	Total	164.00	mg/L		20.00	20.00					11/03/2017	
DRWW	Suburban Labs		11-5	GW-07	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	1:48:00 P	09/25/2017	4:08:00 PM					Water	YSI	EPA 120.	Conductivity		1152.00	umhos/cm						11/03/2017			
DRWW	Suburban Labs		11-5	GW-07	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	1:48:00 P	09/25/2017	4:08:00 PM					Water	YSI	Field	Dissolved Oxygen		6.69	mg/L							11/03/2017		
DRWW	Suburban Labs		11-5	GW-07	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	1:48:00 P	09/25/2017	4:08:00 PM			09/25/2017	4:50:52 P	Water	USEPA	E_COLI	E. Coli	Total	12.20	MPN/100mL		1.00	1.00					11/03/2017	
DRWW	Suburban Labs		11-5	GW-07	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	1:48:00 P	09/25/2017	4:08:00 PM			09/26/2017	2:52:23 P	Water	USEPA	365.2	pH, Field		8.15	S.U.							11/03/2017		
DRWW	Suburban Labs		11-5	GW-07	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	1:48:00 P	09/25/2017	4:08:00 PM	09/26/2017	2:52:23 P	09/27/2017	3:28:45 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.11	mg/L	J	0.05	0.14					11/03/2017	
DRWW	Suburban Labs		11-5	GW-07	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	1:48:00 P	09/25/2017	4:08:00 PM			09/26/2017	7:09:49 P	Water	Lab	2510B	Specific Conductivity	Total	1070.00	umhos/cm		1.00	1.00					11/03/2017	
DRWW	Suburban Labs		11-5	GW-07	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	1:48:00 P	09/25/2017	4:08:00 PM					Water	USEPA	SM 2550B	Temperature		27.99	°C							11/03/2017		
DRWW	Suburban Labs		11-5	GW-07	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	1:48:00 P	09/25/2017	4:08:00 PM			09/26/2017	9:16:02 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22					11/03/2017	
DRWW	Suburban Labs		11-5	GW-07	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	1:48:00 P	09/25/2017	4:08:00 PM			09/25/2017	4:55:23 P	Water	Lab	2130-B	Turbidity		8.48	NTU		0.10	0.20					11/03/2017	
DRWW	Suburban Labs		11-6	GW-08	0.5	ft	Mill Creek			Non-IEPA		03/27/2017	12:00:00	03/27/2017	1:45:12 PM			03/27/2017	4:51:49 P	Water	APHA	4500-CL-	Chloride	Total	160.00	mg/L		20.00	20.00					04/24/2017	
DRWW	Suburban Labs		11-6	GW-08	0.5	ft	Mill Creek			Non-IEPA		03/27/2017	12:00:00	03/27/2017	1:45:12 PM					Water	YSI	EPA 120.	Conductivity		1158.00	umhos/cm							04/24/2017		
DRWW	Suburban Labs		11-6	GW-08	0.5	ft	Mill Creek			Non-IEPA		03/27/2017	12:00:00	03/27/2017	1:45:12 PM					Water	YSI	Field	Dissolved Oxygen		9.66	mg/L							04/24/2017		
DRWW	Suburban Labs		11-6	GW-08	0.5	ft	Mill Creek			Non-IEPA		03/27/2017	12:00:00	03/27/2017	1:45:12 PM			03/27/2017	2:45:00 P	Water	USEPA	E_COLI	E. Coli	Total	27.90	MPN/100mL		1.00	1.00					04/24/2017	
DRWW	Suburban Labs		11-6	GW-08	0.5	ft	Mill Creek			Non-IEPA		03/27/2017	12:00:00	03/27/2017	1:45:12 PM					Water	USEPA	365.2	pH, Field		7.57	pH							04/24/2017		
DRWW	Suburban Labs		11-6	GW-08	0.5	ft	Mill Creek			Non-IEPA		03/27/2017	12:00:00	03/27/2017	1:45:12 PM			03/29/2017	2:35:42 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.08	mg/L	J	0.05	0.14					04/24/2017	
DRWW	Suburban Labs		11-6	GW-08	0.5	ft	Mill Creek			Non-IEPA		03/27/2017	12:00:00	03/27/2017	1:45:12 PM			03/29/2017	1:46:19 P	Water	Lab	2510B	Specific Conductivity	Total	1120.00	umhos/cm		1.00	1.00						04/24/2017
DRWW	Suburban Labs		11-6	GW-08	0.5	ft	Mill Creek			Non-IEPA		03/27/2017	12:00:00	03/27/2017	1:45:12 PM					Water	USEPA	SM 2550B	Temperature		7.69	°C							04/24/2017		
DRWW	Suburban Labs		11-6	GW-08	0.5	ft	Mill Creek			Non-IEPA		03/27/2017	12:00:00	03/27/2017	1:45:12 PM			03/27/2017	8:23:09 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	4.57	mg/L		0.10	0.20					04/24/2017	
DRWW	Suburban Labs		11-6	GW-08	0.5	ft	Mill Creek			Non-IEPA		03/27/2017	12:00:00	03/27/2017	1:45:12 PM			03/27/2017	3:23:00 P	Water	Lab	2130-B	Turbidity		33.30	NTU		0.10	0.20					04/24/2017	
DRWW	Suburban Labs		11-6	GW-08	0.5	ft	Mill Creek			Non-IEPA		05/19/2017	9:25:00 A	05/19/2017	3:40:00 PM			05/19/2017	4:14:03 P	Water	APHA	4500-CL-	Chloride	Total	108.00	mg/L		20.00	20.00						06/05/2017
DRWW	Suburban Labs		11-6	GW-08	0.5	ft	Mill Creek			Non-IEPA		05/19/2017	9:25:00 A	05/19/2017	3:40:00 PM																				



Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code - IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs		11-6	GW-08	0.5	ft	Mill Creek			Non-IEPA		08/22/2017	10:04:00	08/22/2017	4:20:00 PM			08/24/2017	2:28:58 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.43	mg/L		0.10	0.22		09/14/2017	
DRWW	Suburban Labs		11-6	GW-08	0.5	ft	Mill Creek			Non-IEPA		08/22/2017	10:04:00	08/22/2017	4:20:00 PM			08/22/2017	5:04:24 P	Water	Lab	2130-B	Turbidity	Total	9.53	NTU		0.10	0.20		09/14/2017	
DRWW	Suburban Labs		11-6	GW-08	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	2:14:00 P	09/25/2017	4:08:00 PM			09/26/2017	2:16:09 P	Water	APHA	4500-CL-	Chloride	Total	168.00	mg/L		20.00	20.00		11/03/2017	
DRWW	Suburban Labs		11-6	GW-08	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	2:14:00 P	09/25/2017	4:08:00 PM					Water	YSI	EPA 120.	Conductivity	Total	1238.00	umhos/cm					11/03/2017	
DRWW	Suburban Labs		11-6	GW-08	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	2:14:00 P	09/25/2017	4:08:00 PM			09/25/2017	4:50:52 P	Water	USEPA	E_COLI_	Dissolved Oxygen	Total	5.10	mg/L					11/03/2017	
DRWW	Suburban Labs		11-6	GW-08	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	2:14:00 P	09/25/2017	4:08:00 PM			09/25/2017	4:50:52 P	Water	USEPA	E_COLI_	E. Coli	Total	201.00	MPN/100mL		1.00	1.00		11/03/2017	
DRWW	Suburban Labs		11-6	GW-08	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	2:14:00 P	09/25/2017	4:08:00 PM			09/26/2017	2:52:23 P	Water	USEPA	365.2	pH, Field	Total	7.76	S.U.					11/03/2017	
DRWW	Suburban Labs		11-6	GW-08	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	2:14:00 P	09/25/2017	4:08:00 PM			09/27/2017	3:31:14 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.08	mg/L	J	0.05	0.14		11/03/2017	
DRWW	Suburban Labs		11-6	GW-08	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	2:14:00 P	09/25/2017	4:08:00 PM			09/26/2017	7:10:27 P	Water	Lab	2510B	Specific Conductivity	Total	1150.00	umhos/cm		1.00	1.00		11/03/2017	
DRWW	Suburban Labs		11-6	GW-08	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	2:14:00 P	09/25/2017	4:08:00 PM					Water	USEPA	SM 2550B	Temperature	Total	21.36	°C					11/03/2017	
DRWW	Suburban Labs		11-6	GW-08	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	2:14:00 P	09/25/2017	4:08:00 PM			09/26/2017	9:18:13 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.35	mg/L		0.10	0.22		11/03/2017	
DRWW	Suburban Labs		11-6	GW-08	0.5	ft	Mill Creek			Non-IEPA		09/25/2017	2:14:00 P	09/25/2017	4:08:00 PM			09/25/2017	4:55:23 P	Water	Lab	2130-B	Turbidity	Total	8.58	NTU		0.10	0.20		11/03/2017	
DRWW	Suburban Labs		12-1	GZB-99	0.5	ft	Newport Drainage Ditch			Non-IEPA		03/29/2017	9:48:00 A	03/29/2017	3:34:00 PM			03/30/2017	5:43:43 P	Water	APHA	4500-CL-	Chloride	Total	128.00	mg/L		20.00	20.00		04/24/2017	
DRWW	Suburban Labs		12-1	GZB-99	0.5	ft	Newport Drainage Ditch			Non-IEPA		03/29/2017	9:48:00 A	03/29/2017	3:34:00 PM					Water	YSI	EPA 120.	Conductivity	Total	937.00	umhos/cm					04/24/2017	
DRWW	Suburban Labs		12-1	GZB-99	0.5	ft	Newport Drainage Ditch			Non-IEPA		03/29/2017	9:48:00 A	03/29/2017	3:34:00 PM					Water	YSI	Field	Dissolved Oxygen	Total	10.98	mg/L					04/24/2017	
DRWW	Suburban Labs		12-1	GZB-99	0.5	ft	Newport Drainage Ditch			Non-IEPA		03/29/2017	9:48:00 A	03/29/2017	3:34:00 PM			03/29/2017	4:14:00 P	Water	USEPA	E_COLI_	E. Coli	Total	13.40	MPN/100mL		1.00	1.00		04/24/2017	
DRWW	Suburban Labs		12-1	GZB-99	0.5	ft	Newport Drainage Ditch			Non-IEPA		03/29/2017	9:48:00 A	03/29/2017	3:34:00 PM					Water	USEPA	365.2	pH, Field	Total	8.62	pH					04/24/2017	
DRWW	Suburban Labs		12-1	GZB-99	0.5	ft	Newport Drainage Ditch			Non-IEPA		03/29/2017	9:48:00 A	03/29/2017	3:34:00 PM			04/04/2017	4:15:47 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.07	mg/L	J	0.05	0.14		04/24/2017	
DRWW	Suburban Labs		12-1	GZB-99	0.5	ft	Newport Drainage Ditch			Non-IEPA		03/29/2017	9:48:00 A	03/29/2017	3:34:00 PM			04/06/2017	11:58:43 J	Water	Lab	2510B	Specific Conductivity	Total	927.00	umhos/cm		1.00	1.00		04/24/2017	
DRWW	Suburban Labs		12-1	GZB-99	0.5	ft	Newport Drainage Ditch			Non-IEPA		03/29/2017	9:48:00 A	03/29/2017	3:34:00 PM					Water	USEPA	SM 2550B	Temperature	Total	6.48	°C					04/24/2017	
DRWW	Suburban Labs		12-1	GZB-99	0.5	ft	Newport Drainage Ditch			Non-IEPA		03/29/2017	9:48:00 A	03/29/2017	3:34:00 PM			03/30/2017	8:58:24 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.56	mg/L		0.10	0.20		04/24/2017	
DRWW	Suburban Labs		12-1	GZB-99	0.5	ft	Newport Drainage Ditch			Non-IEPA		03/29/2017	9:48:00 A	03/29/2017	3:34:00 PM			03/29/2017	6:40:00 P	Water	Lab	2130-B	Turbidity	Total	19.70	NTU		0.10	0.20		04/24/2017	
DRWW	Suburban Labs		12-1	GZB-99	0.5	ft	Newport Drainage Ditch			Non-IEPA		05/19/2017	10:23:00	05/19/2017	3:40:00 PM			05/19/2017	4:14:41 P	Water	APHA	4500-CL-	Chloride	Total	98.80	mg/L		20.00	20.00		06/05/2017	
DRWW	Suburban Labs		12-1	GZB-99	0.5	ft	Newport Drainage Ditch			Non-IEPA		05/19/2017	10:23:00	05/19/2017	3:40:00 PM					Water	YSI	EPA 120.	Conductivity	Total	917.00	umhos/cm					06/05/2017	
DRWW	Suburban Labs		12-1	GZB-99	0.5	ft	Newport Drainage Ditch			Non-IEPA		05/19/2017	10:23:00	05/19/2017	3:40:00 PM					Water	YSI	Field	Dissolved Oxygen	Total	8.55	mg/L					06/05/2017	
DRWW	Suburban Labs		12-1	GZB-99	0.5	ft	Newport Drainage Ditch			Non-IEPA		05/19/2017	10:23:00	05/19/2017	3:40:00 PM			05/19/2017	4:16:00 P	Water	USEPA	E_COLI_	E. Coli	Total	83.90	MPN/100mL		1.00	1.00		06/05/2017	
DRWW	Suburban Labs		12-1	GZB-99	0.5	ft	Newport Drainage Ditch			Non-IEPA		05/19/2017	10:23:00	05/19/2017	3:40:00 PM					Water	USEPA	365.2	pH, Field	Total	7.77	pH					06/05/2017	
DRWW	Suburban Labs		12-1	GZB-99	0.5	ft	Newport Drainage Ditch			Non-IEPA		05/19/2017	10:23:00	05/19/2017	3:40:00 PM			05/30/2017	1:24:43 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.06	mg/L	J	0.05	0.14		06/05/2017	
DRWW	Suburban Labs		12-1	GZB-99	0.5	ft	Newport Drainage Ditch			Non-IEPA		05/19/2017	10:23:00	05/19/2017	3:40:00 PM			05/26/2017	2:27:19 P	Water	Lab	2510B	Specific Conductivity	Total	907.00	umhos/cm		1.00	1.00		06/05/2017	
DRWW	Suburban Labs		12-1	GZB-99	0.5	ft	Newport Drainage Ditch			Non-IEPA		05/19/2017	10:23:00	05/19/2017	3:40:00 PM					Water	USEPA	SM 2550B	Temperature	Total	12.66	°C					06/05/2017	
DRWW	Suburban Labs		12-1	GZB-99	0.5	ft	Newport Drainage Ditch			Non-IEPA		05/19/2017	10:23:00	05/19/2017	3:40:00 PM			05/23/2017	5:51:25 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.12	mg/L	J	0.10	0.22		06/05/2017	
DRWW	Suburban Labs		12-1	GZB-99	0.5	ft	Newport Drainage Ditch			Non-IEPA		05/19/2017	10:23:00	05/19/2017	3:40:00 PM			05/19/2017	4:55:00 P	Water	Lab	2130-B	Turbidity	Total	4.28	NTU		0.10	0.20		06/05/2017	
DRWW	Suburban Labs		12-1	GZB-99	0.5	ft	Newport Drainage Ditch			Non-IEPA		06/27/2017	9:50:00 A	06/27/2017	4:35:00 PM			06/29/2017	3:57:19 P	Water	APHA	4500-CL-	Chloride	Total	115.00	mg/L		20.00	20.00		07/10/2017	
DRWW	Suburban Labs		12-1	GZB-99	0.5	ft	Newport Drainage Ditch			Non-IEPA		06/27/2017	9:50:00 A	06/27/2017	4:35:00 PM					Water	YSI	EPA 120.	Conductivity	Total	970.00	umhos/cm					07/10/2017	
DRWW	Suburban Labs		12-1	GZB-99	0.5	ft	Newport Drainage Ditch			Non-IEPA		06/27/2017	9:50:00 A	06/27/2017	4:35:00 PM					Water	YSI	Field	Dissolved Oxygen	Total	7.85	mg/L					07/10/2017	
DRWW	Suburban Labs		12-1	GZB-99	0.5	ft	Newport Drainage Ditch			Non-IEPA		06/27/2017	9:50:00 A	06/27/2017	4:35:00 PM			06/27/2017	5:05:20 P	Water	USEPA	E_COLI_	E. Coli	Total	79.40	MPN/100mL		1.00	1.00		07/10/2017	
DRWW	Suburban Labs		12-1	GZB-99	0.5	ft	Newport Drainage Ditch			Non-IEPA		06/27/2017	9:50:00 A	06/27/2017	4:35:00 PM					Water	USEPA	365.2	pH, Field	Total	7.86	pH					07/10/2017	
DRWW	Suburban Labs		12-1	GZB-99	0.5	ft	Newport Drainage Ditch			Non-IEPA		06/27/2017	9:50:00 A	06/27/2017	4:35:00 PM			06/28/2017	2:56:29 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	ND	mg/L		0.05	0.14		07/10/2017	
DRWW	Suburban Labs		12-1	GZB-99	0.5	ft	Newport Drainage Ditch			Non-IEPA		06/27/2017	9:50:00 A	06/27/2017	4:35:00 PM			07/07/2017	3:53:55 P	Water	Lab	2510B	Specific Conductivity	Total	938.00	umhos/cm		1.00	1.00		07/10/2017	
DRWW	Suburban Labs		12-1	GZB-99	0.5	ft	Newport Drainage Ditch			Non-IEPA		06/27/2017	9:50:00 A	06/27/2017	4:35:00 PM					Water	USEPA	SM 2550B	Temperature	Total	16.71	°C					07/10/2017	
DRWW	Suburban Labs		12-1	GZB-99	0.5	ft	Newport Drainage Ditch			Non-IEPA		06/27/2017	9:50:00 A	06/27/2017	4:35:00 PM			06/28/2017	2:34:41 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.17	mg/L	J	0.10	0.22		07/10/2017	
DRWW	Suburban Labs		12-1	GZB-99	0.5	ft	Newport Drainage Ditch			Non-IEPA		06/27/2017	9:50:00 A	06/27/2017	4:35:00 PM			06/27/2017	5:19:00 P	Water	Lab	2130-B	Turbidity	Total	4.50	NTU		0.10	0.20		07/10/2017	
DRWW	Suburban Labs		12-1	GZB-99	0.5	ft	Newport Drainage Ditch			Non-IEPA		07/26/2017	12:12:00	07/26/2017	4:08:00 PM			07/31/2017	6:07:30 P	Water	APHA	4500-CL-	Chloride	Total	75.90	mg/L		20.00	20.00		08/10/2017	
DRWW	Suburban Labs		12-1	GZB-99	0.5	ft	Newport Drainage Ditch			Non-IEPA		07/26/2017	12:12:00	07/26/2017	4:08:00 PM					Water	YSI	EPA 120.	Conductivity	Total	744.00	umhos/cm					08/10/2017	
DRWW	Suburban Labs		12-1	GZB-99	0.5	ft	Newport Drainage Ditch			Non-IEPA		07/26/2017	12:12:00	07/26/2017	4:08:00 PM					Water	YSI	Field	Dissolved Oxygen	Total	7.00	mg/L					08/10/2017	
DRWW	Suburban Labs		12-1	GZB-99	0.5	ft	Newport Drainage Ditch			Non-IEPA		07/26/2017	12:12:00	07/26/2017	4:08:00 PM			07/26/2017	5:50:31 P	Water	USEPA											

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code - IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released					
DRWW	Suburban Labs		12-2	GZB-01	0.5	ft	Newport Drainage Ditch			Non-IEPA		03/29/2017	10:31:00	03/29/2017	3:34:00 PM					Water	USEPA	365.2	pH, Field		8.02	pH						04/24/2017					
DRWW	Suburban Labs		12-2	GZB-01	0.5	ft	Newport Drainage Ditch			Non-IEPA		03/29/2017	10:31:00	03/29/2017	3:34:00 PM		04/04/2017	4:28:14 P		Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.10	mg/L	J	0.05	0.14			04/24/2017					
DRWW	Suburban Labs		12-2	GZB-01	0.5	ft	Newport Drainage Ditch			Non-IEPA		03/29/2017	10:31:00	03/29/2017	3:34:00 PM		04/06/2017	12:00:19		Water	Lab	2510B	Specific Conductivity	Total	888.00	umhos/cm		1.00	1.00			04/24/2017					
DRWW	Suburban Labs		12-2	GZB-01	0.5	ft	Newport Drainage Ditch			Non-IEPA		03/29/2017	10:31:00	03/29/2017	3:34:00 PM			03/30/2017	9:09:30 P		Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.25	mg/L		0.10	0.20			04/24/2017				
DRWW	Suburban Labs		12-2	GZB-01	0.5	ft	Newport Drainage Ditch			Non-IEPA		03/29/2017	10:31:00	03/29/2017	3:34:00 PM			03/29/2017	6:40:00 P		Water	Lab	2130-B	Turbidity		16.70	NTU		0.10	0.20			04/24/2017				
DRWW	Suburban Labs		12-2	GZB-01	0.5	ft	Newport Drainage Ditch			Non-IEPA		05/19/2017	10:48:00	05/19/2017	3:40:00 PM			05/19/2017	4:15:19 P		Water	APHA	4500-CL-	Chloride	Total	114.00	mg/L		20.00	20.00			06/05/2017				
DRWW	Suburban Labs		12-2	GZB-01	0.5	ft	Newport Drainage Ditch			Non-IEPA		05/19/2017	10:48:00	05/19/2017	3:40:00 PM					Water	YSI	EPA 120.	Conductivity		866.00	umhos/cm							06/05/2017				
DRWW	Suburban Labs		12-2	GZB-01	0.5	ft	Newport Drainage Ditch			Non-IEPA		05/19/2017	10:48:00	05/19/2017	3:40:00 PM			05/19/2017	4:16:00 P		Water	YSI	Field	Dissolved Oxygen		5.15	mg/L						06/05/2017				
DRWW	Suburban Labs		12-2	GZB-01	0.5	ft	Newport Drainage Ditch			Non-IEPA		05/19/2017	10:48:00	05/19/2017	3:40:00 PM			05/19/2017	4:16:00 P		Water	USEPA	E. COLI	E. Coli	Total	>2419.6	MPN/100mL		1.00	1.00			06/05/2017				
DRWW	Suburban Labs		12-2	GZB-01	0.5	ft	Newport Drainage Ditch			Non-IEPA		05/19/2017	10:48:00	05/19/2017	3:40:00 PM					Water	USEPA	365.2	pH, Field		7.66	pH							06/05/2017				
DRWW	Suburban Labs		12-2	GZB-01	0.5	ft	Newport Drainage Ditch			Non-IEPA		05/19/2017	10:48:00	05/19/2017	3:40:00 PM	05/30/2017	1:24:43 P	06/02/2017	12:41:34		Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.13	mg/L	J	0.05	0.14			06/05/2017				
DRWW	Suburban Labs		12-2	GZB-01	0.5	ft	Newport Drainage Ditch			Non-IEPA		05/19/2017	10:48:00	05/19/2017	3:40:00 PM			05/26/2017	2:27:58 P		Water	Lab	2510B	Specific Conductivity	Total	850.00	umhos/cm		1.00	1.00			06/05/2017				
DRWW	Suburban Labs		12-2	GZB-01	0.5	ft	Newport Drainage Ditch			Non-IEPA		05/19/2017	10:48:00	05/19/2017	3:40:00 PM					Water	USEPA	SM 2550B	Temperature		13.40	°C							06/05/2017				
DRWW	Suburban Labs		12-2	GZB-01	0.5	ft	Newport Drainage Ditch			Non-IEPA		05/19/2017	10:48:00	05/19/2017	3:40:00 PM			05/23/2017	5:56:03 P		Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22			06/05/2017				
DRWW	Suburban Labs		12-2	GZB-01	0.5	ft	Newport Drainage Ditch			Non-IEPA		05/19/2017	10:48:00	05/19/2017	3:40:00 PM			05/19/2017	4:55:00 P		Water	Lab	2130-B	Turbidity		5.33	NTU		0.10	0.20			06/05/2017				
DRWW	Suburban Labs		12-2	GZB-01	0.5	ft	Newport Drainage Ditch			Non-IEPA		06/27/2017	10:20:00	06/27/2017	4:35:00 PM			06/29/2017	3:58:04 P		Water	APHA	4500-CL-	Chloride	Total	190.00	mg/L		20.00	20.00			07/10/2017				
DRWW	Suburban Labs		12-2	GZB-01	0.5	ft	Newport Drainage Ditch			Non-IEPA		06/27/2017	10:20:00	06/27/2017	4:35:00 PM					Water	YSI	EPA 120.	Conductivity		1232.00	umhos/cm								07/10/2017			
DRWW	Suburban Labs		12-2	GZB-01	0.5	ft	Newport Drainage Ditch			Non-IEPA		06/27/2017	10:20:00	06/27/2017	4:35:00 PM					Water	YSI	Field	Dissolved Oxygen		4.40	mg/L								07/10/2017			
DRWW	Suburban Labs		12-2	GZB-01	0.5	ft	Newport Drainage Ditch			Non-IEPA		06/27/2017	10:20:00	06/27/2017	4:35:00 PM			06/27/2017	5:05:20 P		Water	USEPA	E. COLI	E. Coli	Total	46.50	MPN/100mL		1.00	1.00					07/10/2017		
DRWW	Suburban Labs		12-2	GZB-01	0.5	ft	Newport Drainage Ditch			Non-IEPA		06/27/2017	10:20:00	06/27/2017	4:35:00 PM					Water	USEPA	365.2	pH, Field		7.64	pH								07/10/2017			
DRWW	Suburban Labs		12-2	GZB-01	0.5	ft	Newport Drainage Ditch			Non-IEPA		06/27/2017	10:20:00	06/27/2017	4:35:00 PM			06/28/2017	2:56:29 P	06/29/2017	2:28:58 P													07/10/2017			
DRWW	Suburban Labs		12-2	GZB-01	0.5	ft	Newport Drainage Ditch			Non-IEPA		06/27/2017	10:20:00	06/27/2017	4:35:00 PM			07/07/2017	3:59:27 P		Water	Lab	2510B	Specific Conductivity	Total	801.00	umhos/cm		1.00	1.00					07/10/2017		
DRWW	Suburban Labs		12-2	GZB-01	0.5	ft	Newport Drainage Ditch			Non-IEPA		06/27/2017	10:20:00	06/27/2017	4:35:00 PM					Water	USEPA	SM 2550B	Temperature		18.12	°C									07/10/2017		
DRWW	Suburban Labs		12-2	GZB-01	0.5	ft	Newport Drainage Ditch			Non-IEPA		06/27/2017	10:20:00	06/27/2017	4:35:00 PM			06/28/2017	2:39:15 P		Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22					07/10/2017		
DRWW	Suburban Labs		12-2	GZB-01	0.5	ft	Newport Drainage Ditch			Non-IEPA		06/27/2017	10:20:00	06/27/2017	4:35:00 PM			06/27/2017	5:19:00 P		Water	Lab	2130-B	Turbidity		3.94	NTU		0.10	0.20						07/10/2017	
DRWW	Suburban Labs		12-2	GZB-01	0.5	ft	Newport Drainage Ditch			Non-IEPA		07/26/2017	12:30:00	07/26/2017	4:08:00 PM			07/31/2017	6:08:09 P		Water	APHA	4500-CL-	Chloride	Total	73.70	mg/L		20.00	20.00						08/10/2017	
DRWW	Suburban Labs		12-2	GZB-01	0.5	ft	Newport Drainage Ditch			Non-IEPA		07/26/2017	12:30:00	07/26/2017	4:08:00 PM					Water	YSI	EPA 120.	Conductivity		667.00	umhos/cm									08/10/2017		
DRWW	Suburban Labs		12-2	GZB-01	0.5	ft	Newport Drainage Ditch			Non-IEPA		07/26/2017	12:30:00	07/26/2017	4:08:00 PM					Water	YSI	Field	Dissolved Oxygen		9.16	mg/L									08/10/2017		
DRWW	Suburban Labs		12-2	GZB-01	0.5	ft	Newport Drainage Ditch			Non-IEPA		07/26/2017	12:30:00	07/26/2017	4:08:00 PM			07/26/2017	5:50:31 P		Water	USEPA	E. COLI	E. Coli	Total	140.00	MPN/100mL		1.00	1.00						08/10/2017	
DRWW	Suburban Labs		12-2	GZB-01	0.5	ft	Newport Drainage Ditch			Non-IEPA		07/26/2017	12:30:00	07/26/2017	4:08:00 PM			07/27/2017	10:06:23	07/28/2017	12:55:51														08/10/2017		
DRWW	Suburban Labs		12-2	GZB-01	0.5	ft	Newport Drainage Ditch			Non-IEPA		07/26/2017	12:30:00	07/26/2017	4:08:00 PM			08/01/2017	2:28:45 P		Water	Lab	2510B	Specific Conductivity	Total	626.00	umhos/cm		1.00	1.00							08/10/2017
DRWW	Suburban Labs		12-2	GZB-01	0.5	ft	Newport Drainage Ditch			Non-IEPA		07/26/2017	12:30:00	07/26/2017	4:08:00 PM					Water	USEPA	SM 2550B	Temperature		23.82	°C										08/10/2017	
DRWW	Suburban Labs		12-2	GZB-01	0.5	ft	Newport Drainage Ditch			Non-IEPA		07/26/2017	12:30:00	07/26/2017	4:08:00 PM			07/28/2017	7:25:10 P		Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22						08/10/2017	
DRWW	Suburban Labs		12-2	GZB-01	0.5	ft	Newport Drainage Ditch			Non-IEPA		07/26/2017	12:30:00	07/26/2017	4:08:00 PM			07/26/2017	5:12:48 P		Water	Lab	2130-B	Turbidity		2.94	NTU		0.10	0.20							08/10/2017
DRWW	Suburban Labs		12-2	GZB-01	0.5	ft	Newport Drainage Ditch			Non-IEPA		08/22/2017	11:09:00	08/22/2017	4:20:00 PM			08/25/2017	1:28:56 P		Water	APHA	4500-CL-	Chloride	Total	86.60	mg/L		20.00	20.00							09/14/2017
DRWW	Suburban Labs		12-2	GZB-01	0.5	ft	Newport Drainage Ditch			Non-IEPA		08/22/2017	11:09:00	08/22/2017	4:20:00 PM					Water	YSI	EPA 120.	Conductivity		772.00	umhos/cm										09/14/2017	
DRWW	Suburban Labs		12-2	GZB-01	0.5	ft	Newport Drainage Ditch			Non-IEPA		08/22/2017	11:09:00	08/22/2017	4:20:00 PM					Water	YSI	Field	Dissolved Oxygen		2.61	mg/L										09/14/2017	
DRWW	Suburban Labs		12-2	GZB-01	0.5	ft	Newport Drainage Ditch			Non-IEPA		08/22/2017	11:09:00	08/22/2017	4:20:00 PM			08/22/2017	5:20:15 P		Water	USEPA	E. COLI	E. Coli	Total	1990.00	MPN/100mL		1.00	1.00							09/14/2017
DRWW	Suburban Labs		12-2	GZB-01	0.5	ft	Newport Drainage Ditch			Non-IEPA		08/22/2017	11:09:00	08/22/2017	4:20:00 PM					Water	USEPA	365.2	pH, Field		7.46	S.U.										09/14/2017	
DRWW	Suburban Labs		12-2	GZB-01	0.5	ft	Newport Drainage Ditch			Non-IEPA		08/22/2017	11:09:00	08/22/2017	4:20:00 PM			08/25/2017	2:10:41 P		Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.17	mg/L		0.05	0.14							09/14/2017
DRWW	Suburban Labs		12-2	GZB-01	0.5	ft	Newport Drainage Ditch			Non-IEPA		08/22/2017	11:09:00	08/22/2017	4:20:00 PM			08/25/2017	3:00:03 P		Water	Lab	2510B	Specific Conductivity	Total	773.00	umhos/cm		1.00	1.00							09/14/2017
DRWW	Suburban Labs		12-2	GZB-01	0.5	ft	Newport Drainage Ditch			Non-IEPA		08/22/2017	11:09:00	08/22/2017	4:20:00 PM					Water	USEPA	SM 2550B	Temperature		21.68	°C											09/14/2017
DRWW	Suburban Labs		12-2	GZB-01	0.5	ft	Newport Drainage Ditch			Non-IEPA		08/22/2017	11:09:00	08/22/2017	4:20:00 PM			08/24/2017	2:33:34 P		Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22							09/14/2017
DRWW	Suburban Labs		12-2	GZB-01	0.5	ft	Newport Drainage Ditch																														

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code - IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released	
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	11:41:00	03/28/2017	2:30:00 PM			03/31/2017	3:01:10 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.16	mg/L		0.05	0.14			04/24/2017	
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	11:41:00	03/28/2017	2:30:00 PM			03/29/2017	2:00:27 P	Water	Lab	2510B	Specific Conductivity	Total	1030.00	umhos/cm		1.00	1.00			04/24/2017	
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	11:41:00	03/28/2017	2:30:00 PM			03/29/2017	5:28:36 P	Water	USEPA	375.2	Sulfate	Total	57.10	mg/L		10.00	25.50			04/24/2017	
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	11:41:00	03/28/2017	2:30:00 PM					Water	USEPA	SM 2550B	Temperature	Total	8.13	°C						04/24/2017	
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	11:41:00	03/28/2017	2:30:00 PM			03/28/2017	6:46:36 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	2.28	mg/L		0.10	0.20			04/24/2017	
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	11:41:00	03/28/2017	2:30:00 PM			03/29/2017	4:19:56 P	Water	APHA	5310-C	Total Organic Carbon	Total	5.59	mg/L		1.00	1.00			04/24/2017	
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	11:41:00	03/28/2017	2:30:00 PM			03/30/2017	10:18:00	Water	USEPA	2540-D	Total Suspended Solids	Total	22.20	mg/L		0.20	5.00			04/24/2017	
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	11:41:00	03/28/2017	2:30:00 PM			03/28/2017	3:20:00 P	Water	Lab	2130-B	Turbidity	Total	33.00	NTU		0.10	0.20			04/24/2017	
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	11:41:00	03/28/2017	2:30:00 PM			03/30/2017	10:18:00	Water	USEPA	2540-D	Volatile Suspended Solids	Total	4.20	mg/L	J	0.20	5.00			04/24/2017	
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		05/19/2017	11:38:00	05/19/2017	3:40:00 PM			05/19/2017	4:15:57 P	Water	APHA	4500-CL-	Chloride	Total	133.00	mg/L		20.00	20.00			06/05/2017	
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		05/19/2017	11:38:00	05/19/2017	3:40:00 PM					Water	YSI	EPA 120.	Field	Conductivity	Total	1010.00	umhos/cm						06/05/2017
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		05/19/2017	11:38:00	05/19/2017	3:40:00 PM					Water	YSI	Field	Field	Dissolved Oxygen	Total	7.55	mg/L						06/05/2017
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		05/19/2017	11:38:00	05/19/2017	3:40:00 PM			05/19/2017	4:16:00 P	Water	USEPA	E_COLI	E. Coli	Total	73.80	MPN/100mL		1.00	1.00			06/05/2017	
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		05/19/2017	11:38:00	05/19/2017	3:40:00 PM			05/19/2017	5:30:04 P	Water	USEPA	DISSOLV	Filtered and Preserved	Total	complete		V	0.00	0.00			06/05/2017	
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		05/19/2017	11:38:00	05/19/2017	3:40:00 PM			05/19/2017	8:27:53 P	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30			06/05/2017	
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		05/19/2017	11:38:00	05/19/2017	3:40:00 PM	05/25/2017	10:00:33	05/25/2017	5:05:36 P	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	ND	mg/L		1.10	3.50			06/05/2017	
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		05/19/2017	11:38:00	05/19/2017	3:40:00 PM			05/19/2017	4:48:05 P	Water	USEPA	365.2	Orthophosphate (As P)	Total	0.24	mg/L		0.03	0.05			06/05/2017	
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		05/19/2017	11:38:00	05/19/2017	3:40:00 PM					Water	USEPA	365.2	pH, Field	Total	7.75	pH						06/05/2017	
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		05/19/2017	11:38:00	05/19/2017	3:40:00 PM	05/30/2017	1:24:43 P	06/02/2017	12:44:04 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.34	mg/L		0.05	0.14			06/05/2017	
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		05/19/2017	11:38:00	05/19/2017	3:40:00 PM			05/26/2017	2:28:38 P	Water	Lab	2510B	Specific Conductivity	Total	988.00	umhos/cm		1.00	1.00			06/05/2017	
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		05/19/2017	11:38:00	05/19/2017	3:40:00 PM			05/22/2017	5:31:42 P	Water	USEPA	375.2	Sulfate	Total	50.60	mg/L		10.00	25.50			06/05/2017	
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		05/19/2017	11:38:00	05/19/2017	3:40:00 PM					Water	USEPA	SM 2550B	Temperature	Total	16.93	°C						06/05/2017	
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		05/19/2017	11:38:00	05/19/2017	3:40:00 PM			05/23/2017	6:02:56 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	4.28	mg/L		0.10	0.22			06/05/2017	
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		05/19/2017	11:38:00	05/19/2017	3:40:00 PM			05/26/2017	3:51:04 P	Water	APHA	5310-C	Total Organic Carbon	Total	7.33	mg/L		1.00	1.00			06/05/2017	
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		05/19/2017	11:38:00	05/19/2017	3:40:00 PM			05/22/2017	11:37:24 P	Water	USEPA	2540-D	Total Suspended Solids	Total	27.60	mg/L		0.40	10.00			06/05/2017	
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		05/19/2017	11:38:00	05/19/2017	3:40:00 PM			05/19/2017	4:55:00 P	Water	Lab	2130-B	Turbidity	Total	15.50	NTU		0.10	0.20			06/05/2017	
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		05/19/2017	11:38:00	05/19/2017	3:40:00 PM			05/22/2017	11:37:24 P	Water	USEPA	2540-D	Volatile Suspended Solids	Total	5.60	mg/L	J	0.40	10.00			06/05/2017	
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		06/27/2017	10:58:00	06/27/2017	4:35:00 PM			06/29/2017	3:58:50 P	Water	APHA	4500-CL-	Chloride	Total	119.00	mg/L		20.00	20.00			07/14/2017	
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		06/27/2017	10:58:00	06/27/2017	4:35:00 PM					Water	YSI	EPA 120.	Field	Conductivity	Total	918.00	umhos/cm						07/14/2017
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		06/27/2017	10:58:00	06/27/2017	4:35:00 PM					Water	YSI	Field	Field	Dissolved Oxygen	Total	4.93	mg/L						07/14/2017
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		06/27/2017	10:58:00	06/27/2017	4:35:00 PM			06/27/2017	5:05:20 P	Water	USEPA	E_COLI	E. Coli	Total	157.00	MPN/100mL		1.00	1.00			07/14/2017	
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		06/27/2017	10:58:00	06/27/2017	4:35:00 PM			06/27/2017	5:04:00 P	Water	USEPA	DISSOLV	Filtered and Preserved	Total	complete		V	0.00	0.00			07/14/2017	
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		06/27/2017	10:58:00	06/27/2017	4:35:00 PM			06/30/2017	4:44:53 P	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30			07/14/2017	
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		06/27/2017	10:58:00	06/27/2017	4:35:00 PM	06/28/2017	10:48:22	06/30/2017	1:37:55 P	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	4.20	mg/L		1.10	3.50			07/14/2017	
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		06/27/2017	10:58:00	06/27/2017	4:35:00 PM			06/28/2017	3:14:56 P	Water	USEPA	365.2	Orthophosphate (As P)	Total	0.23	mg/L		0.03	0.05			07/14/2017	
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		06/27/2017	10:58:00	06/27/2017	4:35:00 PM					Water	USEPA	365.2	pH, Field	Total	7.93	pH						07/14/2017	
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		06/27/2017	10:58:00	06/27/2017	4:35:00 PM	06/28/2017	2:56:29 P	06/29/2017	2:31:21 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.30	mg/L		0.05	0.14			07/14/2017	
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		06/27/2017	10:58:00	06/27/2017	4:35:00 PM			07/07/2017	4:00:36 P	Water	Lab	2510B	Specific Conductivity	Total	896.00	umhos/cm		1.00	1.00			07/14/2017	
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		06/27/2017	10:58:00	06/27/2017	4:35:00 PM			06/30/2017	3:47:32 P	Water	USEPA	375.2	Sulfate	Total	48.00	mg/L		10.00	25.50			07/14/2017	
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		06/27/2017	10:58:00	06/27/2017	4:35:00 PM					Water	USEPA	SM 2550B	Temperature	Total	20.22	°C						07/14/2017	
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		06/27/2017	10:58:00	06/27/2017	4:35:00 PM			06/28/2017	2:46:07 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	7.24	mg/L		0.10	0.20			07/14/2017	
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		06/27/2017	10:58:00	06/27/2017	4:35:00 PM			07/12/2017	8:07:00 A	Water	APHA	5310-C	Total Organic Carbon	Total	8.44	mg/L		1.00	1.00			07/14/2017	
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		06/27/2017	10:58:00	06/27/2017	4:35:00 PM			07/03/2017	11:25:54 P	Water	USEPA	2540-D	Total Suspended Solids	Total	13.00	mg/L		0.20	5.00			07/14/2017	
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		06/27/2017	10:58:00	06/27/2017	4:35:00 PM			06/27/2017	5:19:00 P	Water	Lab	2130-B	Turbidity	Total	10.60	NTU		0.10	0.20			07/14/2017	

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code - IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		08/22/2017	11:45:00	08/22/2017	4:20:00 PM			08/22/2017	5:20:15 P	Water	USEPA	E_COLI	E. Coli	Total	90.60	MPN/100mL		1.00	1.00			09/14/2017
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		08/22/2017	11:45:00	08/22/2017	4:20:00 PM			08/22/2017	4:56:16 P	Water	USEPA	DISSOLV	Filtered and Preserved	Total	complete		V	0.00	0.00			09/14/2017
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		08/22/2017	11:45:00	08/22/2017	4:20:00 PM			08/28/2017	1:21:17 P	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30			09/14/2017
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		08/22/2017	11:45:00	08/22/2017	4:20:00 PM			08/24/2017	1:11:39 P	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	ND	mg/L		1.10	3.50			09/14/2017
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		08/22/2017	11:45:00	08/22/2017	4:20:00 PM			08/22/2017	5:34:31 P	Water	USEPA	365.2	Orthophosphate (As P)	Total	0.59	mg/L		0.03	0.05			09/14/2017
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		08/22/2017	11:45:00	08/22/2017	4:20:00 PM					Water	USEPA	365.2	pH, Field		7.69	S.U.					09/14/2017	
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		08/22/2017	11:45:00	08/22/2017	4:20:00 PM			08/25/2017	2:13:06 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.70	mg/L		0.05	0.14			09/14/2017
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		08/22/2017	11:45:00	08/22/2017	4:20:00 PM			08/25/2017	3:00:45 P	Water	Lab	2510B	Specific Conductivity	Total	976.00	umhos/cm		1.00	1.00			09/14/2017
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		08/22/2017	11:45:00	08/22/2017	4:20:00 PM			08/25/2017	6:08:56 P	Water	USEPA	375.2	Sulfate	Total	45.90	umhos/cm		10.00	25.50			09/14/2017
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		08/22/2017	11:45:00	08/22/2017	4:20:00 PM					Water	USEPA	SM 2550B	Temperature		23.44	°C					09/14/2017	
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		08/22/2017	11:45:00	08/22/2017	4:20:00 PM			08/24/2017	2:35:57 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	8.71	mg/L		0.10	0.22			09/14/2017
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		08/22/2017	11:45:00	08/22/2017	4:20:00 PM			08/23/2017	1:26:42 P	Water	APHA	5310-C	Total Organic Carbon	Total	7.43	mg/L		1.00	1.00			09/14/2017
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		08/22/2017	11:45:00	08/22/2017	4:20:00 PM			08/23/2017	11:12:00 P	Water	USEPA	2540-D	Total Suspended Solids	Total	15.40	mg/L		0.20	5.00			09/14/2017
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		08/22/2017	11:45:00	08/22/2017	4:20:00 PM			08/22/2017	5:04:24 P	Water	Lab	2130-B	Turbidity	Total	12.30	NTU		0.10	0.20			09/14/2017
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		08/22/2017	11:45:00	08/22/2017	4:20:00 PM			08/23/2017	11:12:00 P	Water	USEPA	2540-D	Volatile Suspended Solids	Total	1.40	mg/L	J	0.20	5.00			09/14/2017
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	10:44:00	09/26/2017	4:35:00 PM	09/27/2017	10:56:18	09/28/2017	5:30:00 P	Water	USEPA	8270D	Surr: 2-Fluorobiphenyl	Total	4.38	%Rec		0.11				11/03/2017
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	10:44:00	09/26/2017	4:35:00 PM			09/27/2017	8:26:00 P	Water	USEPA	8260B	Surr: 4-Bromofluorobenzene	Total	49.00	%Rec		0.00				11/03/2017
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	10:44:00	09/26/2017	4:35:00 PM	09/27/2017	10:56:18	09/28/2017	5:30:00 P	Water	USEPA	8270D	Surr: 4-Terphenyl-d16	Total	4.47	%Rec		0.11				11/03/2017
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	10:44:00	09/26/2017	4:35:00 PM			09/27/2017	8:26:00 P	Water	USEPA	8260B	Surr: Dibromofluoromethane	Total	44.40	%Rec		0.00				11/03/2017
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	10:44:00	09/26/2017	4:35:00 PM	09/27/2017	10:56:18	09/28/2017	5:30:00 P	Water	USEPA	8270D	Surr: Nitrobenzene-d7	Total	4.18	%Rec		0.11				11/03/2017
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	10:44:00	09/26/2017	4:35:00 PM	09/27/2017	7:46:36 A	09/27/2017	5:53:00 P	Water	USEPA	8082	Surr: Tetrachloro-m-xylene	Total	0.30	%Rec		0.00				11/03/2017
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	10:44:00	09/26/2017	4:35:00 PM	09/27/2017	7:48:03 A	09/27/2017	5:53:00 P	Water	USEPA	8082	Surr: Tetrachloro-m-xylene	Total	0.26	%Rec		0.00				11/03/2017
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	10:44:00	09/26/2017	4:35:00 PM			09/27/2017	8:26:00 P	Water	USEPA	8260B	Surr: Toluene-d8	Total	47.80	%Rec		0.00				11/03/2017
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	10:44:00	09/26/2017	4:35:00 PM			09/27/2017	8:26:00 P	Water	USEPA	8260B	1,1,1-Trichloroethane	Total	ND	ug/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	10:44:00	09/26/2017	4:35:00 PM			09/27/2017	8:26:00 P	Water	USEPA	8260B	1,1,2,2-Tetrachloroethane	Total	ND	ug/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	10:44:00	09/26/2017	4:35:00 PM			09/27/2017	8:26:00 P	Water	USEPA	8260B	1,1,2-Trichloroethane	Total	ND	ug/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	10:44:00	09/26/2017	4:35:00 PM			09/27/2017	8:26:00 P	Water	USEPA	8260B	1,1-Dichloroethane	Total	ND	ug/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	10:44:00	09/26/2017	4:35:00 PM			09/27/2017	8:26:00 P	Water	USEPA	8260B	1,1-Dichloroethane	Total	ND	ug/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	10:44:00	09/26/2017	4:35:00 PM			09/27/2017	8:26:00 P	Water	USEPA	8260B	1,2-Dichloropropane	Total	ND	ug/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	10:44:00	09/26/2017	4:35:00 PM			09/27/2017	8:26:00 P	Water	USEPA	8260B	2-Butanone	Total	ND	ug/L		10.00	10.00			11/03/2017
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	10:44:00	09/26/2017	4:35:00 PM			09/27/2017	8:26:00 P	Water	USEPA	8260B	2-Hexanone	Total	ND	ug/L		25.00	25.00			11/03/2017
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	10:44:00	09/26/2017	4:35:00 PM	09/27/2017	7:46:36 A	09/27/2017	5:53:00 P	Water	USEPA	8081	4,4'-DDD	Total	ND	ug/L		0.06	0.06			11/03/2017
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	10:44:00	09/26/2017	4:35:00 PM	09/27/2017	7:46:36 A	09/27/2017	5:53:00 P	Water	USEPA	8081	4,4'-DDE	Total	ND	ug/L	S	0.06	0.06			11/03/2017
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	10:44:00	09/26/2017	4:35:00 PM	09/27/2017	7:46:36 A	09/27/2017	5:53:00 P	Water	USEPA	8081	4,4'-DDT	Total	ND	ug/L	S	0.06	0.06			11/03/2017
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	10:44:00	09/26/2017	4:35:00 PM			09/27/2017	8:26:00 P	Water	USEPA	8260B	4-Methyl-2-pentanone	Total	ND	ug/L		25.00	25.00			11/03/2017
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	10:44:00	09/26/2017	4:35:00 PM	09/27/2017	10:56:18	09/28/2017	5:30:00 P	Water	USEPA	8270D	Acenaphthene	Total	ND	ug/L		0.11	0.11			11/03/2017
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	10:44:00	09/26/2017	4:35:00 PM	09/27/2017	10:56:18	09/28/2017	5:30:00 P	Water	USEPA	8270D	Acenaphthylene	Total	ND	ug/L		0.11	0.11			11/03/2017
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	10:44:00	09/26/2017	4:35:00 PM			09/27/2017	8:26:00 P	Water	USEPA	8260B	Acetone	Total	ND	ug/L		25.00	25.00			11/03/2017
DRWW	Suburban Labs		13-1	G-07	0.5																											



Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code - IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released	
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	10:44:00	09/26/2017	4:35:00 PM	09/27/2017	10:56:18	09/28/2017	5:30:00 P	Water	USEPA	8270D	Dibenzo(a,h)anthracene	Total	ND	µg/L		0.11	0.11			11/03/2017	
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	10:44:00	09/26/2017	4:35:00 PM			09/27/2017	8:26:00 P	Water	USEPA	8260B	Dibromochloromethane	Total	ND	µg/L		1.00	1.00			11/03/2017	
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	10:44:00	09/26/2017	4:35:00 PM	09/27/2017	7:46:36 A	09/27/2017	5:53:00 P	Water	USEPA	8081	Dieldrin	Total	ND	µg/L	S	0.06	0.06			11/03/2017	
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	10:44:00	09/26/2017	4:35:00 PM			09/26/2017	5:03:05 P	Water	USEPA	E_COLI	E. Coli	Total	326.00	MPN/100mL		1.00	1.00			11/03/2017	
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	10:44:00	09/26/2017	4:35:00 PM	09/27/2017	7:46:36 A	09/27/2017	5:53:00 P	Water	USEPA	8081	Endosulfan I	Total	ND	µg/L	S	0.03	0.03			11/03/2017	
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	10:44:00	09/26/2017	4:35:00 PM	09/27/2017	7:46:36 A	09/27/2017	5:53:00 P	Water	USEPA	8081	Endosulfan II	Total	ND	µg/L	S	0.06	0.06			11/03/2017	
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	10:44:00	09/26/2017	4:35:00 PM	09/27/2017	7:46:36 A	09/27/2017	5:53:00 P	Water	USEPA	8081	Endosulfan sulfate	Total	ND	µg/L	S	0.06	0.06			11/03/2017	
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	10:44:00	09/26/2017	4:35:00 PM			09/27/2017	5:53:00 P	Water	USEPA	8081	Endrin	Total	ND	µg/L	S	0.06	0.06			11/03/2017	
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	10:44:00	09/26/2017	4:35:00 PM	09/27/2017	7:46:36 A	09/27/2017	5:53:00 P	Water	USEPA	8081	Endrin aldehyde	Total	ND	µg/L		0.06	0.06			11/03/2017	
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	10:44:00	09/26/2017	4:35:00 PM	09/27/2017	7:46:36 A	09/27/2017	5:53:00 P	Water	USEPA	8081	Endrin ketone	Total	ND	µg/L	S	0.06	0.06			11/03/2017	
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	10:44:00	09/26/2017	4:35:00 PM			09/27/2017	8:26:00 P	Water	USEPA	8260B	Ethylbenzene	Total	ND	µg/L		1.00	1.00			11/03/2017	
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	10:44:00	09/26/2017	4:35:00 PM			09/26/2017	5:15:00 P	Water	USEPA	DISSOLV	Filtered and Preserved	Total	complete		V	0.00	0.00			11/03/2017	
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	10:44:00	09/26/2017	4:35:00 PM	09/27/2017	10:56:18	09/28/2017	5:30:00 P	Water	USEPA	8270D	Fluoranthene	Total	ND	µg/L		0.11	0.11			11/03/2017	
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	10:44:00	09/26/2017	4:35:00 PM	09/27/2017	10:56:18	09/28/2017	5:30:00 P	Water	USEPA	8270D	Fluorene	Total	ND	µg/L		0.11	0.11			11/03/2017	
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	10:44:00	09/26/2017	4:35:00 PM	09/27/2017	7:46:36 A	09/27/2017	5:53:00 P	Water	USEPA	8081	gamma-BHC	Total	ND	µg/L	S	0.03	0.03			11/03/2017	
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	10:44:00	09/26/2017	4:35:00 PM	09/27/2017	7:46:36 A	09/27/2017	5:53:00 P	Water	USEPA	8081	gamma-Chlordane	Total	ND	µg/L	S	0.03	0.03			11/03/2017	
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	10:44:00	09/26/2017	4:35:00 PM	09/27/2017	12:11:39	09/28/2017	1:31:40 P	Water	USEPA	200.7	Hardness (As CaCO3)	Total	233.00	mg/L		0.05	0.15			11/03/2017	
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	10:44:00	09/26/2017	4:35:00 PM	09/27/2017	7:46:36 A	09/27/2017	5:53:00 P	Water	USEPA	8081	Heptachlor	Total	ND	µg/L	S	0.03	0.03			11/03/2017	
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	10:44:00	09/26/2017	4:35:00 PM	09/27/2017	7:46:36 A	09/27/2017	5:53:00 P	Water	USEPA	8081	Heptachlor epoxide	Total	ND	µg/L	S	0.03	0.03			11/03/2017	
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	10:44:00	09/26/2017	4:35:00 PM	09/27/2017	10:56:18	09/28/2017	5:30:00 P	Water	USEPA	8270D	Indeno(1,2,3-cd)pyrene	Total	ND	µg/L		0.11	0.11			11/03/2017	
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	10:44:00	09/26/2017	4:35:00 PM	09/27/2017	12:11:39	09/28/2017	1:31:40 P	Water	USEPA	200.7	Iron	Total	0.55	mg/L		0.00	0.01			11/03/2017	
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	10:44:00	09/26/2017	4:35:00 PM			09/27/2017	8:26:00 P	Water	USEPA	8260B	m,p-Xylene	Total	ND	µg/L		2.00	2.00			11/03/2017	
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	10:44:00	09/26/2017	4:35:00 PM	09/27/2017	12:11:39	09/28/2017	1:31:40 P	Water	USEPA	200.7	Magnesium	Total	22.70	mg/L		0.00	0.00			11/03/2017	
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	10:44:00	09/26/2017	4:35:00 PM	09/27/2017	12:11:39	09/28/2017	1:31:40 P	Water	USEPA	200.7	Manganese	Total	0.07	mg/L		0.00	0.01			11/03/2017	
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	10:44:00	09/26/2017	4:35:00 PM			09/29/2017	12:09:39	Water	USEPA	1631	Mercury	Total	3.05	ng/L		0.50	0.50			11/03/2017	
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	10:44:00	09/26/2017	4:35:00 PM	09/27/2017	7:46:36 A	09/27/2017	5:53:00 P	Water	USEPA	8081	Methoxychlor	Total	ND	µg/L	S	0.28	0.28			11/03/2017	
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	10:44:00	09/26/2017	4:35:00 PM			09/27/2017	8:26:00 P	Water	USEPA	8260B	Methyl tert-butyl ether	Total	ND	µg/L		1.00	1.00			11/03/2017	
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	10:44:00	09/26/2017	4:35:00 PM			09/27/2017	8:26:00 P	Water	USEPA	8260B	Methylene chloride	Total	ND	µg/L		5.00	5.00			11/03/2017	
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	10:44:00	09/26/2017	4:35:00 PM	09/27/2017	10:56:18	09/28/2017	5:30:00 P	Water	USEPA	8270D	Naphthalene	Total	ND	µg/L		0.11	0.11			11/03/2017	
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	10:44:00	09/26/2017	4:35:00 PM	09/27/2017	12:11:39	09/28/2017	1:31:40 P	Water	USEPA	200.7	Nickel	Total	0.00	mg/L		0.00	0.00			11/03/2017	
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	10:44:00	09/26/2017	4:35:00 PM			09/27/2017	7:48:47 P	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30			11/03/2017	
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	10:44:00	09/26/2017	4:35:00 PM	09/28/2017	2:40:57 P	10/03/2017	3:17:30 P	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	ND	mg/L		1.19	3.78			11/03/2017	
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	10:44:00	09/26/2017	4:35:00 PM			09/26/2017	5:34:55 P	Water	USEPA	365.2	Orthophosphate (As P)	Total	1.10	mg/L		0.13	0.25			11/03/2017	
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	10:44:00	09/26/2017	4:35:00 PM			09/27/2017	8:26:00 P	Water	USEPA	8260B	o-Xylene	Total	ND	µg/L		1.00	1.00			11/03/2017	
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	10:44:00	09/26/2017	4:35:00 PM					Water	USEPA	365.2	pH, Field	Total	7.60	pH							11/03/2017
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	10:44:00	09/26/2017	4:35:00 PM	09/27/2017	10:56:18	09/28/2017	5:30:00 P	Water	USEPA	8270D	Phenanthrene	Total	ND	µg/L		0.11	0.11			11/03/2017	
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	10:44:00	09/26/2017	4:35:00 PM	09/27/2017	12:11:39	09/28/2017	1:31:40 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	1.19	mg/L		0.04	0.14			11/03/2017	
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	10:44:00	09/26/2017	4:35:00 PM	09/27/2017	10:56:18	09/28/2017	5:30:00 P	Water	USEPA	8270D	Pyrene	Total	ND	µg/L		0.11	0.11			11/03/2017	
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	10:44:00	09/26/2017	4:35:00 PM	09/27/2017	12:11:39	09/28/2017	1:31:40 P	Water	USEPA	200.7	Sodium	Total	91.20	mg/L		0.03	0.09			11/03/2017	
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	10:44:00	09/26/2017	4:35:00 PM			10/03/2017	3:05:55 P	Water	Lab	2510B	Specific Conductivity	Total	1060.00	µmhos/cm		1.00	1.00			11/03/2017	
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	10:44:00	09/26/2017	4:35:00 PM			09/27/2017	8:26:00 P	Water	USEPA	8260B	Styrene	Total	ND	µg/L		1.00	1.00			11/03/2017	
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	10:44:00	09/26/2017	4:35:00 PM			09/29/2017	6:18:34 P	Water	USEPA	375.2	Sulfate	Total	62.10	mg/L		10.00	25.50				

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code - IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs		13-10	GZL-01	0.5	ft	Upper Des Plaines River			Non-IEPA		05/22/2017	11:56:00	05/22/2017	4:00:00 PM					Water	USEPA	SM 2550B	Temperature		13.45	°C						06/05/2017
DRWW	Suburban Labs		13-10	GZL-01	0.5	ft	Upper Des Plaines River			Non-IEPA		05/22/2017	11:56:00	05/22/2017	4:00:00 PM			05/23/2017	6:37:41 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22			06/05/2017
DRWW	Suburban Labs		13-10	GZL-01	0.5	ft	Upper Des Plaines River			Non-IEPA		05/22/2017	11:56:00	05/22/2017	4:00:00 PM			05/22/2017	5:00:00 P	Water	Lab	2130-B	Turbidity		1.82	NTU		0.10	0.20			06/05/2017
DRWW	Suburban Labs		13-10	GZL-01	0.5	ft	Upper Des Plaines River			Non-IEPA		07/27/2017	11:42:00	07/27/2017	4:40:00 PM			07/31/2017	6:18:07 P	Water	APHA	4500-CL-	Chloride	Total	68.40	mg/L		20.00	20.00			08/10/2017
DRWW	Suburban Labs		13-10	GZL-01	0.5	ft	Upper Des Plaines River			Non-IEPA		07/27/2017	11:42:00	07/27/2017	4:40:00 PM					Water	YSI	EPA 120.	Conductivity		635.00	umhos/cm						08/10/2017
DRWW	Suburban Labs		13-10	GZL-01	0.5	ft	Upper Des Plaines River			Non-IEPA		07/27/2017	11:42:00	07/27/2017	4:40:00 PM					Water	YSI	Field	Dissolved Oxygen		6.73	mg/L						08/10/2017
DRWW	Suburban Labs		13-10	GZL-01	0.5	ft	Upper Des Plaines River			Non-IEPA		07/27/2017	11:42:00	07/27/2017	4:40:00 PM			07/27/2017	4:58:28 P	Water	USEPA	E. COLI	E. Coli	Total	79.40	MPN/100mL		1.00	1.00			08/10/2017
DRWW	Suburban Labs		13-10	GZL-01	0.5	ft	Upper Des Plaines River			Non-IEPA		07/27/2017	11:42:00	07/27/2017	4:40:00 PM					Water	USEPA	365.2	pH, Field		7.73	S.U.						08/10/2017
DRWW	Suburban Labs		13-10	GZL-01	0.5	ft	Upper Des Plaines River			Non-IEPA		07/27/2017	11:42:00	07/27/2017	4:40:00 PM	07/28/2017	10:29:49	07/31/2017	3:20:37 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.10	mg/L	J	0.05	0.14			08/10/2017
DRWW	Suburban Labs		13-10	GZL-01	0.5	ft	Upper Des Plaines River			Non-IEPA		07/27/2017	11:42:00	07/27/2017	4:40:00 PM			08/01/2017	2:39:54 P	Water	Lab	2510B	Specific Conductivity	Total	615.00	umhos/cm		1.00	1.00			08/10/2017
DRWW	Suburban Labs		13-10	GZL-01	0.5	ft	Upper Des Plaines River			Non-IEPA		07/27/2017	11:42:00	07/27/2017	4:40:00 PM					Water	USEPA	SM 2550B	Temperature		23.10	°C						08/10/2017
DRWW	Suburban Labs		13-10	GZL-01	0.5	ft	Upper Des Plaines River			Non-IEPA		07/27/2017	11:42:00	07/27/2017	4:40:00 PM			07/28/2017	8:01:51 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22			08/10/2017
DRWW	Suburban Labs		13-10	GZL-01	0.5	ft	Upper Des Plaines River			Non-IEPA		07/27/2017	11:42:00	07/27/2017	4:40:00 PM			07/28/2017	4:55:00 P	Water	Lab	2130-B	Turbidity		6.58	NTU		0.10	0.20			08/10/2017
DRWW	Suburban Labs		13-10	GZL-01	0.5	ft	Upper Des Plaines River			Non-IEPA		08/23/2017	11:32:00	08/23/2017	4:20:00 PM			08/25/2017	1:41:41 P	Water	APHA	4500-CL-	Chloride	Total	125.00	mg/L		20.00	20.00			09/14/2017
DRWW	Suburban Labs		13-10	GZL-01	0.5	ft	Upper Des Plaines River			Non-IEPA		08/23/2017	11:32:00	08/23/2017	4:20:00 PM					Water	YSI	EPA 120.	Conductivity		913.00	umhos/cm						09/14/2017
DRWW	Suburban Labs		13-10	GZL-01	0.5	ft	Upper Des Plaines River			Non-IEPA		08/23/2017	11:32:00	08/23/2017	4:20:00 PM					Water	YSI	Field	Dissolved Oxygen		4.90	mg/L						09/14/2017
DRWW	Suburban Labs		13-10	GZL-01	0.5	ft	Upper Des Plaines River			Non-IEPA		08/23/2017	11:32:00	08/23/2017	4:20:00 PM			08/23/2017	5:26:40 P	Water	USEPA	E. COLI	E. Coli	Total	85.70	MPN/100mL		1.00	1.00			09/14/2017
DRWW	Suburban Labs		13-10	GZL-01	0.5	ft	Upper Des Plaines River			Non-IEPA		08/23/2017	11:32:00	08/23/2017	4:20:00 PM					Water	USEPA	365.2	pH, Field		7.75	S.U.						09/14/2017
DRWW	Suburban Labs		13-10	GZL-01	0.5	ft	Upper Des Plaines River			Non-IEPA		08/23/2017	11:32:00	08/23/2017	4:20:00 PM			08/25/2017	2:57:19 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.06	mg/L	J	0.05	0.14			09/14/2017
DRWW	Suburban Labs		13-10	GZL-01	0.5	ft	Upper Des Plaines River			Non-IEPA		08/23/2017	11:32:00	08/23/2017	4:20:00 PM			08/25/2017	3:11:25 P	Water	Lab	2510B	Specific Conductivity	Total	902.00	umhos/cm		1.00	1.00			09/14/2017
DRWW	Suburban Labs		13-10	GZL-01	0.5	ft	Upper Des Plaines River			Non-IEPA		08/23/2017	11:32:00	08/23/2017	4:20:00 PM					Water	USEPA	SM 2550B	Temperature		22.56	°C						09/14/2017
DRWW	Suburban Labs		13-10	GZL-01	0.5	ft	Upper Des Plaines River			Non-IEPA		08/23/2017	11:32:00	08/23/2017	4:20:00 PM			08/24/2017	3:29:07 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22			09/14/2017
DRWW	Suburban Labs		13-10	GZL-01	0.5	ft	Upper Des Plaines River			Non-IEPA		08/23/2017	11:32:00	08/23/2017	4:20:00 PM			08/23/2017	5:03:15 P	Water	Lab	2130-B	Turbidity		2.48	NTU		0.10	0.20			09/14/2017
DRWW	Suburban Labs		13-10	GZL-01	0.5	ft	Upper Des Plaines River			Non-IEPA		09/27/2017	11:02:00	09/27/2017	4:17:00 PM			09/28/2017	4:55:24 P	Water	APHA	4500-CL-	Chloride	Total	115.00	mg/L		20.00	20.00			11/03/2017
DRWW	Suburban Labs		13-10	GZL-01	0.5	ft	Upper Des Plaines River			Non-IEPA		09/27/2017	11:02:00	09/27/2017	4:17:00 PM					Water	YSI	EPA 120.	Conductivity		759.00	umhos/cm						11/03/2017
DRWW	Suburban Labs		13-10	GZL-01	0.5	ft	Upper Des Plaines River			Non-IEPA		09/27/2017	11:02:00	09/27/2017	4:17:00 PM					Water	YSI	Field	Dissolved Oxygen		1.11	mg/L						11/03/2017
DRWW	Suburban Labs		13-10	GZL-01	0.5	ft	Upper Des Plaines River			Non-IEPA		09/27/2017	11:02:00	09/27/2017	4:17:00 PM			09/27/2017	4:39:44 P	Water	USEPA	E. COLI	E. Coli	Total	48.80	MPN/100mL		1.00	1.00			11/03/2017
DRWW	Suburban Labs		13-10	GZL-01	0.5	ft	Upper Des Plaines River			Non-IEPA		09/27/2017	11:02:00	09/27/2017	4:17:00 PM					Water	USEPA	365.2	pH, Field		7.32	S.U.						11/03/2017
DRWW	Suburban Labs		13-10	GZL-01	0.5	ft	Upper Des Plaines River			Non-IEPA		09/27/2017	11:02:00	09/27/2017	4:17:00 PM	09/28/2017	2:52:34 P	09/29/2017	1:30:14 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.09	mg/L	J	0.05	0.14			11/03/2017
DRWW	Suburban Labs		13-10	GZL-01	0.5	ft	Upper Des Plaines River			Non-IEPA		09/27/2017	11:02:00	09/27/2017	4:17:00 PM			10/03/2017	2:34:44 P	Water	Lab	2510B	Specific Conductivity	Total	769.00	umhos/cm		1.00	1.00			11/03/2017
DRWW	Suburban Labs		13-10	GZL-01	0.5	ft	Upper Des Plaines River			Non-IEPA		09/27/2017	11:02:00	09/27/2017	4:17:00 PM					Water	USEPA	SM 2550B	Temperature		20.44	°C						11/03/2017
DRWW	Suburban Labs		13-10	GZL-01	0.5	ft	Upper Des Plaines River			Non-IEPA		09/27/2017	11:02:00	09/27/2017	4:17:00 PM			09/27/2017	9:25:52 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22			11/03/2017
DRWW	Suburban Labs		13-10	GZL-01	0.5	ft	Upper Des Plaines River			Non-IEPA		09/27/2017	11:02:00	09/27/2017	4:17:00 PM			09/27/2017	4:50:00 P	Water	Lab	2130-B	Turbidity		1.92	NTU		0.10	0.20			11/03/2017
DRWW	Suburban Labs		13-11	GZM-01	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	9:31:00 A	03/28/2017	2:30:00 PM			03/30/2017	5:30:09 P	Water	APHA	4500-CL-	Chloride	Total	125.00	mg/L		20.00	20.00			04/24/2017
DRWW	Suburban Labs		13-11	GZM-01	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	9:31:00 A	03/28/2017	2:30:00 PM					Water	YSI	EPA 120.	Conductivity		873.00	umhos/cm						04/24/2017
DRWW	Suburban Labs		13-11	GZM-01	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	9:31:00 A	03/28/2017	2:30:00 PM					Water	YSI	Field	Dissolved Oxygen		10.52	mg/L						04/24/2017
DRWW	Suburban Labs		13-11	GZM-01	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	9:31:00 A	03/28/2017	2:30:00 PM			03/28/2017	3:25:00 P	Water	USEPA	E. COLI	E. Coli	Total	26.90	MPN/100mL		1.00	1.00			04/24/2017
DRWW	Suburban Labs		13-11	GZM-01	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	9:31:00 A	03/28/2017	2:30:00 PM					Water	USEPA	365.2	pH, Field		7.96	pH						04/24/2017
DRWW	Suburban Labs		13-11	GZM-01	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	9:31:00 A	03/28/2017	2:30:00 PM			03/31/2017	2:21:36 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.05	mg/L	J	0.05	0.14			04/24/2017
DRWW	Suburban Labs		13-11	GZM-01	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	9:31:00 A	03/28/2017	2:30:00 PM			03/29/2017	1:48:24 P	Water	Lab	2510B	Specific Conductivity	Total	864.00	umhos/cm		1.00	1.00			04/24/2017
DRWW	Suburban Labs		13-11	GZM-01	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	9:31:00 A	03/28/2017	2:30:00 PM					Water	USEPA	SM 2550B	Temperature		7.04	°C						04/24/2017
DRWW	Suburban Labs		13-11	GZM-01	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	9:31:00 A	03/28/2017	2:30:00 PM			03/28/2017	6:19:26 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	1.02	mg/L		0.10	0.20			04/24/2017
DRWW	Suburban Labs		13-11	GZM-01	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	9:31:00 A	03/28/2017	2:30:00 PM			03/28/2017	3:20:00 P	Water	Lab	2130-B	Turbidity		19.40	NTU		0.10	0.20			04/24/2017
DRWW	Suburban Labs		13-11	GZM-01	0.5	ft	Upper Des Plaines River			Non-IEPA		05/22/2017	12:20:00	05/22/2017	4:00:00 PM			05/24/2017	5:52:24 P	Water	APHA	4500-CL-	Chloride	Total	108.00	mg/L		20.00	20.00			06/05/2017
DRWW	Suburban Labs		13-11	GZM-01	0.5	ft	Upper Des Plaines River			Non-IEPA		05/22/2017	12:20:00	05/22/2017	4:00:00 PM					Water	YSI	EPA 120.	Conductivity		907.							

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code - IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs		13-11	GZM-01	0.5	ft	Upper Des Plaines River			Non-IEPA		08/23/2017	11:58:00	08/23/2017	4:20:00 PM			08/23/2017	5:26:40 P	Water	USEPA	E_COLI	E. Coli	Total	517.00	MPN/100mL		1.00	1.00			09/14/2017
DRWW	Suburban Labs		13-11	GZM-01	0.5	ft	Upper Des Plaines River			Non-IEPA		08/23/2017	11:58:00	08/23/2017	4:20:00 PM			08/23/2017	5:26:40 P	Water	USEPA	365.2	pH, Field	Total	7.96	S.U.						09/14/2017
DRWW	Suburban Labs		13-11	GZM-01	0.5	ft	Upper Des Plaines River			Non-IEPA		08/23/2017	11:58:00	08/23/2017	4:20:00 PM			08/25/2017	2:59:48 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.13	mg/L	J	0.05	0.14			09/14/2017
DRWW	Suburban Labs		13-11	GZM-01	0.5	ft	Upper Des Plaines River			Non-IEPA		08/23/2017	11:58:00	08/23/2017	4:20:00 PM			08/25/2017	3:11:53 P	Water	Lab	2510B	Specific Conductivity	Total	966.00	umhos/cm		1.00	1.00			09/14/2017
DRWW	Suburban Labs		13-11	GZM-01	0.5	ft	Upper Des Plaines River			Non-IEPA		08/23/2017	11:58:00	08/23/2017	4:20:00 PM			08/24/2017	3:31:26 P	Water	USEPA	SM 2550B	Temperature	Total	18.27	°C					09/14/2017	
DRWW	Suburban Labs		13-11	GZM-01	0.5	ft	Upper Des Plaines River			Non-IEPA		08/23/2017	11:58:00	08/23/2017	4:20:00 PM			08/24/2017	3:31:26 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.26	mg/L		0.10	0.22			09/14/2017
DRWW	Suburban Labs		13-11	GZM-01	0.5	ft	Upper Des Plaines River			Non-IEPA		08/23/2017	11:58:00	08/23/2017	4:20:00 PM			08/23/2017	5:03:15 P	Water	Lab	2130-B	Turbidity	Total	29.20	NTU		0.10	0.20			09/14/2017
DRWW	Suburban Labs		13-11	GZM-01	0.5	ft	Upper Des Plaines River			Non-IEPA		09/27/2017	11:34:00	09/27/2017	4:17:00 PM			10/03/2017	1:00:31 P	Water	APHA	4500-CL-	Chloride	Total	296.00	mg/L		40.00	40.00			11/03/2017
DRWW	Suburban Labs		13-11	GZM-01	0.5	ft	Upper Des Plaines River			Non-IEPA		09/27/2017	11:34:00	09/27/2017	4:17:00 PM					Water	YSI	EPA 120.	Conductivity	Total	1632.00	umhos/cm						11/03/2017
DRWW	Suburban Labs		13-11	GZM-01	0.5	ft	Upper Des Plaines River			Non-IEPA		09/27/2017	11:34:00	09/27/2017	4:17:00 PM					Water	YSI	Field	Dissolved Oxygen	Total	3.73	mg/L						11/03/2017
DRWW	Suburban Labs		13-11	GZM-01	0.5	ft	Upper Des Plaines River			Non-IEPA		09/27/2017	11:34:00	09/27/2017	4:17:00 PM			09/27/2017	4:39:44 P	Water	USEPA	E_COLI	E. Coli	Total	687.00	MPN/100mL		1.00	1.00			11/03/2017
DRWW	Suburban Labs		13-11	GZM-01	0.5	ft	Upper Des Plaines River			Non-IEPA		09/27/2017	11:34:00	09/27/2017	4:17:00 PM			09/29/2017	1:44:51 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.11	mg/L	J	0.05	0.14			11/03/2017
DRWW	Suburban Labs		13-11	GZM-01	0.5	ft	Upper Des Plaines River			Non-IEPA		09/27/2017	11:34:00	09/27/2017	4:17:00 PM			10/03/2017	2:36:30 P	Water	Lab	2510B	Specific Conductivity	Total	1670.00	umhos/cm		1.00	1.00			11/03/2017
DRWW	Suburban Labs		13-11	GZM-01	0.5	ft	Upper Des Plaines River			Non-IEPA		09/27/2017	11:34:00	09/27/2017	4:17:00 PM					Water	USEPA	SM 2550B	Temperature	Total	18.28	°C						11/03/2017
DRWW	Suburban Labs		13-11	GZM-01	0.5	ft	Upper Des Plaines River			Non-IEPA		09/27/2017	11:34:00	09/27/2017	4:17:00 PM			09/27/2017	9:28:06 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22			11/03/2017
DRWW	Suburban Labs		13-11	GZM-01	0.5	ft	Upper Des Plaines River			Non-IEPA		09/27/2017	11:34:00	09/27/2017	4:17:00 PM			09/27/2017	4:50:00 P	Water	Lab	2130-B	Turbidity	Total	17.90	NTU		0.10	0.20			11/03/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	10:35:00	03/28/2017	2:30:00 PM			03/30/2017	5:32:52 P	Water	APHA	4500-CL-	Chloride	Total	154.00	mg/L		20.00	20.00			04/24/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	10:35:00	03/28/2017	2:30:00 PM					Water	YSI	EPA 120.	Conductivity	Total	980.00	umhos/cm						04/24/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	10:35:00	03/28/2017	2:30:00 PM					Water	YSI	Field	Dissolved Oxygen	Total	9.13	mg/L						04/24/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	10:35:00	03/28/2017	2:30:00 PM			03/28/2017	3:25:00 P	Water	USEPA	E_COLI	E. Coli	Total	435.00	MPN/100mL		1.00	1.00			04/24/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	10:35:00	03/28/2017	2:30:00 PM			03/28/2017	5:15:00 P	Water	USEPA	DISSOLV	Filtered and Preserved	Total	complete		V	0.00	0.00			04/24/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	10:35:00	03/28/2017	2:30:00 PM			03/28/2017	6:01:36 P	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30			04/24/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	10:35:00	03/28/2017	2:30:00 PM			04/03/2017	2:44:21 P	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	1.16	mg/L	J	1.10	3.50			04/24/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	10:35:00	03/28/2017	2:30:00 PM			03/28/2017	5:14:54 P	Water	USEPA	365.2	Orthophosphate (As P)	Total	0.05	mg/L		0.03	0.05			04/24/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	10:35:00	03/28/2017	2:30:00 PM					Water	USEPA	365.2	pH, Field	Total	7.80	pH						04/24/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	10:35:00	03/28/2017	2:30:00 PM			03/31/2017	2:34:43 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.13	mg/L	J	0.05	0.14			04/24/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	10:35:00	03/28/2017	2:30:00 PM			03/29/2017	1:50:54 P	Water	Lab	2510B	Specific Conductivity	Total	970.00	umhos/cm		1.00	1.00			04/24/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	10:35:00	03/28/2017	2:30:00 PM			03/29/2017	5:27:55 P	Water	USEPA	375.2	Sulfate	Total	57.40	mg/L		10.00	25.50			04/24/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	10:35:00	03/28/2017	2:30:00 PM					Water	USEPA	SM 2550B	Temperature	Total	7.83	°C						04/24/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	10:35:00	03/28/2017	2:30:00 PM			03/28/2017	6:28:15 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	2.09	mg/L		0.10	0.20			04/24/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	10:35:00	03/28/2017	2:30:00 PM			03/29/2017	2:57:52 P	Water	APHA	5310-C	Total Organic Carbon	Total	5.78	mg/L		1.00	1.00			04/24/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	10:35:00	03/28/2017	2:30:00 PM			03/30/2017	10:18:00 P	Water	USEPA	2540-D	Total Suspended Solids	Total	20.80	mg/L		0.20	5.00			04/24/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	10:35:00	03/28/2017	2:30:00 PM			03/28/2017	3:20:00 P	Water	Lab	2130-B	Turbidity	Total	35.00	NTU		0.10	0.20			04/24/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	10:35:00	03/28/2017	2:30:00 PM			03/30/2017	10:18:00 P	Water	USEPA	2540-D	Volatile Suspended Solids	Total	3.60	mg/L	J	0.20	5.00			04/24/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		05/19/2017	12:04:00	05/19/2017	3:40:00 PM			05/19/2017	4:16:35 P	Water	APHA	4500-CL-	Chloride	Total	121.00	mg/L		20.00	20.00			06/05/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		05/19/2017	12:04:00	05/19/2017	3:40:00 PM					Water	YSI	EPA 120.	Conductivity	Total	951.00	umhos/cm						06/05/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		05/19/2017	12:04:00	05/19/2017	3:40:00 PM					Water	YSI	Field	Dissolved Oxygen	Total	7.03	mg/L						06/05/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		05/19/2017	12:04:00	05/19/2017	3:40:00 PM			05/19/2017	4:16:00 P	Water	USEPA	E_COLI	E. Coli	Total	52.00	MPN/100mL		1.00	1.00			06/05/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		05/19/2017	12:04:00	05/19/2017	3:40:00 PM			05/19/2017	5:30:04 P	Water	USEPA	DISSOLV	Filtered and Preserved	Total	complete		V	0.00	0.00			06/05/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		05/19/2017	12:04:00	05/19/2017	3:40:00 PM			05/19/2017	8:29:37 P	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30			06/05/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		05/19/2017	12:04:00	05/19/2017	3:40:00 PM			05/25/2017	10:00:33 P	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	ND	mg/L		1.10	3.50			06/05/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		05/19/2017	12:04:00	05/19/2017	3:40:00 PM			05/19/2017	4:48:05 P	Water	USEPA	365.2	Orthophosphate (As P)	Total	0.17	mg/L		0.03	0.05			06/05/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		05/19/2017	12:04:00	05/19/2017	3:40:00 PM					Water	USEPA	365.2	pH, Field	Total	7.92	pH						06/05/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		05/19/2017	12:04:00	05/19/2017	3:40:00 PM			05/30/2017	1:24:43 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.27	mg/L		0.05	0.14			06/05/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		05/19/2017	12:04																			

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code - IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		07/26/2017	1:24:00 P	07/26/2017	4:08:00 PM			08/01/2017	4:23:03 P	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	0.22	mg/L	J	0.10	0.30			08/10/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		07/26/2017	1:24:00 P	07/26/2017	4:08:00 PM	08/02/2017	10:22:16	08/07/2017	2:43:04 P	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	2.50	mg/L	J	1.10	3.50			08/10/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		07/26/2017	1:24:00 P	07/26/2017	4:08:00 PM			07/27/2017	4:35:39 P	Water	USEPA	365.2	Orthophosphate (As P)	Total	0.27	mg/L		0.03	0.05			08/10/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		07/26/2017	1:24:00 P	07/26/2017	4:08:00 PM			07/27/2017	1:00:55 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.40	mg/L		0.05	0.14			08/10/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		07/26/2017	1:24:00 P	07/26/2017	4:08:00 PM			08/01/2017	2:24:17 P	Water	Lab	2510B	Specific Conductivity	Total	522.00	umhos/cm		1.00	1.00			08/10/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		07/26/2017	1:24:00 P	07/26/2017	4:08:00 PM			08/04/2017	4:14:41 P	Water	USEPA	375.2	Sulfate	Total	20.00	mg/L		2.00	5.10			08/10/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		07/26/2017	1:24:00 P	07/26/2017	4:08:00 PM					Water	USEPA	SM 2550B	Temperature	Total	24.19	°C						08/10/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		07/26/2017	1:24:00 P	07/26/2017	4:08:00 PM			07/28/2017	7:34:20 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.13	mg/L	J	0.10	0.22			08/10/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		07/26/2017	1:24:00 P	07/26/2017	4:08:00 PM			07/27/2017	9:00:00 A	Water	APHA	5310-C	Total Organic Carbon	Total	10.50	mg/L		1.00	1.00			08/10/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		07/26/2017	1:24:00 P	07/26/2017	4:08:00 PM			07/31/2017	9:43:47 A	Water	USEPA	2540-D	Total Suspended Solids	Total	5.40	mg/L		0.20	5.00			08/10/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		07/26/2017	1:24:00 P	07/26/2017	4:08:00 PM			07/26/2017	5:12:48 P	Water	Lab	2130-B	Turbidity	Total	3.42	NTU		0.10	0.20			08/10/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		07/26/2017	1:24:00 P	07/26/2017	4:08:00 PM			07/31/2017	9:43:47 A	Water	USEPA	2540-D	Volatile Suspended Solids	Total	3.40	mg/L	J	0.20	5.00			08/10/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		08/22/2017	12:12:00	08/22/2017	4:20:00 PM			08/25/2017	1:30:25 P	Water	APHA	4500-CL-	Chloride	Total	114.00	mg/L		20.00	20.00			09/14/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		08/22/2017	12:12:00	08/22/2017	4:20:00 PM					Water	YSI	EPA 120.	Conductivity	Total	896.00	umhos/cm						09/14/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		08/22/2017	12:12:00	08/22/2017	4:20:00 PM					Water	YSI	Field	Dissolved Oxygen	Total	5.47	mg/L						09/14/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		08/22/2017	12:12:00	08/22/2017	4:20:00 PM			08/22/2017	5:20:15 P	Water	USEPA	E. COLI	E. Coli	Total	99.00	MPN/100mL		1.00	1.00			09/14/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		08/22/2017	12:12:00	08/22/2017	4:20:00 PM			08/22/2017	4:56:16 P	Water	USEPA	DISSOLV	Filtered and Preserved	Total	complete		V	0.00	0.00			09/14/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		08/22/2017	12:12:00	08/22/2017	4:20:00 PM			08/28/2017	1:23:04 P	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30			09/14/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		08/22/2017	12:12:00	08/22/2017	4:20:00 PM			08/24/2017	1:12:54 P	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	ND	mg/L		1.10	3.50			09/14/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		08/22/2017	12:12:00	08/22/2017	4:20:00 PM			08/22/2017	5:34:31 P	Water	USEPA	365.2	Orthophosphate (As P)	Total	0.44	mg/L		0.03	0.05			09/14/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		08/22/2017	12:12:00	08/22/2017	4:20:00 PM					Water	USEPA	365.2	pH, Field	Total	7.76	S.U.						09/14/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		08/22/2017	12:12:00	08/22/2017	4:20:00 PM			08/25/2017	2:15:34 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.56	mg/L		0.05	0.14			09/14/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		08/22/2017	12:12:00	08/22/2017	4:20:00 PM			08/25/2017	3:01:15 P	Water	Lab	2510B	Specific Conductivity	Total	902.00	umhos/cm		1.00	1.00			09/14/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		08/22/2017	12:12:00	08/22/2017	4:20:00 PM			08/25/2017	6:09:34 P	Water	USEPA	375.2	Sulfate	Total	38.20	mg/L		10.00	25.50			09/14/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		08/22/2017	12:12:00	08/22/2017	4:20:00 PM					Water	USEPA	SM 2550B	Temperature	Total	23.65	°C						09/14/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		08/22/2017	12:12:00	08/22/2017	4:20:00 PM			08/24/2017	2:43:07 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	5.37	mg/L		0.10	0.22			09/14/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		08/22/2017	12:12:00	08/22/2017	4:20:00 PM			08/23/2017	2:14:24 P	Water	APHA	5310-C	Total Organic Carbon	Total	8.06	mg/L		1.00	1.00			09/14/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		08/22/2017	12:12:00	08/22/2017	4:20:00 PM			08/23/2017	11:12:00	Water	USEPA	2540-D	Total Suspended Solids	Total	18.20	mg/L		0.20	5.00			09/14/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		08/22/2017	12:12:00	08/22/2017	4:20:00 PM			08/22/2017	5:04:24 P	Water	Lab	2130-B	Turbidity	Total	15.60	NTU		0.10	0.20			09/14/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		08/22/2017	12:12:00	08/22/2017	4:20:00 PM			08/23/2017	11:12:00	Water	USEPA	2540-D	Volatile Suspended Solids	Total	3.20	mg/L	J	0.20	5.00			09/14/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:12:00	09/26/2017	4:35:00 PM	09/27/2017	10:56:18	09/28/2017	6:07:00 P	Water	USEPA	8270D	Surr: 2-Fluorobiphenyl	Total	4.37	%Rec		0.10				11/03/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:12:00	09/26/2017	4:35:00 PM			09/28/2017	11:49:00	Water	USEPA	8260B	Surr: 4-Bromofluorobenzene	Total	50.20	%Rec		0.00				11/03/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:12:00	09/26/2017	4:35:00 PM	09/27/2017	10:56:18	09/28/2017	6:07:00 P	Water	USEPA	8270D	Surr: 4-Terphenyl-d17	Total	4.50	%Rec		0.10				11/03/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:12:00	09/26/2017	4:35:00 PM			09/28/2017	11:49:00	Water	USEPA	8260B	Surr: Dibromofluoromethane	Total	42.80	%Rec		0.00				11/03/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:12:00	09/26/2017	4:35:00 PM	09/27/2017	10:56:18	09/28/2017	6:07:00 P	Water	USEPA	8270D	Surr: Nitrobenzene-d8	Total	4.28	%Rec		0.10				11/03/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:12:00	09/26/2017	4:35:00 PM	09/27/2017	7:46:36 A	09/27/2017	6:17:00 P	Water	USEPA	8082	Surr: Tetrachloro-m-xylene	Total	0.26	%Rec		0.00				11/03/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:12:00	09/26/2017	4:35:00 PM	09/27/2017	7:48:03 A	09/27/2017	6:17:00 P	Water	USEPA	8082	Surr: Tetrachloro-m-xylene	Total	0.25	%Rec		0.00				11/03/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:12:00	09/26/2017	4:35:00 PM			09/28/2017	11:49:00	Water	USEPA	8260B	Surr: Toluene-d8	Total	49.60	%Rec		0.00				11/03/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:12:00	09/26/2017	4:35:00 PM			09/28/2017	11:49:00	Water												



Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code - IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:12:00	09/26/2017	4:35:00 PM			09/28/2017	11:49:00	Water	USEPA	8260B	Bromomethane	Total	ND	µg/L		1.50	1.00			11/03/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:12:00	09/26/2017	4:35:00 PM	09/27/2017	12:11:39	09/28/2017	11:34:14	Water	USEPA	200.7	Calcium	Total	60.20	mg/L		0.01	0.02			11/03/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:12:00	09/26/2017	4:35:00 PM			09/28/2017	11:49:00	Water	USEPA	8260B	Carbon disulfide	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:12:00	09/26/2017	4:35:00 PM			09/28/2017	11:49:00	Water	USEPA	8260B	Carbon tetrachloride	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:12:00	09/26/2017	4:35:00 PM	09/27/2017	7:46:36 A	09/27/2017	6:17:00 P	Water	USEPA	8081	Chlordane	Total	ND	µg/L		0.11	0.11			11/03/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:12:00	09/26/2017	4:35:00 PM			09/28/2017	4:44:46 P	Water	APHA	4500-CL-	Chloride	Total	117.00	mg/L		20.00	20.00			11/03/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:12:00	09/26/2017	4:35:00 PM			09/28/2017	11:49:00	Water	USEPA	8260B	Chlorobenzene	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:12:00	09/26/2017	4:35:00 PM			09/28/2017	11:49:00	Water	USEPA	8260B	Chloroethane	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:12:00	09/26/2017	4:35:00 PM			09/28/2017	11:49:00	Water	USEPA	8260B	Chloroform	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:12:00	09/26/2017	4:35:00 PM			09/28/2017	11:49:00	Water	USEPA	8260B	Chloromethane	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:12:00	09/26/2017	4:35:00 PM	09/27/2017	10:56:18	09/28/2017	6:07:00 P	Water	USEPA	8270D	Chrysene	Total	ND	µg/L		0.10	0.10			11/03/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:12:00	09/26/2017	4:35:00 PM			09/28/2017	11:49:00	Water	USEPA	8260B	cis-1,2-Dichloroethene	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:12:00	09/26/2017	4:35:00 PM			09/28/2017	11:49:00	Water	USEPA	8260B	cis-1,3-Dichloropropene	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:12:00	09/26/2017	4:35:00 PM					Water	YSI	EPA 120.	Conductivity	Total	950.00	umhos/cm						11/03/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:12:00	09/26/2017	4:35:00 PM	09/27/2017	12:11:39	09/28/2017	1:34:14 P	Water	USEPA	200.7	Copper	Total	0.01	mg/L		0.00	0.01			11/03/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:12:00	09/26/2017	4:35:00 PM	09/27/2017	7:46:36 A	09/27/2017	6:17:00 P	Water	USEPA	8081	delta-BHC	Total	ND	µg/L		0.03	0.03			11/03/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:12:00	09/26/2017	4:35:00 PM	09/27/2017	10:56:18	09/28/2017	6:07:00 P	Water	USEPA	8270D	Dibenzo(a,h)anthracene	Total	ND	µg/L		0.10	0.10			11/03/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:12:00	09/26/2017	4:35:00 PM			09/28/2017	11:49:00	Water	USEPA	8260B	Dibromochloromethane	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:12:00	09/26/2017	4:35:00 PM	09/27/2017	7:46:36 A	09/27/2017	6:17:00 P	Water	USEPA	8081	Dieldrin	Total	ND	µg/L	S	0.05	0.05			11/03/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:12:00	09/26/2017	4:35:00 PM					Water	YSI	Field	Dissolved Oxygen	Total	6.60	mg/L						11/03/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:12:00	09/26/2017	4:35:00 PM			09/26/2017	5:03:05 P	Water	USEPA	E COLI I	E. Coli	Total	58.60	MPN/100mL		1.00	1.00			11/03/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:12:00	09/26/2017	4:35:00 PM	09/27/2017	7:46:36 A	09/27/2017	6:17:00 P	Water	USEPA	8081	Endosulfan I	Total	ND	µg/L	S	0.03	0.03			11/03/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:12:00	09/26/2017	4:35:00 PM	09/27/2017	7:46:36 A	09/27/2017	6:17:00 P	Water	USEPA	8081	Endosulfan II	Total	ND	µg/L	S	0.05	0.05			11/03/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:12:00	09/26/2017	4:35:00 PM	09/27/2017	7:46:36 A	09/27/2017	6:17:00 P	Water	USEPA	8081	Endosulfan sulfate	Total	ND	µg/L	S	0.05	0.05			11/03/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:12:00	09/26/2017	4:35:00 PM	09/27/2017	7:46:36 A	09/27/2017	6:17:00 P	Water	USEPA	8081	Endrin	Total	ND	µg/L	S	0.05	0.05			11/03/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:12:00	09/26/2017	4:35:00 PM	09/27/2017	7:46:36 A	09/27/2017	6:17:00 P	Water	USEPA	8081	Endrin aldehyde	Total	ND	µg/L		0.05	0.05			11/03/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:12:00	09/26/2017	4:35:00 PM	09/27/2017	7:46:36 A	09/27/2017	6:17:00 P	Water	USEPA	8081	Endrin ketone	Total	ND	µg/L	S	0.05	0.05			11/03/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:12:00	09/26/2017	4:35:00 PM			09/28/2017	11:49:00	Water	USEPA	8260B	Ethylbenzene	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:12:00	09/26/2017	4:35:00 PM			09/26/2017	5:15:00 P	Water	USEPA	DISSOLV	Filtered and Preserved	Total	complete		V	0.00	0.00			11/03/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:12:00	09/26/2017	4:35:00 PM	09/27/2017	10:56:18	09/28/2017	6:07:00 P	Water	USEPA	8270D	Fluoranthene	Total	ND	µg/L		0.10	0.10			11/03/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:12:00	09/26/2017	4:35:00 PM	09/27/2017	10:56:18	09/28/2017	6:07:00 P	Water	USEPA	8270D	Fluorene	Total	ND	µg/L		0.10	0.10			11/03/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:12:00	09/26/2017	4:35:00 PM	09/27/2017	7:46:36 A	09/27/2017	6:17:00 P	Water	USEPA	8081	gamma-BHC	Total	ND	µg/L	S	0.03	0.03			11/03/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:12:00	09/26/2017	4:35:00 PM	09/27/2017	7:46:36 A	09/27/2017	6:17:00 P	Water	USEPA	8081	gamma-Chlordane	Total	ND	µg/L	S	0.03	0.03			11/03/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:12:00	09/26/2017	4:35:00 PM	09/27/2017	12:11:39	09/28/2017	1:34:14 P	Water	USEPA	200.7	Hardness (As CaCO3)	Total	253.00	mg/L		0.05	0.15			11/03/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:12:00	09/26/2017	4:35:00 PM	09/27/2017	7:46:36 A	09/27/2017	6:17:00 P	Water	USEPA	8081	Heptachlor	Total	ND	µg/L	S	0.03	0.03			11/03/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:12:00	09/26/2017	4:35:00 PM	09/27/2017	7:46:36 A	09/27/2017	6:17:00 P	Water	USEPA	8081	Heptachlor epoxide	Total	ND	µg/L	S	0.03	0.03			11/03/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:12:00	09/26/2017	4:35:00 PM	09/27/2017	10:56:18	09/28/2017	6:07:00 P	Water	USEPA	8270D	Indeno(1,2,3-cd)pyrene	Total	ND	µg/L		0.10	0.10			11/03/2017
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:12:00	09/26/2017	4:35:00 PM	09/27/2017	12:11:39															

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code - IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released	
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	10:20:00	03/28/2017	2:30:00 PM					Water	YSI	EPA 120.	Conductivity		938.00	umhos/cm						04/24/2017	
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	10:20:00	03/28/2017	2:30:00 PM					Water	YSI	Field	Dissolved Oxygen		8.88	mg/L						04/24/2017	
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	10:20:00	03/28/2017	2:30:00 PM			03/28/2017	3:25:00 P	Water	USEPA	E_COLI	E. Coli	Total	260.00	MPN/100mL		1.00	1.00				04/24/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	10:20:00	03/28/2017	2:30:00 PM			03/28/2017	5:15:00 P	Water	USEPA	DISSOLV	Filtered and Preserved	Total	complete		V	0.00	0.00				04/24/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	10:20:00	03/28/2017	2:30:00 PM			03/28/2017	5:59:59 P	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30				04/24/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	10:20:00	03/28/2017	2:30:00 PM			04/03/2017	2:43:06 P	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	ND	mg/L		1.10	3.50				04/24/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	10:20:00	03/28/2017	2:30:00 PM			03/28/2017	5:14:54 P	Water	USEPA	365.2	Orthophosphate (As P)	Total	0.03	mg/L	J	0.03	0.05				04/24/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	10:20:00	03/28/2017	2:30:00 PM					Water	USEPA	365.2	pH, Field		7.90	pH						04/24/2017	
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	10:20:00	03/28/2017	2:30:00 PM			03/31/2017	2:29:32 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.10	mg/L	J	0.05	0.14				04/24/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	10:20:00	03/28/2017	2:30:00 PM			03/29/2017	1:50:16 P	Water	Lab	2510B	Specific Conductivity	Total	931.00	umhos/cm		1.00	1.00				04/24/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	10:20:00	03/28/2017	2:30:00 PM			03/29/2017	5:27:12 P	Water	USEPA	375.2	Sulfate	Total	56.70	mg/L		10.00	25.50				04/24/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	10:20:00	03/28/2017	2:30:00 PM					Water	USEPA	SM 2550B	Temperature		7.67	°C							04/24/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	10:20:00	03/28/2017	2:30:00 PM			03/28/2017	6:26:03 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	1.37	mg/L		0.10	0.20				04/24/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	10:20:00	03/28/2017	2:30:00 PM			03/29/2017	2:42:36 P	Water	APHA	5310-C	Total Organic Carbon	Total	5.99	mg/L		1.00	1.00				04/24/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	10:20:00	03/28/2017	2:30:00 PM			03/30/2017	10:18:00 A	Water	USEPA	2540-D	Total Suspended Solids	Total	24.40	mg/L		0.20	5.00				04/24/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	10:20:00	03/28/2017	2:30:00 PM			03/28/2017	3:20:00 P	Water	Lab	2130-B	Turbidity		39.00	NTU		0.10	0.20				04/24/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	10:20:00	03/28/2017	2:30:00 PM			03/30/2017	10:18:00 A	Water	USEPA	2540-D	Volatile Suspended Solids	Total	4.60	mg/L	J	0.20	5.00				04/24/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		05/19/2017	12:30:00	05/19/2017	3:40:00 PM			05/19/2017	4:31:09 P	Water	APHA	4500-CL-	Chloride	Total	214.00	mg/L		40.00	40.00				06/05/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		05/19/2017	12:30:00	05/19/2017	3:40:00 PM					Water	YSI	EPA 120.	Conductivity		1223.00	umhos/cm							06/05/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		05/19/2017	12:30:00	05/19/2017	3:40:00 PM					Water	YSI	Field	Dissolved Oxygen		6.97	mg/L							06/05/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		05/19/2017	12:30:00	05/19/2017	3:40:00 PM			05/19/2017	4:16:00 P	Water	USEPA	E_COLI	E. Coli	Total	>2419.6	MPN/100mL		1.00	1.00				06/05/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		05/19/2017	12:30:00	05/19/2017	3:40:00 PM			05/19/2017	5:30:04 P	Water	USEPA	DISSOLV	Filtered and Preserved	Total	complete		V	0.00	0.00				06/05/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		05/19/2017	12:30:00	05/19/2017	3:40:00 PM			05/30/2017	5:53:04 P	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	0.22	mg/L	J	0.10	0.30				06/05/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		05/19/2017	12:30:00	05/19/2017	3:40:00 PM			05/25/2017	5:11:02 P	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	ND	mg/L		1.10	3.50				06/05/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		05/19/2017	12:30:00	05/19/2017	3:40:00 PM			05/19/2017	4:48:05 P	Water	USEPA	365.2	Orthophosphate (As P)	Total	0.03	mg/L	J	0.03	0.05				06/05/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		05/19/2017	12:30:00	05/19/2017	3:40:00 PM					Water	USEPA	365.2	pH, Field		7.71	pH						06/05/2017	
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		05/19/2017	12:30:00	05/19/2017	3:40:00 PM			05/30/2017	1:24:43 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.08	mg/L	J	0.05	0.14				06/05/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		05/19/2017	12:30:00	05/19/2017	3:40:00 PM			05/26/2017	2:38:40 P	Water	Lab	2510B	Specific Conductivity	Total	1210.00	umhos/cm		1.00	1.00				06/05/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		05/19/2017	12:30:00	05/19/2017	3:40:00 PM			05/22/2017	5:33:03 P	Water	USEPA	375.2	Sulfate	Total	35.20	mg/L		2.00	5.10				06/05/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		05/19/2017	12:30:00	05/19/2017	3:40:00 PM					Water	USEPA	SM 2550B	Temperature		13.07	°C							06/05/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		05/19/2017	12:30:00	05/19/2017	3:40:00 PM			05/23/2017	6:07:31 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.41	mg/L		0.10	0.22				06/05/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		05/19/2017	12:30:00	05/19/2017	3:40:00 PM			05/26/2017	5:06:47 P	Water	APHA	5310-C	Total Organic Carbon	Total	12.90	mg/L		1.00	1.00				06/05/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		05/19/2017	12:30:00	05/19/2017	3:40:00 PM			05/22/2017	11:37:24 A	Water	USEPA	2540-D	Total Suspended Solids	Total	5.80	mg/L		0.20	5.00				06/05/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		05/19/2017	12:30:00	05/19/2017	3:40:00 PM			05/19/2017	4:55:00 P	Water	Lab	2130-B	Turbidity		7.33	NTU		0.10	0.20				06/05/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		05/19/2017	12:30:00	05/19/2017	3:40:00 PM			05/22/2017	11:37:24 A	Water	USEPA	2540-D	Volatile Suspended Solids	Total	2.60	mg/L	J	0.20	5.00				06/05/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		06/27/2017	12:05:00	06/27/2017	4:35:00 PM			06/29/2017	4:01:54 P	Water	APHA	4500-CL-	Chloride	Total	92.10	mg/L		20.00	20.00				07/19/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		06/27/2017	12:05:00	06/27/2017	4:35:00 PM					Water	YSI	EPA 120.	Conductivity		806.00	umhos/cm							07/19/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		06/27/2017	12:05:00	06/27/2017	4:35:00 PM					Water	YSI	Field	Dissolved Oxygen		2.97	mg/L							07/19/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		06/27/2017	12:05:00	06/27/2017	4:35:00 PM			06/27/2017	5:05:20 P	Water	USEPA	E_COLI	E. Coli	Total	66.30	MPN/100mL		1.00	1.00				07/19/2017

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code - IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		08/22/2017	12:39:00	08/22/2017	4:20:00 PM			08/28/2017	1:24:48 P	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	0.33	mg/L		0.10	0.30			09/14/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		08/22/2017	12:39:00	08/22/2017	4:20:00 PM			08/24/2017	1:14:08 P	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	ND	mg/L		1.10	3.50			09/14/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		08/22/2017	12:39:00	08/22/2017	4:20:00 PM			08/22/2017	5:34:31 P	Water	USEPA	365.2	Orthophosphate (As P)	Total	0.07	mg/L		0.03	0.05			09/14/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		08/22/2017	12:39:00	08/22/2017	4:20:00 PM			08/25/2017	2:18:04 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.15	um/L		0.05	0.14			09/14/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		08/22/2017	12:39:00	08/22/2017	4:20:00 PM			08/25/2017	3:02:20 P	Water	Lab	2510B	Specific Conductivity	Total	840.00	umhos/cm		1.00	1.00			09/14/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		08/22/2017	12:39:00	08/22/2017	4:20:00 PM			08/25/2017	6:10:12 P	Water	USEPA	375.2	Sulfate	Total	29.30	mg/L		10.00	25.50			09/14/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		08/22/2017	12:39:00	08/22/2017	4:20:00 PM					Water	USEPA	SM 2550B	Temperature	Total	24.44	°C						09/14/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		08/22/2017	12:39:00	08/22/2017	4:20:00 PM			08/24/2017	2:45:26 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.23	mg/L		0.10	0.22			09/14/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		08/22/2017	12:39:00	08/22/2017	4:20:00 PM			08/23/2017	2:27:36 P	Water	APHA	5310-C	Total Organic Carbon	Total	9.24	mg/L		1.00	1.00			09/14/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		08/22/2017	12:39:00	08/22/2017	4:20:00 PM			08/23/2017	11:12:00	Water	USEPA	2540-D	Total Suspended Solids	Total	18.20	mg/L		0.20	5.00			09/14/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		08/22/2017	12:39:00	08/22/2017	4:20:00 PM			08/22/2017	5:04:24 P	Water	Lab	2130-B	Turbidity	Total	15.70	NTU		0.10	0.20			09/14/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		08/22/2017	12:39:00	08/22/2017	4:20:00 PM			08/23/2017	11:12:00	Water	USEPA	2540-D	Volatile Suspended Solids	Total	3.60	mg/L	J	0.20	5.00			09/14/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:40:00	09/26/2017	4:35:00 PM	09/27/2017	10:56:18	09/28/2017	7:56:00 P	Water	USEPA	8270D	Surr: 2-Fluorobiphenyl	Total	4.03	%Rec		0.11				11/03/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:40:00	09/26/2017	4:35:00 PM			09/28/2017	12:14:00	Water	USEPA	8260B	Surr: 4-Bromofluorobenzene	Total	50.00	%Rec		0.00				11/03/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:40:00	09/26/2017	4:35:00 PM	09/27/2017	10:56:18	09/28/2017	7:56:00 P	Water	USEPA	8270D	Surr: 4-Terphenyl-d18	Total	4.50	%Rec		0.11				11/03/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:40:00	09/26/2017	4:35:00 PM			09/28/2017	12:14:00	Water	USEPA	8260B	Surr: Dibromofluoromethane	Total	44.80	%Rec		0.00				11/03/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:40:00	09/26/2017	4:35:00 PM	09/27/2017	10:56:18	09/28/2017	7:56:00 P	Water	USEPA	8270D	Surr: Nitrobenzene-d9	Total	3.83	%Rec		0.11				11/03/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:40:00	09/26/2017	4:35:00 PM	09/27/2017	7:46:36 A	09/27/2017	6:42:00 P	Water	USEPA	8082	Surr: Tetrachloro-m-xylene	Total	0.27	%Rec		0.00				11/03/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:40:00	09/26/2017	4:35:00 PM	09/27/2017	7:48:03 A	09/27/2017	6:42:00 P	Water	USEPA	8082	Surr: Tetrachloro-m-xylene	Total	0.25	%Rec		0.00				11/03/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:40:00	09/26/2017	4:35:00 PM			09/28/2017	12:14:00	Water	USEPA	8260B	Surr: Toluene-d8	Total	49.70	%Rec		0.00				11/03/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:40:00	09/26/2017	4:35:00 PM			09/28/2017	12:14:00	Water	USEPA	8260B	1,1,1-Trichloroethane	Total	ND	ug/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:40:00	09/26/2017	4:35:00 PM			09/28/2017	12:14:00	Water	USEPA	8260B	1,1,2,2-Tetrachloroethane	Total	ND	ug/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:40:00	09/26/2017	4:35:00 PM			09/28/2017	12:14:00	Water	USEPA	8260B	1,1,2-Trichloroethane	Total	ND	ug/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:40:00	09/26/2017	4:35:00 PM			09/28/2017	12:14:00	Water	USEPA	8260B	1,1-Dichloroethane	Total	ND	ug/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:40:00	09/26/2017	4:35:00 PM			09/28/2017	12:14:00	Water	USEPA	8260B	1,1-Dichloroethane	Total	ND	ug/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:40:00	09/26/2017	4:35:00 PM			09/28/2017	12:14:00	Water	USEPA	8260B	1,2-Dichloroethane	Total	ND	ug/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:40:00	09/26/2017	4:35:00 PM			09/28/2017	12:14:00	Water	USEPA	8260B	1,2-Dichloropropane	Total	ND	ug/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:40:00	09/26/2017	4:35:00 PM			09/28/2017	12:14:00	Water	USEPA	8260B	2-Butanone	Total	ND	ug/L		10.00	10.00			11/03/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:40:00	09/26/2017	4:35:00 PM			09/28/2017	12:14:00	Water	USEPA	8260B	2-Hexanone	Total	ND	ug/L		25.00	25.00			11/03/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:40:00	09/26/2017	4:35:00 PM	09/27/2017	7:46:36 A	09/27/2017	6:42:00 P	Water	USEPA	8081	4,4'-DDD	Total	ND	ug/L	S	0.05	0.05			11/03/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:40:00	09/26/2017	4:35:00 PM	09/27/2017	7:46:36 A	09/27/2017	6:42:00 P	Water	USEPA	8081	4,4'-DDE	Total	ND	ug/L	S	0.05	0.05			11/03/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:40:00	09/26/2017	4:35:00 PM	09/27/2017	7:46:36 A	09/27/2017	6:42:00 P	Water	USEPA	8081	4,4'-DDT	Total	ND	ug/L	S	0.05	0.05			11/03/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:40:00	09/26/2017	4:35:00 PM			09/28/2017	12:14:00	Water	USEPA	8260B	4-Methyl-2-pentanone	Total	ND	ug/L		25.00	25.00			11/03/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:40:00	09/26/2017	4:35:00 PM	09/27/2017	10:56:18	09/28/2017	7:56:00 P	Water	USEPA	8270D	Acenaphthene	Total	ND	ug/L		0.11	0.11			11/03/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:40:00	09/26/2017	4:35:00 PM	09/27/2017	10:56:18	09/28/2017	7:56:00 P	Water	USEPA	8270D	Acenaphthylene	Total	ND	ug/L		0.11	0.11			11/03/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:40:00	09/26/2017	4:35:00 PM			09/28/2017	12:14:00	Water	USEPA	8260B	Acetone	Total	ND	ug/L		25.00	25.00			11/03/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:40:00	09/26/2017	4:35:00 PM	09/27/2017	7:46:36 A	09/27/2017	6:42:00 P	Water	USEPA	8081	Aldrin	Total	ND	ug/L	S	0.03	0.03			11/03/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:40:00	09/26/2017	4:35:00 PM	09/27/2017	7:46:36 A	09/27/2017	6:42:00 P	Water	USEPA	8081	alpha-BHC	Total	ND	ug/L	S	0.03	0.03			

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code - IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:40:00	09/26/2017	4:35:00 P	09/27/2017	7:46:36 A	09/27/2017	6:42:00 P	Water	USEPA	8081	Dieldrin	Total	ND	µg/L	S	0.05	0.05			11/03/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:40:00	09/26/2017	4:35:00 PM					Water	YSI	Field	Dissolved Oxygen	Total	4.60	mg/L					11/03/2017	
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:40:00	09/26/2017	4:35:00 PM			09/26/2017	5:03:05 P	Water	USEPA	E_COLI	E. Coli	Total	57.60	MPN/100mL		1.00	1.00			11/03/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:40:00	09/26/2017	4:35:00 P	09/27/2017	7:46:36 A	09/27/2017	6:42:00 P	Water	USEPA	8081	Endosulfan I	Total	ND	µg/L	S	0.03	0.03			11/03/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:40:00	09/26/2017	4:35:00 P	09/27/2017	7:46:36 A	09/27/2017	6:42:00 P	Water	USEPA	8081	Endosulfan II	Total	ND	µg/L	S	0.05	0.05			11/03/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:40:00	09/26/2017	4:35:00 P	09/27/2017	7:46:36 A	09/27/2017	6:42:00 P	Water	USEPA	8081	Endosulfan sulfate	Total	ND	µg/L	S	0.05	0.05			11/03/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:40:00	09/26/2017	4:35:00 P	09/27/2017	7:46:36 A	09/27/2017	6:42:00 P	Water	USEPA	8081	Endrin	Total	ND	µg/L	S	0.05	0.05			11/03/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:40:00	09/26/2017	4:35:00 P	09/27/2017	7:46:36 A	09/27/2017	6:42:00 P	Water	USEPA	8081	Endrin aldehyde	Total	ND	µg/L		0.05	0.05			11/03/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:40:00	09/26/2017	4:35:00 P	09/27/2017	7:46:36 A	09/27/2017	6:42:00 P	Water	USEPA	8081	Endrin ketone	Total	ND	µg/L	S	0.05	0.05			11/03/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:40:00	09/26/2017	4:35:00 PM			09/28/2017	12:14:00	Water	USEPA	8260B	Ethylbenzene	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:40:00	09/26/2017	4:35:00 PM			09/26/2017	5:15:00 P	Water	USEPA	DISSOLV	Filtered and Preserved	Total	complete		V	0.00	0.00			11/03/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:40:00	09/26/2017	4:35:00 P	09/27/2017	10:56:18	09/28/2017	7:56:00 P	Water	USEPA	8270D	Fluoranthene	Total	ND	µg/L		0.11	0.11			11/03/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:40:00	09/26/2017	4:35:00 P	09/27/2017	10:56:18	09/28/2017	7:56:00 P	Water	USEPA	8270D	Fluorene	Total	ND	µg/L		0.11	0.11			11/03/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:40:00	09/26/2017	4:35:00 P	09/27/2017	7:46:36 A	09/27/2017	6:42:00 P	Water	USEPA	8081	gamma-BHC	Total	ND	µg/L	S	0.03	0.03			11/03/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:40:00	09/26/2017	4:35:00 P	09/27/2017	7:46:36 A	09/27/2017	6:42:00 P	Water	USEPA	8081	gamma-Chlordane	Total	ND	µg/L	S	0.03	0.03			11/03/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:40:00	09/26/2017	4:35:00 P	09/27/2017	12:11:39	09/28/2017	1:36:48 P	Water	USEPA	200.7	Hardness (As CaCO3)	Total	260.00	mg/L		0.05	0.15			11/03/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:40:00	09/26/2017	4:35:00 P	09/27/2017	7:46:36 A	09/27/2017	6:42:00 P	Water	USEPA	8081	Heptachlor	Total	ND	µg/L	S	0.03	0.03			11/03/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:40:00	09/26/2017	4:35:00 P	09/27/2017	7:46:36 A	09/27/2017	6:42:00 P	Water	USEPA	8081	Heptachlor epoxide	Total	ND	µg/L	S	0.03	0.03			11/03/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:40:00	09/26/2017	4:35:00 P	09/27/2017	10:56:18	09/28/2017	7:56:00 P	Water	USEPA	8270D	Indeno(1,2,3-cd)pyrene	Total	ND	µg/L		0.11	0.11			11/03/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:40:00	09/26/2017	4:35:00 P	09/27/2017	12:11:39	09/28/2017	1:36:48 P	Water	USEPA	200.7	Iron	Total	0.33	mg/L		0.00	0.01			11/03/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:40:00	09/26/2017	4:35:00 PM			09/28/2017	12:14:00	Water	USEPA	8260B	m,p-Xylene	Total	ND	µg/L		2.00	2.00			11/03/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:40:00	09/26/2017	4:35:00 P	09/27/2017	12:11:39	09/28/2017	1:36:48 P	Water	USEPA	200.7	Magnesium	Total	30.00	mg/L		0.00	0.00			11/03/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:40:00	09/26/2017	4:35:00 P	09/27/2017	12:11:39	09/28/2017	1:36:48 P	Water	USEPA	200.7	Manganese	Total	0.31	mg/L		0.00	0.01			11/03/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:40:00	09/26/2017	4:35:00 PM			10/11/2017	2:41:00 P	Water	USEPA	1631	Mercury	Total	0.95	mg/L		0.50	0.50			11/03/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:40:00	09/26/2017	4:35:00 P	09/27/2017	7:46:36 A	09/27/2017	6:42:00 P	Water	USEPA	8081	Methoxychlor	Total	ND	µg/L	S	0.26	0.26			11/03/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:40:00	09/26/2017	4:35:00 PM			09/28/2017	12:14:00	Water	USEPA	8260B	Methyl tert-butyl ether	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:40:00	09/26/2017	4:35:00 PM			09/28/2017	12:14:00	Water	USEPA	8260B	Methylene chloride	Total	ND	µg/L		5.00	5.00			11/03/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:40:00	09/26/2017	4:35:00 P	09/27/2017	10:56:18	09/28/2017	7:56:00 P	Water	USEPA	8270D	Naphthalene	Total	ND	µg/L		0.11	0.11			11/03/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:40:00	09/26/2017	4:35:00 P	09/27/2017	12:11:39	09/28/2017	1:36:48 P	Water	USEPA	200.7	Nickel	Total	0.00	mg/L		0.00	0.00			11/03/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:40:00	09/26/2017	4:35:00 PM			09/27/2017	7:53:57 P	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30			11/03/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:40:00	09/26/2017	4:35:00 P	09/28/2017	2:40:57 P	10/03/2017	3:21:13 P	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	ND	mg/L		1.19	3.78			11/03/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:40:00	09/26/2017	4:35:00 PM			09/26/2017	5:34:55 P	Water	USEPA	365.2	Orthophosphate (As P)	Total	0.11	mg/L		0.03	0.05			11/03/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:40:00	09/26/2017	4:35:00 PM			09/28/2017	12:14:00	Water	USEPA	8260B	o-Xylene	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:40:00	09/26/2017	4:35:00 PM					Water	USEPA	365.2	pH, Field	Total	7.69	pH						11/03/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:40:00	09/26/2017	4:35:00 P	09/27/2017	10:56:18	09/28/2017	7:56:00 P	Water	USEPA	8270D	Phenanthrene	Total	ND	µg/L		0.11	0.11			11/03/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:40:00	09/26/2017	4:35:00 P	09/27/2017	12:11:39	09/28/2017	1:36:48 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.15	mg/L		0.04	0.14			11/03/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:40:00	09/26/2017	4:35:00 P	09/27/2017	10:56:18	09/28/2017	7:56:00 P	Water	USEPA	8270D	Pyrene	Total	ND	µg/L		0.11	0.11			11/03/2017
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	11:40:00	09/																		



Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code - IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs		13-4	G-25	0.5	ft	Upper Des Plaines River			Non-IEPA		05/19/2017	1:05:00 P	05/19/2017	3:40:00 PM			05/19/2017	4:16:00 P	Water	USEPA	E_COLI	E. Coli	Total	50.40	MPN/100mL		1.00	1.00			06/05/2017
DRWW	Suburban Labs		13-4	G-25	0.5	ft	Upper Des Plaines River			Non-IEPA		05/19/2017	1:05:00 P	05/19/2017	3:40:00 PM			05/19/2017	5:30:04 P	Water	USEPA	DISSOLV	Filtered and Preserved	Total	complete		V	0.00	0.00			06/05/2017
DRWW	Suburban Labs		13-4	G-25	0.5	ft	Upper Des Plaines River			Non-IEPA		05/19/2017	1:05:00 P	05/19/2017	3:40:00 PM			05/19/2017	8:41:46 P	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30			06/05/2017
DRWW	Suburban Labs		13-4	G-25	0.5	ft	Upper Des Plaines River			Non-IEPA		05/19/2017	1:05:00 P	05/19/2017	3:40:00 PM	05/25/2017	10:00:33	05/25/2017	5:12:23 P	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	ND	mg/L		1.10	3.50			06/05/2017
DRWW	Suburban Labs		13-4	G-25	0.5	ft	Upper Des Plaines River			Non-IEPA		05/19/2017	1:05:00 P	05/19/2017	3:40:00 PM			05/19/2017	4:48:05 P	Water	USEPA	365.2	Orthophosphate (As P)	Total	0.05	mg/L	J	0.03	0.05			06/05/2017
DRWW	Suburban Labs		13-4	G-25	0.5	ft	Upper Des Plaines River			Non-IEPA		05/19/2017	1:05:00 P	05/19/2017	3:40:00 PM			05/19/2017	4:48:05 P	Water	USEPA	365.2	pH, Field	Total	7.84	pH						06/05/2017
DRWW	Suburban Labs		13-4	G-25	0.5	ft	Upper Des Plaines River			Non-IEPA		05/19/2017	1:05:00 P	05/19/2017	3:40:00 PM	05/30/2017	1:24:43 P	06/02/2017	12:51:46	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.12	mg/L	J	0.05	0.14			06/05/2017
DRWW	Suburban Labs		13-4	G-25	0.5	ft	Upper Des Plaines River			Non-IEPA		05/19/2017	1:05:00 P	05/19/2017	3:40:00 PM			05/26/2017	2:39:40 P	Water	Lab	2510B	Specific Conductivity	Total	885.00	umhos/cm		1.00	1.00			06/05/2017
DRWW	Suburban Labs		13-4	G-25	0.5	ft	Upper Des Plaines River			Non-IEPA		05/19/2017	1:05:00 P	05/19/2017	3:40:00 PM					Water	USEPA	SM 2550B	Temperature	Total	16.09	°C						06/05/2017
DRWW	Suburban Labs		13-4	G-25	0.5	ft	Upper Des Plaines River			Non-IEPA		05/19/2017	1:05:00 P	05/19/2017	3:40:00 PM			05/23/2017	6:09:49 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.95	mg/L		0.10	0.22			06/05/2017
DRWW	Suburban Labs		13-4	G-25	0.5	ft	Upper Des Plaines River			Non-IEPA		05/19/2017	1:05:00 P	05/19/2017	3:40:00 PM			05/22/2017	11:37:24	Water	USEPA	2540-D	Total Suspended Solids	Total	15.00	mg/L		0.25	6.25			06/05/2017
DRWW	Suburban Labs		13-4	G-25	0.5	ft	Upper Des Plaines River			Non-IEPA		05/19/2017	1:05:00 P	05/19/2017	3:40:00 PM			05/19/2017	4:55:00 P	Water	Lab	2130-B	Turbidity	Total	14.70	NTU		0.10	0.20			06/05/2017
DRWW	Suburban Labs		13-4	G-25	0.5	ft	Upper Des Plaines River			Non-IEPA		05/19/2017	1:05:00 P	05/19/2017	3:40:00 PM			05/22/2017	11:37:24	Water	USEPA	2540-D	Volatile Suspended Solids	Total	3.00	mg/L	J	0.25	6.25			06/05/2017
DRWW	Suburban Labs		13-4	G-25	0.5	ft	Upper Des Plaines River			Non-IEPA		06/27/2017	12:29:00	06/27/2017	4:35:00 PM			06/29/2017	4:02:39 P	Water	APHA	4500-CL-	Chloride	Total	71.50	mg/L		20.00	20.00			07/10/2017
DRWW	Suburban Labs		13-4	G-25	0.5	ft	Upper Des Plaines River			Non-IEPA		06/27/2017	12:29:00	06/27/2017	4:35:00 PM					Water	YSI	EPA 120.	Conductivity	Total	763.00	umhos/cm						07/10/2017
DRWW	Suburban Labs		13-4	G-25	0.5	ft	Upper Des Plaines River			Non-IEPA		06/27/2017	12:29:00	06/27/2017	4:35:00 PM					Water	YSI	Field	Dissolved Oxygen	Total	6.28	mg/L						07/10/2017
DRWW	Suburban Labs		13-4	G-25	0.5	ft	Upper Des Plaines River			Non-IEPA		06/27/2017	12:29:00	06/27/2017	4:35:00 PM			06/27/2017	5:05:20 P	Water	USEPA	E_COLI	E. Coli	Total	98.80	MPN/100mL		1.00	1.00			07/10/2017
DRWW	Suburban Labs		13-4	G-25	0.5	ft	Upper Des Plaines River			Non-IEPA		06/27/2017	12:29:00	06/27/2017	4:35:00 PM			06/27/2017	5:04:00 P	Water	USEPA	DISSOLV	Filtered and Preserved	Total	complete		V	0.00	0.00			07/10/2017
DRWW	Suburban Labs		13-4	G-25	0.5	ft	Upper Des Plaines River			Non-IEPA		06/27/2017	12:29:00	06/27/2017	4:35:00 PM			06/30/2017	4:57:10 P	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30			07/10/2017
DRWW	Suburban Labs		13-4	G-25	0.5	ft	Upper Des Plaines River			Non-IEPA		06/27/2017	12:29:00	06/27/2017	4:35:00 PM	06/28/2017	10:48:22	06/30/2017	1:41:38 P	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	6.39	mg/L		1.10	3.50			07/10/2017
DRWW	Suburban Labs		13-4	G-25	0.5	ft	Upper Des Plaines River			Non-IEPA		06/27/2017	12:29:00	06/27/2017	4:35:00 PM			06/28/2017	3:14:56 P	Water	USEPA	365.2	Orthophosphate (As P)	Total	0.09	mg/L		0.03	0.05			07/10/2017
DRWW	Suburban Labs		13-4	G-25	0.5	ft	Upper Des Plaines River			Non-IEPA		06/27/2017	12:29:00	06/27/2017	4:35:00 PM					Water	USEPA	365.2	pH, Field	Total	7.86	pH						07/10/2017
DRWW	Suburban Labs		13-4	G-25	0.5	ft	Upper Des Plaines River			Non-IEPA		06/27/2017	12:29:00	06/27/2017	4:35:00 PM	06/28/2017	2:56:29 P	06/29/2017	2:38:31 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.13	mg/L	J	0.05	0.14			07/10/2017
DRWW	Suburban Labs		13-4	G-25	0.5	ft	Upper Des Plaines River			Non-IEPA		06/27/2017	12:29:00	06/27/2017	4:35:00 PM			07/07/2017	4:03:43 P	Water	Lab	2510B	Specific Conductivity	Total	733.00	umhos/cm		1.00	1.00			07/10/2017
DRWW	Suburban Labs		13-4	G-25	0.5	ft	Upper Des Plaines River			Non-IEPA		06/27/2017	12:29:00	06/27/2017	4:35:00 PM					Water	USEPA	SM 2550B	Temperature	Total	20.36	°C						07/10/2017
DRWW	Suburban Labs		13-4	G-25	0.5	ft	Upper Des Plaines River			Non-IEPA		06/27/2017	12:29:00	06/27/2017	4:35:00 PM			06/28/2017	2:51:53 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	4.92	mg/L		0.10	0.20			07/10/2017
DRWW	Suburban Labs		13-4	G-25	0.5	ft	Upper Des Plaines River			Non-IEPA		06/27/2017	12:29:00	06/27/2017	4:35:00 PM			07/03/2017	11:25:54	Water	USEPA	2540-D	Total Suspended Solids	Total	2.60	mg/L	J	0.20	5.00			07/10/2017
DRWW	Suburban Labs		13-4	G-25	0.5	ft	Upper Des Plaines River			Non-IEPA		06/27/2017	12:29:00	06/27/2017	4:35:00 PM			06/27/2017	5:19:00 P	Water	Lab	2130-B	Turbidity	Total	5.47	NTU		0.10	0.20			07/10/2017
DRWW	Suburban Labs		13-4	G-25	0.5	ft	Upper Des Plaines River			Non-IEPA		06/27/2017	12:29:00	06/27/2017	4:35:00 PM			07/03/2017	11:25:54	Water	USEPA	2540-D	Volatile Suspended Solids	Total	0.40	mg/L	J	0.20	5.00			07/10/2017
DRWW	Suburban Labs		13-4	G-25	0.5	ft	Upper Des Plaines River			Non-IEPA		07/26/2017	2:50:00 P	07/26/2017	4:08:00 PM			07/31/2017	6:10:48 P	Water	APHA	4500-CL-	Chloride	Total	41.80	mg/L		20.00	20.00			08/10/2017
DRWW	Suburban Labs		13-4	G-25	0.5	ft	Upper Des Plaines River			Non-IEPA		07/26/2017	2:50:00 P	07/26/2017	4:08:00 PM					Water	YSI	EPA 120.	Conductivity	Total	544.00	umhos/cm						08/10/2017
DRWW	Suburban Labs		13-4	G-25	0.5	ft	Upper Des Plaines River			Non-IEPA		07/26/2017	2:50:00 P	07/26/2017	4:08:00 PM					Water	YSI	Field	Dissolved Oxygen	Total	2.13	mg/L						08/10/2017
DRWW	Suburban Labs		13-4	G-25	0.5	ft	Upper Des Plaines River			Non-IEPA		07/26/2017	2:50:00 P	07/26/2017	4:08:00 PM			07/26/2017	5:50:31 P	Water	USEPA	E_COLI	E. Coli	Total	88.00	MPN/100mL		1.00	1.00			08/10/2017
DRWW	Suburban Labs		13-4	G-25	0.5	ft	Upper Des Plaines River			Non-IEPA		07/26/2017	2:50:00 P	07/26/2017	4:08:00 PM			07/26/2017	5:10:00 P	Water	USEPA	DISSOLV	Filtered and Preserved	Total	complete		V	0.00	0.00			08/10/2017
DRWW	Suburban Labs		13-4	G-25	0.5	ft	Upper Des Plaines River			Non-IEPA		07/26/2017	2:50:00 P	07/26/2017	4:08:00 PM			08/01/2017	4:30:01 P	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	0.13	mg/L	J	0.10	0.30			08/10/2017
DRWW	Suburban Labs		13-4	G-25	0.5	ft	Upper Des Plaines River			Non-IEPA		07/26/2017	2:50:00 P	07/26/2017	4:08:00 PM	08/02/2017	10:22:16	08/07/2017	2:45:48 P	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	1.84	mg/L	J	1.10	3.50			08/10/2017
DRWW	Suburban Labs		13-4	G-25	0.5	ft	Upper Des Plaines River			Non-IEPA		07/26/2017	2:50:00 P	07/26/2017	4:08:00 PM			07/27/2017	4:35:39 P	Water	USEPA	365.2	Orthophosphate (As P)	Total	0.26	mg/L		0.03	0.05			08/10/2017
DRWW	Suburban Labs		13-4	G-25	0.5	ft	Upper Des Plaines River			Non-IEPA		07/26/2017	2:50:00 P	07/26/2017	4:08:00 PM					Water	USEPA	365.2	pH, Field	Total	7.12	S.U.						08/10/2017
DRWW	Suburban Labs		13-4	G-25	0.5	ft	Upper Des Plaines River			Non-IEPA		07/26/2017	2:50:00 P	07/26/2017	4:08:00 PM	07/27/2017	10:06:23	07/28/2017	1:05:59 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.48	mg/L		0.05	0.14			0

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code - IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs		13-4	G-25	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	12:20:00	09/26/2017	4:35:00 PM					Water	USEPA	SM 2550B	Temperature	Total	25.56	°C						11/03/2017
DRWW	Suburban Labs		13-4	G-25	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	12:20:00	09/26/2017	4:35:00 PM			09/28/2017	8:38:45 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22			11/03/2017
DRWW	Suburban Labs		13-4	G-25	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	12:20:00	09/26/2017	4:35:00 PM			10/02/2017	11:33:58	Water	USEPA	2540-D	Total Suspended Solids	Total	16.80	mg/L		0.20	5.00			11/03/2017
DRWW	Suburban Labs		13-4	G-25	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	12:20:00	09/26/2017	4:35:00 PM			09/26/2017	5:02:53 P	Water	Lab	2130-B	Turbidity	Total	16.30	NTU		0.10	0.20			11/03/2017
DRWW	Suburban Labs		13-4	G-25	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	12:20:00	09/26/2017	4:35:00 PM			10/02/2017	11:33:58	Water	USEPA	2540-D	Volatile Suspended Solids	Total	5.20	mg/L		0.20	5.00			11/03/2017
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	9:19:00 A	03/28/2017	2:30:00 PM			03/30/2017	5:29:29 P	Water	APHA	4500-CL-	Chloride	Total	143.00	mg/L		20.00	20.00			04/24/2017
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	9:19:00 A	03/28/2017	2:30:00 PM					Water	YSI	EPA 120.	Conductivity	Total	898.00	umhos/cm						04/24/2017
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	9:19:00 A	03/28/2017	2:30:00 PM					Water	YSI	Field	Dissolved Oxygen	Total	8.46	mg/L						04/24/2017
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	9:19:00 A	03/28/2017	2:30:00 PM			03/28/2017	3:25:00 P	Water	USEPA	E. COLI	E. Coli	Total	108.00	MPN/100mL		1.00	1.00			04/24/2017
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	9:19:00 A	03/28/2017	2:30:00 PM			03/28/2017	5:15:00 P	Water	USEPA	DISSOLV	Filtered and Preserved	Total	complete		V	0.00	0.00			04/24/2017
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	9:19:00 A	03/28/2017	2:30:00 PM			03/28/2017	5:56:31 P	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30			04/24/2017
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	9:19:00 A	03/28/2017	2:30:00 PM			04/03/2017	2:40:33 P	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	ND	mg/L		1.10	3.50			04/24/2017
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	9:19:00 A	03/28/2017	2:30:00 PM			03/28/2017	5:14:54 P	Water	USEPA	365.2	Orthophosphate (As P)	Total	0.05	mg/L		0.03	0.05			04/24/2017
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	9:19:00 A	03/28/2017	2:30:00 PM					Water	USEPA	365.2	pH, Field	Total	7.98	pH						04/24/2017
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	9:19:00 A	03/28/2017	2:30:00 PM			03/31/2017	2:19:07 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.13	mg/L	J	0.05	0.14			04/24/2017
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	9:19:00 A	03/28/2017	2:30:00 PM			03/29/2017	1:47:44 P	Water	Lab	2510B	Specific Conductivity	Total	888.00	umhos/cm		1.00	1.00			04/24/2017
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	9:19:00 A	03/28/2017	2:30:00 PM					Water	USEPA	SM 2550B	Temperature	Total	7.21	°C						04/24/2017
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	9:19:00 A	03/28/2017	2:30:00 PM			03/28/2017	6:12:52 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	3.11	mg/L		0.10	0.20			04/24/2017
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	9:19:00 A	03/28/2017	2:30:00 PM			03/30/2017	10:18:00	Water	USEPA	2540-D	Total Suspended Solids	Total	23.80	mg/L		0.20	5.00			04/24/2017
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	9:19:00 A	03/28/2017	2:30:00 PM			03/28/2017	3:20:00 P	Water	Lab	2130-B	Turbidity	Total	48.60	NTU		0.10	0.20			04/24/2017
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	9:19:00 A	03/28/2017	2:30:00 PM			03/30/2017	10:18:00	Water	USEPA	2540-D	Volatile Suspended Solids	Total	4.00	mg/L	J	0.20	5.00			04/24/2017
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		05/19/2017	1:30:00 P	05/19/2017	3:40:00 PM			05/19/2017	4:18:29 P	Water	APHA	4500-CL-	Chloride	Total	102.00	mg/L		20.00	20.00			06/05/2017
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		05/19/2017	1:30:00 P	05/19/2017	3:40:00 PM					Water	YSI	EPA 120.	Conductivity	Total	890.00	umhos/cm						06/05/2017
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		05/19/2017	1:30:00 P	05/19/2017	3:40:00 PM					Water	YSI	Field	Dissolved Oxygen	Total	7.89	mg/L						06/05/2017
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		05/19/2017	1:30:00 P	05/19/2017	3:40:00 PM			05/19/2017	4:16:00 P	Water	USEPA	E. COLI	E. Coli	Total	187.00	MPN/100mL		1.00	1.00			06/05/2017
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		05/19/2017	1:30:00 P	05/19/2017	3:40:00 PM			05/19/2017	5:30:04 P	Water	USEPA	DISSOLV	Filtered and Preserved	Total	complete		V	0.00	0.00			06/05/2017
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		05/19/2017	1:30:00 P	05/19/2017	3:40:00 PM			05/23/2017	7:16:37 P	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30			06/05/2017
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		05/19/2017	1:30:00 P	05/19/2017	3:40:00 PM			05/25/2017	5:16:30 P	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	ND	mg/L		1.10	3.50			06/05/2017
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		05/19/2017	1:30:00 P	05/19/2017	3:40:00 PM			05/19/2017	4:48:05 P	Water	USEPA	365.2	Orthophosphate (As P)	Total	0.06	mg/L		0.03	0.05			06/05/2017
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		05/19/2017	1:30:00 P	05/19/2017	3:40:00 PM					Water	USEPA	365.2	pH, Field	Total	7.96	pH						06/05/2017
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		05/19/2017	1:30:00 P	05/19/2017	3:40:00 PM			05/30/2017	1:24:43 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.15	mg/L		0.05	0.14			06/05/2017
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		05/19/2017	1:30:00 P	05/19/2017	3:40:00 PM			05/26/2017	2:40:23 P	Water	Lab	2510B	Specific Conductivity	Total	871.00	umhos/cm		1.00	1.00			06/05/2017
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		05/19/2017	1:30:00 P	05/19/2017	3:40:00 PM					Water	USEPA	SM 2550B	Temperature	Total	14.69	°C						06/05/2017
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		05/19/2017	1:30:00 P	05/19/2017	3:40:00 PM			05/23/2017	6:12:06 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	1.15	mg/L		0.10	0.22			06/05/2017
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		05/19/2017	1:30:00 P	05/19/2017	3:40:00 PM			05/22/2017	11:37:24	Water	USEPA	2540-D	Total Suspended Solids	Total	32.40	mg/L		0.40	10.00			06/05/2017
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		05/19/2017	1:30:00 P	05/19/2017	3:40:00 PM			05/19/2017	4:55:00 P	Water	Lab	2130-B	Turbidity	Total	28.00	NTU		0.10	0.20			06/05/2017
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		05/19/2017	1:30:00 P	05/19/2017	3:40:00 PM			05/22/2017	11:37:24	Water	USEPA	2540-D	Volatile Suspended Solids	Total	6.40	mg/L	J	0.40	10.00			06/05/2017
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		06/27/2017	1:07:00 P	06/27/2017	4:35:00 PM			06/29/2017	4:05:39 P	Water	APHA	4500-CL-	Chloride	Total	66.20	mg/L		20.00	20.00			07/10/2017
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		06/27/2017	1:07:00 P	06/27/2017	4:35:00 PM					Water	YSI	EPA 120.	Conductivity	Total	761.00	umhos/cm						07/10/2017
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		06/27/2017	1:07:00 P	06/27/2017	4:35:00 PM																	

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code - IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		08/22/2017	1:20:00 P	08/22/2017	4:20:00 PM			08/22/2017	5:34:31 P	Water	USEPA	365.2	Orthophosphate (As P)	Total	0.09	mg/L		0.03	0.05			09/14/2017
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		08/22/2017	1:20:00 P	08/22/2017	4:20:00 PM			08/22/2017	5:34:31 P	Water	USEPA	365.2	pH, Field	Total	7.89	S.U.						09/14/2017
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		08/22/2017	1:20:00 P	08/22/2017	4:20:00 PM			08/25/2017	2:23:02 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.24	mg/L		0.05	0.14			09/14/2017
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		08/22/2017	1:20:00 P	08/22/2017	4:20:00 PM			08/25/2017	3:04:01 P	Water	Lab	2510B	Specific Conductivity	Total	892.00	umhos/cm		1.00	1.00			09/14/2017
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		08/22/2017	1:20:00 P	08/22/2017	4:20:00 PM			08/24/2017	2:50:03 P	Water	USEPA	SM 2550B	Temperature	Total	25.36	°C						09/14/2017
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		08/22/2017	1:20:00 P	08/22/2017	4:20:00 PM			08/24/2017	2:50:03 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.20			09/14/2017
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		08/22/2017	1:20:00 P	08/22/2017	4:20:00 PM			08/23/2017	11:12:00	Water	USEPA	2540-D	Total Suspended Solids	Total	38.00	mg/L		0.40	10.00			09/14/2017
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		08/22/2017	1:20:00 P	08/22/2017	4:20:00 PM			08/22/2017	5:04:24 P	Water	Lab	2130-B	Turbidity	Total	34.20	NTU		0.10	0.20			09/14/2017
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		08/22/2017	1:20:00 P	08/22/2017	4:20:00 PM			08/23/2017	11:12:00	Water	USEPA	2540-D	Volatile Suspended Solids	Total	8.00	mg/L	J	0.40	10.00			09/14/2017
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	12:43:00	09/26/2017	4:35:00 P	09/27/2017	12:11:39	09/28/2017	2:12:53 P	Water	USEPA	200.7	Calcium	Total	76.50	mg/L		0.01	0.02			11/03/2017
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	12:43:00	09/26/2017	4:35:00 PM			09/28/2017	4:47:25 P	Water	APHA	4500-CL-	Chloride	Total	147.00	mg/L		20.00	20.00			11/03/2017
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	12:43:00	09/26/2017	4:35:00 PM					Water	YSI	EPA 120.	Conductivity	Total	1044.00	umhos/cm						11/03/2017
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	12:43:00	09/26/2017	4:35:00 PM					Water	YSI	Field	Dissolved Oxygen	Total	6.72	mg/L						11/03/2017
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	12:43:00	09/26/2017	4:35:00 PM			09/26/2017	5:03:05 P	Water	USEPA	E COLI	E. Coli	Total	49.60	MPN/100mL		1.00	1.00			11/03/2017
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	12:43:00	09/26/2017	4:35:00 PM			09/26/2017	5:15:00 P	Water	USEPA	DISSOLV	Filtered and Preserved	Total	complete		V	0.00	0.00			11/03/2017
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	12:43:00	09/26/2017	4:35:00 P	09/27/2017	12:11:39	09/28/2017	2:12:53 P	Water	USEPA	200.7	Hardness (As CaCO3)	Total	349.00	mg/L		0.05	0.15			11/03/2017
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	12:43:00	09/26/2017	4:35:00 P	09/27/2017	12:11:39	09/28/2017	2:12:53 P	Water	USEPA	200.7	Magnesium	Total	38.40	mg/L		0.00	0.00			11/03/2017
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	12:43:00	09/26/2017	4:35:00 P	09/27/2017	12:11:39	09/28/2017	2:12:53 P	Water	USEPA	200.7	Manganese	Total	0.21	mg/L		0.00	0.01			11/03/2017
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	12:43:00	09/26/2017	4:35:00 PM			09/27/2017	8:00:52 P	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30			11/03/2017
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	12:43:00	09/26/2017	4:35:00 P	10/02/2017	1:09:15 P	10/03/2017	12:47:33	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	ND	mg/L		1.19	3.78			11/03/2017
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	12:43:00	09/26/2017	4:35:00 PM			09/26/2017	5:34:55 P	Water	USEPA	365.2	Orthophosphate (As P)	Total	0.20	mg/L		0.03	0.05			11/03/2017
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	12:43:00	09/26/2017	4:35:00 PM					Water	USEPA	365.2	pH, Field	Total	8.20	S.U.						11/03/2017
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	12:43:00	09/26/2017	4:35:00 P	09/27/2017	12:11:39	09/28/2017	2:12:53 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.34	mg/L		0.04	0.14			11/03/2017
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	12:43:00	09/26/2017	4:35:00 PM			10/03/2017	3:13:47 P	Water	Lab	2510B	Specific Conductivity	Total	1070.00	umhos/cm		1.00	1.00			11/03/2017
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	12:43:00	09/26/2017	4:35:00 PM					Water	USEPA	SM 2550B	Temperature	Total	25.49	°C						11/03/2017
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	12:43:00	09/26/2017	4:35:00 PM			09/28/2017	8:45:19 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22			11/03/2017
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	12:43:00	09/26/2017	4:35:00 PM			10/02/2017	11:33:58	Water	USEPA	2540-D	Total Suspended Solids	Total	20.50	mg/L		0.24	5.90			11/03/2017
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	12:43:00	09/26/2017	4:35:00 PM			09/26/2017	5:02:53 P	Water	Lab	2130-B	Turbidity	Total	30.80	NTU		0.10	0.20			11/03/2017
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	12:43:00	09/26/2017	4:35:00 PM			10/02/2017	11:33:58	Water	USEPA	2540-D	Volatile Suspended Solids	Total	6.14	mg/L		0.24	5.90			11/03/2017
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	9:04:00 A	03/28/2017	2:30:00 PM			03/30/2017	5:27:28 P	Water	APHA	4500-CL-	Chloride	Total	146.00	mg/L	S	20.00	20.00			04/24/2017
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	9:04:00 A	03/28/2017	2:30:00 PM					Water	YSI	EPA 120.	Conductivity	Total	908.00	umhos/cm						04/24/2017
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	9:04:00 A	03/28/2017	2:30:00 PM					Water	YSI	Field	Dissolved Oxygen	Total	8.48	mg/L						04/24/2017
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	9:04:00 A	03/28/2017	2:30:00 PM			03/28/2017	3:25:00 P	Water	USEPA	E COLI	E. Coli	Total	196.00	MPN/100mL		1.00	1.00			04/24/2017
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	9:04:00 A	03/28/2017	2:30:00 PM			03/28/2017	5:15:00 P	Water	USEPA	DISSOLV	Filtered and Preserved	Total	complete		V	0.00	0.00			04/24/2017
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	9:04:00 A	03/28/2017	2:30:00 PM			03/28/2017	5:51:18 P	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30			04/24/2017
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	9:04:00 A	03/28/2017	2:30:00 PM			04/03/2017	2:39:09 P	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	ND	mg/L		1.10	3.50			04/24/2017
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	9:04:00 A	03/28/2017	2:30:00 PM			03/28/2017	5:14:54 P	Water	USEPA	365.2	Orthophosphate (As P)	Total	0.08	mg/L		0.03	0.05			04/24/2017
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	9:04:00 A	03/28/2017	2:30:00 PM					Water	USEPA	365.2	pH, Field	Total	7.61	pH						04/24/2017
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	9:04:00 A	03/28/2017	2:30:00 PM			03/31/2017	2:06:17 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.15	mg/L		0.05	0.14			

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code - IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		06/27/2017	1:34:00 P	06/27/2017	4:35:00 PM			06/30/2017	3:50:20 P	Water	USEPA	375.2	Sulfate	Total	41.30	mg/L		10.00	25.50		07/19/2017	
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		06/27/2017	1:34:00 P	06/27/2017	4:35:00 PM					Water	USEPA	SM 2550B	Temperature	Total	19.98	°C					07/19/2017	
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		06/27/2017	1:34:00 P	06/27/2017	4:35:00 PM			06/28/2017	2:52:50 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	5.06	mg/L		0.10	0.20		07/19/2017	
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		06/27/2017	1:34:00 P	06/27/2017	4:35:00 PM			07/17/2017	12:57:00 P	Water	APHA	5310-C	Total Organic Carbon	Total	10.40	mg/L	G	1.00	1.00		07/19/2017	
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		06/27/2017	1:34:00 P	06/27/2017	4:35:00 PM			07/03/2017	11:25:54 P	Water	USEPA	2540-D	Total Suspended Solids	Total	4.40	mg/L	J	0.20	5.00		07/19/2017	
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		06/27/2017	1:34:00 P	06/27/2017	4:35:00 PM			06/27/2017	5:19:00 P	Water	Lab	2130-B	Turbidity	Total	5.67	NTU		0.10	0.20		07/19/2017	
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		06/27/2017	1:34:00 P	06/27/2017	4:35:00 PM			07/03/2017	11:25:54 P	Water	USEPA	2540-D	Volatile Suspended Solids	Total	0.80	mg/L	J	0.20	5.00		07/19/2017	
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		07/27/2017	9:29:00 A	07/27/2017	4:40:00 PM			07/31/2017	6:12:07 P	Water	APHA	4500-CL-	Chloride	Total	43.40	mg/L		20.00	20.00		08/10/2017	
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		07/27/2017	9:29:00 A	07/27/2017	4:40:00 PM					Water	YSI	EPA 120.	Conductivity	Total	568.00	umhos/cm					08/10/2017	
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		07/27/2017	9:29:00 A	07/27/2017	4:40:00 PM					Water	YSI	Field	Dissolved Oxygen	Total	1.28	mg/L					08/10/2017	
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		07/27/2017	9:29:00 A	07/27/2017	4:40:00 PM			07/27/2017	4:58:28 P	Water	USEPA	E COLI	E. Coli	Total	111.00	MPN/100mL		1.00	1.00		08/10/2017	
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		07/27/2017	9:29:00 A	07/27/2017	4:40:00 PM			07/27/2017	5:45:00 P	Water	USEPA	DISSOLV	Filtered and Preserved	Total	complete		V	0.00	0.00		08/10/2017	
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		07/27/2017	9:29:00 A	07/27/2017	4:40:00 PM			08/01/2017	4:33:32 P	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30		08/10/2017	
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		07/27/2017	9:29:00 A	07/27/2017	4:40:00 PM			08/02/2017	10:22:16 P	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	1.91	mg/L	J	1.10	3.50		08/10/2017	
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		07/27/2017	9:29:00 A	07/27/2017	4:40:00 PM			07/28/2017	4:33:28 P	Water	USEPA	365.2	Orthophosphate (As P)	Total	0.20	mg/L		0.03	0.05		08/10/2017	
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		07/27/2017	9:29:00 A	07/27/2017	4:40:00 PM					Water	USEPA	365.2	pH, Field	Total	7.38	S.U.					08/10/2017	
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		07/27/2017	9:29:00 A	07/27/2017	4:40:00 PM			07/28/2017	10:29:49 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.40	mg/L		0.05	0.14		08/10/2017	
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		07/27/2017	9:29:00 A	07/27/2017	4:40:00 PM			08/01/2017	2:35:41 P	Water	Lab	2510B	Specific Conductivity	Total	553.00	umhos/cm		1.00	1.00		08/10/2017	
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		07/27/2017	9:29:00 A	07/27/2017	4:40:00 PM			08/04/2017	4:18:24 P	Water	USEPA	375.2	Sulfate	Total	20.60	mg/L		2.00	5.10		08/10/2017	
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		07/27/2017	9:29:00 A	07/27/2017	4:40:00 PM					Water	USEPA	SM 2550B	Temperature	Total	23.60	°C					08/10/2017	
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		07/27/2017	9:29:00 A	07/27/2017	4:40:00 PM			07/28/2017	7:45:51 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.20		08/10/2017	
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		07/27/2017	9:29:00 A	07/27/2017	4:40:00 PM			08/01/2017	1:52:07 P	Water	APHA	5310-C	Total Organic Carbon	Total	11.30	mg/L		1.00	1.00		08/10/2017	
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		07/27/2017	9:29:00 A	07/27/2017	4:40:00 PM			08/01/2017	10:05:11 P	Water	USEPA	2540-D	Total Suspended Solids	Total	6.00	mg/L		0.20	5.00		08/10/2017	
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		07/27/2017	9:29:00 A	07/27/2017	4:40:00 PM			07/28/2017	4:55:00 P	Water	Lab	2130-B	Turbidity	Total	5.10	NTU		0.10	0.20		08/10/2017	
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		07/27/2017	9:29:00 A	07/27/2017	4:40:00 PM			08/01/2017	10:05:11 P	Water	USEPA	2540-D	Volatile Suspended Solids	Total	3.60	mg/L	J	0.20	5.00		08/10/2017	
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		08/22/2017	1:47:00 P	08/22/2017	4:20:00 PM			08/25/2017	1:34:56 P	Water	APHA	4500-CL-	Chloride	Total	112.00	mg/L		20.00	20.00		09/14/2017	
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		08/22/2017	1:47:00 P	08/22/2017	4:20:00 PM					Water	YSI	EPA 120.	Conductivity	Total	874.00	umhos/cm					09/14/2017	
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		08/22/2017	1:47:00 P	08/22/2017	4:20:00 PM					Water	YSI	Field	Dissolved Oxygen	Total	5.04	mg/L					09/14/2017	
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		08/22/2017	1:47:00 P	08/22/2017	4:20:00 PM			08/22/2017	5:20:15 P	Water	USEPA	E COLI	E. Coli	Total	214.00	MPN/100mL		1.00	1.00		09/14/2017	
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		08/22/2017	1:47:00 P	08/22/2017	4:20:00 PM			08/22/2017	4:56:16 P	Water	USEPA	DISSOLV	Filtered and Preserved	Total	complete		V	0.00	0.00		09/14/2017	
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		08/22/2017	1:47:00 P	08/22/2017	4:20:00 PM			08/28/2017	1:38:46 P	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30		09/14/2017	
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		08/22/2017	1:47:00 P	08/22/2017	4:20:00 PM			08/24/2017	1:17:51 P	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	1.29	mg/L	J	1.10	3.50		09/14/2017	
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		08/22/2017	1:47:00 P	08/22/2017	4:20:00 PM			08/22/2017	5:34:31 P	Water	USEPA	365.2	Orthophosphate (As P)	Total	0.09	mg/L		0.03	0.05		09/14/2017	
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		08/22/2017	1:47:00 P	08/22/2017	4:20:00 PM					Water	USEPA	365.2	pH, Field	Total	7.79	S.U.					09/14/2017	
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		08/22/2017	1:47:00 P	08/22/2017	4:20:00 PM			08/25/2017	2:25:31 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.23	mg/L		0.05	0.14		09/14/2017	
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		08/22/2017	1:47:00 P	08/22/2017	4:20:00 PM			08/25/2017	3:04:33 P	Water	Lab	2510B	Specific Conductivity	Total	872.00	umhos/cm		1.00	1.00		09/14/2017	
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		08/22/2017	1:47:00 P	08/22/2017	4:20:00 PM			08/25/2017	6:10:30 P	Water	USEPA	375.2	Sulfate	Total	43.20	mg/L		10.00	25.50		09/14/2017	
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		08/22/2017	1:47:00 P	08/22/2017	4:20:00 PM					Water	USEPA	SM 2550B	Temperature	Total	25.88	°C					09/14/2017	
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		08/22/2017	1:47:00 P	08/22/2017	4:20:00 PM			08/24/2017	2:54:39 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.20		09/14/2017	
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		08/22/2017	1:47:00 P	08/22/2017	4:20:00 PM			08/23/2017	2:43:43 P	Water	APHA	5310-C	Total Organic Carbon	Total	8.28	mg/L		1.00	1.00		09/14/2017	
DRWW	Suburban Labs</																															



Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code - IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	1:10:00 P	09/26/2017	4:35:00 P	09/27/2017	7:48:03 A	09/27/2017	7:31:00 P	Water	USEPA	8082	Aroclor 1254	Total	ND	µg/L		0.11	0.11			11/03/2017
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	1:10:00 P	09/26/2017	4:35:00 P	09/27/2017	7:48:03 A	09/27/2017	7:31:00 P	Water	USEPA	8082	Aroclor 1260	Total	ND	µg/L		0.11	0.11			11/03/2017
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	1:10:00 P	09/26/2017	4:35:00 P	11/01/2017	5:31:40 P	11/02/2017	12:13:45 P	Water	USEPA	200.7	Arsenic	Total	0.01	mg/L	J	0.00	0.01			11/03/2017
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	1:10:00 P	09/26/2017	4:35:00 PM	09/27/2017	10:56:18	09/28/2017	12:39:00 P	Water	USEPA	8260B	Benzene	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	1:10:00 P	09/26/2017	4:35:00 P	09/27/2017	10:56:18	09/28/2017	8:32:00 P	Water	USEPA	8270D	Benzo(a)anthracene	Total	ND	µg/L		0.10	0.10			11/03/2017
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	1:10:00 P	09/26/2017	4:35:00 P	09/27/2017	10:56:18	09/28/2017	8:32:00 P	Water	USEPA	8270D	Benzo(a)pyrene	Total	ND	µg/L		0.10	0.10			11/03/2017
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	1:10:00 P	09/26/2017	4:35:00 P	09/27/2017	10:56:18	09/28/2017	8:32:00 P	Water	USEPA	8270D	Benzo(b)fluoranthene	Total	ND	µg/L		0.10	0.10			11/03/2017
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	1:10:00 P	09/26/2017	4:35:00 P	09/27/2017	10:56:18	09/28/2017	8:32:00 P	Water	USEPA	8270D	Benzo(g,h,i)perylene	Total	ND	µg/L		0.10	0.10			11/03/2017
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	1:10:00 P	09/26/2017	4:35:00 P	09/27/2017	10:56:18	09/28/2017	8:32:00 P	Water	USEPA	8270D	Benzo(k)fluoranthene	Total	ND	µg/L		0.10	0.10			11/03/2017
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	1:10:00 P	09/26/2017	4:35:00 P	09/27/2017	7:46:36 A	09/27/2017	7:31:00 P	Water	USEPA	8081	beta-BHC	Total	ND	µg/L	S	0.03	0.03			11/03/2017
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	1:10:00 P	09/26/2017	4:35:00 PM			09/28/2017	12:39:00	Water	USEPA	8260B	Bromodichloromethane	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	1:10:00 P	09/26/2017	4:35:00 PM			09/28/2017	12:39:00	Water	USEPA	8260B	Bromoform	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	1:10:00 P	09/26/2017	4:35:00 PM			09/28/2017	12:39:00	Water	USEPA	8260B	Bromomethane	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	1:10:00 P	09/26/2017	4:35:00 P	09/27/2017	12:11:39	09/28/2017	1:39:18 P	Water	USEPA	200.7	Calcium	Total	80.60	mg/L		0.01	0.02			11/03/2017
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	1:10:00 P	09/26/2017	4:35:00 PM			09/28/2017	12:39:00	Water	USEPA	8260B	Carbon disulfide	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	1:10:00 P	09/26/2017	4:35:00 PM			09/28/2017	12:39:00	Water	USEPA	8260B	Carbon tetrachloride	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	1:10:00 P	09/26/2017	4:35:00 P	09/27/2017	7:46:36 A	09/27/2017	7:31:00 P	Water	USEPA	8081	Chlordane	Total	ND	µg/L		0.11	0.11			11/03/2017
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	1:10:00 P	09/26/2017	4:35:00 PM			09/28/2017	4:50:07 P	Water	APHA	4500-CL-	Chloride	Total	133.00	mg/L		20.00	20.00			11/03/2017
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	1:10:00 P	09/26/2017	4:35:00 PM			09/28/2017	12:39:00	Water	USEPA	8260B	Chlorobenzene	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	1:10:00 P	09/26/2017	4:35:00 PM			09/28/2017	12:39:00	Water	USEPA	8260B	Chloroethane	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	1:10:00 P	09/26/2017	4:35:00 PM			09/28/2017	12:39:00	Water	USEPA	8260B	Chloroform	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	1:10:00 P	09/26/2017	4:35:00 PM			09/28/2017	12:39:00	Water	USEPA	8260B	Chloromethane	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	1:10:00 P	09/26/2017	4:35:00 P	09/27/2017	10:56:18	09/28/2017	8:32:00 P	Water	USEPA	8270D	Chrysene	Total	ND	µg/L		0.10	0.10			11/03/2017
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	1:10:00 P	09/26/2017	4:35:00 PM			09/28/2017	12:39:00	Water	USEPA	8260B	cis-1,2-Dichloroethene	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	1:10:00 P	09/26/2017	4:35:00 PM			09/28/2017	12:39:00	Water	USEPA	8260B	cis-1,3-Dichloropropene	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	1:10:00 P	09/26/2017	4:35:00 PM					Water	YSI	EPA 120.	Conductivity		1087.00	umhos/cm						11/03/2017
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	1:10:00 P	09/26/2017	4:35:00 P	09/27/2017	12:11:39	09/28/2017	1:39:18 P	Water	USEPA	200.7	Copper	Total	0.00	mg/L	J	0.00	0.01			11/03/2017
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	1:10:00 P	09/26/2017	4:35:00 P	09/27/2017	7:46:36 A	09/27/2017	7:31:00 P	Water	USEPA	8081	delta-BHC	Total	ND	µg/L		0.03	0.03			11/03/2017
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	1:10:00 P	09/26/2017	4:35:00 P	09/27/2017	10:56:18	09/28/2017	8:32:00 P	Water	USEPA	8270D	Dibenzo(a,h)anthracene	Total	ND	µg/L		0.10	0.10			11/03/2017
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	1:10:00 P	09/26/2017	4:35:00 PM			09/28/2017	12:39:00	Water	USEPA	8260B	Dibromochloromethane	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	1:10:00 P	09/26/2017	4:35:00 P	09/27/2017	7:46:36 A	09/27/2017	7:31:00 P	Water	USEPA	8081	Dieldrin	Total	ND	µg/L	S	0.06	0.06			11/03/2017
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	1:10:00 P	09/26/2017	4:35:00 PM					Water	YSI	Field	Dissolved Oxygen		4.21	mg/L						11/03/2017
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	1:10:00 P	09/26/2017	4:35:00 PM			09/26/2017	5:03:05 P	Water	USEPA	E COLI_	E. Coli	Total	6.30	MPN/100mL		1.00	1.00			11/03/2017
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	1:10:00 P	09/26/2017	4:35:00 P	09/27/2017	7:46:36 A	09/27/2017	7:31:00 P	Water	USEPA	8081	Endosulfan I	Total	ND	µg/L	S	0.03	0.03			11/03/2017
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	1:10:00 P	09/26/2017	4:35:00 P	09/27/2017	7:46:36 A	09/27/2017	7:31:00 P	Water	USEPA	8081	Endosulfan II	Total	ND	µg/L	S	0.06	0.06			11/03/2017
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	1:10:00 P	09/26/2017	4:35:00 P	09/27/2017	7:46:36 A	09/27/2017	7:31:00 P	Water	USEPA	8081	Endosulfan sulfate	Total	ND	µg/L	S	0.06	0.06			11/03/2017
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	1:10:00 P	09/26/2017	4:35:00 P	09/27/2017	7:46:36 A	09/27/2017	7:31:00 P	Water	USEPA	8081	Endrin	Total	ND	µg/L	S	0.06	0.06			11/03/2017
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	1:10:00 P	09/26/2017	4:35:00 P	09/27/2017	7:46:36 A	09/27/2017	7:31:00 P	Water	USEPA	8081	Endrin aldehyde	Total	ND	µg/L		0.06	0.06			11/03/2017
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	1:10:00 P	09/26/2017	4:35:00 P	09/27/2017	7:46:36 A	09/27/2017	7:31:00 P	Water	USEPA	8081	Endrin ketone	Total	ND	µg/L	S	0.06	0.06			11/03/2017
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	1:10:00 P	09/26/2017	4:35:00 PM			09/28/2017	12:39:00	Water	USEPA	8260B	Ethylbenzene	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	1:10:00 P	09/26/2017	4:35:00 PM			09/26/2017	5:15:00 P	Water	USEPA	DISSOLV	Filtered and Preserved	Total	complete		V	0.00	0.00			11/03/2017
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	1:10:00 P	09/26/2017	4:35:00 P	09/27/2017	10:56:18	09/28/2017	8:32:00 P	Water	USEPA	8270D	Fluoranthene	Total	ND	µg/L		0.10	0.10			11/03/2017
DRWW	Suburban Labs		13-6	G-08	0																											

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code - IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	1:10:00 P	09/26/2017	4:35:00 PM			09/28/2017	2:00:02 P	Water	USEPA	2540-D	Total Suspended Solids	Total	24.60	mg/L		0.29	7.15			11/03/2017
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	1:10:00 P	09/26/2017	4:35:00 PM			09/28/2017	12:39:00 P	Water	USEPA	8260B	Total Xylenes	Total	ND	ug/L		2.00	2.00			11/03/2017
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	1:10:00 P	09/26/2017	4:35:00 PM	09/27/2017	7:46:36 A	09/27/2017	7:31:00 P	Water	USEPA	8081	Toxaphene	Total	ND	ug/L		0.22	0.22			11/03/2017
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	1:10:00 P	09/26/2017	4:35:00 PM			09/28/2017	12:39:00 P	Water	USEPA	8260B	trans-1,2-Dichloroethene	Total	ND	ug/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	1:10:00 P	09/26/2017	4:35:00 PM			09/28/2017	12:39:00 P	Water	USEPA	8260B	trans-1,3-Dichloropropene	Total	ND	ug/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	1:10:00 P	09/26/2017	4:35:00 PM			09/28/2017	12:39:00 P	Water	USEPA	8260B	Trichloroethene	Total	ND	ug/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	1:10:00 P	09/26/2017	4:35:00 PM			09/26/2017	5:02:53 P	Water	Lab	2130-B	Turbidity		27.60	NTU		0.10	0.20			11/03/2017
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	1:10:00 P	09/26/2017	4:35:00 PM			09/28/2017	12:39:00 P	Water	USEPA	8260B	Vinyl chloride	Total	ND	ug/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	1:10:00 P	09/26/2017	4:35:00 PM			09/28/2017	2:00:02 P	Water	USEPA	2540-D	Volatile Suspended Solids	Total	5.15	mg/L	JR	0.29	7.15			11/03/2017
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	1:10:00 P	09/26/2017	4:35:00 PM	09/27/2017	12:11:39 P	09/28/2017	1:39:18 P	Water	USEPA	200.7	Zinc	Total	0.01	mg/L	J	0.00	0.01			11/03/2017
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	12:00:00	09/26/2017	4:35:00 PM			10/11/2017	2:55:00 P	Water	USEPA	1631	Mercury	Total	ND	ng/L		0.50	0.50			11/03/2017
DRWW	Suburban Labs		13-7	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	11:05:00	03/28/2017	2:30:00 PM			03/30/2017	5:35:35 P	Water	APHA	4500-CL-	Chloride	Total	174.00	mg/L		20.00	20.00			04/24/2017
DRWW	Suburban Labs		13-7	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	11:05:00	03/28/2017	2:30:00 PM					Water	YSI	EPA 120.	Conductivity		1071.00	umhos/cm						04/24/2017
DRWW	Suburban Labs		13-7	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	11:05:00	03/28/2017	2:30:00 PM					Water	YSI	Field	Dissolved Oxygen		11.71	mg/L						04/24/2017
DRWW	Suburban Labs		13-7	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	11:05:00	03/28/2017	2:30:00 PM			03/28/2017	3:25:00 P	Water	USEPA	E_COLI_	E. Coli	Total	18.70	MPN/100mL		1.00	1.00			04/24/2017
DRWW	Suburban Labs		13-7	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	11:05:00	03/28/2017	2:30:00 PM					Water	USEPA	365.2	pH, Field		8.05	pH						04/24/2017
DRWW	Suburban Labs		13-7	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	11:05:00	03/28/2017	2:30:00 PM			03/31/2017	2:39:53 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	ND	mg/L		0.05	0.14			04/24/2017
DRWW	Suburban Labs		13-7	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	11:05:00	03/28/2017	2:30:00 PM			03/29/2017	1:54:04 P	Water	Lab	2510B	Specific Conductivity	Total	1070.00	umhos/cm		1.00	1.00			04/24/2017
DRWW	Suburban Labs		13-7	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	11:05:00	03/28/2017	2:30:00 PM					Water	USEPA	SM 2550B	Temperature		6.08	°C						04/24/2017
DRWW	Suburban Labs		13-7	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	11:05:00	03/28/2017	2:30:00 PM			03/28/2017	6:32:37 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.15	mg/L	J	0.10	0.20			04/24/2017
DRWW	Suburban Labs		13-7	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	11:05:00	03/28/2017	2:30:00 PM			03/28/2017	3:20:00 P	Water	Lab	2130-B	Turbidity		8.06	NTU		0.10	0.20			04/24/2017
DRWW	Suburban Labs		13-7	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		05/22/2017	10:12:00	05/22/2017	4:00:00 PM			05/24/2017	5:04:35 P	Water	APHA	4500-CL-	Chloride	Total	99.50	mg/L		20.00	20.00			06/05/2017
DRWW	Suburban Labs		13-7	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		05/22/2017	10:12:00	05/22/2017	4:00:00 PM					Water	YSI	EPA 120.	Conductivity		845.00	umhos/cm						06/05/2017
DRWW	Suburban Labs		13-7	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		05/22/2017	10:12:00	05/22/2017	4:00:00 PM					Water	YSI	Field	Dissolved Oxygen		12.33	mg/L						06/05/2017
DRWW	Suburban Labs		13-7	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		05/22/2017	10:12:00	05/22/2017	4:00:00 PM			05/22/2017	5:03:00 P	Water	USEPA	E_COLI_	E. Coli	Total	137.00	MPN/100mL		1.00	1.00			06/05/2017
DRWW	Suburban Labs		13-7	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		05/22/2017	10:12:00	05/22/2017	4:00:00 PM					Water	USEPA	365.2	pH, Field		8.23	pH						06/05/2017
DRWW	Suburban Labs		13-7	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		05/22/2017	10:12:00	05/22/2017	4:00:00 PM	05/30/2017	1:29:32 P	06/01/2017	5:45:23 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	ND	mg/L		0.05	0.14			06/05/2017
DRWW	Suburban Labs		13-7	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		05/22/2017	10:12:00	05/22/2017	4:00:00 PM			05/26/2017	2:42:21 P	Water	Lab	2510B	Specific Conductivity	Total	848.00	umhos/cm		1.00	1.00			06/05/2017
DRWW	Suburban Labs		13-7	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		05/22/2017	10:12:00	05/22/2017	4:00:00 PM					Water	USEPA	SM 2550B	Temperature		12.54	°C						06/05/2017
DRWW	Suburban Labs		13-7	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		05/22/2017	10:12:00	05/22/2017	4:00:00 PM			05/23/2017	6:26:02 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.20	mg/L	J	0.10	0.22			06/05/2017
DRWW	Suburban Labs		13-7	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		05/22/2017	10:12:00	05/22/2017	4:00:00 PM			05/22/2017	5:00:00 P	Water	Lab	2130-B	Turbidity		8.00	NTU		0.10	0.20			06/05/2017
DRWW	Suburban Labs		13-7	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		06/27/2017	2:08:00 P	06/27/2017	4:35:00 PM			06/29/2017	4:06:24 P	Water	APHA	4500-CL-	Chloride	Total	80.30	mg/L		20.00	20.00			07/10/2017
DRWW	Suburban Labs		13-7	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		06/27/2017	2:08:00 P	06/27/2017	4:35:00 PM					Water	YSI	EPA 120.	Conductivity		898.00	umhos/cm						07/10/2017
DRWW	Suburban Labs		13-7	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		06/27/2017	2:08:00 P	06/27/2017	4:35:00 PM					Water	YSI	Field	Dissolved Oxygen		8.10	mg/L						07/10/2017
DRWW	Suburban Labs		13-7	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		06/27/2017	2:08:00 P	06/27/2017	4:35:00 PM			06/27/2017	5:05:20 P	Water	USEPA	E_COLI_	E. Coli	Total	488.00	MPN/100mL		1.00	1.00			07/10/2017
DRWW	Suburban Labs		13-7	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		06/27/2017	2:08:00 P	06/27/2017	4:35:00 PM					Water	USEPA	365.2	pH, Field		8.18	pH						07/10/2017
DRWW	Suburban Labs		13-7	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		06/27/2017	2:08:00 P	06/27/2017	4:35:00 PM	06/28/2017	2:56:29 P	06/29/2017	2:48:43 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.10	mg/L	J	0.05	0.14			07/10/2017
DRWW	Suburban Labs		13-7	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		06/27/2017	2:08:00 P	06/27/2017	4:35:00 PM			07/07/2017	4:07:23 P	Water	Lab	2510B	Specific Conductivity	Total	867.00	umhos/cm		1.00	1.00			07/10/2017
DRWW	Suburban Labs		13-7	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		06/27/2017	2:08:00 P	06/27/2017	4:35:00 PM					Water	USEPA	SM 2550B	Temperature		17.65	°C						07/10/2017
DRWW	Suburban Labs		13-7	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		06/27/2017	2:08:00 P	06/27/2017	4:35:00 PM			06/28/2017	2:54:43 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.66	mg/L		0.10	0.22			07/10/2017
DRWW	Suburban Labs		13-7	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		06/27/2017	2:08:00 P	06/27/2017	4:35:00 PM			06/27/2017	5:19:00 P	Water	Lab	2130-B	Turbidity		14.00	NTU		0.10	0.20			07/10/2017
DRWW	Suburban Labs		13-7	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		07/27/2017	12:48:00	07/27/2017	4:40:00 PM			07/31/2017	6:19:26 P	Water	APHA	4500-CL-	Chloride	Total	63.40	mg/L		20.00	20.00			08/10/2017
DRWW	Suburban Labs		13-7	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		07/27/2017	12:48:00	07/27/2017	4:40:00 PM					Water	YSI	EPA 120.	Conductivity		631.00	umhos/cm						08/10/2017
DRWW	Suburban Labs		13-7	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		07/27/2017	12:48:00	07/27/2017	4:40:00 PM					Water	YSI	Field	Dissolved Oxygen		7.25	mg/L						08/10/2017
DRWW	Suburban Labs		13-7	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		07/27/2017	12:48:00	07/27/2017	4:40:00 PM			07/27/2017	4:58:28 P													

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code - IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released	
DRWW	Suburban Labs		13-7 Dupl	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	11:05:00	03/28/2017	2:30:00 PM			03/31/2017	2:43:12 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	ND	mg/L		0.05	0.14			04/24/2017	
DRWW	Suburban Labs		13-7 Dupl	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	11:05:00	03/28/2017	2:30:00 PM			03/29/2017	1:57:15 P	Water	Lab	2510B	Specific Conductivity	Total	1050.00	umhos/cm		1.00	1.00			04/24/2017	
DRWW	Suburban Labs		13-7 Dupl	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	11:05:00	03/28/2017	2:30:00 PM					Water	USEPA	SM 2550B	Temperature		6.08	°C						04/24/2017	
DRWW	Suburban Labs		13-7 Dupl	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	11:05:00	03/28/2017	2:30:00 PM			03/28/2017	6:34:48 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.11	mg/L	J	0.10	0.20			04/24/2017	
DRWW	Suburban Labs		13-7 Dupl	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	11:05:00	03/28/2017	2:30:00 PM			03/28/2017	3:20:00 P	Water	Lab	2130-B	Turbidity		8.50	NTU		0.10	0.20			04/24/2017	
DRWW	Suburban Labs		13-7 Dupl	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		08/23/2017	9:48:00 A	08/23/2017	4:20:00 PM			08/25/2017	1:38:41 P	Water	APHA	4500-CL-	Chloride	Total	74.90	mg/L		20.00	20.00			09/14/2017	
DRWW	Suburban Labs		13-7 Dupl	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		08/23/2017	9:48:00 A	08/23/2017	4:20:00 PM					Water	YSI	EPA 120.	Conductivity		789.00	umhos/cm						09/14/2017	
DRWW	Suburban Labs		13-7 Dupl	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		08/23/2017	9:48:00 A	08/23/2017	4:20:00 PM					Water	YSI	Field	Dissolved Oxygen		9.42	mg/L						09/14/2017	
DRWW	Suburban Labs		13-7 Dupl	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		08/23/2017	9:48:00 A	08/23/2017	4:20:00 PM			08/23/2017	5:26:40 P	Water	USEPA	E_COLI	E. Coli	Total	816.00	MPN/100mL		1.00	1.00			09/14/2017	
DRWW	Suburban Labs		13-7 Dupl	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		08/23/2017	9:48:00 A	08/23/2017	4:20:00 PM					Water	USEPA	365.2	pH, Field		8.13	S.U.						09/14/2017	
DRWW	Suburban Labs		13-7 Dupl	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		08/23/2017	9:48:00 A	08/23/2017	4:20:00 PM			08/25/2017	2:47:29 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.06	mg/L	J	0.05	0.14			09/14/2017	
DRWW	Suburban Labs		13-7 Dupl	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		08/23/2017	9:48:00 A	08/23/2017	4:20:00 PM			08/25/2017	3:09:32 P	Water	Lab	2510B	Specific Conductivity	Total	794.00	umhos/cm		1.00	1.00			09/14/2017	
DRWW	Suburban Labs		13-7 Dupl	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		08/23/2017	9:48:00 A	08/23/2017	4:20:00 PM					Water	USEPA	SM 2550B	Temperature		17.64	°C						09/14/2017	
DRWW	Suburban Labs		13-7 Dupl	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		08/23/2017	9:48:00 A	08/23/2017	4:20:00 PM			08/24/2017	3:15:21 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.22	mg/L	J	0.10	0.22			09/14/2017	
DRWW	Suburban Labs		13-7 Dupl	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		08/23/2017	9:48:00 A	08/23/2017	4:20:00 PM			08/23/2017	5:03:15 P	Water	Lab	2130-B	Turbidity		12.60	NTU		0.10	0.20			09/14/2017	
DRWW	Suburban Labs		13-7 Dupl	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	1:59:00 P	09/26/2017	4:35:00 PM			09/28/2017	4:51:27 P	Water	APHA	4500-CL-	Chloride	Total	42.30	mg/L	S	20.00	20.00			11/03/2017	
DRWW	Suburban Labs		13-7 Dupl	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	1:59:00 P	09/26/2017	4:35:00 PM					Water	YSI	EPA 120.	Conductivity		863.00	umhos/cm							11/03/2017
DRWW	Suburban Labs		13-7 Dupl	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	1:59:00 P	09/26/2017	4:35:00 PM					Water	YSI	Field	Dissolved Oxygen		7.62	mg/L							11/03/2017
DRWW	Suburban Labs		13-7 Dupl	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	1:59:00 P	09/26/2017	4:35:00 PM			09/26/2017	5:03:05 P	Water	USEPA	E_COLI	E. Coli	Total	308.00	MPN/100mL		1.00	1.00			11/03/2017	
DRWW	Suburban Labs		13-7 Dupl	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	1:59:00 P	09/26/2017	4:35:00 PM			09/27/2017	12:17:06 P	Water	USEPA	365.2	pH, Field		8.04	S.U.							11/03/2017
DRWW	Suburban Labs		13-7 Dupl	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	1:59:00 P	09/26/2017	4:35:00 PM			09/28/2017	3:30:08 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.05	mg/L	J	0.05	0.14			11/03/2017	
DRWW	Suburban Labs		13-7 Dupl	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	1:59:00 P	09/26/2017	4:35:00 PM			10/03/2017	3:28:23 P	Water	Lab	2510B	Specific Conductivity	Total	871.00	umhos/cm		1.00	1.00			11/03/2017	
DRWW	Suburban Labs		13-7 Dupl	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	1:59:00 P	09/26/2017	4:35:00 PM					Water	USEPA	SM 2550B	Temperature		20.59	°C							11/03/2017
DRWW	Suburban Labs		13-7 Dupl	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	1:59:00 P	09/26/2017	4:35:00 PM			09/28/2017	8:54:08 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.16	mg/L	J	0.10	0.22			11/03/2017	
DRWW	Suburban Labs		13-7 Dupl	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	1:59:00 P	09/26/2017	4:35:00 PM			09/26/2017	5:02:53 P	Water	Lab	2130-B	Turbidity		3.55	NTU		0.10	0.20			11/03/2017	
DRWW	Suburban Labs		13-7 Field	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	11:05:00	03/28/2017	2:30:00 PM			03/30/2017	5:36:55 P	Water	APHA	4500-CL-	Chloride	Total	ND	mg/L		20.00	20.00			04/24/2017	
DRWW	Suburban Labs		13-7 Field	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	11:05:00	03/28/2017	2:30:00 PM					Water	YSI	EPA 120.	Conductivity		2.00	umhos/cm							04/24/2017
DRWW	Suburban Labs		13-7 Field	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	11:05:00	03/28/2017	2:30:00 PM					Water	YSI	Field	Dissolved Oxygen		9.14	mg/L							04/24/2017
DRWW	Suburban Labs		13-7 Field	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	11:05:00	03/28/2017	2:30:00 PM			03/28/2017	3:25:00 P	Water	USEPA	E_COLI	E. Coli	Total	< 1.00	MPN/100mL		1.00	1.00			04/24/2017	
DRWW	Suburban Labs		13-7 Field	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	11:05:00	03/28/2017	2:30:00 PM					Water	USEPA	365.2	pH, Field		6.96	pH							04/24/2017
DRWW	Suburban Labs		13-7 Field	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	11:05:00	03/28/2017	2:30:00 PM			03/31/2017	2:56:08 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	ND	mg/L		0.05	0.14			04/24/2017	
DRWW	Suburban Labs		13-7 Field	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	11:05:00	03/28/2017	2:30:00 PM			03/29/2017	1:59:02 P	Water	Lab	2510B	Specific Conductivity	Total	1.04	umhos/cm		1.00	1.00			04/24/2017	
DRWW	Suburban Labs		13-7 Field	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	11:05:00	03/28/2017	2:30:00 PM					Water	USEPA	SM 2550B	Temperature		9.65	°C							04/24/2017
DRWW	Suburban Labs		13-7 Field	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	11:05:00	03/28/2017	2:30:00 PM			03/28/2017	6:36:59 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.20			04/24/2017	
DRWW	Suburban Labs		13-7 Field	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	11:05:00	03/28/2017	2:30:00 PM			03/28/2017	3:20:00 P	Water	Lab	2130-B	Turbidity		ND	NTU		0.10	0.20			04/24/2017	
DRWW	Suburban Labs		13-7 Field	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		05/22/2017	10:24:00	05/22/2017	4:00:00 PM			05/24/2017	5:05:15 P	Water	APHA	4500-CL-	Chloride	Total	ND	mg/L		20.00	20.00			06/05/2017	
DRWW	Suburban Labs		13-7 Field	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		05/22/2017	10:24:00	05/22/2017	4:00:00 PM					Water	YSI	EPA 120.	Conductivity		0.00	umhos/cm							06/05/2017
DRWW	Suburban Labs		13-7 Field	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		05/22/2017	10:24:00	05/22/2017	4:00:00 PM					Water	YSI	Field	Dissolved Oxygen		10.42	mg/L							06/05/2017
DRWW	Suburban Labs		13-7 Field	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		05/22/2017	10:24:00	05/22/2017	4:00:00 PM			05/22/2017	5:03:00 P	Water	USEPA	E_COLI	E. Coli	Total	< 1.00	MPN/100mL		1.00	1.00			06/05/2017	
DRWW	Suburban Labs		13-7 Field	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		05/22/2017	10:24:00	05/22/2017	4:00:00 PM					Water	USEPA	365.2	pH, Field		8.48	pH							06/05/2017
DRWW	Suburban Labs		13-7 Field	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		05/22/2017	10:24:00	05/22/2017	4:00:00 PM			05/30/2017	1:29:32 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	ND	mg/L		0.05	0.14			06/05/2017	
DRWW	Suburban Labs		13-7 Field	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		05/22/2017	10:24:00	05/22/2017	4:00:00 PM			05/26/2017	2:43:43 P	Water	Lab	2510B	Specific Conductivity	Total	1.31	umhos/cm		1.00	1.00			06/05/2017	
DRWW	Suburban Labs		13-7 Field	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		05/22/2017	10:24:00	05/22/2017	4:00:00 PM					Water	USEPA	SM 2550B	Temperature		14.35	°C							06/05/2017
DRWW	Suburban Labs		13-7 Field	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		05/22/2017	10:24:00	05/22/2017	4:00:00 PM			05/23/2017	6:28:20 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22			06/05/2017	
DRWW	Suburban Labs		13-7 Field	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		05/22/2017	10:24:00	05/22/2017	4:00:00 PM			05/22/2017	5:00:00 P	Water	Lab	2130-B	Turbidity										

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code - IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs		13-7 Field	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	2:14:00 P	09/26/2017	4:35:00 PM			09/26/2017	5:03:05 P	Water	USEPA	E COLI	E. Coli	Total	< 1.00	MPN/100mL		1.00				11/03/2017
DRWW	Suburban Labs		13-7 Field	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	2:14:00 P	09/26/2017	4:35:00 PM			09/26/2017	5:03:05 P	Water	USEPA	365.2	pH, Field	Total	7.84	S.U.					11/03/2017	
DRWW	Suburban Labs		13-7 Field	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	2:14:00 P	09/26/2017	4:35:00 PM	09/27/2017	12:17:06	09/28/2017	3:32:39 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	ND	mg/L		0.05	0.14			11/03/2017
DRWW	Suburban Labs		13-7 Field	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	2:14:00 P	09/26/2017	4:35:00 PM			10/05/2017	5:07:59 P	Water	Lab	2510B	Specific Conductivity	Total	1.54	umhos/cm		1.00	1.00			11/03/2017
DRWW	Suburban Labs		13-7 Field	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	2:14:00 P	09/26/2017	4:35:00 PM			09/28/2017	8:56:19 P	Water	USEPA	SM 2550B	Temperature	Total	27.90	°C					11/03/2017	
DRWW	Suburban Labs		13-7 Field	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	2:14:00 P	09/26/2017	4:35:00 PM			09/28/2017	8:56:19 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22			11/03/2017
DRWW	Suburban Labs		13-7 Field	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		09/26/2017	2:14:00 P	09/26/2017	4:35:00 PM			09/26/2017	5:02:53 P	Water	Lab	2130-B	Turbidity	Total	ND	NTU		0.10	0.20			11/03/2017
DRWW	Suburban Labs		13-8	GZI-01	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	11:27:00	03/28/2017	2:30:00 PM			04/04/2017	12:18:53	Water	APHA	4500-CL-	Chloride	Total	387.00	mg/L		40.00	40.00			04/24/2017
DRWW	Suburban Labs		13-8	GZI-01	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	11:27:00	03/28/2017	2:30:00 PM					Water	YSI	EPA 120.	Conductivity	Total	1324.00	umhos/cm						04/24/2017
DRWW	Suburban Labs		13-8	GZI-01	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	11:27:00	03/28/2017	2:30:00 PM					Water	YSI	Field	Dissolved Oxygen	Total	11.06	mg/L						04/24/2017
DRWW	Suburban Labs		13-8	GZI-01	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	11:27:00	03/28/2017	2:30:00 PM			03/28/2017	3:25:00 P	Water	USEPA	E COLI	E. Coli	Total	13.40	MPN/100mL		1.00	1.00			04/24/2017
DRWW	Suburban Labs		13-8	GZI-01	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	11:27:00	03/28/2017	2:30:00 PM					Water	USEPA	365.2	pH, Field	Total	7.86	pH						04/24/2017
DRWW	Suburban Labs		13-8	GZI-01	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	11:27:00	03/28/2017	2:30:00 PM			03/31/2017	2:58:34 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	ND	mg/L		0.05	0.14			04/24/2017
DRWW	Suburban Labs		13-8	GZI-01	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	11:27:00	03/28/2017	2:30:00 PM			03/29/2017	1:59:49 P	Water	Lab	2510B	Specific Conductivity	Total	1800.00	umhos/cm		1.00	1.00			04/24/2017
DRWW	Suburban Labs		13-8	GZI-01	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	11:27:00	03/28/2017	2:30:00 PM					Water	USEPA	SM 2550B	Temperature	Total	7.71	°C						04/24/2017
DRWW	Suburban Labs		13-8	GZI-01	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	11:27:00	03/28/2017	2:30:00 PM			03/28/2017	6:45:40 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.64	mg/L		0.10	0.20			04/24/2017
DRWW	Suburban Labs		13-8	GZI-01	0.5	ft	Upper Des Plaines River			Non-IEPA		03/28/2017	11:27:00	03/28/2017	2:30:00 PM			03/28/2017	3:20:00 P	Water	Lab	2130-B	Turbidity	Total	9.60	NTU		0.10	0.20			04/24/2017
DRWW	Suburban Labs		13-8	GZI-01	0.5	ft	Upper Des Plaines River			Non-IEPA		05/22/2017	10:55:00	05/22/2017	4:00:00 PM			05/24/2017	5:50:21 P	Water	APHA	4500-CL-	Chloride	Total	228.00	mg/L		100.00	100.00			06/05/2017
DRWW	Suburban Labs		13-8	GZI-01	0.5	ft	Upper Des Plaines River			Non-IEPA		05/22/2017	10:55:00	05/22/2017	4:00:00 PM					Water	YSI	EPA 120.	Conductivity	Total	1240.00	umhos/cm						06/05/2017
DRWW	Suburban Labs		13-8	GZI-01	0.5	ft	Upper Des Plaines River			Non-IEPA		05/22/2017	10:55:00	05/22/2017	4:00:00 PM					Water	YSI	Field	Dissolved Oxygen	Total	10.08	mg/L						06/05/2017
DRWW	Suburban Labs		13-8	GZI-01	0.5	ft	Upper Des Plaines River			Non-IEPA		05/22/2017	10:55:00	05/22/2017	4:00:00 PM			05/22/2017	5:03:00 P	Water	USEPA	E COLI	E. Coli	Total	81.60	MPN/100mL		1.00	1.00			06/05/2017
DRWW	Suburban Labs		13-8	GZI-01	0.5	ft	Upper Des Plaines River			Non-IEPA		05/22/2017	10:55:00	05/22/2017	4:00:00 PM					Water	USEPA	365.2	pH, Field	Total	8.01	pH						06/05/2017
DRWW	Suburban Labs		13-8	GZI-01	0.5	ft	Upper Des Plaines River			Non-IEPA		05/22/2017	10:55:00	05/22/2017	4:00:00 PM	05/30/2017	1:29:32 P	06/01/2017	5:32:45 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	ND	mg/L		0.05	0.14			06/05/2017
DRWW	Suburban Labs		13-8	GZI-01	0.5	ft	Upper Des Plaines River			Non-IEPA		05/22/2017	10:55:00	05/22/2017	4:00:00 PM			05/26/2017	2:41:38 P	Water	Lab	2510B	Specific Conductivity	Total	1240.00	umhos/cm		1.00	1.00			06/05/2017
DRWW	Suburban Labs		13-8	GZI-01	0.5	ft	Upper Des Plaines River			Non-IEPA		05/22/2017	10:55:00	05/22/2017	4:00:00 PM					Water	USEPA	SM 2550B	Temperature	Total	14.45	°C						06/05/2017
DRWW	Suburban Labs		13-8	GZI-01	0.5	ft	Upper Des Plaines River			Non-IEPA		05/22/2017	10:55:00	05/22/2017	4:00:00 PM			05/23/2017	6:23:44 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.28	mg/L		0.10	0.22			06/05/2017
DRWW	Suburban Labs		13-8	GZI-01	0.5	ft	Upper Des Plaines River			Non-IEPA		05/22/2017	10:55:00	05/22/2017	4:00:00 PM			05/22/2017	5:00:00 P	Water	Lab	2130-B	Turbidity	Total	9.37	NTU		0.10	0.20			06/05/2017
DRWW	Suburban Labs		13-8	GZI-01	0.5	ft	Upper Des Plaines River			Non-IEPA		06/28/2017	10:17:00	06/28/2017	4:42:00 PM			06/29/2017	4:34:58 P	Water	APHA	4500-CL-	Chloride	Total	241.00	mg/L		40.00	40.00			07/11/2017
DRWW	Suburban Labs		13-8	GZI-01	0.5	ft	Upper Des Plaines River			Non-IEPA		06/28/2017	10:17:00	06/28/2017	4:42:00 PM					Water	YSI	EPA 120.	Conductivity	Total	1270.00	umhos/cm						07/11/2017
DRWW	Suburban Labs		13-8	GZI-01	0.5	ft	Upper Des Plaines River			Non-IEPA		06/28/2017	10:17:00	06/28/2017	4:42:00 PM					Water	YSI	Field	Dissolved Oxygen	Total	8.86	mg/L						07/11/2017
DRWW	Suburban Labs		13-8	GZI-01	0.5	ft	Upper Des Plaines River			Non-IEPA		06/28/2017	10:17:00	06/28/2017	4:42:00 PM			06/28/2017	5:26:16 P	Water	USEPA	E COLI	E. Coli	Total	145.00	MPN/100mL		1.00	1.00			07/11/2017
DRWW	Suburban Labs		13-8	GZI-01	0.5	ft	Upper Des Plaines River			Non-IEPA		06/28/2017	10:17:00	06/28/2017	4:42:00 PM					Water	USEPA	365.2	pH, Field	Total	7.86	pH						07/11/2017
DRWW	Suburban Labs		13-8	GZI-01	0.5	ft	Upper Des Plaines River			Non-IEPA		06/28/2017	10:17:00	06/28/2017	4:42:00 PM	06/29/2017	3:02:21 P	06/30/2017	1:00:28 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.05	mg/L	J	0.05	0.14			07/11/2017
DRWW	Suburban Labs		13-8	GZI-01	0.5	ft	Upper Des Plaines River			Non-IEPA		06/28/2017	10:17:00	06/28/2017	4:42:00 PM			07/07/2017	4:17:56 P	Water	Lab	2510B	Specific Conductivity	Total	1200.00	umhos/cm		1.00	1.00			07/11/2017
DRWW	Suburban Labs		13-8	GZI-01	0.5	ft	Upper Des Plaines River			Non-IEPA		06/28/2017	10:17:00	06/28/2017	4:42:00 PM					Water	USEPA	SM 2550B	Temperature	Total	19.14	°C						07/11/2017
DRWW	Suburban Labs		13-8	GZI-01	0.5	ft	Upper Des Plaines River			Non-IEPA		06/28/2017	10:17:00	06/28/2017	4:42:00 PM			07/10/2017	7:50:15 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.27	mg/L		0.10	0.22			07/11/2017
DRWW	Suburban Labs		13-8	GZI-01	0.5	ft	Upper Des Plaines River			Non-IEPA		06/28/2017	10:17:00	06/28/2017	4:42:00 PM			06/28/2017	5:18:00 P	Water	Lab	2130-B	Turbidity	Total	7.01	NTU		0.10	0.20			07/11/2017
DRWW	Suburban Labs		13-8	GZI-01	0.5	ft	Upper Des Plaines River			Non-IEPA		07/27/2017	10:54:00	07/27/2017	4:40:00 PM			07/31/2017	6:15:29 P	Water	APHA	4500-CL-	Chloride	Total	118.00	mg/L		20.00	20.00			08/10/2017
DRWW	Suburban Labs		13-8	GZI-01	0.5	ft	Upper Des Plaines River			Non-IEPA		07/27/2017	10:54:00	07/27/2017	4:40:00 PM					Water	YSI	EPA 120.	Conductivity	Total	871.00	umhos/cm						08/10/2017
DRWW	Suburban Labs		13-8	GZI-01	0.5	ft	Upper Des Plaines River			Non-IEPA		07/27/2017	10:54:00	07/27/2017	4:40:00 PM					Water	YSI	Field	Dissolved Oxygen	Total	6.01	mg/L						08/10/2017
DRWW	Suburban Labs		13-8	GZI-01	0.5	ft	Upper Des Plaines River			Non-IEPA		07/27/2017	10:54:00	07/27/2017	4:40:00 PM			07/27/2017	4:58:28 P	Water	USEPA	E COLI	E. Coli	Total	107.00	MPN/100mL		1.00	1.00			08/10/2017
DRWW	Suburban Labs		13-8	GZI-01	0.5	ft	Upper Des Plaines River			Non-IEPA		07/27/2017	10:54:00	07/27/2017	4:40:00 PM					Water	USEPA	365.2	pH, Field	Total	7.89	S.U.						08/10/2017
DRWW	Suburban Labs		13-8	GZI-01	0.5	ft	Upper Des Plaines River			Non-IEPA		07/27/2017	10:54:00	07/27/2017	4:40:00 PM	07/28/2017	10:29:49	07/31/2017	3:13:34 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.12	mg/L	J	0.05	0.14			08/10/2017
DRWW	Suburban Labs		13-8	GZI-01	0.5	ft	Upper Des Plaines River			Non-IEPA		07/27/2017	10:54:00	07/27/2017	4:40:00 PM			08/01/2017	2:38:43 P	Water	Lab	2510B	Specific Conductivity	Total	829.00	umhos/cm		1.00	1.00			08/10/2017
DRWW	Suburban Labs		13-8	GZI-01	0.5	ft	Upper Des Plaines River			Non-IEPA		07/27/2017	10:54:00	07/27/2017	4:40:00 PM					Water	USEPA	SM 2550B	Temperature	Total								



Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code - IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs		13-9	GZJ-01	0.5	ft	Upper Des Plaines River			Non-IEPA		05/22/2017	11:24:00	05/22/2017	4:00:00 PM			05/24/2017	5:51:03 P	Water	APHA	4500-CL-	Chloride	Total	314.00	mg/L		100.00	100.00		06/05/2017	
DRWW	Suburban Labs		13-9	GZJ-01	0.5	ft	Upper Des Plaines River			Non-IEPA		05/22/2017	11:24:00	05/22/2017	4:00:00 PM					Water	YSI	EPA 120.	Conductivity		1369.00	umhos/cm					06/05/2017	
DRWW	Suburban Labs		13-9	GZJ-01	0.5	ft	Upper Des Plaines River			Non-IEPA		05/22/2017	11:24:00	05/22/2017	4:00:00 PM					Water	YSI	Field	Dissolved Oxygen		11.54	mg/L					06/05/2017	
DRWW	Suburban Labs		13-9	GZJ-01	0.5	ft	Upper Des Plaines River			Non-IEPA		05/22/2017	11:24:00	05/22/2017	4:00:00 PM			05/22/2017	5:03:00 P	Water	USEPA	E_COLI_	E. Coli	Total	36.40	MPN/100mL	1.00	1.00			06/05/2017	
DRWW	Suburban Labs		13-9	GZJ-01	0.5	ft	Upper Des Plaines River			Non-IEPA		05/22/2017	11:24:00	05/22/2017	4:00:00 PM	05/30/2017	1:29:32 P	06/01/2017	5:50:11 P	Water	USEPA	365.2	pH, Field		8.18	pH					06/05/2017	
DRWW	Suburban Labs		13-9	GZJ-01	0.5	ft	Upper Des Plaines River			Non-IEPA		05/22/2017	11:24:00	05/22/2017	4:00:00 PM			06/01/2017	5:50:11 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	ND	mg/L		0.05	0.14		06/05/2017	
DRWW	Suburban Labs		13-9	GZJ-01	0.5	ft	Upper Des Plaines River			Non-IEPA		05/22/2017	11:24:00	05/22/2017	4:00:00 PM			05/26/2017	2:44:36 P	Water	Lab	2510B	Specific Conductivity	Total	1380.00	umhos/cm	1.00	1.00			06/05/2017	
DRWW	Suburban Labs		13-9	GZJ-01	0.5	ft	Upper Des Plaines River			Non-IEPA		05/22/2017	11:24:00	05/22/2017	4:00:00 PM					Water	USEPA	SM 2550B	Temperature		14.21	°C					06/05/2017	
DRWW	Suburban Labs		13-9	GZJ-01	0.5	ft	Upper Des Plaines River			Non-IEPA		05/22/2017	11:24:00	05/22/2017	4:00:00 PM			05/23/2017	6:32:55 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.20	mg/L	J	0.10	0.22		06/05/2017	
DRWW	Suburban Labs		13-9	GZJ-01	0.5	ft	Upper Des Plaines River			Non-IEPA		05/22/2017	11:24:00	05/22/2017	4:00:00 PM			05/22/2017	5:00:00 P	Water	Lab	2130-B	Turbidity		4.89	NTU		0.10	0.20		06/05/2017	
DRWW	Suburban Labs		13-9	GZJ-01	0.5	ft	Upper Des Plaines River			Non-IEPA		06/28/2017	10:41:00	06/28/2017	4:42:00 PM			06/29/2017	4:35:41 P	Water	APHA	4500-CL-	Chloride	Total	256.00	mg/L		40.00	40.00		07/11/2017	
DRWW	Suburban Labs		13-9	GZJ-01	0.5	ft	Upper Des Plaines River			Non-IEPA		06/28/2017	10:41:00	06/28/2017	4:42:00 PM					Water	YSI	EPA 120.	Conductivity		1241.00	umhos/cm					07/11/2017	
DRWW	Suburban Labs		13-9	GZJ-01	0.5	ft	Upper Des Plaines River			Non-IEPA		06/28/2017	10:41:00	06/28/2017	4:42:00 PM					Water	YSI	Field	Dissolved Oxygen		7.88	mg/L					07/11/2017	
DRWW	Suburban Labs		13-9	GZJ-01	0.5	ft	Upper Des Plaines River			Non-IEPA		06/28/2017	10:41:00	06/28/2017	4:42:00 PM			06/28/2017	5:26:16 P	Water	USEPA	E_COLI_	E. Coli	Total	142.00	MPN/100mL	1.00	1.00			07/11/2017	
DRWW	Suburban Labs		13-9	GZJ-01	0.5	ft	Upper Des Plaines River			Non-IEPA		06/28/2017	10:41:00	06/28/2017	4:42:00 PM					Water	USEPA	365.2	pH, Field		7.82	pH					07/11/2017	
DRWW	Suburban Labs		13-9	GZJ-01	0.5	ft	Upper Des Plaines River			Non-IEPA		06/28/2017	10:41:00	06/28/2017	4:42:00 PM	06/29/2017	3:02:21 P	06/30/2017	1:02:47 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	ND	mg/L		0.05	0.14		07/11/2017	
DRWW	Suburban Labs		13-9	GZJ-01	0.5	ft	Upper Des Plaines River			Non-IEPA		06/28/2017	10:41:00	06/28/2017	4:42:00 PM			07/07/2017	4:23:50 P	Water	Lab	2510B	Specific Conductivity	Total	1200.00	umhos/cm	1.00	1.00			07/11/2017	
DRWW	Suburban Labs		13-9	GZJ-01	0.5	ft	Upper Des Plaines River			Non-IEPA		06/28/2017	10:41:00	06/28/2017	4:42:00 PM					Water	USEPA	SM 2550B	Temperature		19.12	°C					07/11/2017	
DRWW	Suburban Labs		13-9	GZJ-01	0.5	ft	Upper Des Plaines River			Non-IEPA		06/28/2017	10:41:00	06/28/2017	4:42:00 PM			07/10/2017	7:54:50 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.27	mg/L		0.10	0.22		07/11/2017	
DRWW	Suburban Labs		13-9	GZJ-01	0.5	ft	Upper Des Plaines River			Non-IEPA		06/28/2017	10:41:00	06/28/2017	4:42:00 PM			06/28/2017	5:18:00 P	Water	Lab	2130-B	Turbidity		4.86	NTU		0.10	0.20		07/11/2017	
DRWW	Suburban Labs		13-9	GZJ-01	0.5	ft	Upper Des Plaines River			Non-IEPA		07/27/2017	11:16:00	07/27/2017	4:40:00 PM			07/31/2017	6:16:09 P	Water	APHA	4500-CL-	Chloride	Total	146.00	mg/L	S	20.00	20.00		08/10/2017	
DRWW	Suburban Labs		13-9	GZJ-01	0.5	ft	Upper Des Plaines River			Non-IEPA		07/27/2017	11:16:00	07/27/2017	4:40:00 PM					Water	YSI	EPA 120.	Conductivity		876.00	umhos/cm					08/10/2017	
DRWW	Suburban Labs		13-9	GZJ-01	0.5	ft	Upper Des Plaines River			Non-IEPA		07/27/2017	11:16:00	07/27/2017	4:40:00 PM					Water	YSI	Field	Dissolved Oxygen		8.71	mg/L					08/10/2017	
DRWW	Suburban Labs		13-9	GZJ-01	0.5	ft	Upper Des Plaines River			Non-IEPA		07/27/2017	11:16:00	07/27/2017	4:40:00 PM			07/27/2017	4:58:28 P	Water	USEPA	E_COLI_	E. Coli	Total	82.00	MPN/100mL	1.00	1.00			08/10/2017	
DRWW	Suburban Labs		13-9	GZJ-01	0.5	ft	Upper Des Plaines River			Non-IEPA		07/27/2017	11:16:00	07/27/2017	4:40:00 PM					Water	USEPA	365.2	pH, Field		7.85	S.U.					08/10/2017	
DRWW	Suburban Labs		13-9	GZJ-01	0.5	ft	Upper Des Plaines River			Non-IEPA		07/27/2017	11:16:00	07/27/2017	4:40:00 PM	07/28/2017	10:29:49 P	07/31/2017	3:18:14 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	ND	mg/L		0.05	0.14		08/10/2017	
DRWW	Suburban Labs		13-9	GZJ-01	0.5	ft	Upper Des Plaines River			Non-IEPA		07/27/2017	11:16:00	07/27/2017	4:40:00 PM			08/01/2017	2:39:21 P	Water	Lab	2510B	Specific Conductivity	Total	846.00	umhos/cm	1.00	1.00			08/10/2017	
DRWW	Suburban Labs		13-9	GZJ-01	0.5	ft	Upper Des Plaines River			Non-IEPA		07/27/2017	11:16:00	07/27/2017	4:40:00 PM					Water	USEPA	SM 2550B	Temperature		24.73	°C					08/10/2017	
DRWW	Suburban Labs		13-9	GZJ-01	0.5	ft	Upper Des Plaines River			Non-IEPA		07/27/2017	11:16:00	07/27/2017	4:40:00 PM			07/28/2017	7:54:59 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.28	mg/L		0.10	0.22		08/10/2017	
DRWW	Suburban Labs		13-9	GZJ-01	0.5	ft	Upper Des Plaines River			Non-IEPA		07/27/2017	11:16:00	07/27/2017	4:40:00 PM			07/28/2017	4:55:00 P	Water	Lab	2130-B	Turbidity		7.90	NTU		0.10	0.20		08/10/2017	
DRWW	Suburban Labs		13-9	GZJ-01	0.5	ft	Upper Des Plaines River			Non-IEPA		08/23/2017	10:57:00	08/23/2017	4:20:00 PM			08/25/2017	2:19:51 P	Water	APHA	4500-CL-	Chloride	Total	258.00	mg/L		40.00	40.00		09/14/2017	
DRWW	Suburban Labs		13-9	GZJ-01	0.5	ft	Upper Des Plaines River			Non-IEPA		08/23/2017	10:57:00	08/23/2017	4:20:00 PM					Water	YSI	EPA 120.	Conductivity		1222.00	umhos/cm					09/14/2017	
DRWW	Suburban Labs		13-9	GZJ-01	0.5	ft	Upper Des Plaines River			Non-IEPA		08/23/2017	10:57:00	08/23/2017	4:20:00 PM			08/23/2017	5:26:40 P	Water	USEPA	E_COLI_	E. Coli	Total	158.00	MPN/100mL	1.00	1.00			09/14/2017	
DRWW	Suburban Labs		13-9	GZJ-01	0.5	ft	Upper Des Plaines River			Non-IEPA		08/23/2017	10:57:00	08/23/2017	4:20:00 PM					Water	USEPA	365.2	pH, Field		7.94	S.U.					09/14/2017	
DRWW	Suburban Labs		13-9	GZJ-01	0.5	ft	Upper Des Plaines River			Non-IEPA		08/23/2017	10:57:00	08/23/2017	4:20:00 PM			08/25/2017	2:54:48 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	ND	mg/L		0.05	0.14		09/14/2017	
DRWW	Suburban Labs		13-9	GZJ-01	0.5	ft	Upper Des Plaines River			Non-IEPA		08/23/2017	10:57:00	08/23/2017	4:20:00 PM			08/25/2017	3:10:47 P	Water	Lab	2510B	Specific Conductivity	Total	1210.00	umhos/cm	1.00	1.00			09/14/2017	
DRWW	Suburban Labs		13-9	GZJ-01	0.5	ft	Upper Des Plaines River			Non-IEPA		08/23/2017	10:57:00	08/23/2017	4:20:00 PM					Water	USEPA	SM 2550B	Temperature		20.40	°C					09/14/2017	
DRWW	Suburban Labs		13-9	GZJ-01	0.5	ft	Upper Des Plaines River			Non-IEPA		08/23/2017	10:57:00	08/23/2017	4:20:00 PM			08/24/2017	3:26:48 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.49	mg/L		0.10	0.22		09/14/2017	
DRWW	Suburban Labs		13-9	GZJ-01	0.5	ft	Upper Des Plaines River			Non-IEPA		08/23/2017	10:57:00	08/23/2017	4:20:00 PM			08/23/2017	5:03:15 P	Water	Lab	2130-B	Turbidity		3.36	NTU		0.10	0.20		09/14/2017	
DRWW	Suburban Labs		13-9	GZJ-01	0.5	ft	Upper Des Plaines River			Non-IEPA		09/27/2017	10:14:00	09/27/2017	4:17:00 PM			10/03/2017	12:59:42 P	Water	APHA	4500-CL-	Chloride	Total	364.00	mg/L		40.00	40.00		11/03/2017	
DRWW	Suburban Labs		13-9	GZ																												

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code - IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs		14-1	GV-01	0.5	ft	Bull Creek			Non-IEPA		05/22/2017	12:57:00	05/22/2017	4:00:00 PM			05/26/2017	1:43:17 P	Water	Lab	2510B	Specific Conductivity	Total	1090.00	umhos/cm		1.00	1.00		06/05/2017	
DRWW	Suburban Labs		14-1	GV-01	0.5	ft	Bull Creek			Non-IEPA		05/22/2017	12:57:00	05/22/2017	4:00:00 PM					Water	USEPA	SM 2550B	Temperature	Total	16.20	°C					06/05/2017	
DRWW	Suburban Labs		14-1	GV-01	0.5	ft	Bull Creek			Non-IEPA		05/22/2017	12:57:00	05/22/2017	4:00:00 PM			05/24/2017	7:22:03 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.34	mg/L		0.10	0.22		06/05/2017	
DRWW	Suburban Labs		14-1	GV-01	0.5	ft	Bull Creek			Non-IEPA		05/22/2017	12:57:00	05/22/2017	4:00:00 PM			05/25/2017	9:36:29 A	Water	USEPA	2540-D	Total Suspended Solids	Total	3.60	mg/L	J	0.20	5.00		06/05/2017	
DRWW	Suburban Labs		14-1	GV-01	0.5	ft	Bull Creek			Non-IEPA		05/22/2017	12:57:00	05/22/2017	4:00:00 PM			05/22/2017	5:00:00 P	Water	Lab	2130-B	Turbidity	Total	4.01	NTU		0.10	0.20		06/05/2017	
DRWW	Suburban Labs		14-1	GV-01	0.5	ft	Bull Creek			Non-IEPA		05/22/2017	12:57:00	05/22/2017	4:00:00 PM			05/25/2017	9:36:29 A	Water	USEPA	2540-D	Volatile Suspended Solids	Total	0.60	mg/L	J	0.20	5.00		06/05/2017	
DRWW	Suburban Labs		14-1	GV-01	0.5	ft	Bull Creek			Non-IEPA		06/28/2017	1:04:00 P	06/28/2017	4:42:00 PM			06/29/2017	4:12:26 P	Water	APHA	4500-CL-	Chloride	Total	168.00	mg/L		20.00	20.00		07/11/2017	
DRWW	Suburban Labs		14-1	GV-01	0.5	ft	Bull Creek			Non-IEPA		06/28/2017	1:04:00 P	06/28/2017	4:42:00 PM					Water	YSI	EPA 120.	Conductivity	Total	973.00	umhos/cm					07/11/2017	
DRWW	Suburban Labs		14-1	GV-01	0.5	ft	Bull Creek			Non-IEPA		06/28/2017	1:04:00 P	06/28/2017	4:42:00 PM					Water	YSI	Field	Dissolved Oxygen	Total	5.82	mg/L					07/11/2017	
DRWW	Suburban Labs		14-1	GV-01	0.5	ft	Bull Creek			Non-IEPA		06/28/2017	1:04:00 P	06/28/2017	4:42:00 PM			06/28/2017	5:26:16 P	Water	USEPA	E. COLI I	E. Coli	Total	199.00	MPN/100mL		1.00	1.00		07/11/2017	
DRWW	Suburban Labs		14-1	GV-01	0.5	ft	Bull Creek			Non-IEPA		06/28/2017	1:04:00 P	06/28/2017	4:42:00 PM			06/28/2017	5:37:00 P	Water	USEPA	DISSOLV	Filtered and Preserved	Total	complete		V	0.00	0.00		07/11/2017	
DRWW	Suburban Labs		14-1	GV-01	0.5	ft	Bull Creek			Non-IEPA		06/28/2017	1:04:00 P	06/28/2017	4:42:00 PM			07/05/2017	4:25:25 P	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30		07/11/2017	
DRWW	Suburban Labs		14-1	GV-01	0.5	ft	Bull Creek			Non-IEPA		06/28/2017	1:04:00 P	06/28/2017	4:42:00 PM			07/06/2017	4:47:48 P	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	ND	mg/L		1.10	3.50		07/11/2017	
DRWW	Suburban Labs		14-1	GV-01	0.5	ft	Bull Creek			Non-IEPA		06/28/2017	1:04:00 P	06/28/2017	4:42:00 PM			06/29/2017	6:04:24 P	Water	USEPA	365.2	Orthophosphate (As P)	Total	ND	mg/L		0.03	0.05		07/11/2017	
DRWW	Suburban Labs		14-1	GV-01	0.5	ft	Bull Creek			Non-IEPA		06/28/2017	1:04:00 P	06/28/2017	4:42:00 PM					Water	USEPA	365.2	pH, Field	Total	8.03	pH					07/11/2017	
DRWW	Suburban Labs		14-1	GV-01	0.5	ft	Bull Creek			Non-IEPA		06/28/2017	1:04:00 P	06/28/2017	4:42:00 PM			06/29/2017	3:02:21 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	ND	mg/L		0.05	0.14		07/11/2017	
DRWW	Suburban Labs		14-1	GV-01	0.5	ft	Bull Creek			Non-IEPA		06/28/2017	1:04:00 P	06/28/2017	4:42:00 PM			07/07/2017	4:31:31 P	Water	Lab	2510B	Specific Conductivity	Total	935.00	umhos/cm		1.00	1.00		07/11/2017	
DRWW	Suburban Labs		14-1	GV-01	0.5	ft	Bull Creek			Non-IEPA		06/28/2017	1:04:00 P	06/28/2017	4:42:00 PM					Water	USEPA	SM 2550B	Temperature	Total	19.32	°C					07/11/2017	
DRWW	Suburban Labs		14-1	GV-01	0.5	ft	Bull Creek			Non-IEPA		06/28/2017	1:04:00 P	06/28/2017	4:42:00 PM			07/10/2017	8:06:37 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.25	mg/L		0.10	0.20		07/11/2017	
DRWW	Suburban Labs		14-1	GV-01	0.5	ft	Bull Creek			Non-IEPA		06/28/2017	1:04:00 P	06/28/2017	4:42:00 PM			07/03/2017	11:25:54 A	Water	USEPA	2540-D	Total Suspended Solids	Total	7.20	mg/L		0.20	5.00		07/11/2017	
DRWW	Suburban Labs		14-1	GV-01	0.5	ft	Bull Creek			Non-IEPA		06/28/2017	1:04:00 P	06/28/2017	4:42:00 PM			06/28/2017	5:18:00 P	Water	Lab	2130-B	Turbidity	Total	5.95	NTU		0.10	0.20		07/11/2017	
DRWW	Suburban Labs		14-1	GV-01	0.5	ft	Bull Creek			Non-IEPA		06/28/2017	1:04:00 P	06/28/2017	4:42:00 PM			07/03/2017	11:25:54 A	Water	USEPA	2540-D	Volatile Suspended Solids	Total	0.80	mg/L	J	0.20	5.00		07/11/2017	
DRWW	Suburban Labs		14-1	GV-01	0.5	ft	Bull Creek			Non-IEPA		07/27/2017	10:15:00	07/27/2017	4:40:00 PM			07/31/2017	6:14:10 P	Water	APHA	4500-CL-	Chloride	Total	97.20	mg/L		20.00	20.00		08/10/2017	
DRWW	Suburban Labs		14-1	GV-01	0.5	ft	Bull Creek			Non-IEPA		07/27/2017	10:15:00	07/27/2017	4:40:00 PM					Water	YSI	EPA 120.	Conductivity	Total	739.00	umhos/cm					08/10/2017	
DRWW	Suburban Labs		14-1	GV-01	0.5	ft	Bull Creek			Non-IEPA		07/27/2017	10:15:00	07/27/2017	4:40:00 PM					Water	YSI	Field	Dissolved Oxygen	Total	5.75	mg/L					08/10/2017	
DRWW	Suburban Labs		14-1	GV-01	0.5	ft	Bull Creek			Non-IEPA		07/27/2017	10:15:00	07/27/2017	4:40:00 PM			07/27/2017	4:58:28 P	Water	USEPA	E. COLI I	E. Coli	Total	727.00	MPN/100mL		1.00	1.00		08/10/2017	
DRWW	Suburban Labs		14-1	GV-01	0.5	ft	Bull Creek			Non-IEPA		07/27/2017	10:15:00	07/27/2017	4:40:00 PM			07/27/2017	5:45:00 P	Water	USEPA	DISSOLV	Filtered and Preserved	Total	complete		V	0.00	0.00		08/10/2017	
DRWW	Suburban Labs		14-1	GV-01	0.5	ft	Bull Creek			Non-IEPA		07/27/2017	10:15:00	07/27/2017	4:40:00 PM			08/01/2017	4:35:18 P	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	0.12	mg/L	J	0.10	0.30		08/10/2017	
DRWW	Suburban Labs		14-1	GV-01	0.5	ft	Bull Creek			Non-IEPA		07/27/2017	10:15:00	07/27/2017	4:40:00 PM			08/02/2017	10:22:16 A	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	1.71	mg/L	J	1.10	3.50		08/10/2017	
DRWW	Suburban Labs		14-1	GV-01	0.5	ft	Bull Creek			Non-IEPA		07/27/2017	10:15:00	07/27/2017	4:40:00 PM			07/28/2017	4:33:28 P	Water	USEPA	365.2	Orthophosphate (As P)	Total	0.03	mg/L	J	0.03	0.05		08/10/2017	
DRWW	Suburban Labs		14-1	GV-01	0.5	ft	Bull Creek			Non-IEPA		07/27/2017	10:15:00	07/27/2017	4:40:00 PM					Water	USEPA	365.2	pH, Field	Total	7.79	S.U.					08/10/2017	
DRWW	Suburban Labs		14-1	GV-01	0.5	ft	Bull Creek			Non-IEPA		07/27/2017	10:15:00	07/27/2017	4:40:00 PM			07/28/2017	10:29:49 A	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.08	mg/L	J	0.05	0.14		08/10/2017	
DRWW	Suburban Labs		14-1	GV-01	0.5	ft	Bull Creek			Non-IEPA		07/27/2017	10:15:00	07/27/2017	4:40:00 PM			08/01/2017	2:36:11 P	Water	Lab	2510B	Specific Conductivity	Total	731.00	umhos/cm		1.00	1.00		08/10/2017	
DRWW	Suburban Labs		14-1	GV-01	0.5	ft	Bull Creek			Non-IEPA		07/27/2017	10:15:00	07/27/2017	4:40:00 PM					Water	USEPA	SM 2550B	Temperature	Total	23.33	°C					08/10/2017	
DRWW	Suburban Labs		14-1	GV-01	0.5	ft	Bull Creek			Non-IEPA		07/27/2017	10:15:00	07/27/2017	4:40:00 PM			07/28/2017	7:48:08 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.16	mg/L	J	0.10	0.20		08/10/2017	
DRWW	Suburban Labs		14-1	GV-01	0.5	ft	Bull Creek			Non-IEPA		07/27/2017	10:15:00	07/27/2017	4:40:00 PM			08/01/2017	10:05:11 A	Water	USEPA	2540-D	Total Suspended Solids	Total	12.40	mg/L		0.20	5.00		08/10/2017	
DRWW	Suburban Labs		14-1	GV-01	0.5	ft	Bull Creek			Non-IEPA		07/27/2017	10:15:00	07/27/2017	4:40:00 PM			07/28/2017	4:55:00 P	Water	Lab	2130-B	Turbidity	Total	14.10	NTU		0.10	0.20		08/10/2017	
DRWW	Suburban Labs		14-1	GV-01	0.5	ft	Bull Creek			Non-IEPA		07/27/2017	10:15:00	07/27/2017	4:40:00 PM			08/01/2017	10:05:11 A	Water	USEPA	2540-D	Volatile Suspended Solids	Total	2.80	mg/L	J	0.20	5.00		08/10/2017	
DRWW	Suburban Labs		14-1	GV-01	0.5	ft	Bull Creek			Non-IEPA		08/23/2017	12:33:00	08/23/2017	4:20:00 PM			08/25/2017	2:40:30 P	Water	APHA	4500-CL-	Chloride	Total	158.00	mg/L		20.00	20.00		09/14/2017	
DRWW	Suburban Labs		14-1	GV-01	0.5	ft	Bull Creek			Non-IEPA		08/23/2017	12:33:00	08/23/2017	4:20:00 PM					Water	YSI	EPA 120.	Conductivity	Total	1024.00	umhos/cm					09/14/2017	
DRWW	Suburban Labs		14-1	GV-01	0.5	ft	Bull Creek			Non-IEPA		08/23/2017	12:33:00	08/23/2017	4:20:00 PM					Water	YSI	Field	Dissolved Oxygen	Total	8.98	mg/L					09/14/2017	
DRWW	Suburban Labs		14-1	GV-01	0.5	ft	Bull Creek			Non-IEPA		08/23/2017	12:33:00	08/23/2017	4:20:00 PM			08/23/2017	5:26:40 P	Water	USEPA	E. COLI I	E. Coli	Total	178.00	MPN/100mL		1.00	1.00		09/14/2017	
DRWW	Suburban Labs		14-1	GV-01	0.5	ft	Bull Creek			Non-IEPA		08/23/2017	12:33:00	08/23/2017	4:20:00 PM			08/23/2017	5:04:00 P	Water	USEPA	DISSOLV	Filtered and Preserved	Total	complete		V	0.00	0.00		09/14/2017	
DRWW	Suburban Labs		14-1	GV-01	0.5	ft	Bull Creek			Non-IEPA		08/23/2017	12:33:00	08/23/2017	4:20:00 PM			08/28/2017	1:54:21 P	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30		09/14/2017	
DRWW	Suburban Labs		14-1	GV-01	0.5	ft	Bull Creek			Non-IEPA		08/23/2017	12:33:00	08/23/2017	4:20:00 PM			08/30/2017	3:59:28 P	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	ND	mg/L		1.10	3.50		09/14/2017	
DRWW	Suburban Labs		14-1	GV-01	0.5	ft	Bull Creek			Non-IEPA		08/23/2017	12:33:00	08/23/2017	4:20:00 PM			08/2														

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code - IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released		
DRWW	Suburban Labs		14-2	GV-02	0.5	ft	Bull Creek			Non-IEPA		03/29/2017	11:39:00	03/29/2017	3:34:00 PM					Water	YSI	Field	Dissolved Oxygen		11.57	mg/L						04/24/2017		
DRWW	Suburban Labs		14-2	GV-02	0.5	ft	Bull Creek			Non-IEPA		03/29/2017	11:39:00	03/29/2017	3:34:00 PM			03/29/2017	4:14:00 P	Water	USEPA	E_COLI	E. Coli	Total	13.40	MPN/100mL		1.00	1.00			04/24/2017		
DRWW	Suburban Labs		14-2	GV-02	0.5	ft	Bull Creek			Non-IEPA		03/29/2017	11:39:00	03/29/2017	3:34:00 PM					Water	USEPA	365.2	pH, Field		8.21	pH						04/24/2017		
DRWW	Suburban Labs		14-2	GV-02	0.5	ft	Bull Creek			Non-IEPA		03/29/2017	11:39:00	03/29/2017	3:34:00 PM			04/03/2017	1:24:09 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	ND	mg/L		0.05	0.14			04/24/2017		
DRWW	Suburban Labs		14-2	GV-02	0.5	ft	Bull Creek			Non-IEPA		03/29/2017	11:39:00	03/29/2017	3:34:00 PM			04/06/2017	12:02:09	Water	Lab	2510B	Specific Conductivity	Total	1210.00	umhos/cm		1.00	1.00			04/24/2017		
DRWW	Suburban Labs		14-2	GV-02	0.5	ft	Bull Creek			Non-IEPA		03/29/2017	11:39:00	03/29/2017	3:34:00 PM					Water	USEPA	SM 2550B	Temperature		8.88	°C						04/24/2017		
DRWW	Suburban Labs		14-2	GV-02	0.5	ft	Bull Creek			Non-IEPA		03/29/2017	11:39:00	03/29/2017	3:34:00 PM			03/30/2017	9:12:30 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.31	mg/L		0.10	0.20			04/24/2017		
DRWW	Suburban Labs		14-2	GV-02	0.5	ft	Bull Creek			Non-IEPA		03/29/2017	11:39:00	03/29/2017	3:34:00 PM			03/29/2017	6:40:00 P	Water	Lab	2130-B	Turbidity		4.81	NTU		0.10	0.20			04/24/2017		
DRWW	Suburban Labs		14-2	GV-02	0.5	ft	Bull Creek			Non-IEPA		05/22/2017	1:17:00 P	05/22/2017	4:00:00 PM			05/24/2017	5:53:49 P	Water	APHA	4500-CL-	Chloride	Total	175.00	mg/L		20.00	20.00			06/05/2017		
DRWW	Suburban Labs		14-2	GV-02	0.5	ft	Bull Creek			Non-IEPA		05/22/2017	1:17:00 P	05/22/2017	4:00:00 PM					Water	YSI	EPA 120.	Conductivity		1108.00	umhos/cm						06/05/2017		
DRWW	Suburban Labs		14-2	GV-02	0.5	ft	Bull Creek			Non-IEPA		05/22/2017	1:17:00 P	05/22/2017	4:00:00 PM					Water	YSI	Field	Dissolved Oxygen		10.57	mg/L						06/05/2017		
DRWW	Suburban Labs		14-2	GV-02	0.5	ft	Bull Creek			Non-IEPA		05/22/2017	1:17:00 P	05/22/2017	4:00:00 PM			05/22/2017	5:03:00 P	Water	USEPA	E_COLI	E. Coli	Total	81.60	MPN/100mL		1.00	1.00			06/05/2017		
DRWW	Suburban Labs		14-2	GV-02	0.5	ft	Bull Creek			Non-IEPA		05/22/2017	1:17:00 P	05/22/2017	4:00:00 PM					Water	USEPA	365.2	pH, Field		8.09	pH						06/05/2017		
DRWW	Suburban Labs		14-2	GV-02	0.5	ft	Bull Creek			Non-IEPA		05/22/2017	1:17:00 P	05/22/2017	4:00:00 PM	05/31/2017	9:33:40 A	06/01/2017	4:18:40 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	ND	mg/L		0.05	0.14			06/05/2017		
DRWW	Suburban Labs		14-2	GV-02	0.5	ft	Bull Creek			Non-IEPA		05/22/2017	1:17:00 P	05/22/2017	4:00:00 PM			05/26/2017	1:45:28 P	Water	Lab	2510B	Specific Conductivity	Total	1130.00	umhos/cm		1.00	1.00			06/05/2017		
DRWW	Suburban Labs		14-2	GV-02	0.5	ft	Bull Creek			Non-IEPA		05/22/2017	1:17:00 P	05/22/2017	4:00:00 PM					Water	USEPA	SM 2550B	Temperature		16.73	°C						06/05/2017		
DRWW	Suburban Labs		14-2	GV-02	0.5	ft	Bull Creek			Non-IEPA		05/22/2017	1:17:00 P	05/22/2017	4:00:00 PM			05/24/2017	7:26:39 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22			06/05/2017		
DRWW	Suburban Labs		14-2	GV-02	0.5	ft	Bull Creek			Non-IEPA		05/22/2017	1:17:00 P	05/22/2017	4:00:00 PM			05/22/2017	5:00:00 P	Water	Lab	2130-B	Turbidity		2.27	NTU		0.10	0.20			06/05/2017		
DRWW	Suburban Labs		14-2	GV-02	0.5	ft	Bull Creek			Non-IEPA		06/28/2017	1:23:00 P	06/28/2017	4:42:00 PM			06/29/2017	4:13:10 P	Water	APHA	4500-CL-	Chloride	Total	176.00	mg/L		20.00	20.00			07/11/2017		
DRWW	Suburban Labs		14-2	GV-02	0.5	ft	Bull Creek			Non-IEPA		06/28/2017	1:23:00 P	06/28/2017	4:42:00 PM					Water	YSI	EPA 120.	Conductivity		956.00	umhos/cm						07/11/2017		
DRWW	Suburban Labs		14-2	GV-02	0.5	ft	Bull Creek			Non-IEPA		06/28/2017	1:23:00 P	06/28/2017	4:42:00 PM					Water	YSI	Field	Dissolved Oxygen		3.62	mg/L						07/11/2017		
DRWW	Suburban Labs		14-2	GV-02	0.5	ft	Bull Creek			Non-IEPA		06/28/2017	1:23:00 P	06/28/2017	4:42:00 PM			06/28/2017	5:26:16 P	Water	USEPA	E_COLI	E. Coli	Total	162.00	MPN/100mL		1.00	1.00			07/11/2017		
DRWW	Suburban Labs		14-2	GV-02	0.5	ft	Bull Creek			Non-IEPA		06/28/2017	1:23:00 P	06/28/2017	4:42:00 PM			06/29/2017	3:02:21 P	06/30/2017	12:58:09	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.06	mg/L	J	0.05	0.14			07/11/2017
DRWW	Suburban Labs		14-2	GV-02	0.5	ft	Bull Creek			Non-IEPA		06/28/2017	1:23:00 P	06/28/2017	4:42:00 PM			07/07/2017	4:33:00 P	Water	Lab	2510B	Specific Conductivity	Total	914.00	umhos/cm		1.00	1.00			07/11/2017		
DRWW	Suburban Labs		14-2	GV-02	0.5	ft	Bull Creek			Non-IEPA		06/28/2017	1:23:00 P	06/28/2017	4:42:00 PM					Water	USEPA	SM 2550B	Temperature		20.49	°C						07/11/2017		
DRWW	Suburban Labs		14-2	GV-02	0.5	ft	Bull Creek			Non-IEPA		06/28/2017	1:23:00 P	06/28/2017	4:42:00 PM			07/10/2017	8:08:56 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.20			07/11/2017		
DRWW	Suburban Labs		14-2	GV-02	0.5	ft	Bull Creek			Non-IEPA		06/28/2017	1:23:00 P	06/28/2017	4:42:00 PM			06/28/2017	5:18:00 P	Water	Lab	2130-B	Turbidity		13.10	NTU		0.10	0.20			07/11/2017		
DRWW	Suburban Labs		14-2	GV-02	0.5	ft	Bull Creek			Non-IEPA		07/27/2017	1:08:00 P	07/27/2017	4:40:00 PM			07/31/2017	6:20:06 P	Water	APHA	4500-CL-	Chloride	Total	109.00	mg/L		20.00	20.00			08/10/2017		
DRWW	Suburban Labs		14-2	GV-02	0.5	ft	Bull Creek			Non-IEPA		07/27/2017	1:08:00 P	07/27/2017	4:40:00 PM					Water	YSI	EPA 120.	Conductivity		757.00	umhos/cm						08/10/2017		
DRWW	Suburban Labs		14-2	GV-02	0.5	ft	Bull Creek			Non-IEPA		07/27/2017	1:08:00 P	07/27/2017	4:40:00 PM					Water	YSI	Field	Dissolved Oxygen		5.35	mg/L						08/10/2017		
DRWW	Suburban Labs		14-2	GV-02	0.5	ft	Bull Creek			Non-IEPA		07/27/2017	1:08:00 P	07/27/2017	4:40:00 PM			07/27/2017	4:58:28 P	Water	USEPA	E_COLI	E. Coli	Total	111.00	MPN/100mL		1.00	1.00			08/10/2017		
DRWW	Suburban Labs		14-2	GV-02	0.5	ft	Bull Creek			Non-IEPA		07/27/2017	1:08:00 P	07/27/2017	4:40:00 PM			07/31/2017	9:21:48 A	08/01/2017	1:00:48 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.05	mg/L	J	0.05	0.14			08/10/2017
DRWW	Suburban Labs		14-2	GV-02	0.5	ft	Bull Creek			Non-IEPA		07/27/2017	1:08:00 P	07/27/2017	4:40:00 PM			08/01/2017	2:41:40 P	Water	Lab	2510B	Specific Conductivity	Total	732.00	umhos/cm		1.00	1.00			08/10/2017		
DRWW	Suburban Labs		14-2	GV-02	0.5	ft	Bull Creek			Non-IEPA		07/27/2017	1:08:00 P	07/27/2017	4:40:00 PM					Water	USEPA	SM 2550B	Temperature		25.00	°C						08/10/2017		
DRWW	Suburban Labs		14-2	GV-02	0.5	ft	Bull Creek			Non-IEPA		07/27/2017	1:08:00 P	07/27/2017	4:40:00 PM			07/28/2017	8:08:47 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.20			08/10/2017		
DRWW	Suburban Labs		14-2	GV-02	0.5	ft	Bull Creek			Non-IEPA		07/27/2017	1:08:00 P	07/27/2017	4:40:00 PM			07/28/2017	4:55:00 P	Water	Lab	2130-B	Turbidity		2.77	NTU		0.10	0.20			08/10/2017		
DRWW	Suburban Labs		14-2	GV-02	0.5	ft	Bull Creek			Non-IEPA		08/23/2017	12:50:00	08/23/2017	4:20:00 PM			08/25/2017	2:41:14 P	Water	APHA	4500-CL-	Chloride	Total	153.00	mg/L		20.00	20.00			09/14/2017		
DRWW	Suburban Labs		14-2	GV-02	0.5	ft	Bull Creek			Non-IEPA		08/23/2017	12:50:00	08/23/2017	4:20:00 PM					Water	YSI	EPA 120.	Conductivity		954.00	umhos/cm						09/14/2017		
DRWW	Suburban Labs		14-2	GV-02	0.5	ft	Bull Creek			Non-IEPA		08/23/2017	12:50:00	08/23/2017	4:20:00 PM					Water	YSI	Field	Dissolved Oxygen		8.27	mg/L						09/14/2017		
DRWW	Suburban Labs		14-2	GV-02	0.5	ft	Bull Creek			Non-IEPA		08/23/2017	12:50:00	08/23/2017	4:20:00 PM			08/23/2017	5:26:40 P	Water	USEPA	E_COLI	E. Coli	Total	236.00	MPN/100mL		1.00	1.00			09/14/2017		
DRWW	Suburban Labs		14-2	GV-02	0.5	ft	Bull Creek			Non-IEPA		08/23/2017	12:50:00	08/23/2017	4:20:00 PM					Water	USEPA	365.2	pH, Field		8.07	S.U.						09/14/2017		
DRWW	Suburban Labs		14-2	GV-02	0.5	ft	Bull Creek			Non-IEPA		08/23/2017	12:50:00	08/23/2017	4:20:00 PM			08/25/2017	2:32:59 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	ND	mg/L		0.05	0.14			09/14/2017		
DRWW	Suburban Labs		14-2	GV-02	0.5	ft	Bull Creek			Non-IEPA		08/23/2017	12:50:00	08/23/2017	4:20:00 PM			08/25/2017	3:13:00 P	Water	Lab	2510B	Specific Conductivity	Total	949.00	umhos/cm		1.00	1.00			09/14/2017		
DRWW	Suburban Labs		14-2	GV-02	0.5	ft	Bull Creek			Non-IEPA		08/23/2017	12:50:00	08/23/2017	4:20:00 PM					Water	USEPA	SM 2550B	Temperature		20.11	°C						09/14/2017		
DRWW	Suburban Labs		14-2	GV-02	0.5	ft	Bull Creek			Non-IEPA		08/23/2017	12:50:00	08/23/2017	4:20:00 PM			08/24/2017	3:35:25 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.41	mg/L		0.10	0.20			09/14/2017		
DRWW	Suburban Labs		14-2	GV-02	0.5	ft	Bull Creek			Non-IEPA		08/23/2017	12:50:00																					

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code - IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs		14-4	GVA-03	0.5	ft	Bull Creek			Non-IEPA		05/22/2017	1:40:00 P	05/22/2017	4:00:00 PM			05/24/2017	7:28:56 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22		06/05/2017	
DRWW	Suburban Labs		14-4	GVA-03	0.5	ft	Bull Creek			Non-IEPA		05/22/2017	1:40:00 P	05/22/2017	4:00:00 PM			05/22/2017	5:00:00 P	Water	Lab	2130-B	Turbidity	Total	15.10	NTU		0.10	0.20		06/05/2017	
DRWW	Suburban Labs		14-4	GVA-03	0.5	ft	Bull Creek			Non-IEPA		06/28/2017	1:50:00 P	06/28/2017	4:42:00 PM			06/29/2017	4:13:55 P	Water	APHA	4500-CL-	Chloride	Total	147.00	mg/L		20.00	20.00		07/11/2017	
DRWW	Suburban Labs		14-4	GVA-03	0.5	ft	Bull Creek			Non-IEPA		06/28/2017	1:50:00 P	06/28/2017	4:42:00 PM					Water	YSI	EPA 120.	Conductivity	Total	864.00	umhos/cm					07/11/2017	
DRWW	Suburban Labs		14-4	GVA-03	0.5	ft	Bull Creek			Non-IEPA		06/28/2017	1:50:00 P	06/28/2017	4:42:00 PM					Water	YSI	Field	Dissolved Oxygen	Total	2.71	mg/L					07/11/2017	
DRWW	Suburban Labs		14-4	GVA-03	0.5	ft	Bull Creek			Non-IEPA		06/28/2017	1:50:00 P	06/28/2017	4:42:00 PM			06/28/2017	5:26:16 P	Water	USEPA	E_COLI_	E. Coli	Total	248.00	MPN/100mL		1.00	1.00		07/11/2017	
DRWW	Suburban Labs		14-4	GVA-03	0.5	ft	Bull Creek			Non-IEPA		06/28/2017	1:50:00 P	06/28/2017	4:42:00 PM					Water	USEPA	365.2	pH, Field	Total	7.63	pH					07/11/2017	
DRWW	Suburban Labs		14-4	GVA-03	0.5	ft	Bull Creek			Non-IEPA		06/28/2017	1:50:00 P	06/28/2017	4:42:00 P	06/29/2017	3:08:32 P	06/30/2017	1:36:18 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.16	mg/L		0.05	0.14		07/11/2017	
DRWW	Suburban Labs		14-4	GVA-03	0.5	ft	Bull Creek			Non-IEPA		06/28/2017	1:50:00 P	06/28/2017	4:42:00 PM			07/07/2017	4:36:45 P	Water	Lab	2510B	Specific Conductivity	Total	833.00	umhos/cm		1.00	1.00		07/11/2017	
DRWW	Suburban Labs		14-4	GVA-03	0.5	ft	Bull Creek			Non-IEPA		06/28/2017	1:50:00 P	06/28/2017	4:42:00 PM					Water	USEPA	SM 2550B	Temperature	Total	18.77	°C					07/11/2017	
DRWW	Suburban Labs		14-4	GVA-03	0.5	ft	Bull Creek			Non-IEPA		06/28/2017	1:50:00 P	06/28/2017	4:42:00 PM			07/10/2017	8:11:19 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.14	mg/L	J	0.10	0.22		07/11/2017	
DRWW	Suburban Labs		14-4	GVA-03	0.5	ft	Bull Creek			Non-IEPA		06/28/2017	1:50:00 P	06/28/2017	4:42:00 PM			06/28/2017	5:18:00 P	Water	Lab	2130-B	Turbidity	Total	21.70	NTU		0.10	0.20		07/11/2017	
DRWW	Suburban Labs		14-4	GVA-03	0.5	ft	Bull Creek			Non-IEPA		07/27/2017	1:42:00 P	07/27/2017	4:40:00 PM			07/31/2017	6:24:47 P	Water	APHA	4500-CL-	Chloride	Total	60.20	mg/L		20.00	20.00		08/10/2017	
DRWW	Suburban Labs		14-4	GVA-03	0.5	ft	Bull Creek			Non-IEPA		07/27/2017	1:42:00 P	07/27/2017	4:40:00 PM					Water	YSI	EPA 120.	Conductivity	Total	538.00	umhos/cm					08/10/2017	
DRWW	Suburban Labs		14-4	GVA-03	0.5	ft	Bull Creek			Non-IEPA		07/27/2017	1:42:00 P	07/27/2017	4:40:00 PM					Water	YSI	Field	Dissolved Oxygen	Total	7.11	mg/L					08/10/2017	
DRWW	Suburban Labs		14-4	GVA-03	0.5	ft	Bull Creek			Non-IEPA		07/27/2017	1:42:00 P	07/27/2017	4:40:00 PM			07/27/2017	4:58:28 P	Water	USEPA	E_COLI_	E. Coli	Total	1550.00	MPN/100mL		1.00	1.00		08/10/2017	
DRWW	Suburban Labs		14-4	GVA-03	0.5	ft	Bull Creek			Non-IEPA		07/27/2017	1:42:00 P	07/27/2017	4:40:00 PM					Water	USEPA	365.2	pH, Field	Total	7.54	S.U.					08/10/2017	
DRWW	Suburban Labs		14-4	GVA-03	0.5	ft	Bull Creek			Non-IEPA		07/27/2017	1:42:00 P	07/27/2017	4:40:00 P	07/31/2017	9:21:48 A	08/01/2017	1:10:40 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.24	mg/L		0.05	0.14		08/10/2017	
DRWW	Suburban Labs		14-4	GVA-03	0.5	ft	Bull Creek			Non-IEPA		07/27/2017	1:42:00 P	07/27/2017	4:40:00 PM			08/01/2017	2:47:47 P	Water	Lab	2510B	Specific Conductivity	Total	521.00	umhos/cm		1.00	1.00		08/10/2017	
DRWW	Suburban Labs		14-4	GVA-03	0.5	ft	Bull Creek			Non-IEPA		07/27/2017	1:42:00 P	07/27/2017	4:40:00 PM					Water	USEPA	SM 2550B	Temperature	Total	27.78	°C					08/10/2017	
DRWW	Suburban Labs		14-4	GVA-03	0.5	ft	Bull Creek			Non-IEPA		07/27/2017	1:42:00 P	07/27/2017	4:40:00 PM			07/28/2017	8:36:25 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22		08/10/2017	
DRWW	Suburban Labs		14-4	GVA-03	0.5	ft	Bull Creek			Non-IEPA		07/27/2017	1:42:00 P	07/27/2017	4:40:00 PM			07/28/2017	4:55:00 P	Water	Lab	2130-B	Turbidity	Total	40.30	NTU		0.10	0.20		08/10/2017	
DRWW	Suburban Labs		14-4	GVA-03	0.5	ft	Bull Creek			Non-IEPA		08/23/2017	1:20:00 P	08/23/2017	4:20:00 PM			08/25/2017	2:41:59 P	Water	APHA	4500-CL-	Chloride	Total	109.00	mg/L		20.00	20.00		09/14/2017	
DRWW	Suburban Labs		14-4	GVA-03	0.5	ft	Bull Creek			Non-IEPA		08/23/2017	1:20:00 P	08/23/2017	4:20:00 PM					Water	YSI	EPA 120.	Conductivity	Total	718.00	umhos/cm					09/14/2017	
DRWW	Suburban Labs		14-4	GVA-03	0.5	ft	Bull Creek			Non-IEPA		08/23/2017	1:20:00 P	08/23/2017	4:20:00 PM					Water	YSI	Field	Dissolved Oxygen	Total	5.52	mg/L					09/14/2017	
DRWW	Suburban Labs		14-4	GVA-03	0.5	ft	Bull Creek			Non-IEPA		08/23/2017	1:20:00 P	08/23/2017	4:20:00 PM			08/23/2017	5:26:40 P	Water	USEPA	E_COLI_	E. Coli	Total	276.00	MPN/100mL		1.00	1.00		09/14/2017	
DRWW	Suburban Labs		14-4	GVA-03	0.5	ft	Bull Creek			Non-IEPA		08/23/2017	1:20:00 P	08/23/2017	4:20:00 PM					Water	USEPA	365.2	pH, Field	Total	7.64	S.U.					09/14/2017	
DRWW	Suburban Labs		14-4	GVA-03	0.5	ft	Bull Creek			Non-IEPA		08/23/2017	1:20:00 P	08/23/2017	4:20:00 PM			08/25/2017	3:02:16 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.20	mg/L		0.05	0.14		09/14/2017	
DRWW	Suburban Labs		14-4	GVA-03	0.5	ft	Bull Creek			Non-IEPA		08/23/2017	1:20:00 P	08/23/2017	4:20:00 PM			08/25/2017	3:13:28 P	Water	Lab	2510B	Specific Conductivity	Total	715.00	umhos/cm		1.00	1.00		09/14/2017	
DRWW	Suburban Labs		14-4	GVA-03	0.5	ft	Bull Creek			Non-IEPA		08/23/2017	1:20:00 P	08/23/2017	4:20:00 PM					Water	USEPA	SM 2550B	Temperature	Total	21.57	°C					09/14/2017	
DRWW	Suburban Labs		14-4	GVA-03	0.5	ft	Bull Creek			Non-IEPA		08/23/2017	1:20:00 P	08/23/2017	4:20:00 PM			08/24/2017	3:36:22 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22		09/14/2017	
DRWW	Suburban Labs		14-4	GVA-03	0.5	ft	Bull Creek			Non-IEPA		08/23/2017	1:20:00 P	08/23/2017	4:20:00 PM			08/23/2017	5:03:15 P	Water	Lab	2130-B	Turbidity	Total	9.51	NTU		0.10	0.20		09/14/2017	
DRWW	Suburban Labs		14-4	GVA-03	0.5	ft	Bull Creek			Non-IEPA		09/27/2017	1:00:00 P	09/27/2017	4:17:00 PM			09/28/2017	5:00:07 P	Water	APHA	4500-CL-	Chloride	Total	134.00	mg/L		20.00	20.00		11/03/2017	
DRWW	Suburban Labs		14-4	GVA-03	0.5	ft	Bull Creek			Non-IEPA		09/27/2017	1:00:00 P	09/27/2017	4:17:00 PM					Water	YSI	EPA 120.	Conductivity	Total	901.00	umhos/cm					11/03/2017	
DRWW	Suburban Labs		14-4	GVA-03	0.5	ft	Bull Creek			Non-IEPA		09/27/2017	1:00:00 P	09/27/2017	4:17:00 PM					Water	YSI	Field	Dissolved Oxygen	Total	2.88	mg/L					11/03/2017	
DRWW	Suburban Labs		14-4	GVA-03	0.5	ft	Bull Creek			Non-IEPA		09/27/2017	1:00:00 P	09/27/2017	4:17:00 PM			09/27/2017	4:39:44 P	Water	USEPA	E_COLI_	E. Coli	Total	102.00	MPN/100mL		1.00	1.00		11/03/2017	
DRWW	Suburban Labs		14-4	GVA-03	0.5	ft	Bull Creek			Non-IEPA		09/27/2017	1:00:00 P	09/27/2017	4:17:00 PM					Water	USEPA	365.2	pH, Field	Total	7.42	S.U.					11/03/2017	
DRWW	Suburban Labs		14-4	GVA-03	0.5	ft	Bull Creek			Non-IEPA		09/27/2017	1:00:00 P	09/27/2017	4:17:00 P	09/28/2017	2:52:34 P	09/29/2017	1:50:03 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.23	mg/L		0.05	0.14		11/03/2017	
DRWW	Suburban Labs		14-4	GVA-03	0.5	ft	Bull Creek			Non-IEPA		09/27/2017	1:00:00 P	09/27/2017	4:17:00 PM			10/03/2017	2:39:34 P	Water	Lab	2510B	Specific Conductivity	Total	920.00	umhos/cm		1.00	1.00		11/03/2017	
DRWW	Suburban Labs		14-4	GVA-03	0.5	ft	Bull Creek			Non-IEPA		09/27/2017	1:00:00 P	09/27/2017	4:17:00 PM					Water	USEPA	SM 2550B	Temperature	Total	19.39	°C					11/03/2017	
DRWW	Suburban Labs		14-4	GVA-03	0.5	ft	Bull Creek			Non-IEPA		09/27/2017	1:00:00 P	09/27/2017	4:17:00 PM			10/02/2017	6:22:04 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22		11/03/2017	
DRWW	Suburban Labs		14-4	GVA-03	0.5	ft	Bull Creek			Non-IEPA		09/27/2017	1:00:00 P	09/27/2017	4:17:00 PM			09/27/2017	4:50:00 P	Water	Lab	2130-B	Turbidity	Total	9.46	NTU		0.10	0.20		11/03/2017	
DRWW	Suburban Labs		14-6	GV-04	0.5	ft	Bull Creek			Non-IEPA		03/29/2017	12:28:00	03/29/2017	3:34:00 PM			03/30/2017	5:48:45 P	Water	APHA	4500-CL-	Chloride	Total	150.00	mg/L		20.00	20.00		04/24/2017	
DRWW	Suburban Labs		14-6	GV-04	0.5	ft	Bull Creek			Non-IEPA		03/29/2017	12:28:00	03/29/2017	3:34:00 PM					Water	YSI	EPA 120.	Conductivity	Total	963.00	umhos/cm					04/24/2017	
DRWW	Suburban Labs		14-6	GV-04	0.5	ft	Bull Creek			Non-IEPA		03/29/2017	12:28:00	03/29/2017	3:34:00 PM					Water	YSI	Field	Dissolved Oxygen	Total	11.22	mg/L					04/24/2017	
DRWW	Suburban Labs		14-6	GV-04	0.5	ft	Bull Creek			Non-IEPA		03/29/2017	12:28:00	03/29/2017	3:34:00 PM			03/29/2017	4:14:00 P	Water	USEPA	E_COLI_	E. Coli	Total	18.70	MPN/100mL		1.00	1.00		04/24/2017	
DRWW	Suburban Labs		14-6	GV-04</																												



Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code - IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs		14-6	GV-04	0.5	ft	Bull Creek			Non-IEPA		07/27/2017	2:00:00 P	07/27/2017	4:40:00 PM					Water	USEPA	365.2	pH, Field		7.30	S.U.					08/10/2017	
DRWW	Suburban Labs		14-6	GV-04	0.5	ft	Bull Creek			Non-IEPA		07/27/2017	2:00:00 P	07/27/2017	4:40:00 PM	07/28/2017	10:29:49	07/31/2017	3:27:44 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.35	mg/L		0.05	0.14		08/10/2017	
DRWW	Suburban Labs		14-6	GV-04	0.5	ft	Bull Creek			Non-IEPA		07/27/2017	2:00:00 P	07/27/2017	4:40:00 PM			08/01/2017	2:44:44 P	Water	Lab	2510B	Specific Conductivity	Total	349.00	umhos/cm		1.00	1.00		08/10/2017	
DRWW	Suburban Labs		14-6	GV-04	0.5	ft	Bull Creek			Non-IEPA		07/27/2017	2:00:00 P	07/27/2017	4:40:00 PM			07/28/2017	8:20:19 P	Water	USEPA	SM 2550B	Temperature		23.71	°C					08/10/2017	
DRWW	Suburban Labs		14-6	GV-04	0.5	ft	Bull Creek			Non-IEPA		07/27/2017	2:00:00 P	07/27/2017	4:40:00 PM			07/28/2017	4:55:00 P	Water	Lab	2130-B	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22		08/10/2017	
DRWW	Suburban Labs		14-6	GV-04	0.5	ft	Bull Creek			Non-IEPA		07/27/2017	2:00:00 P	07/27/2017	4:40:00 PM			07/28/2017	4:55:00 P	Water	Lab	2130-B	Turbidity		6.39	NTU		0.10	0.20		08/10/2017	
DRWW	Suburban Labs		14-6	GV-04	0.5	ft	Bull Creek			Non-IEPA		08/24/2017	9:13:00 A	08/24/2017	4:20:00 PM			08/25/2017	2:42:44 P	Water	APHA	4500-CL-	Chloride	Total	44.80	mg/L		20.00	20.00		09/14/2017	
DRWW	Suburban Labs		14-6	GV-04	0.5	ft	Bull Creek			Non-IEPA		08/24/2017	9:13:00 A	08/24/2017	4:20:00 PM					Water	YSI	EPA 120.	Conductivity		556.00	umhos/cm					09/14/2017	
DRWW	Suburban Labs		14-6	GV-04	0.5	ft	Bull Creek			Non-IEPA		08/24/2017	9:13:00 A	08/24/2017	4:20:00 PM					Water	YSI	Field	Dissolved Oxygen		2.28	mg/L					09/14/2017	
DRWW	Suburban Labs		14-6	GV-04	0.5	ft	Bull Creek			Non-IEPA		08/24/2017	9:13:00 A	08/24/2017	4:20:00 PM			08/24/2017	4:45:57 P	Water	USEPA	E_COLI_I	E. Coli	Total	192.00	MPN/100mL		1.00	1.00		09/14/2017	
DRWW	Suburban Labs		14-6	GV-04	0.5	ft	Bull Creek			Non-IEPA		08/24/2017	9:13:00 A	08/24/2017	4:20:00 PM					Water	USEPA	365.2	pH, Field		7.54	S.U.					09/14/2017	
DRWW	Suburban Labs		14-6	GV-04	0.5	ft	Bull Creek			Non-IEPA		08/24/2017	9:13:00 A	08/24/2017	4:20:00 PM			08/30/2017	4:03:42 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.39	mg/L		0.05	0.14		09/14/2017	
DRWW	Suburban Labs		14-6	GV-04	0.5	ft	Bull Creek			Non-IEPA		08/24/2017	9:13:00 A	08/24/2017	4:20:00 PM			08/25/2017	3:15:45 P	Water	Lab	2510B	Specific Conductivity	Total	557.00	umhos/cm		1.00	1.00		09/14/2017	
DRWW	Suburban Labs		14-6	GV-04	0.5	ft	Bull Creek			Non-IEPA		08/24/2017	9:13:00 A	08/24/2017	4:20:00 PM					Water	USEPA	SM 2550B	Temperature		17.72	°C					09/14/2017	
DRWW	Suburban Labs		14-6	GV-04	0.5	ft	Bull Creek			Non-IEPA		08/24/2017	9:13:00 A	08/24/2017	4:20:00 PM			08/24/2017	8:10:38 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22		09/14/2017	
DRWW	Suburban Labs		14-6	GV-04	0.5	ft	Bull Creek			Non-IEPA		08/24/2017	9:13:00 A	08/24/2017	4:20:00 PM			08/24/2017	5:01:29 P	Water	Lab	2130-B	Turbidity		9.48	NTU		0.10	0.20		09/14/2017	
DRWW	Suburban Labs		14-6	GV-04	0.5	ft	Bull Creek			Non-IEPA		09/27/2017	1:27:00 P	09/27/2017	4:17:00 PM			09/28/2017	5:00:48 P	Water	APHA	4500-CL-	Chloride	Total	59.70	mg/L		20.00	20.00		11/03/2017	
DRWW	Suburban Labs		14-6	GV-04	0.5	ft	Bull Creek			Non-IEPA		09/27/2017	1:27:00 P	09/27/2017	4:17:00 PM					Water	YSI	EPA 120.	Conductivity		722.00	umhos/cm					11/03/2017	
DRWW	Suburban Labs		14-6	GV-04	0.5	ft	Bull Creek			Non-IEPA		09/27/2017	1:27:00 P	09/27/2017	4:17:00 PM					Water	YSI	Field	Dissolved Oxygen		2.93	mg/L					11/03/2017	
DRWW	Suburban Labs		14-6	GV-04	0.5	ft	Bull Creek			Non-IEPA		09/27/2017	1:27:00 P	09/27/2017	4:17:00 PM			09/27/2017	4:39:44 P	Water	USEPA	E_COLI_I	E. Coli	Total	>2419.6	MPN/100mL		1.00	1.00		11/03/2017	
DRWW	Suburban Labs		14-6	GV-04	0.5	ft	Bull Creek			Non-IEPA		09/27/2017	1:27:00 P	09/27/2017	4:17:00 PM					Water	USEPA	365.2	pH, Field		7.52	S.U.					11/03/2017	
DRWW	Suburban Labs		14-6	GV-04	0.5	ft	Bull Creek			Non-IEPA		09/27/2017	1:27:00 P	09/27/2017	4:17:00 PM			09/28/2017	2:52:34 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.46	mg/L		0.05	0.14		11/03/2017	
DRWW	Suburban Labs		14-6	GV-04	0.5	ft	Bull Creek			Non-IEPA		09/27/2017	1:27:00 P	09/27/2017	4:17:00 PM			10/03/2017	2:40:38 P	Water	Lab	2510B	Specific Conductivity	Total	739.00	umhos/cm		1.00	1.00		11/03/2017	
DRWW	Suburban Labs		14-6	GV-04	0.5	ft	Bull Creek			Non-IEPA		09/27/2017	1:27:00 P	09/27/2017	4:17:00 PM					Water	USEPA	SM 2550B	Temperature		18.44	°C					11/03/2017	
DRWW	Suburban Labs		14-6	GV-04	0.5	ft	Bull Creek			Non-IEPA		09/27/2017	1:27:00 P	09/27/2017	4:17:00 PM			09/27/2017	9:49:58 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22		11/03/2017	
DRWW	Suburban Labs		14-6	GV-04	0.5	ft	Bull Creek			Non-IEPA		09/27/2017	1:27:00 P	09/27/2017	4:17:00 PM			09/27/2017	4:50:00 P	Water	Lab	2130-B	Turbidity		15.70	NTU		0.10	0.20		11/03/2017	
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		03/30/2017	9:34:00 A	03/30/2017	4:20:00 PM			03/30/2017	5:57:34 P	Water	APHA	4500-CL-	Chloride	Total	192.00	mg/L		20.00	20.00		04/24/2017	
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		03/30/2017	9:34:00 A	03/30/2017	4:20:00 PM					Water	YSI	EPA 120.	Conductivity		997.00	umhos/cm					04/24/2017	
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		03/30/2017	9:34:00 A	03/30/2017	4:20:00 PM					Water	YSI	Field	Dissolved Oxygen		12.90	mg/L					04/24/2017	
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		03/30/2017	9:34:00 A	03/30/2017	4:20:00 PM			03/30/2017	5:56:00 P	Water	USEPA	E_COLI_I	E. Coli	Total	387.00	MPN/100mL		1.00	1.00		04/24/2017	
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		03/30/2017	9:34:00 A	03/30/2017	4:20:00 PM			03/30/2017	4:40:00 P	Water	USEPA	DISSOLV	Filtered and Preserved	Total	complete		V	0.00	0.00		04/24/2017	
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		03/30/2017	9:34:00 A	03/30/2017	4:20:00 PM			04/03/2017	5:40:32 P	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30		04/24/2017	
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		03/30/2017	9:34:00 A	03/30/2017	4:20:00 PM			04/06/2017	1:57:32 P	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	ND	mg/L		1.10	3.50		04/24/2017	
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		03/30/2017	9:34:00 A	03/30/2017	4:20:00 PM			03/30/2017	5:19:30 P	Water	USEPA	365.2	Orthophosphate (As P)	Total	ND	mg/L		0.03	0.05		04/24/2017	
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		03/30/2017	9:34:00 A	03/30/2017	4:20:00 PM					Water	USEPA	365.2	pH, Field		8.04	pH					04/24/2017	
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		03/30/2017	9:34:00 A	03/30/2017	4:20:00 PM			04/03/2017	1:53:54 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.09	mg/L	J	0.05	0.14		04/24/2017	
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		03/30/2017	9:34:00 A	03/30/2017	4:20:00 PM			04/06/2017	12:16:33 P	Water	Lab	2510B	Specific Conductivity	Total	1120.00	umhos/cm		1.00	1.00		04/24/2017	
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		03/30/2017	9:34:00 A	03/30/2017	4:20:00 PM					Water	USEPA	SM 2550B	Temperature		6.84	°C					04/24/2017	
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		03/30/2017	9:34:00 A	03/30/2017	4:20:00 PM			04/04/2017	7:34:33 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.40	mg/L		0.10	0.20		04/24/2017	
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		03/30/2017	9:34:00 A	03/30/2017	4:20:00 PM			04/03/2017	10:13:00	Water	USEPA	2540-D	Total Suspended Solids	Total	34.50	mg/L		0.25	6.25		04/24/2017	
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		03/30/2017	9:34:00 A	03/30/2017	4:20:00 PM			03/30/2017	4:45:00 P	Water	Lab	2130-B	Turbidity									

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code - IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		07/27/2017	2:34:00 P	07/27/2017	4:40:00 PM					Water	YSI	Field	Dissolved Oxygen	Total	6.09	mg/L						08/10/2017
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		07/27/2017	2:34:00 P	07/27/2017	4:40:00 PM			07/27/2017	4:58:28 P	Water	USEPA	E_COLI	E. Coli	Total	105.00	MPN/100mL		1.00	1.00			08/10/2017
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		07/27/2017	2:34:00 P	07/27/2017	4:40:00 PM			07/27/2017	5:45:00 P	Water	USEPA	DISSOLV	Filtered and Preserved	Total	complete		V	0.00	0.00			08/10/2017
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		07/27/2017	2:34:00 P	07/27/2017	4:40:00 PM			08/01/2017	4:50:54 P	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30			08/10/2017
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		07/27/2017	2:34:00 P	07/27/2017	4:40:00 P	08/02/2017	10:22:16	08/07/2017	3:00:45 P	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	1.19	mg/L	J	1.10	3.50			08/10/2017
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		07/27/2017	2:34:00 P	07/27/2017	4:40:00 PM			07/28/2017	4:33:28 P	Water	USEPA	365.2	Orthophosphate (As P)	Total	0.05	mg/L	J	0.03	0.05			08/10/2017
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		07/27/2017	2:34:00 P	07/27/2017	4:40:00 PM					Water	USEPA	365.2	pH, Field	Total	7.85	S.U.					08/10/2017	
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		07/27/2017	2:34:00 P	07/27/2017	4:40:00 P	07/31/2017	9:21:48 A	08/01/2017	1:03:17 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.11	µg/L	J	0.05	0.14			08/10/2017
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		07/27/2017	2:34:00 P	07/27/2017	4:40:00 PM			08/01/2017	2:45:48 P	Water	Lab	2510B	Specific Conductivity	Total	588.00	µmhos/cm		1.00	1.00			08/10/2017
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		07/27/2017	2:34:00 P	07/27/2017	4:40:00 PM					Water	USEPA	SM 2550B	Temperature	Total	23.57	°C					08/10/2017	
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		07/27/2017	2:34:00 P	07/27/2017	4:40:00 PM			07/28/2017	8:22:36 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.11	mg/L	J	0.10	0.20			08/10/2017
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		07/27/2017	2:34:00 P	07/27/2017	4:40:00 PM			08/01/2017	10:05:11	Water	USEPA	2540-D	Total Suspended Solids	Total	15.80	mg/L		0.20	5.00			08/10/2017
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		07/27/2017	2:34:00 P	07/27/2017	4:40:00 PM			07/28/2017	4:55:00 P	Water	Lab	2130-B	Turbidity	Total	15.40	NTU		0.10	0.20			08/10/2017
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		07/27/2017	2:34:00 P	07/27/2017	4:40:00 PM			08/01/2017	10:05:11	Water	USEPA	2540-D	Volatile Suspended Solids	Total	3.40	mg/L	J	0.20	5.00			08/10/2017
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		08/24/2017	10:15:00	08/24/2017	4:20:00 PM			08/25/2017	2:43:29 P	Water	APHA	4500-CL-	Chloride	Total	124.00	mg/L		20.00	20.00			09/14/2017
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		08/24/2017	10:15:00	08/24/2017	4:20:00 PM					Water	YSI	EPA 120.	Conductivity	Total	898.00	µmhos/cm						09/14/2017
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		08/24/2017	10:15:00	08/24/2017	4:20:00 PM					Water	YSI	Field	Dissolved Oxygen	Total	7.82	mg/L						09/14/2017
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		08/24/2017	10:15:00	08/24/2017	4:20:00 PM			08/24/2017	4:45:57 P	Water	USEPA	E_COLI	E. Coli	Total	95.90	MPN/100mL		1.00	1.00			09/14/2017
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		08/24/2017	10:15:00	08/24/2017	4:20:00 PM			08/24/2017	5:17:00 P	Water	USEPA	DISSOLV	Filtered and Preserved	Total	complete		V	0.00	0.00			09/14/2017
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		08/24/2017	10:15:00	08/24/2017	4:20:00 PM			08/28/2017	2:20:51 P	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30			09/14/2017
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		08/24/2017	10:15:00	08/24/2017	4:20:00 PM			08/30/2017	4:22:55 P	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	ND	mg/L		1.10	3.50			09/14/2017
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		08/24/2017	10:15:00	08/24/2017	4:20:00 PM			08/25/2017	6:30:25 P	Water	USEPA	365.2	Orthophosphate (As P)	Total	ND	mg/L		0.03	0.05			09/14/2017
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		08/24/2017	10:15:00	08/24/2017	4:20:00 PM					Water	USEPA	365.2	pH, Field	Total	7.97	S.U.						09/14/2017
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		08/24/2017	10:15:00	08/24/2017	4:20:00 PM			08/30/2017	4:06:13 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.06	mg/L	J	0.05	0.14			09/14/2017
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		08/24/2017	10:15:00	08/24/2017	4:20:00 PM			08/25/2017	3:16:21 P	Water	Lab	2510B	Specific Conductivity	Total	890.00	µmhos/cm		1.00	1.00			09/14/2017
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		08/24/2017	10:15:00	08/24/2017	4:20:00 PM					Water	USEPA	SM 2550B	Temperature	Total	19.83	°C						09/14/2017
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		08/24/2017	10:15:00	08/24/2017	4:20:00 PM			08/24/2017	8:19:49 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.20			09/14/2017
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		08/24/2017	10:15:00	08/24/2017	4:20:00 PM			08/28/2017	8:41:00 A	Water	USEPA	2540-D	Total Suspended Solids	Total	1.40	mg/L	J	0.20	5.00			09/14/2017
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		08/24/2017	10:15:00	08/24/2017	4:20:00 PM			08/24/2017	5:01:29 P	Water	Lab	2130-B	Turbidity	Total	2.66	NTU		0.10	0.20			09/14/2017
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		08/24/2017	10:15:00	08/24/2017	4:20:00 PM			08/28/2017	8:41:00 A	Water	USEPA	2540-D	Volatile Suspended Solids	Total	0.60	mg/L	JR	0.20	5.00			09/14/2017
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		09/27/2017	2:18:00 P	09/27/2017	4:17:00 P	09/28/2017	2:52:34 P	09/29/2017	1:19:11 P	Water	USEPA	200.7	Calcium	Total	57.60	mg/L		0.01	0.02			11/03/2017
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		09/27/2017	2:18:00 P	09/27/2017	4:17:00 PM			09/28/2017	5:01:30 P	Water	APHA	4500-CL-	Chloride	Total	154.00	mg/L		20.00	20.00			11/03/2017
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		09/27/2017	2:18:00 P	09/27/2017	4:17:00 PM					Water	YSI	EPA 120.	Conductivity	Total	1080.00	µmhos/cm						11/03/2017
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		09/27/2017	2:18:00 P	09/27/2017	4:17:00 PM					Water	YSI	Field	Dissolved Oxygen	Total	12.75	mg/L						11/03/2017
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		09/27/2017	2:18:00 P	09/27/2017	4:17:00 PM			09/27/2017	4:39:44 P	Water	USEPA	E_COLI	E. Coli	Total	27.20	MPN/100mL		1.00	1.00			11/03/2017
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		09/27/2017	2:18:00 P	09/27/2017	4:17:00 PM			09/27/2017	5:00:00 P	Water	USEPA	DISSOLV	Filtered and Preserved	Total	complete		V	0.00	0.00			11/03/2017
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		09/27/2017	2:18:00 P	09/27/2017	4:17:00 P	09/28/2017	2:52:34 P	09/29/2017	1:19:11 P	Water	USEPA	200.7	Hardness (As CaCO3)	Total	278.00	mg/L	B	0.05	0.15			11/03/2017
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		09/27/2017	2:18:00 P	09/27/2017	4:17:00 P	09/28/2017	2:52:34 P	09/29/2017	1:19:11 P	Water	USEPA	200.7	Magnesium	Total	32.50	mg/L		0.00	0.00			11/03/2017
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		09/27/2017	2:18:00 P	09/27/2017	4:17:00 P	09/28/2017	2:52:34 P	09/29/2017	1:19:11 P	Water	USEPA	200.7	Manganese	Total	0.03	mg/L		0.00	0.01			11/03/2017
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		09/27/2017	2:18:00 P	09/27/2017	4:17:00 PM			09/27/2017	8:26:50 P	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30			11/03/2017
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		09/27/2017	2:18:00 P	09/27/2017	4:17:00 P	10/02/2017	1:09:15 P	10/03/2017	1:05:08 P	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	ND	mg/L		1.19	3.78			11/03/2017
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		09/27/2017	2:18:00 P	09/27/2017	4:17:00 PM			09/29/2017	10:10:59	Water	USEPA	365.2	Orthophosphate (As P)	Total	0.05	mg/L		0.03	0.05			11/03/2017
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		09/27/2017	2:18:00 P	09/27/2017	4:17:00 PM					Water	USEPA	365.2	pH, Field	Total	8.51	S.U.						11/03/2017
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		09/27/2017	2:18:00 P	09/27/2017	4:17:00 P	09/28/2017	2:52:34 P	09/29/2017	1:19:11 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.08	mg/L	J	0.04	0.14			11/03/2017
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA																						

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code - IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released		
DRWW	Suburban Labs		15-11	GUA-01	0.5	ft	Indian Creek			Non-IEPA		9/20/2017	#####							Water	YSI	Field	Dissolved Oxygen		6.50	mg/L						10/11/2017		
DRWW	Suburban Labs		15-11	GUA-01	0.5	ft	Indian Creek			Non-IEPA		9/20/2017	#####							Water	USEPA	E_COLI	E. Coli	Total	512.00	MPN/100mL		1.00	1.00			10/11/2017		
DRWW	Suburban Labs		15-11	GUA-01	0.5	ft	Indian Creek			Non-IEPA		9/20/2017	#####							Water	USEPA	365.2	pH, Field		6.99	pH						10/11/2017		
DRWW	Suburban Labs		15-11	GUA-01	0.5	ft	Indian Creek			Non-IEPA		9/20/2017	#####							Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.13	mg/L						10/11/2017		
DRWW	Suburban Labs		15-11	GUA-01	0.5	ft	Indian Creek			Non-IEPA		9/20/2017	#####							Water	USEPA	SM 2550B	Temperature		22.60	°C						10/11/2017		
DRWW	Suburban Labs		15-11	GUA-01	0.5	ft	Indian Creek			Non-IEPA		9/20/2017	#####							Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.26	mg/L						10/11/2017		
DRWW	Suburban Labs		15-12	GUZA-04	0.5	ft	Indian Creek			Non-IEPA		8/23/2017								Water	APHA	4500-CL-	Chloride	Total	127.00	mg/L						9/7/2017		
DRWW	Suburban Labs		15-12	GUZA-04	0.5	ft	Indian Creek			Non-IEPA		8/23/2017								Water	YSI	EPA 120.	Conductivity		787.00	umhos/cm						9/7/2017		
DRWW	Suburban Labs		15-12	GUZA-04	0.5	ft	Indian Creek			Non-IEPA		8/23/2017								Water	YSI	Field	Dissolved Oxygen		9.80	mg/L						9/7/2017		
DRWW	Suburban Labs		15-12	GUZA-04	0.5	ft	Indian Creek			Non-IEPA		8/23/2017								Water	USEPA	E_COLI	E. Coli	Total	24.00	MPN/100mL		1.00	1.00				9/7/2017	
DRWW	Suburban Labs		15-12	GUZA-04	0.5	ft	Indian Creek			Non-IEPA		8/23/2017								Water	USEPA	365.2	pH, Field		8.00	pH							9/7/2017	
DRWW	Suburban Labs		15-12	GUZA-04	0.5	ft	Indian Creek			Non-IEPA		8/23/2017								Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.10	mg/L							9/7/2017	
DRWW	Suburban Labs		15-12	GUZA-04	0.5	ft	Indian Creek			Non-IEPA		8/23/2017								Water	USEPA	SM 2550B	Temperature		26.67	°C							9/7/2017	
DRWW	Suburban Labs		15-12	GUZA-04	0.5	ft	Indian Creek			Non-IEPA		8/23/2017								Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	<0.10	mg/L							9/7/2017	
DRWW	Suburban Labs		15-12	GUZA-04	0.5	ft	Indian Creek			Non-IEPA		9/20/2017	#####							Water	APHA	4500-CL-	Chloride	Total	136.00	mg/L							10/11/2017	
DRWW	Suburban Labs		15-12	GUZA-04	0.5	ft	Indian Creek			Non-IEPA		9/20/2017	#####							Water	YSI	EPA 120.	Conductivity		790.00	umhos/cm							10/11/2017	
DRWW	Suburban Labs		15-12	GUZA-04	0.5	ft	Indian Creek			Non-IEPA		9/20/2017	#####							Water	YSI	Field	Dissolved Oxygen		7.90	mg/L							10/11/2017	
DRWW	Suburban Labs		15-12	GUZA-04	0.5	ft	Indian Creek			Non-IEPA		9/20/2017	#####							Water	USEPA	E_COLI	E. Coli	Total	18.00	MPN/100mL		1.00	1.00				10/11/2017	
DRWW	Suburban Labs		15-12	GUZA-04	0.5	ft	Indian Creek			Non-IEPA		9/20/2017	#####							Water	USEPA	365.2	pH, Field		7.93	pH							10/11/2017	
DRWW	Suburban Labs		15-12	GUZA-04	0.5	ft	Indian Creek			Non-IEPA		9/20/2017	#####							Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.14	mg/L							10/11/2017	
DRWW	Suburban Labs		15-12	GUZA-04	0.5	ft	Indian Creek			Non-IEPA		9/20/2017	#####							Water	USEPA	SM 2550B	Temperature		20.00	°C							10/11/2017	
DRWW	Suburban Labs		15-12	GUZA-04	0.5	ft	Indian Creek			Non-IEPA		9/20/2017	#####							Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	<0.10	mg/L							10/11/2017	
DRWW	Suburban Labs		15-13	GUZA-02	0.5	ft	Indian Creek			Non-IEPA		8/23/2017								Water	APHA	4500-CL-	Chloride	Total	104.00	mg/L							9/7/2017	
DRWW	Suburban Labs		15-13	GUZA-02	0.5	ft	Indian Creek			Non-IEPA		8/23/2017								Water	YSI	EPA 120.	Conductivity		790.00	umhos/cm							9/7/2017	
DRWW	Suburban Labs		15-13	GUZA-02	0.5	ft	Indian Creek			Non-IEPA		8/23/2017								Water	YSI	Field	Dissolved Oxygen		8.00	mg/L							9/7/2017	
DRWW	Suburban Labs		15-13	GUZA-02	0.5	ft	Indian Creek			Non-IEPA		8/23/2017								Water	USEPA	E_COLI	E. Coli	Total	435.00	MPN/100mL		1.00	1.00					9/7/2017
DRWW	Suburban Labs		15-13	GUZA-02	0.5	ft	Indian Creek			Non-IEPA		8/23/2017								Water	USEPA	365.2	pH, Field		7.24	pH							9/7/2017	
DRWW	Suburban Labs		15-13	GUZA-02	0.5	ft	Indian Creek			Non-IEPA		8/23/2017								Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.12	mg/L							9/7/2017	
DRWW	Suburban Labs		15-13	GUZA-02	0.5	ft	Indian Creek			Non-IEPA		8/23/2017								Water	USEPA	SM 2550B	Temperature		18.33	°C							9/7/2017	
DRWW	Suburban Labs		15-13	GUZA-02	0.5	ft	Indian Creek			Non-IEPA		8/23/2017								Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.31	mg/L							9/7/2017	
DRWW	Suburban Labs		15-13	GUZA-02	0.5	ft	Indian Creek			Non-IEPA		9/20/2017	#####							Water	APHA	4500-CL-	Chloride	Total	139.00	mg/L							10/11/2017	
DRWW	Suburban Labs		15-13	GUZA-02	0.5	ft	Indian Creek			Non-IEPA		9/20/2017	#####							Water	YSI	EPA 120.	Conductivity		918.00	umhos/cm							10/11/2017	
DRWW	Suburban Labs		15-13	GUZA-02	0.5	ft	Indian Creek			Non-IEPA		9/20/2017	#####							Water	YSI	Field	Dissolved Oxygen		5.40	mg/L							10/11/2017	
DRWW	Suburban Labs		15-13	GUZA-02	0.5	ft	Indian Creek			Non-IEPA		9/20/2017	#####							Water	USEPA	E_COLI	E. Coli	Total	172.00	MPN/100mL		1.00	1.00					10/11/2017
DRWW	Suburban Labs		15-13	GUZA-02	0.5	ft	Indian Creek			Non-IEPA		9/20/2017	#####							Water	USEPA	365.2	pH, Field		7.19	pH							10/11/2017	
DRWW	Suburban Labs		15-13	GUZA-02	0.5	ft	Indian Creek			Non-IEPA		9/20/2017	#####							Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.10	mg/L							10/11/2017	
DRWW	Suburban Labs		15-13	GUZA-02	0.5	ft	Indian Creek			Non-IEPA		9/20/2017	#####							Water	USEPA	SM 2550B	Temperature		22.60	°C							10/11/2017	
DRWW	Suburban Labs		15-13	GUZA-02	0.5	ft	Indian Creek			Non-IEPA		9/20/2017	#####							Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	<0.10	mg/L							10/11/2017	
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		03/30/2017	10:02:00	03/30/2017	4:20:00 PM			03/30/2017	5:58:14 P	Water	APHA	4500-CL-	Chloride	Total	189.00	mg/L		20.00	20.00				04/24/2017	
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		03/30/2017	10:02:00	03/30/2017	4:20:00 PM					Water	YSI	EPA 120.	Conductivity		987.00	umhos/cm							04/24/2017	
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		03/30/2017	10:02:00	03/30/2017	4:20:00 PM			03/30/2017	5:56:00 P	Water	USEPA	E_COLI	E. Coli	Total	365.00	MPN/100mL		1.00	1.00				04/24/2017	
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		03/30/2017	10:02:00	03/30/2017	4:20:00 PM			03/30/2017	4:40:00 P	Water	USEPA	DISSOLV	Filtered and Preserved	Total	complete		V	0.00	0.00				04/24/2017	
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		03/30/2017	10:02:00	03/30/2017	4:20:00 PM			04/03/2017	5:47:32 P	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30				04/24/2017	
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		03/30/2017	10:02:00	03/30/2017	4:20:00 PM			04/06/2017	1:58:54 P	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	ND	mg/L		1.10	3.50				04/24/2017	
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		03/30/2017	10:02:00	03/30/2017	4:20:00 PM			03/30/2017	5:19:30 P	Water	USEPA	365.2	Orthophosphate (As P)	Total	ND	mg/L		0.03	0.05				04/24/2017	
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		03/30/2017	10:02:00	03/30/2017	4:20:00 PM					Water	USEPA	365.2	pH, Field		7.86	pH							04/24/2017	
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		03/30/2017	10:02:00	03/30/2017	4:20:00 PM			04/03/2017	1:58:40 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.08	mg/L	J	0.05	0.14				04/24/2017	
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		03/30/2017	10:02:00	03/30/2017	4:20:00 PM			04/06/2017	12:19:21	Water	Lab	2510B	Specific Conductivity	Total	1110.00	umhos/cm		1.00	1.00				04/24/2017	
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		03/30/2017	10:02:00	03/30/2017	4:20:00 PM					Water	USEPA	SM 2550B	Temperature		6.65	°C							04/24/2017	
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		03/30/2017	10:02:00	03/30/2017	4:20:00 PM			04/04/2017	7:39:08 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.34	mg/L		0.10	0.20				04/24/2017	
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		03/30/2017	10:02:00	03/30/2017	4:20:00 PM			04/03/2017	10:13:00	Water	USEPA	2540-D	Total Suspended Solids	Total	24.40	mg/L		0.20	5.00				04/24/2017	
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek																											

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code - IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		06/29/2017	9:22:00 A	06/29/2017	4:44:00 P	07/05/2017	11:19:59	07/06/2017	5:05:24 P	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	3.42	mg/L	J	1.10	3.50			07/11/2017
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		06/29/2017	9:22:00 A	06/29/2017	4:44:00 P			06/29/2017	6:04:24 P	Water	USEPA	365.2	Orthophosphate (As P)	Total	0.04	mg/L	J	0.03	0.05			07/11/2017
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		06/29/2017	9:22:00 A	06/29/2017	4:44:00 P					Water	USEPA	365.2	pH, Field		7.73	pH						07/11/2017
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		06/29/2017	9:22:00 A	06/29/2017	4:44:00 P	07/05/2017	3:47:06 P	07/06/2017	4:26:59 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.14	mg/L		0.05	0.14			07/11/2017
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		06/29/2017	9:22:00 A	06/29/2017	4:44:00 P			07/07/2017	4:44:57 P	Water	Lab	2510B	Specific Conductivity	Total	403.00	umhos/cm		1.00	1.00			07/11/2017
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		06/29/2017	9:22:00 A	06/29/2017	4:44:00 P					Water	USEPA	SM 2550B	Temperature		18.17	°C						07/11/2017
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		06/29/2017	9:22:00 A	06/29/2017	4:44:00 P			07/10/2017	8:18:28 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.26	mg/L		0.10	0.20			07/11/2017
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		06/29/2017	9:22:00 A	06/29/2017	4:44:00 P			07/03/2017	11:25:54	Water	USEPA	2540-D	Total Suspended Solids	Total	52.40	mg/L		0.40	10.00			07/11/2017
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		06/29/2017	9:22:00 A	06/29/2017	4:44:00 P			06/29/2017	5:02:00 P	Water	Lab	2130-B	Turbidity		62.00	NTU		0.10	0.20			07/11/2017
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		06/29/2017	9:22:00 A	06/29/2017	4:44:00 P			07/03/2017	11:25:54	Water	USEPA	2540-D	Volatile Suspended Solids	Total	7.20	mg/L	J	0.40	10.00			07/11/2017
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		07/27/2017	2:55:00 P	07/27/2017	4:40:00 P			07/31/2017	6:23:28 P	Water	APHA	4500-CL-	Chloride	Total	68.70	mg/L		20.00	20.00			08/10/2017
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		07/27/2017	2:55:00 P	07/27/2017	4:40:00 P					Water	YSI	EPA 120.	Conductivity		590.00	umhos/cm						08/10/2017
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		07/27/2017	2:55:00 P	07/27/2017	4:40:00 P					Water	YSI	Field	Dissolved Oxygen		5.58	mg/L						08/10/2017
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		07/27/2017	2:55:00 P	07/27/2017	4:40:00 P			07/27/2017	4:58:28 P	Water	USEPA	E COLI	E. Coli	Total	326.00	MPN/100mL		1.00	1.00			08/10/2017
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		07/27/2017	2:55:00 P	07/27/2017	4:40:00 P			07/27/2017	5:45:00 P	Water	USEPA	DISSOLV	Filtered and Preserved	Total	complete		V	0.00	0.00			08/10/2017
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		07/27/2017	2:55:00 P	07/27/2017	4:40:00 P			08/01/2017	4:52:37 P	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30			08/10/2017
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		07/27/2017	2:55:00 P	07/27/2017	4:40:00 P	08/02/2017	10:22:16	08/07/2017	3:02:00 P	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	1.39	mg/L	J	1.10	3.50			08/10/2017
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		07/27/2017	2:55:00 P	07/27/2017	4:40:00 P			07/28/2017	4:33:28 P	Water	USEPA	365.2	Orthophosphate (As P)	Total	0.05	mg/L	J	0.03	0.05			08/10/2017
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		07/27/2017	2:55:00 P	07/27/2017	4:40:00 P					Water	USEPA	365.2	pH, Field		7.87	S.U.						08/10/2017
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		07/27/2017	2:55:00 P	07/27/2017	4:40:00 P	07/31/2017	9:21:48 A	08/01/2017	1:05:45 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.13	mg/L	J	0.05	0.14			08/10/2017
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		07/27/2017	2:55:00 P	07/27/2017	4:40:00 P			08/01/2017	2:46:26 P	Water	Lab	2510B	Specific Conductivity	Total	574.00	umhos/cm		1.00	1.00			08/10/2017
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		07/27/2017	2:55:00 P	07/27/2017	4:40:00 P					Water	USEPA	SM 2550B	Temperature		25.48	°C						08/10/2017
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		07/27/2017	2:55:00 P	07/27/2017	4:40:00 P			07/28/2017	8:29:29 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.20			08/10/2017
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		07/27/2017	2:55:00 P	07/27/2017	4:40:00 P			08/01/2017	10:05:11	Water	USEPA	2540-D	Total Suspended Solids	Total	20.00	mg/L		0.20	5.00			08/10/2017
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		07/27/2017	2:55:00 P	07/27/2017	4:40:00 P			07/28/2017	4:55:00 P	Water	Lab	2130-B	Turbidity		18.40	NTU		0.10	0.20			08/10/2017
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		07/27/2017	2:55:00 P	07/27/2017	4:40:00 P			08/01/2017	10:05:11	Water	USEPA	2540-D	Volatile Suspended Solids	Total	4.60	mg/L	J	0.20	5.00			08/10/2017
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		08/24/2017	10:39:00	08/24/2017	4:20:00 P			08/25/2017	2:44:14 P	Water	APHA	4500-CL-	Chloride	Total	113.00	mg/L		20.00	20.00			09/14/2017
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		08/24/2017	10:39:00	08/24/2017	4:20:00 P					Water	YSI	EPA 120.	Conductivity		902.00	umhos/cm						09/14/2017
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		08/24/2017	10:39:00	08/24/2017	4:20:00 P					Water	YSI	Field	Dissolved Oxygen		8.52	mg/L						09/14/2017
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		08/24/2017	10:39:00	08/24/2017	4:20:00 P			08/24/2017	4:45:57 P	Water	USEPA	E COLI	E. Coli	Total	93.30	MPN/100mL		1.00	1.00			09/14/2017
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		08/24/2017	10:39:00	08/24/2017	4:20:00 P			08/24/2017	5:17:00 P	Water	USEPA	DISSOLV	Filtered and Preserved	Total	complete		V	0.00	0.00			09/14/2017
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		08/24/2017	10:39:00	08/24/2017	4:20:00 P			08/28/2017	2:22:35 P	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30			09/14/2017
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		08/24/2017	10:39:00	08/24/2017	4:20:00 P			08/30/2017	4:24:10 P	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	ND	mg/L		1.10	3.50			09/14/2017
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		08/24/2017	10:39:00	08/24/2017	4:20:00 P			08/25/2017	6:30:25 P	Water	USEPA	365.2	Orthophosphate (As P)	Total	ND	mg/L		0.03	0.05			09/14/2017
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		08/24/2017	10:39:00	08/24/2017	4:20:00 P					Water	USEPA	365.2	pH, Field		7.98	S.U.						09/14/2017
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		08/24/2017	10:39:00	08/24/2017	4:20:00 P			08/30/2017	3:17:23 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.07	mg/L	J	0.05	0.14			09/14/2017
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		08/24/2017	10:39:00	08/24/2017	4:20:00 P			08/25/2017	3:16:48 P	Water	Lab	2510B	Specific Conductivity	Total	898.00	umhos/cm		1.00	1.00			09/14/2017
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		08/24/2017	10:39:00	08/24/2017	4:20:00 P					Water	USEPA	SM 2550B	Temperature		18.98	°C						09/14/2017
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		08/24/2017	10:39:00	08/24/2017	4:20:00 P			08/24/2017	8:22:08 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.11	mg/L	J	0.10	0.20			09/14/2017
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		08/24/2017	10:39:00	08/24/2017	4:20:00 P			08/28/2017	8:41:00 A	Water	USEPA	2540-D	Total Suspended Solids	Total	2.00	mg/L	J	0.20	5.00			09/14/2017
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		08/24/2017	10:39:00	08/24/2017	4:20:00 P			08/24/2017	5:01:29 P	Water	Lab	2130-B	Turbidity		3.12	NTU		0.10	0.20			09/14/2017
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		08/24/2017	10:39:00	08/24/2017	4:20:00 P			08/28/2017	8:41:00 A	Water	USEPA	2540-D	Volatile Suspended Solids	Total	0.60	mg/L	J	0.20	5.00			09/14/2017
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		09/28/2017	9:27:00 A	09/28/2017	4:18:00 P	09/29/2017	2:51:54 P	10/02/2017	12:17:33	Water	USEPA	200.7	Calcium	Total	66.10	mg/L		0.01	0.02			11/03/2017
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		09/28/2017	9:27:00 A	09/28/2017	4:18:00 P			10/03/2017	12:18:13	Water	APHA	4500-CL-	Chloride	Total	156.00	mg/L		20.00	20.00			11/03/2017
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		09/28/2017	9:27:00 A	09/28/2017	4:18:																	



Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code - IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs		15-3	GUB-03	0.5	ft	Indian Creek			Non-IEPA		05/23/2017	9:47:00 A	05/23/2017	4:08:00 PM					Water	USEPA	365.2	pH, Field		7.79	pH						06/09/2017
DRWW	Suburban Labs		15-3	GUB-03	0.5	ft	Indian Creek			Non-IEPA		05/23/2017	9:47:00 A	05/23/2017	4:08:00 PM	06/01/2017	10:24:59 A	06/05/2017	12:44:17 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	ND	mg/L		0.05	0.14			06/09/2017
DRWW	Suburban Labs		15-3	GUB-03	0.5	ft	Indian Creek			Non-IEPA		05/23/2017	9:47:00 A	05/23/2017	4:08:00 PM			05/30/2017	12:33:52 P	Water	Lab	2510B	Specific Conductivity	Total	1160.00	umhos/cm		1.00	1.00			06/09/2017
DRWW	Suburban Labs		15-3	GUB-03	0.5	ft	Indian Creek			Non-IEPA		05/23/2017	9:47:00 A	05/23/2017	4:08:00 PM			05/24/2017	7:51:52 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.29	mg/L		0.10	0.22			06/09/2017
DRWW	Suburban Labs		15-3	GUB-03	0.5	ft	Indian Creek			Non-IEPA		05/23/2017	9:47:00 A	05/23/2017	4:08:00 PM			05/23/2017	4:45:00 P	Water	Lab	2130-B	Turbidity		3.63	NTU		0.10	0.20			06/09/2017
DRWW	Suburban Labs		15-3	GUB-03	0.5	ft	Indian Creek			Non-IEPA		06/29/2017	9:52:00 A	06/29/2017	4:44:00 PM			07/07/2017	6:10:21 P	Water	APHA	4500-CL-	Chloride	Total	46.50	mg/L		20.00	20.00			07/10/2017
DRWW	Suburban Labs		15-3	GUB-03	0.5	ft	Indian Creek			Non-IEPA		06/29/2017	9:52:00 A	06/29/2017	4:44:00 PM					Water	YSI	EPA 120.	Conductivity		431.00	umhos/cm						07/10/2017
DRWW	Suburban Labs		15-3	GUB-03	0.5	ft	Indian Creek			Non-IEPA		06/29/2017	9:52:00 A	06/29/2017	4:44:00 PM					Water	YSI	Field	Dissolved Oxygen		5.78	mg/L						07/10/2017
DRWW	Suburban Labs		15-3	GUB-03	0.5	ft	Indian Creek			Non-IEPA		06/29/2017	9:52:00 A	06/29/2017	4:44:00 PM			06/29/2017	4:53:47 P	Water	USEPA	E_COLI_1	E. Coli	Total	>2419.6	MPN/100mL		1.00	1.00			07/10/2017
DRWW	Suburban Labs		15-3	GUB-03	0.5	ft	Indian Creek			Non-IEPA		06/29/2017	9:52:00 A	06/29/2017	4:44:00 PM			07/05/2017	3:47:06 P	Water	USEPA	365.2	pH, Field		7.66	pH						07/10/2017
DRWW	Suburban Labs		15-3	GUB-03	0.5	ft	Indian Creek			Non-IEPA		06/29/2017	9:52:00 A	06/29/2017	4:44:00 PM			07/07/2017	4:46:34 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.09	mg/L	J	0.05	0.14			07/10/2017
DRWW	Suburban Labs		15-3	GUB-03	0.5	ft	Indian Creek			Non-IEPA		06/29/2017	9:52:00 A	06/29/2017	4:44:00 PM			07/07/2017	4:46:34 P	Water	Lab	2510B	Specific Conductivity	Total	427.00	umhos/cm		1.00	1.00			07/10/2017
DRWW	Suburban Labs		15-3	GUB-03	0.5	ft	Indian Creek			Non-IEPA		06/29/2017	9:52:00 A	06/29/2017	4:44:00 PM					Water	USEPA	SM 2550B	Temperature		19.41	°C						07/10/2017
DRWW	Suburban Labs		15-3	GUB-03	0.5	ft	Indian Creek			Non-IEPA		06/29/2017	9:52:00 A	06/29/2017	4:44:00 PM			07/06/2017	7:43:39 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	1.03	mg/L		0.10	0.22			07/10/2017
DRWW	Suburban Labs		15-3	GUB-03	0.5	ft	Indian Creek			Non-IEPA		06/29/2017	9:52:00 A	06/29/2017	4:44:00 PM			06/29/2017	5:02:00 P	Water	Lab	2130-B	Turbidity		17.50	NTU		0.10	0.20			07/10/2017
DRWW	Suburban Labs		15-3	GUB-03	0.5	ft	Indian Creek			Non-IEPA		07/27/2017	3:19:00 P	07/27/2017	4:40:00 PM			07/31/2017	6:24:08 P	Water	APHA	4500-CL-	Chloride	Total	67.30	mg/L		20.00	20.00			08/10/2017
DRWW	Suburban Labs		15-3	GUB-03	0.5	ft	Indian Creek			Non-IEPA		07/27/2017	3:19:00 P	07/27/2017	4:40:00 PM					Water	YSI	EPA 120.	Conductivity		632.00	umhos/cm						08/10/2017
DRWW	Suburban Labs		15-3	GUB-03	0.5	ft	Indian Creek			Non-IEPA		07/27/2017	3:19:00 P	07/27/2017	4:40:00 PM					Water	YSI	Field	Dissolved Oxygen		9.85	mg/L						08/10/2017
DRWW	Suburban Labs		15-3	GUB-03	0.5	ft	Indian Creek			Non-IEPA		07/27/2017	3:19:00 P	07/27/2017	4:40:00 PM			07/27/2017	4:58:28 P	Water	USEPA	E_COLI_1	E. Coli	Total	361.00	MPN/100mL		1.00	1.00			08/10/2017
DRWW	Suburban Labs		15-3	GUB-03	0.5	ft	Indian Creek			Non-IEPA		07/27/2017	3:19:00 P	07/27/2017	4:40:00 PM					Water	USEPA	365.2	pH, Field		7.77	S.U.						08/10/2017
DRWW	Suburban Labs		15-3	GUB-03	0.5	ft	Indian Creek			Non-IEPA		07/27/2017	3:19:00 P	07/27/2017	4:40:00 PM			07/31/2017	9:21:48 A	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.18	mg/L		0.05	0.14			08/10/2017
DRWW	Suburban Labs		15-3	GUB-03	0.5	ft	Indian Creek			Non-IEPA		07/27/2017	3:19:00 P	07/27/2017	4:40:00 PM			08/01/2017	2:47:07 P	Water	Lab	2510B	Specific Conductivity	Total	617.00	umhos/cm		1.00	1.00			08/10/2017
DRWW	Suburban Labs		15-3	GUB-03	0.5	ft	Indian Creek			Non-IEPA		07/27/2017	3:19:00 P	07/27/2017	4:40:00 PM					Water	USEPA	SM 2550B	Temperature		23.59	°C						08/10/2017
DRWW	Suburban Labs		15-3	GUB-03	0.5	ft	Indian Creek			Non-IEPA		07/27/2017	3:19:00 P	07/27/2017	4:40:00 PM			07/28/2017	8:31:49 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.22	mg/L	J	0.10	0.22			08/10/2017
DRWW	Suburban Labs		15-3	GUB-03	0.5	ft	Indian Creek			Non-IEPA		07/27/2017	3:19:00 P	07/27/2017	4:40:00 PM			07/28/2017	4:55:00 P	Water	Lab	2130-B	Turbidity		16.00	NTU		0.10	0.20			08/10/2017
DRWW	Suburban Labs		15-3	GUB-03	0.5	ft	Indian Creek			Non-IEPA		08/24/2017	11:06:00	08/24/2017	4:20:00 PM			08/25/2017	2:45:01 P	Water	APHA	4500-CL-	Chloride	Total	146.00	mg/L		20.00	20.00			09/14/2017
DRWW	Suburban Labs		15-3	GUB-03	0.5	ft	Indian Creek			Non-IEPA		08/24/2017	11:06:00	08/24/2017	4:20:00 PM					Water	YSI	EPA 120.	Conductivity		1123.00	umhos/cm						09/14/2017
DRWW	Suburban Labs		15-3	GUB-03	0.5	ft	Indian Creek			Non-IEPA		08/24/2017	11:06:00	08/24/2017	4:20:00 PM					Water	YSI	Field	Dissolved Oxygen		9.74	mg/L						09/14/2017
DRWW	Suburban Labs		15-3	GUB-03	0.5	ft	Indian Creek			Non-IEPA		08/24/2017	11:06:00	08/24/2017	4:20:00 PM			08/24/2017	4:45:57 P	Water	USEPA	E_COLI_1	E. Coli	Total	727.00	MPN/100mL		1.00	1.00			09/14/2017
DRWW	Suburban Labs		15-3	GUB-03	0.5	ft	Indian Creek			Non-IEPA		08/24/2017	11:06:00	08/24/2017	4:20:00 PM					Water	USEPA	365.2	pH, Field		7.96	S.U.						09/14/2017
DRWW	Suburban Labs		15-3	GUB-03	0.5	ft	Indian Creek			Non-IEPA		08/24/2017	11:06:00	08/24/2017	4:20:00 PM			08/30/2017	3:27:20 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	ND	mg/L		0.05	0.14			09/14/2017
DRWW	Suburban Labs		15-3	GUB-03	0.5	ft	Indian Creek			Non-IEPA		08/24/2017	11:06:00	08/24/2017	4:20:00 PM			08/25/2017	3:17:20 P	Water	Lab	2510B	Specific Conductivity	Total	1110.00	umhos/cm		1.00	1.00			09/14/2017
DRWW	Suburban Labs		15-3	GUB-03	0.5	ft	Indian Creek			Non-IEPA		08/24/2017	11:06:00	08/24/2017	4:20:00 PM					Water	USEPA	SM 2550B	Temperature		18.29	°C						09/14/2017
DRWW	Suburban Labs		15-3	GUB-03	0.5	ft	Indian Creek			Non-IEPA		08/24/2017	11:06:00	08/24/2017	4:20:00 PM			08/24/2017	8:24:27 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22			09/14/2017
DRWW	Suburban Labs		15-3	GUB-03	0.5	ft	Indian Creek			Non-IEPA		08/24/2017	11:06:00	08/24/2017	4:20:00 PM			08/24/2017	5:01:29 P	Water	Lab	2130-B	Turbidity		2.40	NTU		0.10	0.20			09/14/2017
DRWW	Suburban Labs		15-3	GUB-03	0.5	ft	Indian Creek			Non-IEPA		09/28/2017	9:59:00 A	09/28/2017	4:18:00 PM			10/03/2017	12:20:24 P	Water	APHA	4500-CL-	Chloride	Total	135.00	mg/L		20.00	20.00			11/03/2017
DRWW	Suburban Labs		15-3	GUB-03	0.5	ft	Indian Creek			Non-IEPA		09/28/2017	9:59:00 A	09/28/2017	4:18:00 PM					Water	YSI	EPA 120.	Conductivity		1294.00	umhos/cm						11/03/2017
DRWW	Suburban Labs		15-3	GUB-03	0.5	ft	Indian Creek			Non-IEPA		09/28/2017	9:59:00 A	09/28/2017	4:18:00 PM					Water	YSI	Field	Dissolved Oxygen		6.71	mg/L						11/03/2017
DRWW	Suburban Labs		15-3	GUB-03	0.5	ft	Indian Creek			Non-IEPA		09/28/2017	9:59:00 A	09/28/2017	4:18:00 PM			09/28/2017	4:47:31 P	Water	USEPA	E_COLI_1	E. Coli	Total	128.00	MPN/100mL		1.00	1.00			11/03/2017
DRWW	Suburban Labs		15-3	GUB-03	0.5	ft	Indian Creek			Non-IEPA		09/28/2017	9:59:00 A	09/28/2017	4:18:00 PM					Water	USEPA	365.2	pH, Field		7.74	S.U.						11/03/2017
DRWW	Suburban Labs		15-3	GUB-03	0.5	ft	Indian Creek																									

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code - IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released			
DRWW	Suburban Labs		15-4	GUZA-01	0.5	ft	Indian Creek			Non-IEPA		07/28/2017	8:38:00 A	07/28/2017	3:00:00 PM			07/31/2017	6:25:27 P	Water	APHA	4500-CL-	Chloride	Total	68.20	mg/L		20.00	20.00			08/10/2017			
DRWW	Suburban Labs		15-4	GUZA-01	0.5	ft	Indian Creek			Non-IEPA		07/28/2017	8:38:00 A	07/28/2017	3:00:00 PM					Water	YSI	EPA 120.	Conductivity		599.00	umhos/cm						08/10/2017			
DRWW	Suburban Labs		15-4	GUZA-01	0.5	ft	Indian Creek			Non-IEPA		07/28/2017	8:38:00 A	07/28/2017	3:00:00 PM					Water	YSI	Field	Dissolved Oxygen		5.47	mg/L						08/10/2017			
DRWW	Suburban Labs		15-4	GUZA-01	0.5	ft	Indian Creek			Non-IEPA		07/28/2017	8:38:00 A	07/28/2017	3:00:00 PM			07/28/2017	3:43:35 P	Water	USEPA	E_COLI_	E. Coli	Total	104.00	MPN/100mL	1.00	1.00				08/10/2017			
DRWW	Suburban Labs		15-4	GUZA-01	0.5	ft	Indian Creek			Non-IEPA		07/28/2017	8:38:00 A	07/28/2017	3:00:00 PM					Water	USEPA	365.2	pH, Field		7.77	S.U.						08/10/2017			
DRWW	Suburban Labs		15-4	GUZA-01	0.5	ft	Indian Creek			Non-IEPA		07/28/2017	8:38:00 A	07/28/2017	3:00:00 PM	07/31/2017	9:21:48 A	08/01/2017	1:13:02 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.15	mg/L		0.05	0.14			08/10/2017			
DRWW	Suburban Labs		15-4	GUZA-01	0.5	ft	Indian Creek			Non-IEPA		07/28/2017	8:38:00 A	07/28/2017	3:00:00 PM			08/01/2017	2:48:17 P	Water	Lab	2510B	Specific Conductivity	Total	573.00	umhos/cm	1.00	1.00				08/10/2017			
DRWW	Suburban Labs		15-4	GUZA-01	0.5	ft	Indian Creek			Non-IEPA		07/28/2017	8:38:00 A	07/28/2017	3:00:00 PM					Water	USEPA	SM 2550B	Temperature		23.63	°C						08/10/2017			
DRWW	Suburban Labs		15-4	GUZA-01	0.5	ft	Indian Creek			Non-IEPA		07/28/2017	8:38:00 A	07/28/2017	3:00:00 PM			07/31/2017	6:14:41 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22			08/10/2017			
DRWW	Suburban Labs		15-4	GUZA-01	0.5	ft	Indian Creek			Non-IEPA		07/28/2017	8:38:00 A	07/28/2017	3:00:00 PM			07/28/2017	4:55:00 P	Water	Lab	2130-B	Turbidity		47.00	NTU		0.10	0.20			08/10/2017			
DRWW	Suburban Labs		15-4	GUZA-01	0.5	ft	Indian Creek			Non-IEPA		08/24/2017	11:32:00	08/24/2017	4:20:00 PM			08/25/2017	2:45:47 P	Water	APHA	4500-CL-	Chloride	Total	94.50	mg/L		20.00	20.00				09/14/2017		
DRWW	Suburban Labs		15-4	GUZA-01	0.5	ft	Indian Creek			Non-IEPA		08/24/2017	11:32:00	08/24/2017	4:20:00 PM					Water	YSI	EPA 120.	Conductivity		853.00	umhos/cm							09/14/2017		
DRWW	Suburban Labs		15-4	GUZA-01	0.5	ft	Indian Creek			Non-IEPA		08/24/2017	11:32:00	08/24/2017	4:20:00 PM					Water	YSI	Field	Dissolved Oxygen		4.72	mg/L							09/14/2017		
DRWW	Suburban Labs		15-4	GUZA-01	0.5	ft	Indian Creek			Non-IEPA		08/24/2017	11:32:00	08/24/2017	4:20:00 PM			08/24/2017	4:45:57 P	Water	USEPA	E_COLI_	E. Coli	Total	66.50	MPN/100mL	1.00	1.00					09/14/2017		
DRWW	Suburban Labs		15-4	GUZA-01	0.5	ft	Indian Creek			Non-IEPA		08/24/2017	11:32:00	08/24/2017	4:20:00 PM					Water	USEPA	365.2	pH, Field		7.79	S.U.							09/14/2017		
DRWW	Suburban Labs		15-4	GUZA-01	0.5	ft	Indian Creek			Non-IEPA		08/24/2017	11:32:00	08/24/2017	4:20:00 PM			08/30/2017	3:29:58 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.19	mg/L		0.05	0.14				09/14/2017		
DRWW	Suburban Labs		15-4	GUZA-01	0.5	ft	Indian Creek			Non-IEPA		08/24/2017	11:32:00	08/24/2017	4:20:00 PM			08/25/2017	3:17:51 P	Water	Lab	2510B	Specific Conductivity	Total	856.00	umhos/cm	1.00	1.00					09/14/2017		
DRWW	Suburban Labs		15-4	GUZA-01	0.5	ft	Indian Creek			Non-IEPA		08/24/2017	11:32:00	08/24/2017	4:20:00 PM					Water	USEPA	SM 2550B	Temperature		21.59	°C							09/14/2017		
DRWW	Suburban Labs		15-4	GUZA-01	0.5	ft	Indian Creek			Non-IEPA		08/24/2017	11:32:00	08/24/2017	4:20:00 PM			08/24/2017	8:26:44 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22				09/14/2017		
DRWW	Suburban Labs		15-4	GUZA-01	0.5	ft	Indian Creek			Non-IEPA		08/24/2017	11:32:00	08/24/2017	4:20:00 PM			08/24/2017	5:01:29 P	Water	Lab	2130-B	Turbidity		85.20	NTU		0.10	0.20				09/14/2017		
DRWW	Suburban Labs		15-4	GUZA-01	0.5	ft	Indian Creek			Non-IEPA		09/28/2017	10:28:00	09/28/2017	4:18:00 PM			10/03/2017	12:21:07 P	Water	APHA	4500-CL-	Chloride	Total	122.00	mg/L		20.00	20.00					11/03/2017	
DRWW	Suburban Labs		15-4	GUZA-01	0.5	ft	Indian Creek			Non-IEPA		09/28/2017	10:28:00	09/28/2017	4:18:00 PM					Water	YSI	EPA 120.	Conductivity		1082.00	umhos/cm								11/03/2017	
DRWW	Suburban Labs		15-4	GUZA-01	0.5	ft	Indian Creek			Non-IEPA		09/28/2017	10:28:00	09/28/2017	4:18:00 PM					Water	YSI	Field	Dissolved Oxygen		6.27	mg/L								11/03/2017	
DRWW	Suburban Labs		15-4	GUZA-01	0.5	ft	Indian Creek			Non-IEPA		09/28/2017	10:28:00	09/28/2017	4:18:00 PM			09/28/2017	4:47:31 P	Water	USEPA	E_COLI_	E. Coli	Total	12.00	MPN/100mL	1.00	1.00						11/03/2017	
DRWW	Suburban Labs		15-4	GUZA-01	0.5	ft	Indian Creek			Non-IEPA		09/28/2017	10:28:00	09/28/2017	4:18:00 PM					Water	USEPA	365.2	pH, Field		8.06	S.U.								11/03/2017	
DRWW	Suburban Labs		15-4	GUZA-01	0.5	ft	Indian Creek			Non-IEPA		09/28/2017	10:28:00	09/28/2017	4:18:00 PM	09/29/2017	2:56:44 P	10/02/2017	1:30:18 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.25	mg/L		0.05	0.14					11/03/2017	
DRWW	Suburban Labs		15-4	GUZA-01	0.5	ft	Indian Creek			Non-IEPA		09/28/2017	10:28:00	09/28/2017	4:18:00 PM			10/03/2017	2:50:48 P	Water	Lab	2510B	Specific Conductivity	Total	1120.00	umhos/cm	1.00	1.00						11/03/2017	
DRWW	Suburban Labs		15-4	GUZA-01	0.5	ft	Indian Creek			Non-IEPA		09/28/2017	10:28:00	09/28/2017	4:18:00 PM					Water	USEPA	SM 2550B	Temperature		18.72	°C								11/03/2017	
DRWW	Suburban Labs		15-4	GUZA-01	0.5	ft	Indian Creek			Non-IEPA		09/28/2017	10:28:00	09/28/2017	4:18:00 PM			10/02/2017	6:28:39 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22					11/03/2017	
DRWW	Suburban Labs		15-4	GUZA-01	0.5	ft	Indian Creek			Non-IEPA		09/28/2017	10:28:00	09/28/2017	4:18:00 PM			09/28/2017	4:33:00 P	Water	Lab	2130-B	Turbidity		91.00	NTU		0.10	0.20					11/03/2017	
DRWW	Suburban Labs		15-5	GU-08	0.5	ft	Indian Creek			Non-IEPA		03/30/2017	11:25:00	03/30/2017	4:20:00 PM			03/30/2017	6:01:40 P	Water	APHA	4500-CL-	Chloride	Total	138.00	mg/L		20.00	20.00					04/24/2017	
DRWW	Suburban Labs		15-5	GU-08	0.5	ft	Indian Creek			Non-IEPA		03/30/2017	11:25:00	03/30/2017	4:20:00 PM					Water	YSI	EPA 120.	Conductivity		841.00	umhos/cm								04/24/2017	
DRWW	Suburban Labs		15-5	GU-08	0.5	ft	Indian Creek			Non-IEPA		03/30/2017	11:25:00	03/30/2017	4:20:00 PM					Water	YSI	Field	Dissolved Oxygen		11.34	mg/L								04/24/2017	
DRWW	Suburban Labs		15-5	GU-08	0.5	ft	Indian Creek			Non-IEPA		03/30/2017	11:25:00	03/30/2017	4:20:00 PM			03/30/2017	5:56:00 P	Water	USEPA	E_COLI_	E. Coli	Total	192.00	MPN/100mL	1.00	1.00						04/24/2017	
DRWW	Suburban Labs		15-5	GU-08	0.5	ft	Indian Creek			Non-IEPA		03/30/2017	11:25:00	03/30/2017	4:20:00 PM					Water	USEPA	365.2	pH, Field		8.04	pH								04/24/2017	
DRWW	Suburban Labs		15-5	GU-08	0.5	ft	Indian Creek			Non-IEPA		03/30/2017	11:25:00	03/30/2017	4:20:00 PM			04/03/2017	2:05:47 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.07	mg/L	J	0.05	0.14					04/24/2017	
DRWW	Suburban Labs		15-5	GU-08	0.5	ft	Indian Creek			Non-IEPA		03/30/2017	11:25:00	03/30/2017	4:20:00 PM			04/06/2017	12:22:35 P	Water	Lab	2510B	Specific Conductivity	Total	951.00	umhos/cm	1.00	1.00							04/24/2017
DRWW	Suburban Labs		15-5	GU-08	0.5	ft	Indian Creek			Non-IEPA		03/30/2017	11:25:00	03/30/2017	4:20:00 PM					Water	USEPA	SM 2550B	Temperature		6.00	°C								04/24/2017	
DRWW	Suburban Labs		15-5	GU-08	0.5	ft	Indian Creek			Non-IEPA		03/30/2017	11:25:00	03/30/2017	4:20:00 PM			04/04/2017	7:43:43 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.33	mg/L		0.10	0.20					04/24/2017	
DRWW	Suburban Labs		15-5	GU-08	0.5	ft	Indian Creek			Non-IEPA		03/30/2017	11:25:00	03/30/2017	4:20:00 PM			03/30/2017	4:45:00 P	Water	Lab	2130-B	Turbidity		17.80	NTU		0.10	0.20					04/24/2017	
DRWW	Suburban Labs		15-5	GU-08	0.5	ft	Indian Creek			Non-IEPA		05/23/2017	10:43:00	05/23/2017	4:08:00 PM			05/24/2017	5:59:56 P	Water	APHA	4500-CL-	Chloride	Total	125.00	mg/L		20.00	20.00						06/09/2017
DRWW	Suburban Labs		15-5	GU-08	0.5	ft	Indian Creek			Non-IEPA		05/23/2017	10:43:00	05/23/2017	4:08:00 PM					Water	YSI	EPA 120.	Conductivity		969.00	umhos/cm								06/09/2017	
DRWW	Suburban Labs		15-5	GU-08	0.5	ft	Indian Creek			Non-IEPA		05/23/2017	10:43:00	05/23/2017	4:08:00 PM					Water	YSI	Field	Dissolved Oxygen		7.17	mg/L								06/09/2017	
DRWW	Suburban Labs		15-5	GU-08	0.5	ft	Indian Creek			Non-IEPA		05/23/2017	10:43:00	05/23/2017	4:08:00 PM			05/23/2017	5:15:00 P	Water	USEPA	E_COLI_	E. Coli	Total	83.30	MPN/100mL	1.00	1.00							06/09/2017
DRWW	Suburban Labs		15-5	GU-08	0.5	ft	Indian Creek			Non-IEPA		05/23/2017	10:43:00	05/23/2017	4:08:00 PM					Water	USEPA														

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code - IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs		15-5	GU-08	0.5	ft	Indian Creek			Non-IEPA		08/24/2017	11:51:00	08/24/2017	4:20:00 PM			08/25/2017	3:18:22 P	Water	Lab	2510B	Specific Conductivity	Total	798.00	umhos/cm		1.00	1.00		09/14/2017	
DRWW	Suburban Labs		15-5	GU-08	0.5	ft	Indian Creek			Non-IEPA		08/24/2017	11:51:00	08/24/2017	4:20:00 PM					Water	USEPA	SM 2550B	Temperature		19.05	°C					09/14/2017	
DRWW	Suburban Labs		15-5	GU-08	0.5	ft	Indian Creek			Non-IEPA		08/24/2017	11:51:00	08/24/2017	4:20:00 PM			08/24/2017	8:29:02 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.11	mg/L	J	0.10	0.22		09/14/2017	
DRWW	Suburban Labs		15-5	GU-08	0.5	ft	Indian Creek			Non-IEPA		08/24/2017	11:51:00	08/24/2017	4:20:00 PM			08/24/2017	5:01:29 P	Water	Lab	2130-B	Turbidity		6.65	NTU		0.10	0.20		09/14/2017	
DRWW	Suburban Labs		15-5	GU-08	0.5	ft	Indian Creek			Non-IEPA		09/28/2017	10:30:00	09/28/2017	4:18:00 PM			10/03/2017	12:21:49	Water	APHA	4500-CL-	Chloride	Total	120.00	mg/L		20.00	20.00		11/03/2017	
DRWW	Suburban Labs		15-5	GU-08	0.5	ft	Indian Creek			Non-IEPA		09/28/2017	10:30:00	09/28/2017	4:18:00 PM					Water	YSI	EPA 120.	Conductivity		967.00	umhos/cm					11/03/2017	
DRWW	Suburban Labs		15-5	GU-08	0.5	ft	Indian Creek			Non-IEPA		09/28/2017	10:30:00	09/28/2017	4:18:00 PM					Water	YSI	Field	Dissolved Oxygen		4.93	mg/L					11/03/2017	
DRWW	Suburban Labs		15-5	GU-08	0.5	ft	Indian Creek			Non-IEPA		09/28/2017	10:30:00	09/28/2017	4:18:00 PM			09/28/2017	4:47:31 P	Water	USEPA	E. COLI	E. Coli	Total	21.30	MPN/100mL		1.00	1.00		11/03/2017	
DRWW	Suburban Labs		15-5	GU-08	0.5	ft	Indian Creek			Non-IEPA		09/28/2017	10:30:00	09/28/2017	4:18:00 PM			09/29/2017	2:56:44 P	Water	USEPA	365.2	pH, Field		7.98	S.U.					11/03/2017	
DRWW	Suburban Labs		15-5	GU-08	0.5	ft	Indian Creek			Non-IEPA		09/28/2017	10:30:00	09/28/2017	4:18:00 PM			10/02/2017	1:32:45 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.13	mg/L	J	0.05	0.14		11/03/2017	
DRWW	Suburban Labs		15-5	GU-08	0.5	ft	Indian Creek			Non-IEPA		09/28/2017	10:30:00	09/28/2017	4:18:00 PM			10/03/2017	2:51:56 P	Water	Lab	2510B	Specific Conductivity	Total	988.00	umhos/cm		1.00	1.00		11/03/2017	
DRWW	Suburban Labs		15-5	GU-08	0.5	ft	Indian Creek			Non-IEPA		09/28/2017	10:30:00	09/28/2017	4:18:00 PM					Water	USEPA	SM 2550B	Temperature		16.47	°C					11/03/2017	
DRWW	Suburban Labs		15-5	GU-08	0.5	ft	Indian Creek			Non-IEPA		09/28/2017	10:30:00	09/28/2017	4:18:00 PM			10/02/2017	6:30:51 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22		11/03/2017	
DRWW	Suburban Labs		15-5	GU-08	0.5	ft	Indian Creek			Non-IEPA		09/28/2017	10:30:00	09/28/2017	4:18:00 PM			09/28/2017	4:33:00 P	Water	Lab	2130-B	Turbidity		9.12	NTU		0.10	0.20		11/03/2017	
DRWW	Suburban Labs		15-6	GU-03	0.5	ft	Indian Creek			Non-IEPA		03/30/2017	11:52:00	03/30/2017	4:20:00 PM			03/30/2017	6:02:21 P	Water	APHA	4500-CL-	Chloride	Total	112.00	mg/L		20.00	20.00		04/24/2017	
DRWW	Suburban Labs		15-6	GU-03	0.5	ft	Indian Creek			Non-IEPA		03/30/2017	11:52:00	03/30/2017	4:20:00 PM					Water	YSI	EPA 120.	Conductivity		682.00	umhos/cm					04/24/2017	
DRWW	Suburban Labs		15-6	GU-03	0.5	ft	Indian Creek			Non-IEPA		03/30/2017	11:52:00	03/30/2017	4:20:00 PM					Water	YSI	Field	Dissolved Oxygen		11.55	mg/L					04/24/2017	
DRWW	Suburban Labs		15-6	GU-03	0.5	ft	Indian Creek			Non-IEPA		03/30/2017	11:52:00	03/30/2017	4:20:00 PM			03/30/2017	5:56:00 P	Water	USEPA	E. COLI	E. Coli	Total	194.00	MPN/100mL		1.00	1.00		04/24/2017	
DRWW	Suburban Labs		15-6	GU-03	0.5	ft	Indian Creek			Non-IEPA		03/30/2017	11:52:00	03/30/2017	4:20:00 PM					Water	USEPA	365.2	pH, Field		7.86	pH					04/24/2017	
DRWW	Suburban Labs		15-6	GU-03	0.5	ft	Indian Creek			Non-IEPA		03/30/2017	11:52:00	03/30/2017	4:20:00 PM			04/03/2017	2:08:48 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.09	mg/L	J	0.05	0.14		04/24/2017	
DRWW	Suburban Labs		15-6	GU-03	0.5	ft	Indian Creek			Non-IEPA		03/30/2017	11:52:00	03/30/2017	4:20:00 PM			04/06/2017	12:23:39	Water	Lab	2510B	Specific Conductivity	Total	766.00	umhos/cm		1.00	1.00		04/24/2017	
DRWW	Suburban Labs		15-6	GU-03	0.5	ft	Indian Creek			Non-IEPA		03/30/2017	11:52:00	03/30/2017	4:20:00 PM					Water	USEPA	SM 2550B	Temperature		6.04	°C					04/24/2017	
DRWW	Suburban Labs		15-6	GU-03	0.5	ft	Indian Creek			Non-IEPA		03/30/2017	11:52:00	03/30/2017	4:20:00 PM			04/04/2017	7:55:15 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.29	mg/L		0.10	0.20		04/24/2017	
DRWW	Suburban Labs		15-6	GU-03	0.5	ft	Indian Creek			Non-IEPA		03/30/2017	11:52:00	03/30/2017	4:20:00 PM			03/30/2017	4:45:00 P	Water	Lab	2130-B	Turbidity		55.00	NTU		0.10	0.20		04/24/2017	
DRWW	Suburban Labs		15-6	GU-03	0.5	ft	Indian Creek			Non-IEPA		05/23/2017	11:08:00	05/23/2017	4:08:00 PM			05/24/2017	6:00:36 P	Water	APHA	4500-CL-	Chloride	Total	104.00	mg/L		20.00	20.00		06/09/2017	
DRWW	Suburban Labs		15-6	GU-03	0.5	ft	Indian Creek			Non-IEPA		05/23/2017	11:08:00	05/23/2017	4:08:00 PM					Water	YSI	EPA 120.	Conductivity		731.00	umhos/cm					06/09/2017	
DRWW	Suburban Labs		15-6	GU-03	0.5	ft	Indian Creek			Non-IEPA		05/23/2017	11:08:00	05/23/2017	4:08:00 PM					Water	YSI	Field	Dissolved Oxygen		6.65	mg/L					06/09/2017	
DRWW	Suburban Labs		15-6	GU-03	0.5	ft	Indian Creek			Non-IEPA		05/23/2017	11:08:00	05/23/2017	4:08:00 PM			05/23/2017	5:15:00 P	Water	USEPA	E. COLI	E. Coli	Total	60.20	MPN/100mL		1.00	1.00		06/09/2017	
DRWW	Suburban Labs		15-6	GU-03	0.5	ft	Indian Creek			Non-IEPA		05/23/2017	11:08:00	05/23/2017	4:08:00 PM					Water	USEPA	365.2	pH, Field		7.64	pH					06/09/2017	
DRWW	Suburban Labs		15-6	GU-03	0.5	ft	Indian Creek			Non-IEPA		05/23/2017	11:08:00	05/23/2017	4:08:00 PM			06/01/2017	10:24:59	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.11	mg/L	J	0.05	0.14		06/09/2017	
DRWW	Suburban Labs		15-6	GU-03	0.5	ft	Indian Creek			Non-IEPA		05/23/2017	11:08:00	05/23/2017	4:08:00 PM			05/30/2017	12:35:10	Water	Lab	2510B	Specific Conductivity	Total	727.00	umhos/cm		1.00	1.00		06/09/2017	
DRWW	Suburban Labs		15-6	GU-03	0.5	ft	Indian Creek			Non-IEPA		05/23/2017	11:08:00	05/23/2017	4:08:00 PM					Water	USEPA	SM 2550B	Temperature		15.35	°C					06/09/2017	
DRWW	Suburban Labs		15-6	GU-03	0.5	ft	Indian Creek			Non-IEPA		05/23/2017	11:08:00	05/23/2017	4:08:00 PM			05/24/2017	8:01:01 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22		06/09/2017	
DRWW	Suburban Labs		15-6	GU-03	0.5	ft	Indian Creek			Non-IEPA		05/23/2017	11:08:00	05/23/2017	4:08:00 PM			05/23/2017	4:45:00 P	Water	Lab	2130-B	Turbidity		8.76	NTU		0.10	0.20		06/09/2017	
DRWW	Suburban Labs		15-6	GU-03	0.5	ft	Indian Creek			Non-IEPA		06/29/2017	11:17:00	06/29/2017	4:44:00 PM			07/07/2017	6:12:20 P	Water	APHA	4500-CL-	Chloride	Total	60.10	mg/L		20.00	20.00		07/10/2017	
DRWW	Suburban Labs		15-6	GU-03	0.5	ft	Indian Creek			Non-IEPA		06/29/2017	11:17:00	06/29/2017	4:44:00 PM					Water	YSI	EPA 120.	Conductivity		455.00	umhos/cm					07/10/2017	
DRWW	Suburban Labs		15-6	GU-03	0.5	ft	Indian Creek			Non-IEPA		06/29/2017	11:17:00	06/29/2017	4:44:00 PM					Water	YSI	Field	Dissolved Oxygen		6.41	mg/L					07/10/2017	
DRWW	Suburban Labs		15-6	GU-03	0.5	ft	Indian Creek			Non-IEPA		06/29/2017	11:17:00	06/29/2017	4:44:00 PM			06/29/2017	4:53:47 P	Water	USEPA	E. COLI	E. Coli	Total	>2419.6	MPN/100mL		1.00	1.00		07/10/2017	
DRWW	Suburban Labs		15-6	GU-03	0.5	ft	Indian Creek			Non-IEPA		06/29/2017	11:17:00	06/29/2017	4:44:00 PM					Water	USEPA	365.2	pH, Field		7.48	pH					07/10/2017	
DRWW	Suburban Labs		15-6	GU-03	0.5	ft	Indian Creek			Non-IEPA		06/29/2017	11:17:00	06/29/2017	4:44:00 PM			07/05/2017	3:47:06 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.10	mg/L	J	0.05	0.14		07/10/2017	
DRWW	Suburban Labs		15-6	GU-03	0.5	ft	Indian Creek			Non-IEPA		06/29/2017	11:17:00	06/29/2017	4:44:00 PM			07/07/2017	4:52:04 P	Water	Lab	2510B	Specific Conductivity	Total	446.00	umhos/cm		1.00	1.00		07/10/2017	
DRWW	Suburban Labs		15-6	GU-03	0.5	ft	Indian Creek			Non-IEPA		06/29/2017	11:17:00	06/29/2017	4:44:00 PM					Water	USEPA	SM 2550B	Temperature		19.87	°C					07/10/2017	
DRWW	Suburban Labs		15-6	GU-03	0.5	ft	Indian Creek			Non-IEPA		06/29/2017	11:17:00	06/29/2017	4:44:00 PM			07/06/2017	7:50:35 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.82	mg/L		0.10	0.22		07/10/2017	
DRWW	Suburban Labs		15-6	GU-03	0.5	ft	Indian Creek			Non-IEPA		06/29/2017	11:17:00	06/29/2017	4:44:00 PM			06/29/2017	5:02:00 P	Water	Lab	2130-B	Turbidity		24.70	NTU		0.10	0.20		07/10/2017	
DRWW	Suburban Labs		15-6	GU-03	0.5	ft	Indian Creek			Non-IEPA		07/28/2017	9:20:00 A	07/28/2017	3:00:00 PM			07/31/2017	6:26:46 P	Water	APHA	4500-CL-	Chloride	Total	55.80	mg/L		20.00	20.00		08/10/2017	
DRWW	Suburban Labs		15-6	GU-03	0.5	ft	Indian Creek			Non-IEPA		07/28/2017	9:20:00 A	07/28/2017	3:00:00 PM					Water	YSI	EPA 120.	Conductivity		499.00	umhos/cm					08/10/2017	
DRWW	Suburban Labs		15-6	GU-03	0.5	ft	Indian Creek			Non-IEPA		07/28/201																				

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code - IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released	
DRWW	Suburban Labs		15-7	GUZA-03	0.5	ft	Indian Creek			Non-IEPA		03/30/2017	12:22:00	03/30/2017	4:20:00 PM					Water	YSI	Field	Dissolved Oxygen		12.15	mg/L						04/24/2017	
DRWW	Suburban Labs		15-7	GUZA-03	0.5	ft	Indian Creek			Non-IEPA		03/30/2017	12:22:00	03/30/2017	4:20:00 PM			03/30/2017	5:56:00 P	Water	USEPA	E_COLI_	E. Coli	Total	133.00	MPN/100mL		1.00	1.00			04/24/2017	
DRWW	Suburban Labs		15-7	GUZA-03	0.5	ft	Indian Creek			Non-IEPA		03/30/2017	12:22:00	03/30/2017	4:20:00 PM					Water	USEPA	365.2	pH, Field		7.84	pH						04/24/2017	
DRWW	Suburban Labs		15-7	GUZA-03	0.5	ft	Indian Creek			Non-IEPA		03/30/2017	12:22:00	03/30/2017	4:20:00 PM			04/04/2017	2:57:38 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.06	mg/L	J	0.05	0.14			04/24/2017	
DRWW	Suburban Labs		15-7	GUZA-03	0.5	ft	Indian Creek			Non-IEPA		03/30/2017	12:22:00	03/30/2017	4:20:00 PM			04/06/2017	12:24:30	Water	Lab	2510B	Specific Conductivity	Total	1390.00	umhos/cm		1.00	1.00			04/24/2017	
DRWW	Suburban Labs		15-7	GUZA-03	0.5	ft	Indian Creek			Non-IEPA		03/30/2017	12:22:00	03/30/2017	4:20:00 PM					Water	USEPA	SM 2550B	Temperature		6.15	°C						04/24/2017	
DRWW	Suburban Labs		15-7	GUZA-03	0.5	ft	Indian Creek			Non-IEPA		03/30/2017	12:22:00	03/30/2017	4:20:00 PM			03/31/2017	8:02:38 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.20			04/24/2017	
DRWW	Suburban Labs		15-7	GUZA-03	0.5	ft	Indian Creek			Non-IEPA		03/30/2017	12:22:00	03/30/2017	4:20:00 PM			03/30/2017	4:45:00 P	Water	Lab	2130-B	Turbidity		28.30	NTU		0.10	0.20			04/24/2017	
DRWW	Suburban Labs		15-7	GUZA-03	0.5	ft	Indian Creek			Non-IEPA		05/23/2017	11:37:00	05/23/2017	4:08:00 PM			05/24/2017	6:01:15 P	Water	APHA	4500-CL-	Chloride	Total	157.00	mg/L	S	20.00	20.00			06/09/2017	
DRWW	Suburban Labs		15-7	GUZA-03	0.5	ft	Indian Creek			Non-IEPA		05/23/2017	11:37:00	05/23/2017	4:08:00 PM					Water	YSI	EPA 120.	Conductivity		1040.00	umhos/cm						06/09/2017	
DRWW	Suburban Labs		15-7	GUZA-03	0.5	ft	Indian Creek			Non-IEPA		05/23/2017	11:37:00	05/23/2017	4:08:00 PM					Water	YSI	Field	Dissolved Oxygen		7.02	mg/L							06/09/2017
DRWW	Suburban Labs		15-7	GUZA-03	0.5	ft	Indian Creek			Non-IEPA		05/23/2017	11:37:00	05/23/2017	4:08:00 PM			05/23/2017	5:15:00 P	Water	USEPA	E_COLI_	E. Coli	Total	14.50	MPN/100mL		1.00	1.00			06/09/2017	
DRWW	Suburban Labs		15-7	GUZA-03	0.5	ft	Indian Creek			Non-IEPA		05/23/2017	11:37:00	05/23/2017	4:08:00 PM					Water	USEPA	365.2	pH, Field		7.96	pH							06/09/2017
DRWW	Suburban Labs		15-7	GUZA-03	0.5	ft	Indian Creek			Non-IEPA		05/23/2017	11:37:00	05/23/2017	4:08:00 PM	06/01/2017	10:24:59	06/05/2017	1:02:56 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.10	mg/L	J	0.05	0.14			06/09/2017	
DRWW	Suburban Labs		15-7	GUZA-03	0.5	ft	Indian Creek			Non-IEPA		05/23/2017	11:37:00	05/23/2017	4:08:00 PM			05/30/2017	12:35:49	Water	Lab	2510B	Specific Conductivity	Total	1030.00	umhos/cm		1.00	1.00			06/09/2017	
DRWW	Suburban Labs		15-7	GUZA-03	0.5	ft	Indian Creek			Non-IEPA		05/23/2017	11:37:00	05/23/2017	4:08:00 PM					Water	USEPA	SM 2550B	Temperature		16.12	°C							06/09/2017
DRWW	Suburban Labs		15-7	GUZA-03	0.5	ft	Indian Creek			Non-IEPA		05/23/2017	11:37:00	05/23/2017	4:08:00 PM			05/24/2017	8:03:18 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22			06/09/2017	
DRWW	Suburban Labs		15-7	GUZA-03	0.5	ft	Indian Creek			Non-IEPA		05/23/2017	11:37:00	05/23/2017	4:08:00 PM			05/23/2017	4:45:00 P	Water	Lab	2130-B	Turbidity		47.00	NTU		0.10	0.20			06/09/2017	
DRWW	Suburban Labs		15-7	GUZA-03	0.5	ft	Indian Creek			Non-IEPA		06/29/2017	11:42:00	06/29/2017	4:44:00 PM			07/07/2017	6:12:59 P	Water	APHA	4500-CL-	Chloride	Total	102.00	mg/L		20.00	20.00			07/10/2017	
DRWW	Suburban Labs		15-7	GUZA-03	0.5	ft	Indian Creek			Non-IEPA		06/29/2017	11:42:00	06/29/2017	4:44:00 PM					Water	YSI	EPA 120.	Conductivity		583.00	umhos/cm							07/10/2017
DRWW	Suburban Labs		15-7	GUZA-03	0.5	ft	Indian Creek			Non-IEPA		06/29/2017	11:42:00	06/29/2017	4:44:00 PM					Water	YSI	Field	Dissolved Oxygen		9.94	mg/L							07/10/2017
DRWW	Suburban Labs		15-7	GUZA-03	0.5	ft	Indian Creek			Non-IEPA		06/29/2017	11:42:00	06/29/2017	4:44:00 PM			06/29/2017	4:53:47 P	Water	USEPA	E_COLI_	E. Coli	Total	2420.00	MPN/100mL		1.00	1.00			07/10/2017	
DRWW	Suburban Labs		15-7	GUZA-03	0.5	ft	Indian Creek			Non-IEPA		06/29/2017	11:42:00	06/29/2017	4:44:00 PM			07/05/2017	3:47:06 P	Water	USEPA	365.2	pH, Field		7.74	pH							07/10/2017
DRWW	Suburban Labs		15-7	GUZA-03	0.5	ft	Indian Creek			Non-IEPA		06/29/2017	11:42:00	06/29/2017	4:44:00 PM			07/06/2017	4:39:35 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.10	mg/L	J	0.05	0.14			07/10/2017	
DRWW	Suburban Labs		15-7	GUZA-03	0.5	ft	Indian Creek			Non-IEPA		06/29/2017	11:42:00	06/29/2017	4:44:00 PM			07/07/2017	4:52:37 P	Water	Lab	2510B	Specific Conductivity	Total	576.00	umhos/cm		1.00	1.00			07/10/2017	
DRWW	Suburban Labs		15-7	GUZA-03	0.5	ft	Indian Creek			Non-IEPA		06/29/2017	11:42:00	06/29/2017	4:44:00 PM					Water	USEPA	SM 2550B	Temperature		21.60	°C							07/10/2017
DRWW	Suburban Labs		15-7	GUZA-03	0.5	ft	Indian Creek			Non-IEPA		06/29/2017	11:42:00	06/29/2017	4:44:00 PM			07/06/2017	7:59:54 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.20	mg/L	J	0.10	0.22			07/10/2017	
DRWW	Suburban Labs		15-7	GUZA-03	0.5	ft	Indian Creek			Non-IEPA		06/29/2017	11:42:00	06/29/2017	4:44:00 PM			06/29/2017	5:02:00 P	Water	Lab	2130-B	Turbidity		51.20	NTU		0.10	0.20			07/10/2017	
DRWW	Suburban Labs		15-7	GUZA-03	0.5	ft	Indian Creek			Non-IEPA		07/28/2017	9:53:00 A	07/28/2017	3:00:00 PM			07/31/2017	6:30:10 P	Water	APHA	4500-CL-	Chloride	Total	73.60	mg/L		20.00	20.00			08/10/2017	
DRWW	Suburban Labs		15-7	GUZA-03	0.5	ft	Indian Creek			Non-IEPA		07/28/2017	9:53:00 A	07/28/2017	3:00:00 PM					Water	YSI	EPA 120.	Conductivity		574.00	umhos/cm							08/10/2017
DRWW	Suburban Labs		15-7	GUZA-03	0.5	ft	Indian Creek			Non-IEPA		07/28/2017	9:53:00 A	07/28/2017	3:00:00 PM					Water	YSI	Field	Dissolved Oxygen		7.97	mg/L							08/10/2017
DRWW	Suburban Labs		15-7	GUZA-03	0.5	ft	Indian Creek			Non-IEPA		07/28/2017	9:53:00 A	07/28/2017	3:00:00 PM			07/28/2017	3:43:35 P	Water	USEPA	E_COLI_	E. Coli	Total	52.00	MPN/100mL		1.00	1.00			08/10/2017	
DRWW	Suburban Labs		15-7	GUZA-03	0.5	ft	Indian Creek			Non-IEPA		07/28/2017	9:53:00 A	07/28/2017	3:00:00 PM			07/31/2017	9:21:48 A	Water	USEPA	365.2	pH, Field		7.91	S.U.							08/10/2017
DRWW	Suburban Labs		15-7	GUZA-03	0.5	ft	Indian Creek			Non-IEPA		07/28/2017	9:53:00 A	07/28/2017	3:00:00 PM			08/01/2017	1:37:18 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.12	mg/L	J	0.05	0.14			08/10/2017	
DRWW	Suburban Labs		15-7	GUZA-03	0.5	ft	Indian Creek			Non-IEPA		07/28/2017	9:53:00 A	07/28/2017	3:00:00 PM			08/01/2017	2:53:42 P	Water	Lab	2510B	Specific Conductivity	Total	554.00	umhos/cm		1.00	1.00			08/10/2017	
DRWW	Suburban Labs		15-7	GUZA-03	0.5	ft	Indian Creek			Non-IEPA		07/28/2017	9:53:00 A	07/28/2017	3:00:00 PM					Water	USEPA	SM 2550B	Temperature		23.88	°C							08/10/2017
DRWW	Suburban Labs		15-7	GUZA-03	0.5	ft	Indian Creek			Non-IEPA		07/28/2017	9:53:00 A	07/28/2017	3:00:00 PM			07/31/2017	6:28:23 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22			08/10/2017	
DRWW	Suburban Labs		15-7	GUZA-03	0.5	ft	Indian Creek			Non-IEPA		07/28/2017	9:53:00 A	07/28/2017	3:00:00 PM			07/28/2017	4:55:00 P	Water	Lab	2130-B	Turbidity		23.00	NTU		0.10	0.20			08/10/2017	
DRWW	Suburban Labs		15-7	GUZA-03	0.5	ft	Indian Creek			Non-IEPA		08/24/2017	12:40:00	08/24/2017	4:20:00 PM			08/25/2017	2:48:40 P	Water	APHA	4500-CL-	Chloride	Total	109.00	mg/L		20.00	20.00			09/14/2017	
DRWW	Suburban Labs		15-7	GUZA-03	0.5	ft	Indian Creek			Non-IEPA		08/24/2017	12:40:00	08/24/2017	4:20:00 PM					Water	YSI	EPA 120.	Conductivity		901.00	umhos/cm							09/14/2017
DRWW	Suburban Labs		15-7	GUZA-03	0.5	ft	Indian Creek			Non-IEPA		08/24/2017	12:40:00	08/24/2017	4:20:00 PM					Water	YSI	Field	Dissolved Oxygen		5.45	mg/L							09/14/2017
DRWW	Suburban Labs		15-7	GUZA-03	0.5	ft	Indian Creek			Non-IEPA		08/24/2017	12:40:00	08/24/2017	4:20:00 PM			08/24/2017	4:45:57 P	Water	USEPA	E_COLI_	E. Coli	Total	326.00	MPN/100mL		1.00	1.00			09/14/2017	
DRWW	Suburban Labs		15-7	GUZA-03	0.5	ft	Indian Creek			Non-IEPA		08/24/2017	12:40:00	08/24/2017	4:20:00 PM					Water	USEPA	365.2	pH, Field		7.90	S.U.							09/14/2017
DRWW	Suburban Labs		15-7	GUZA-03	0.5	ft	Indian Creek			Non-IEPA		08/24/2017	12:40:00	08/24/2017	4:20:00 PM			08/30/2017	3:37:49 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.13	mg/L	J	0.05	0.14			09/14/2017	
DRWW	Suburban Labs		15-7	GUZA-03	0.5	ft	Indian Creek			Non-IEPA		08/24/2017	12:40:00	08/24/2017	4:20:00 PM			08/25/2017	3:19:23 P	Water	Lab	2510B	Specific Conductivity	Total	897.00	umhos/cm		1.00	1.00			09/14/2017	
DRWW	Suburban Labs		15-7	GUZA-03																													



Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code - IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs		15-8	GUB-02	0.5	ft	Indian Creek			Non-IEPA		05/23/2017	12:12:00	05/23/2017	4:08:00 PM			05/24/2017	8:05:35 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22		06/09/2017	
DRWW	Suburban Labs		15-8	GUB-02	0.5	ft	Indian Creek			Non-IEPA		05/23/2017	12:12:00	05/23/2017	4:08:00 PM			05/23/2017	4:45:00 P	Water	Lab	2130-B	Turbidity	Total	4.80	NTU		0.10	0.20		06/09/2017	
DRWW	Suburban Labs		15-8	GUB-02	0.5	ft	Indian Creek			Non-IEPA		06/29/2017	12:24:00	06/29/2017	4:44:00 PM			07/07/2017	6:13:39 P	Water	APHA	4500-CL-	Chloride	Total	82.50	mg/L		20.00	20.00		07/10/2017	
DRWW	Suburban Labs		15-8	GUB-02	0.5	ft	Indian Creek			Non-IEPA		06/29/2017	12:24:00	06/29/2017	4:44:00 PM					Water	YSI	EPA 120.	Conductivity		527.00	umhos/cm					07/10/2017	
DRWW	Suburban Labs		15-8	GUB-02	0.5	ft	Indian Creek			Non-IEPA		06/29/2017	12:24:00	06/29/2017	4:44:00 PM					Water	YSI	Field	Dissolved Oxygen		5.57	mg/L					07/10/2017	
DRWW	Suburban Labs		15-8	GUB-02	0.5	ft	Indian Creek			Non-IEPA		06/29/2017	12:24:00	06/29/2017	4:44:00 PM			06/29/2017	4:53:47 P	Water	USEPA	E_COLI	E. Coli	Total	>2419.6	MPN/100mL		1.00	1.00		07/10/2017	
DRWW	Suburban Labs		15-8	GUB-02	0.5	ft	Indian Creek			Non-IEPA		06/29/2017	12:24:00	06/29/2017	4:44:00 PM					Water	USEPA	365.2	pH, Field		7.90	pH					07/10/2017	
DRWW	Suburban Labs		15-8	GUB-02	0.5	ft	Indian Creek			Non-IEPA		06/29/2017	12:24:00	06/29/2017	4:44:00 PM	07/05/2017	3:47:06 P	07/06/2017	4:51:52 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.07	mg/L	J	0.05	0.14		07/10/2017	
DRWW	Suburban Labs		15-8	GUB-02	0.5	ft	Indian Creek			Non-IEPA		06/29/2017	12:24:00	06/29/2017	4:44:00 PM			07/07/2017	4:53:25 P	Water	Lab	2510B	Specific Conductivity	Total	519.00	umhos/cm		1.00	1.00		07/10/2017	
DRWW	Suburban Labs		15-8	GUB-02	0.5	ft	Indian Creek			Non-IEPA		06/29/2017	12:24:00	06/29/2017	4:44:00 PM					Water	USEPA	SM 2550B	Temperature		22.07	°C					07/10/2017	
DRWW	Suburban Labs		15-8	GUB-02	0.5	ft	Indian Creek			Non-IEPA		06/29/2017	12:24:00	06/29/2017	4:44:00 PM			07/06/2017	8:02:11 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.11	mg/L	J	0.10	0.22		07/10/2017	
DRWW	Suburban Labs		15-8	GUB-02	0.5	ft	Indian Creek			Non-IEPA		06/29/2017	12:24:00	06/29/2017	4:44:00 PM			06/29/2017	5:02:00 P	Water	Lab	2130-B	Turbidity		16.50	NTU		0.10	0.20		07/10/2017	
DRWW	Suburban Labs		15-8	GUB-02	0.5	ft	Indian Creek			Non-IEPA		07/28/2017	10:27:00	07/28/2017	3:00:00 PM			07/31/2017	6:30:50 P	Water	APHA	4500-CL-	Chloride	Total	70.80	mg/L		20.00	20.00		08/10/2017	
DRWW	Suburban Labs		15-8	GUB-02	0.5	ft	Indian Creek			Non-IEPA		07/28/2017	10:27:00	07/28/2017	3:00:00 PM					Water	YSI	EPA 120.	Conductivity		616.00	umhos/cm					08/10/2017	
DRWW	Suburban Labs		15-8	GUB-02	0.5	ft	Indian Creek			Non-IEPA		07/28/2017	10:27:00	07/28/2017	3:00:00 PM					Water	YSI	Field	Dissolved Oxygen		5.45	mg/L					08/10/2017	
DRWW	Suburban Labs		15-8	GUB-02	0.5	ft	Indian Creek			Non-IEPA		07/28/2017	10:27:00	07/28/2017	3:00:00 PM			07/28/2017	3:43:35 P	Water	USEPA	E_COLI	E. Coli	Total	166.00	MPN/100mL		1.00	1.00		08/10/2017	
DRWW	Suburban Labs		15-8	GUB-02	0.5	ft	Indian Creek			Non-IEPA		07/28/2017	10:27:00	07/28/2017	3:00:00 PM					Water	USEPA	365.2	pH, Field		7.83	S.U.					08/10/2017	
DRWW	Suburban Labs		15-8	GUB-02	0.5	ft	Indian Creek			Non-IEPA		07/28/2017	10:27:00	07/28/2017	3:00:00 PM	07/31/2017	9:21:48 A	08/01/2017	1:39:46 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.06	mg/L	J	0.05	0.14		08/10/2017	
DRWW	Suburban Labs		15-8	GUB-02	0.5	ft	Indian Creek			Non-IEPA		07/28/2017	10:27:00	07/28/2017	3:00:00 PM			08/01/2017	2:59:52 P	Water	Lab	2510B	Specific Conductivity	Total	592.00	umhos/cm		1.00	1.00		08/10/2017	
DRWW	Suburban Labs		15-8	GUB-02	0.5	ft	Indian Creek			Non-IEPA		07/28/2017	10:27:00	07/28/2017	3:00:00 PM					Water	USEPA	SM 2550B	Temperature		23.75	°C					08/10/2017	
DRWW	Suburban Labs		15-8	GUB-02	0.5	ft	Indian Creek			Non-IEPA		07/28/2017	10:27:00	07/28/2017	3:00:00 PM			07/31/2017	6:30:41 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22		08/10/2017	
DRWW	Suburban Labs		15-8	GUB-02	0.5	ft	Indian Creek			Non-IEPA		07/28/2017	10:27:00	07/28/2017	3:00:00 PM			07/28/2017	4:55:00 P	Water	Lab	2130-B	Turbidity		2.99	NTU		0.10	0.20		08/10/2017	
DRWW	Suburban Labs		15-8	GUB-02	0.5	ft	Indian Creek			Non-IEPA		08/24/2017	1:08:00 P	08/24/2017	4:20:00 PM			08/25/2017	2:49:23 P	Water	APHA	4500-CL-	Chloride	Total	156.00	mg/L		20.00	20.00		09/14/2017	
DRWW	Suburban Labs		15-8	GUB-02	0.5	ft	Indian Creek			Non-IEPA		08/24/2017	1:08:00 P	08/24/2017	4:20:00 PM					Water	YSI	EPA 120.	Conductivity		969.00	umhos/cm					09/14/2017	
DRWW	Suburban Labs		15-8	GUB-02	0.5	ft	Indian Creek			Non-IEPA		08/24/2017	1:08:00 P	08/24/2017	4:20:00 PM					Water	YSI	Field	Dissolved Oxygen		13.10	mg/L					09/14/2017	
DRWW	Suburban Labs		15-8	GUB-02	0.5	ft	Indian Creek			Non-IEPA		08/24/2017	1:08:00 P	08/24/2017	4:20:00 PM			08/24/2017	4:45:57 P	Water	USEPA	E_COLI	E. Coli	Total	77.10	MPN/100mL		1.00	1.00		09/14/2017	
DRWW	Suburban Labs		15-8	GUB-02	0.5	ft	Indian Creek			Non-IEPA		08/24/2017	1:08:00 P	08/24/2017	4:20:00 PM					Water	USEPA	365.2	pH, Field		8.05	S.U.					09/14/2017	
DRWW	Suburban Labs		15-8	GUB-02	0.5	ft	Indian Creek			Non-IEPA		08/24/2017	1:08:00 P	08/24/2017	4:20:00 PM			08/30/2017	3:40:26 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.06	mg/L	J	0.05	0.14		09/14/2017	
DRWW	Suburban Labs		15-8	GUB-02	0.5	ft	Indian Creek			Non-IEPA		08/24/2017	1:08:00 P	08/24/2017	4:20:00 PM			08/25/2017	3:19:54 P	Water	Lab	2510B	Specific Conductivity	Total	967.00	umhos/cm		1.00	1.00		09/14/2017	
DRWW	Suburban Labs		15-8	GUB-02	0.5	ft	Indian Creek			Non-IEPA		08/24/2017	1:08:00 P	08/24/2017	4:20:00 PM					Water	USEPA	SM 2550B	Temperature		21.05	°C					09/14/2017	
DRWW	Suburban Labs		15-8	GUB-02	0.5	ft	Indian Creek			Non-IEPA		08/24/2017	1:08:00 P	08/24/2017	4:20:00 PM			08/24/2017	8:38:16 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22		09/14/2017	
DRWW	Suburban Labs		15-8	GUB-02	0.5	ft	Indian Creek			Non-IEPA		08/24/2017	1:08:00 P	08/24/2017	4:20:00 PM			08/24/2017	5:01:29 P	Water	Lab	2130-B	Turbidity		2.26	NTU		0.10	0.20		09/14/2017	
DRWW	Suburban Labs		15-8	GUB-02	0.5	ft	Indian Creek			Non-IEPA		09/28/2017	12:25:00	09/28/2017	4:18:00 PM			10/03/2017	12:23:58	Water	APHA	4500-CL-	Chloride	Total	165.00	mg/L		20.00	20.00		11/03/2017	
DRWW	Suburban Labs		15-8	GUB-02	0.5	ft	Indian Creek			Non-IEPA		09/28/2017	12:25:00	09/28/2017	4:18:00 PM					Water	YSI	EPA 120.	Conductivity		1179.00	umhos/cm					11/03/2017	
DRWW	Suburban Labs		15-8	GUB-02	0.5	ft	Indian Creek			Non-IEPA		09/28/2017	12:25:00	09/28/2017	4:18:00 PM					Water	YSI	Field	Dissolved Oxygen		8.58	mg/L					11/03/2017	
DRWW	Suburban Labs		15-8	GUB-02	0.5	ft	Indian Creek			Non-IEPA		09/28/2017	12:25:00	09/28/2017	4:18:00 PM			09/28/2017	4:47:31 P	Water	USEPA	E_COLI	E. Coli	Total	435.00	MPN/100mL		1.00	1.00		11/03/2017	
DRWW	Suburban Labs		15-8	GUB-02	0.5	ft	Indian Creek			Non-IEPA		09/28/2017	12:25:00	09/28/2017	4:18:00 PM					Water	USEPA	365.2	pH, Field		7.70	S.U.					11/03/2017	
DRWW	Suburban Labs		15-8	GUB-02	0.5	ft	Indian Creek			Non-IEPA		09/28/2017	12:25:00	09/28/2017	4:18:00 PM	09/29/2017	2:56:44 P	10/02/2017	1:50:30 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.08	mg/L	J	0.05	0.14		11/03/2017	
DRWW	Suburban Labs		15-8	GUB-02	0.5	ft	Indian Creek			Non-IEPA		09/28/2017	12:25:00	09/28/2017	4:18:00 PM			10/03/2017	2:54:06 P	Water	Lab	2510B	Specific Conductivity	Total	1200.00	umhos/cm		1.00	1.00		11/03/2017	
DRWW	Suburban Labs		15-8	GUB-02	0.5	ft	Indian Creek			Non-IEPA		09/28/2017	12:25:00	09/28/2017	4:18:00 PM					Water	USEPA	SM 2550B	Temperature		17.89	°C					11/03/2017	
DRWW	Suburban Labs		15-8	GUB-02	0.5	ft	Indian Creek			Non-IEPA		09/28/2017	12:25:00	09/28/2017	4:18:00 PM			10/02/2017	6:41:47 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22		11/03/2017	
DRWW	Suburban Labs		15-8	GUB-02	0.5	ft	Indian Creek			Non-IEPA		09/28/2017	12:25:00	09/28/2017	4:18:00 PM			09/28/2017	4:33:00 P	Water	Lab	2130-B	Turbidity		2.57	NTU		0.10	0.20		11/03/2017	
DRWW	Suburban Labs		15-9	GU-SD-A	0.5	ft	Indian Creek			Non-IEPA		03/30/2017	1:52:00 P	03/30/2017	4:20:00 PM			03/30/2017	6:05:41 P	Water	APHA	4500-CL-	Chloride	Total	78.80	mg/L		20.00	20.00		04/24/2017	
DRWW	Suburban Labs		15-9	GU-SD-A	0.5	ft	Indian Creek			Non-IEPA		03/30/2017	1:52:00 P	03/30/2017	4:20:00 PM					Water	YSI	EPA 120.	Conductivity		436.00	umhos/cm					04/24/2017	
DRWW	Suburban Labs		15-9	GU-SD-A	0.5	ft	Indian Creek			Non-IEPA		03/30/2017	1:52:00 P	03/30/2017	4:20:00 PM					Water	YSI	Field	Dissolved Oxygen		13.20	mg/L					04/24/2017	
DRWW	Suburban Labs		15-9	GU-SD-A	0.5	ft	Indian Creek			Non-IEPA		03/30/2017	1:52:00 P	03/30/2017	4:20:00 PM			03/30/2017	5:56:00 P	Water	USEPA	E_COLI	E. Coli	Total	1730.00	MPN/100mL		1.00	1.00		04/24/2017	
DRWW	Suburban Labs		15-9	GU-SD-A	0.5	ft	Indian Creek																									

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code - IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs		15-9	GU-SD-A	0.5	ft	Indian Creek			Non-IEPA		07/28/2017	11:10:00	07/28/2017	3:00:00 PM					Water	USEPA	365.2	pH, Field		8.23	S.U.						08/10/2017
DRWW	Suburban Labs		15-9	GU-SD-A	0.5	ft	Indian Creek			Non-IEPA		07/28/2017	11:10:00	07/28/2017	3:00:00 PM	07/31/2017	9:21:48 AM	08/01/2017	11:44:42 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.20	mg/L		0.05	0.14			08/10/2017
DRWW	Suburban Labs		15-9	GU-SD-A	0.5	ft	Indian Creek			Non-IEPA		07/28/2017	11:10:00	07/28/2017	3:00:00 PM			08/01/2017	3:02:53 PM	Water	Lab	2510B	Specific Conductivity	Total	452.00	umhos/cm		1.00	1.00			08/10/2017
DRWW	Suburban Labs		15-9	GU-SD-A	0.5	ft	Indian Creek			Non-IEPA		07/28/2017	11:10:00	07/28/2017	3:00:00 PM			07/31/2017	6:39:52 PM	Water	USEPA	SM 2550B	Temperature		25.88	°C						08/10/2017
DRWW	Suburban Labs		15-9	GU-SD-A	0.5	ft	Indian Creek			Non-IEPA		07/28/2017	11:10:00	07/28/2017	3:00:00 PM			07/28/2017	4:55:00 PM	Water	Lab	2130-B	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22			08/10/2017
DRWW	Suburban Labs		15-9	GU-SD-A	0.5	ft	Indian Creek			Non-IEPA		07/28/2017	11:10:00	07/28/2017	3:00:00 PM			07/28/2017	4:55:00 PM	Water	Lab	2130-B	Turbidity		11.20	NTU		0.10	0.20			08/10/2017
DRWW	Suburban Labs		15-9	GU-SD-A	0.5	ft	Indian Creek			Non-IEPA		08/24/2017	1:37:00 PM	08/24/2017	4:20:00 PM			08/25/2017	2:50:06 PM	Water	APHA	4500-CL-	Chloride	Total	60.60	mg/L		20.00	20.00			09/14/2017
DRWW	Suburban Labs		15-9	GU-SD-A	0.5	ft	Indian Creek			Non-IEPA		08/24/2017	1:37:00 PM	08/24/2017	4:20:00 PM					Water	YSI	EPA 120.	Conductivity		510.00	umhos/cm						09/14/2017
DRWW	Suburban Labs		15-9	GU-SD-A	0.5	ft	Indian Creek			Non-IEPA		08/24/2017	1:37:00 PM	08/24/2017	4:20:00 PM					Water	YSI	Field	Dissolved Oxygen		6.94	mg/L						09/14/2017
DRWW	Suburban Labs		15-9	GU-SD-A	0.5	ft	Indian Creek			Non-IEPA		08/24/2017	1:37:00 PM	08/24/2017	4:20:00 PM			08/24/2017	4:45:57 PM	Water	USEPA	E. COLI	E. Coli	Total	123.00	MPN/100mL		1.00	1.00			09/14/2017
DRWW	Suburban Labs		15-9	GU-SD-A	0.5	ft	Indian Creek			Non-IEPA		08/24/2017	1:37:00 PM	08/24/2017	4:20:00 PM					Water	USEPA	365.2	pH, Field		7.91	S.U.						09/14/2017
DRWW	Suburban Labs		15-9	GU-SD-A	0.5	ft	Indian Creek			Non-IEPA		08/24/2017	1:37:00 PM	08/24/2017	4:20:00 PM			08/30/2017	3:43:04 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.11	mg/L	J	0.05	0.14			09/14/2017
DRWW	Suburban Labs		15-9	GU-SD-A	0.5	ft	Indian Creek			Non-IEPA		08/24/2017	1:37:00 PM	08/24/2017	4:20:00 PM			08/25/2017	3:20:29 PM	Water	Lab	2510B	Specific Conductivity	Total	511.00	umhos/cm		1.00	1.00			09/14/2017
DRWW	Suburban Labs		15-9	GU-SD-A	0.5	ft	Indian Creek			Non-IEPA		08/24/2017	1:37:00 PM	08/24/2017	4:20:00 PM					Water	USEPA	SM 2550B	Temperature		19.58	°C						09/14/2017
DRWW	Suburban Labs		15-9	GU-SD-A	0.5	ft	Indian Creek			Non-IEPA		08/24/2017	1:37:00 PM	08/24/2017	4:20:00 PM			08/24/2017	8:39:25 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.54	mg/L		0.10	0.22			09/14/2017
DRWW	Suburban Labs		15-9	GU-SD-A	0.5	ft	Indian Creek			Non-IEPA		08/24/2017	1:37:00 PM	08/24/2017	4:20:00 PM			08/24/2017	5:01:29 PM	Water	Lab	2130-B	Turbidity		5.59	NTU		0.10	0.20			09/14/2017
DRWW	Suburban Labs		15-9	GU-SD-A	0.5	ft	Indian Creek			Non-IEPA		09/28/2017	12:56:00	09/28/2017	4:18:00 PM			10/03/2017	12:24:41 PM	Water	APHA	4500-CL-	Chloride	Total	164.00	mg/L		20.00	20.00			11/03/2017
DRWW	Suburban Labs		15-9	GU-SD-A	0.5	ft	Indian Creek			Non-IEPA		09/28/2017	12:56:00	09/28/2017	4:18:00 PM					Water	YSI	EPA 120.	Conductivity		1016.00	umhos/cm						11/03/2017
DRWW	Suburban Labs		15-9	GU-SD-A	0.5	ft	Indian Creek			Non-IEPA		09/28/2017	12:56:00	09/28/2017	4:18:00 PM					Water	YSI	Field	Dissolved Oxygen		1.75	mg/L						11/03/2017
DRWW	Suburban Labs		15-9	GU-SD-A	0.5	ft	Indian Creek			Non-IEPA		09/28/2017	12:56:00	09/28/2017	4:18:00 PM			09/28/2017	4:47:31 PM	Water	USEPA	E. COLI	E. Coli	Total	613.00	MPN/100mL		1.00	1.00			11/03/2017
DRWW	Suburban Labs		15-9	GU-SD-A	0.5	ft	Indian Creek			Non-IEPA		09/28/2017	12:56:00	09/28/2017	4:18:00 PM					Water	USEPA	365.2	pH, Field		7.67	S.U.						11/03/2017
DRWW	Suburban Labs		15-9	GU-SD-A	0.5	ft	Indian Creek			Non-IEPA		09/28/2017	12:56:00	09/28/2017	4:18:00 PM			09/29/2017	2:56:44 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.16	mg/L		0.05	0.14			11/03/2017
DRWW	Suburban Labs		15-9	GU-SD-A	0.5	ft	Indian Creek			Non-IEPA		09/28/2017	12:56:00	09/28/2017	4:18:00 PM			10/03/2017	2:57:24 PM	Water	Lab	2510B	Specific Conductivity	Total	1040.00	umhos/cm		1.00	1.00			11/03/2017
DRWW	Suburban Labs		15-9	GU-SD-A	0.5	ft	Indian Creek			Non-IEPA		09/28/2017	12:56:00	09/28/2017	4:18:00 PM					Water	USEPA	SM 2550B	Temperature		15.92	°C						11/03/2017
DRWW	Suburban Labs		15-9	GU-SD-A	0.5	ft	Indian Creek			Non-IEPA		09/28/2017	12:56:00	09/28/2017	4:18:00 PM			10/02/2017	6:44:01 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22			11/03/2017
DRWW	Suburban Labs		15-9	GU-SD-A	0.5	ft	Indian Creek			Non-IEPA		09/28/2017	12:56:00	09/28/2017	4:18:00 PM			09/28/2017	4:33:00 PM	Water	Lab	2130-B	Turbidity		63.00	NTU		0.10	0.20			11/03/2017
DRWW	Suburban Labs		15-9 Dupl	GU-SD-A	0.5	ft	Indian Creek			Non-IEPA		03/30/2017	1:52:00 PM	03/30/2017	4:20:00 PM			03/30/2017	6:06:19 PM	Water	APHA	4500-CL-	Chloride	Total	81.30	mg/L		20.00	20.00			04/24/2017
DRWW	Suburban Labs		15-9 Dupl	GU-SD-A	0.5	ft	Indian Creek			Non-IEPA		03/30/2017	1:52:00 PM	03/30/2017	4:20:00 PM					Water	YSI	EPA 120.	Conductivity		436.00	umhos/cm						04/24/2017
DRWW	Suburban Labs		15-9 Dupl	GU-SD-A	0.5	ft	Indian Creek			Non-IEPA		03/30/2017	1:52:00 PM	03/30/2017	4:20:00 PM					Water	YSI	Field	Dissolved Oxygen		13.20	mg/L						04/24/2017
DRWW	Suburban Labs		15-9 Dupl	GU-SD-A	0.5	ft	Indian Creek			Non-IEPA		03/30/2017	1:52:00 PM	03/30/2017	4:20:00 PM			03/30/2017	5:56:00 PM	Water	USEPA	E. COLI	E. Coli	Total	< 1.00	MPN/100mL		1.00	1.00			04/24/2017
DRWW	Suburban Labs		15-9 Dupl	GU-SD-A	0.5	ft	Indian Creek			Non-IEPA		03/30/2017	1:52:00 PM	03/30/2017	4:20:00 PM					Water	USEPA	365.2	pH, Field		7.98	pH						04/24/2017
DRWW	Suburban Labs		15-9 Dupl	GU-SD-A	0.5	ft	Indian Creek			Non-IEPA		03/30/2017	1:52:00 PM	03/30/2017	4:20:00 PM			04/04/2017	3:04:24 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.23	mg/L		0.05	0.14			04/24/2017
DRWW	Suburban Labs		15-9 Dupl	GU-SD-A	0.5	ft	Indian Creek			Non-IEPA		03/30/2017	1:52:00 PM	03/30/2017	4:20:00 PM			04/06/2017	12:29:10 PM	Water	Lab	2510B	Specific Conductivity	Total	494.00	umhos/cm		1.00	1.00			04/24/2017
DRWW	Suburban Labs		15-9 Dupl	GU-SD-A	0.5	ft	Indian Creek			Non-IEPA		03/30/2017	1:52:00 PM	03/30/2017	4:20:00 PM					Water	USEPA	SM 2550B	Temperature		6.09	°C						04/24/2017
DRWW	Suburban Labs		15-9 Dupl	GU-SD-A	0.5	ft	Indian Creek			Non-IEPA		03/30/2017	1:52:00 PM	03/30/2017	4:20:00 PM			04/04/2017	8:02:08 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.23	mg/L		0.10	0.20			04/24/2017
DRWW	Suburban Labs		15-9 Dupl	GU-SD-A	0.5	ft	Indian Creek			Non-IEPA		03/30/2017	1:52:00 PM	03/30/2017	4:20:00 PM			03/30/2017	4:45:00 PM	Water	Lab	2130-B	Turbidity		178.00	NTU		0.10	0.20			04/24/2017
DRWW	Suburban Labs		15-9 Field	GU-SD-A	0.5	ft	Indian Creek			Non-IEPA		03/30/2017	2:00:00 PM	03/30/2017	4:20:00 PM			03/30/2017	6:08:13 PM	Water	APHA	4500-CL-	Chloride	Total	ND	mg/L		20.00	20.00			04/24/2017
DRWW	Suburban Labs		15-9 Field	GU-SD-A	0.5	ft	Indian Creek			Non-IEPA		03/30/2017	2:00:00 PM	03/30/2017	4:20:00 PM					Water	YSI	EPA 120.	Conductivity		0.00	umhos/cm						04/24/2017
DRWW	Suburban Labs		15-9 Field	GU-SD-A	0.5	ft	Indian Creek			Non-IEPA		03/30/2017	2:00:00 PM	03/30/2017	4:20:00 PM					Water	YSI	Field	Dissolved Oxygen		10.33	mg/L						04/24/2017
DRWW	Suburban Labs		15-9 Field	GU-SD-A	0.5	ft	Indian Creek			Non-IEPA		03/30/2017	2:00:00 PM	03/30/2017	4:20:00 PM			03/30/2017	5:56:00 PM	Water	USEPA	E. COLI	E. Coli	Total	1410.00	MPN/100mL		1.00	1.00			04/24/2017
DRWW	Suburban Labs		15-9 Field	GU-SD-A	0.5	ft	Indian Creek			Non-IEPA		03/30/2017	2:00:00 PM	03/30/2017	4:20:00 PM					Water	USEPA	365.2	pH, Field		8.89	pH						04/24/2017
DRWW	Suburban Labs		15-9 Field	GU-SD-A	0.5	ft	Indian Creek			Non-IEPA		03/30/2017	2:00:00 PM	03/30/2017	4:20:00 PM			04/04/2017	3:06:39 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	ND	mg/L		0.05	0.14			04/24/2017
DRWW	Suburban Labs		15-9 Field	GU-SD-A	0.5	ft	Indian Creek			Non-IEPA		03/30/2017	2:00:00 PM	03/30/2017	4:20:00 PM			04/06/2017	12:30:48 PM	Water	Lab	2510B	Specific Conductivity	Total	1.30	umhos/cm		1.00	1.00			04/24/2017
DRWW	Suburban Labs		15-9 Field	GU-SD-A	0.5	ft	Indian Creek			Non-IEPA		03/30/2017	2:00:00 PM	03/30/2017	4:20:00 PM					Water	USEPA	SM 2550B	Temperature		6.09	°C						04/24/2017
DRWW	Suburban Labs		15-9 Field	GU-SD-A	0.5	ft	Indian Creek			Non-IEPA		03/30/2017	2:00:00 PM	03/30/2017	4:20:00 PM			03/31/2017	8:11:31 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.20			04/24/2017
DRWW	Suburban Labs		15-9 Field	GU-SD-A	0.5	ft	Indian Creek			Non-IEPA		03/30/2017	2:00:00 PM	03/30/2017	4:20:00 PM																	

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code - IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		05/23/2017	1:35:00 P	05/23/2017	4:08:00 PM					Water	USEPA	SM 2550B	Temperature		16.14	°C						06/09/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		05/23/2017	1:35:00 P	05/23/2017	4:08:00 PM			05/24/2017	8:14:45 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	3.82	mg/L		0.10	0.22			06/09/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		05/23/2017	1:35:00 P	05/23/2017	4:08:00 PM			05/26/2017	5:39:18 P	Water	APHA	5310-C	Total Organic Carbon	Total	6.47	mg/L		1.00	1.00			06/09/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		05/23/2017	1:35:00 P	05/23/2017	4:08:00 PM			05/25/2017	9:36:29 A	Water	USEPA	2540-D	Total Suspended Solids	Total	14.40	mg/L		0.20	5.00			06/09/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		05/23/2017	1:35:00 P	05/23/2017	4:08:00 PM			05/23/2017	4:45:00 P	Water	Lab	2130-B	Turbidity		14.40	NTU		0.10	0.20			06/09/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		05/23/2017	1:35:00 P	05/23/2017	4:08:00 PM			05/25/2017	9:36:29 A	Water	USEPA	2540-D	Volatile Suspended Solids	Total	2.40	mg/L	J	0.20	5.00			06/09/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		06/29/2017	1:43:00 P	06/29/2017	4:44:00 PM			07/07/2017	6:15:38 P	Water	APHA	4500-CL-	Chloride	Total	74.80	mg/L		20.00	20.00			07/19/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		06/29/2017	1:43:00 P	06/29/2017	4:44:00 PM					Water	YSI	EPA 120.	Conductivity		496.00	umhos/cm						07/19/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		06/29/2017	1:43:00 P	06/29/2017	4:44:00 PM					Water	YSI	Field	Dissolved Oxygen		8.54	mg/L						07/19/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		06/29/2017	1:43:00 P	06/29/2017	4:44:00 PM			06/29/2017	4:53:47 P	Water	USEPA	E. COLI	E. Coli	Total	>2419.6	MPN/100mL		1.00	1.00			07/19/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		06/29/2017	1:43:00 P	06/29/2017	4:44:00 PM			06/29/2017	5:05:00 P	Water	USEPA	DISSOLV	Filtered and Preserved	Total	complete		V	0.00	0.00			07/19/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		06/29/2017	1:43:00 P	06/29/2017	4:44:00 PM			07/05/2017	5:03:47 P	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30			07/19/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		06/29/2017	1:43:00 P	06/29/2017	4:44:00 PM	07/05/2017	11:19:59	07/06/2017	5:10:21 P	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	1.90	mg/L	J	1.10	3.50			07/19/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		06/29/2017	1:43:00 P	06/29/2017	4:44:00 PM			06/29/2017	6:04:24 P	Water	USEPA	365.2	Orthophosphate (As P)	Total	0.15	mg/L		0.03	0.05			07/19/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		06/29/2017	1:43:00 P	06/29/2017	4:44:00 PM					Water	USEPA	365.2	pH, Field		7.82	pH						07/19/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		06/29/2017	1:43:00 P	06/29/2017	4:44:00 PM	07/05/2017	3:47:06 P	07/06/2017	5:07:44 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.24	mg/L		0.05	0.14			07/19/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		06/29/2017	1:43:00 P	06/29/2017	4:44:00 PM			07/07/2017	5:01:01 P	Water	Lab	2510B	Specific Conductivity	Total	496.00	umhos/cm		1.00	1.00			07/19/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		06/29/2017	1:43:00 P	06/29/2017	4:44:00 PM			06/30/2017	3:54:49 P	Water	USEPA	375.2	Sulfate	Total	28.40	mg/L		10.00	25.50			07/19/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		06/29/2017	1:43:00 P	06/29/2017	4:44:00 PM					Water	USEPA	SM 2550B	Temperature		20.76	°C						07/19/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		06/29/2017	1:43:00 P	06/29/2017	4:44:00 PM			07/06/2017	8:13:40 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	1.65	mg/L		0.10	0.20			07/19/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		06/29/2017	1:43:00 P	06/29/2017	4:44:00 PM			07/17/2017	12:57:00 P	Water	APHA	5310-C	Total Organic Carbon	Total	6.00	mg/L	G	1.00	1.00			07/19/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		06/29/2017	1:43:00 P	06/29/2017	4:44:00 PM			07/03/2017	11:25:54	Water	USEPA	2540-D	Total Suspended Solids	Total	32.50	mg/L		0.25	6.25			07/19/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		06/29/2017	1:43:00 P	06/29/2017	4:44:00 PM			06/29/2017	5:02:00 P	Water	Lab	2130-B	Turbidity		40.60	NTU		0.10	0.20			07/19/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		06/29/2017	1:43:00 P	06/29/2017	4:44:00 PM			07/03/2017	11:25:54	Water	USEPA	2540-D	Volatile Suspended Solids	Total	4.75	mg/L	J	0.25	6.25			07/19/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		07/28/2017	12:02:00	07/28/2017	3:00:00 PM			07/31/2017	6:35:35 P	Water	APHA	4500-CL-	Chloride	Total	75.40	mg/L		20.00	20.00			08/10/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		07/28/2017	12:02:00	07/28/2017	3:00:00 PM					Water	YSI	EPA 120.	Conductivity		629.00	umhos/cm						08/10/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		07/28/2017	12:02:00	07/28/2017	3:00:00 PM					Water	YSI	Field	Dissolved Oxygen		4.86	mg/L						08/10/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		07/28/2017	12:02:00	07/28/2017	3:00:00 PM			07/28/2017	3:43:35 P	Water	USEPA	E. COLI	E. Coli	Total	44.80	MPN/100mL		1.00	1.00			08/10/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		07/28/2017	12:02:00	07/28/2017	3:00:00 PM			07/28/2017	5:31:00 P	Water	USEPA	DISSOLV	Filtered and Preserved	Total	complete		V	0.00	0.00			08/10/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		07/28/2017	12:02:00	07/28/2017	3:00:00 PM			08/01/2017	5:11:42 P	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	0.32	mg/L		0.10	0.30			08/10/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		07/28/2017	12:02:00	07/28/2017	3:00:00 PM	08/08/2017	11:19:04	08/10/2017	12:03:19	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	ND	mg/L		1.10	3.50			08/10/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		07/28/2017	12:02:00	07/28/2017	3:00:00 PM			07/28/2017	4:33:28 P	Water	USEPA	365.2	Orthophosphate (As P)	Total	0.30	mg/L		0.03	0.05			08/10/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		07/28/2017	12:02:00	07/28/2017	3:00:00 PM					Water	USEPA	365.2	pH, Field		7.66	S.U.						08/10/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		07/28/2017	12:02:00	07/28/2017	3:00:00 PM	07/31/2017	9:21:48 A	08/01/2017	2:01:39 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.38	mg/L		0.05	0.14			08/10/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		07/28/2017	12:02:00	07/28/2017	3:00:00 PM			08/01/2017	3:04:54 P	Water	Lab	2510B	Specific Conductivity	Total	587.00	umhos/cm		1.00	1.00			08/10/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		07/28/2017	12:02:00	07/28/2017	3:00:00 PM			08/04/2017	4:33:10 P	Water	USEPA	375.2	Sulfate	Total	13.80	mg/L	J	10.00	25.50			08/10/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		07/28/2017	12:02:00	07/28/2017	3:00:00 PM					Water	USEPA	SM 2550B	Temperature		24.33	°C						08/10/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		07/28/2017	12:02:00	07/28/2017	3:00:00 PM			07/31/2017	6:51:21 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.65	mg/L		0.10	0.20			08/10/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		07/28/2017	12:02:00	07/28/2017	3:00:00 PM			08/01/2017	3:15:08 P	Water	APHA	5310-C	Total Organic Carbon	Total	8.97	mg/L		1.00	1.00			08/10/2017
DRWW	Suburban Labs		16-1	G-13	0.5																											

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code - IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	1:52:00 P	09/28/2017	4:18:00 PM		09/28/2017	7:18:00 P	Water	USEPA	8260B	2-Hexanone	Total	ND	µg/L		25.00	25.00			11/03/2017	
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	1:52:00 P	09/28/2017	4:18:00 P	10/02/2017	5:45:41 A	10/06/2017	7:12:00 P	Water	USEPA	8081	4,4'-DDD	Total	ND	µg/L		0.05	0.05			11/03/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	1:52:00 P	09/28/2017	4:18:00 P	10/02/2017	5:45:41 A	10/06/2017	7:12:00 P	Water	USEPA	8081	4,4'-DDE	Total	ND	µg/L		0.05	0.05			11/03/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	1:52:00 P	09/28/2017	4:18:00 PM		09/28/2017	7:18:00 P	Water	USEPA	8260B	4-Methyl-2-pentanone	Total	ND	µg/L		25.00	25.00			11/03/2017	
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	1:52:00 P	09/28/2017	4:18:00 P	10/02/2017	7:09:08 A	10/03/2017	6:06:00 P	Water	USEPA	8270D	Acenaphthene	Total	ND	µg/L		0.10	0.10			11/03/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	1:52:00 P	09/28/2017	4:18:00 P	10/02/2017	7:09:08 A	10/03/2017	6:06:00 P	Water	USEPA	8270D	Acenaphthylene	Total	ND	µg/L		0.10	0.10			11/03/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	1:52:00 P	09/28/2017	4:18:00 PM		09/28/2017	7:18:00 P	Water	USEPA	8260B	Acetone	Total	ND	µg/L		25.00	25.00			11/03/2017	
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	1:52:00 P	09/28/2017	4:18:00 P	10/02/2017	5:45:41 A	10/06/2017	7:12:00 P	Water	USEPA	8081	Aldrin	Total	ND	µg/L		0.03	0.03			11/03/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	1:52:00 P	09/28/2017	4:18:00 P	10/02/2017	5:45:41 A	10/06/2017	7:12:00 P	Water	USEPA	8081	alpha-BHC	Total	ND	µg/L		0.03	0.03			11/03/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	1:52:00 P	09/28/2017	4:18:00 P	10/02/2017	5:45:41 A	10/06/2017	7:12:00 P	Water	USEPA	8081	alpha-Chlordane	Total	ND	µg/L		0.03	0.03			11/03/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	1:52:00 P	09/28/2017	4:18:00 P	10/02/2017	7:09:08 A	10/03/2017	6:06:00 P	Water	USEPA	8270D	Anthracene	Total	ND	µg/L		0.10	0.10			11/03/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	1:52:00 P	09/28/2017	4:18:00 P	10/02/2017	5:46:00 A	10/06/2017	7:12:00 P	Water	USEPA	8082	Aroclor 1016	Total	ND	µg/L		0.11	0.11			11/03/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	1:52:00 P	09/28/2017	4:18:00 P	10/02/2017	5:46:00 A	10/06/2017	7:12:00 P	Water	USEPA	8082	Aroclor 1221	Total	ND	µg/L		0.11	0.11			11/03/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	1:52:00 P	09/28/2017	4:18:00 P	10/02/2017	5:46:00 A	10/06/2017	7:12:00 P	Water	USEPA	8082	Aroclor 1232	Total	ND	µg/L		0.11	0.11			11/03/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	1:52:00 P	09/28/2017	4:18:00 P	10/02/2017	5:46:00 A	10/06/2017	7:12:00 P	Water	USEPA	8082	Aroclor 1242	Total	ND	µg/L		0.11	0.11			11/03/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	1:52:00 P	09/28/2017	4:18:00 P	10/02/2017	5:46:00 A	10/06/2017	7:12:00 P	Water	USEPA	8082	Aroclor 1248	Total	ND	µg/L		0.11	0.11			11/03/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	1:52:00 P	09/28/2017	4:18:00 P	10/02/2017	5:46:00 A	10/06/2017	7:12:00 P	Water	USEPA	8082	Aroclor 1254	Total	ND	µg/L		0.11	0.11			11/03/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	1:52:00 P	09/28/2017	4:18:00 P	10/02/2017	5:46:00 A	10/06/2017	7:12:00 P	Water	USEPA	8082	Aroclor 1260	Total	ND	µg/L		0.11	0.11			11/03/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	1:52:00 P	09/28/2017	4:18:00 P	09/29/2017	2:51:54 P	10/20/2017	3:57:04 P	Water	USEPA	200.7	Arsenic	Total	0.01	mg/L	J	0.00	0.01			11/03/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	1:52:00 P	09/28/2017	4:18:00 PM			09/28/2017	7:18:00 P	Water	USEPA	8260B	Benzene	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	1:52:00 P	09/28/2017	4:18:00 P	10/02/2017	7:09:08 A	10/03/2017	6:06:00 P	Water	USEPA	8270D	Benzo(a)anthracene	Total	ND	µg/L		0.10	0.10			11/03/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	1:52:00 P	09/28/2017	4:18:00 P	10/02/2017	7:09:08 A	10/03/2017	6:06:00 P	Water	USEPA	8270D	Benzo(a)pyrene	Total	ND	µg/L		0.10	0.10			11/03/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	1:52:00 P	09/28/2017	4:18:00 P	10/02/2017	7:09:08 A	10/03/2017	6:06:00 P	Water	USEPA	8270D	Benzo(b)fluoranthene	Total	ND	µg/L		0.10	0.10			11/03/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	1:52:00 P	09/28/2017	4:18:00 P	10/02/2017	7:09:08 A	10/03/2017	6:06:00 P	Water	USEPA	8270D	Benzo(g,h,i)perylene	Total	ND	µg/L		0.10	0.10			11/03/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	1:52:00 P	09/28/2017	4:18:00 P	10/02/2017	7:09:08 A	10/03/2017	6:06:00 P	Water	USEPA	8270D	Benzo(k)fluoranthene	Total	ND	µg/L		0.10	0.10			11/03/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	1:52:00 P	09/28/2017	4:18:00 P	10/02/2017	5:45:41 A	10/06/2017	7:12:00 P	Water	USEPA	8081	beta-BHC	Total	ND	µg/L		0.03	0.03			11/03/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	1:52:00 P	09/28/2017	4:18:00 PM			09/28/2017	7:18:00 P	Water	USEPA	8260B	Bromodichloromethane	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	1:52:00 P	09/28/2017	4:18:00 PM			09/28/2017	7:18:00 P	Water	USEPA	8260B	Bromofrom	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	1:52:00 P	09/28/2017	4:18:00 PM			09/28/2017	7:18:00 P	Water	USEPA	8260B	Bromomethane	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	1:52:00 P	09/28/2017	4:18:00 P	09/29/2017	2:51:54 P	10/02/2017	12:02:59	Water	USEPA	200.7	Calcium	Total	59.70	mg/L		0.01	0.02			11/03/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	1:52:00 P	09/28/2017	4:18:00 PM			09/28/2017	7:18:00 P	Water	USEPA	8260B	Carbon disulfide	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	1:52:00 P	09/28/2017	4:18:00 PM			09/28/2017	7:18:00 P	Water	USEPA	8260B	Carbon tetrachloride	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	1:52:00 P	09/28/2017	4:18:00 P	10/02/2017	5:45:41 A	10/06/2017	7:12:00 P	Water	USEPA	8081	Chlordane	Total	ND	µg/L		0.11	0.11			11/03/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	1:52:00 P	09/28/2017	4:18:00 PM			10/03/2017	12:25:24	Water	APHA	4500-CL-	Chloride	Total	167.00	mg/L		20.00	20.00			11/03/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	1:52:00 P	09/28/2017	4:18:00 PM			09/28/2017	7:18:00 P	Water	USEPA	8260B	Chlorobenzene	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	1:52:00 P	09/28/2017	4:18:00 PM			09/28/2017	7:18:00 P	Water	USEPA	8260B	Chloroethane	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	1:52:00 P	09/28/2017	4:18:00 PM			09/28/2017	7:18:00 P	Water	USEPA	8260B	Chloroform	Total	2.05	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	1:52:00 P	09/28/2017	4:18:00 PM			09/28/2017	7:18:00 P	Water	USEPA	8260B	Chloromethane	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	1:52:00 P	09/28/2017	4:18:00 P	10/02/2017	7:09:08 A	10/03/2017	6:06:00 P	Water	USEPA	8270D	Chrysene	Total	ND	µg/L		0.10	0.10			11/03/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	1:52:00 P	09/28/2017	4:18:00 PM			09/28/2017	7:18:00 P	Water	USEPA	8260B	cis-1,2-Dichloroethene	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	1:52:00 P	09/28/2017	4:18:00 PM			09/28/2017	7:18:00 P	Water	USEPA	8260B	cis-1,3-Dichloropropene	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	1:52:00 P	09/28/2017	4:18:00 PM					Water	YSI	EPA 120.	Conductivity		1137.00	umhos/cm						



Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code - IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	1:52:00 P	09/28/2017	4:18:00 PM			09/29/2017	1:53:13 P	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30			11/03/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	1:52:00 P	09/28/2017	4:18:00 PM	10/02/2017	1:09:15 P	10/03/2017	1:08:52 P	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	ND	mg/L		1.19	3.78			11/03/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	1:52:00 P	09/28/2017	4:18:00 PM			09/29/2017	10:10:59 A	Water	USEPA	365.2	Orthophosphate (As P)	Total	1.20	mg/L		0.13	0.25			11/03/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	1:52:00 P	09/28/2017	4:18:00 PM			09/28/2017	7:18:00 P	Water	USEPA	8260B	o-Xylene	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	1:52:00 P	09/28/2017	4:18:00 PM	10/02/2017	7:09:08 A	10/03/2017	6:06:00 P	Water	USEPA	365.2	pH, Field	Total	8.21	pH					11/03/2017	
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	1:52:00 P	09/28/2017	4:18:00 PM	10/02/2017	7:09:08 A	10/03/2017	6:06:00 P	Water	USEPA	8270D	Phenanthrene	Total	ND	µg/L		0.10	0.10			11/03/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	1:52:00 P	09/28/2017	4:18:00 PM	09/29/2017	2:51:54 P	10/02/2017	12:02:59 A	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	1.19	mg/L		0.04	0.14			11/03/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	1:52:00 P	09/28/2017	4:18:00 PM	10/02/2017	7:09:08 A	10/03/2017	6:06:00 P	Water	USEPA	8270D	Pyrene	Total	ND	µg/L		0.10	0.10			11/03/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	1:52:00 P	09/28/2017	4:18:00 PM	09/29/2017	2:51:54 P	10/02/2017	12:02:59 A	Water	USEPA	200.7	Sodium	Total	111.00	mg/L		0.03	0.09			11/03/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	1:52:00 P	09/28/2017	4:18:00 PM			10/03/2017	3:46:23 P	Water	Lab	2510B	Specific Conductivity	Total	1160.00	µmhos/cm		1.00	1.00			11/03/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	1:52:00 P	09/28/2017	4:18:00 PM			09/28/2017	7:18:00 P	Water	USEPA	8260B	Styrene	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	1:52:00 P	09/28/2017	4:18:00 PM			09/29/2017	6:27:57 P	Water	USEPA	375.2	Sulfate	Total	84.70	mg/L		10.00	25.50			11/03/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	1:52:00 P	09/28/2017	4:18:00 PM					Water	USEPA	SM 2550B	Temperature	Total	20.90	°C						11/03/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	1:52:00 P	09/28/2017	4:18:00 PM			09/28/2017	7:18:00 P	Water	USEPA	8260B	Tetrachloroethene	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	1:52:00 P	09/28/2017	4:18:00 PM			09/28/2017	7:18:00 P	Water	USEPA	8260B	Toluene	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	1:52:00 P	09/28/2017	4:18:00 PM			10/02/2017	8:29:38 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	16.60	mg/L		0.50	1.12			11/03/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	1:52:00 P	09/28/2017	4:18:00 PM			10/04/2017	12:07:00 P	Water	APHA	5310-C	Total Organic Carbon	Total	5.27	mg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	1:52:00 P	09/28/2017	4:18:00 PM			10/03/2017	9:50:42 A	Water	USEPA	2540-D	Total Suspended Solids	Total	1.20	mg/L	J	0.20	5.00			11/03/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	1:52:00 P	09/28/2017	4:18:00 PM			09/28/2017	7:18:00 P	Water	USEPA	8260B	Total Xylenes	Total	ND	µg/L		2.00	2.00			11/03/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	1:52:00 P	09/28/2017	4:18:00 PM	10/02/2017	5:45:41 A	10/06/2017	7:12:00 P	Water	USEPA	8081	Toxaphene	Total	ND	µg/L		0.21	0.21			11/03/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	1:52:00 P	09/28/2017	4:18:00 PM			09/28/2017	7:18:00 P	Water	USEPA	8260B	trans-1,2-Dichloroethene	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	1:52:00 P	09/28/2017	4:18:00 PM			09/28/2017	7:18:00 P	Water	USEPA	8260B	trans-1,3-Dichloropropene	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	1:52:00 P	09/28/2017	4:18:00 PM			09/28/2017	7:18:00 P	Water	USEPA	8260B	Trichloroethene	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	1:52:00 P	09/28/2017	4:18:00 PM			09/28/2017	4:33:00 P	Water	Lab	2130-B	Turbidity	Total	1.43	NTU		0.10	0.20			11/03/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	1:52:00 P	09/28/2017	4:18:00 PM			09/28/2017	7:18:00 P	Water	USEPA	8260B	Vinyl chloride	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	1:52:00 P	09/28/2017	4:18:00 PM			10/03/2017	9:50:42 A	Water	USEPA	2540-D	Volatile Suspended Solids	Total	0.20	mg/L	J	0.20	5.00			11/03/2017
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	1:52:00 P	09/28/2017	4:18:00 PM	09/29/2017	2:51:54 P	10/02/2017	12:02:59 A	Water	USEPA	200.7	Zinc	Total	0.02	mg/L		0.00	0.01			11/03/2017
DRWW	Suburban Labs		16-1 Field	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	1:52:00 P	09/28/2017	4:18:00 PM			10/11/2017	3:54:00 P	Water	USEPA	1631	Mercury	Total	ND	ng/L		0.50	0.50			11/03/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		03/31/2017	9:28:00 A	03/31/2017	3:45:00 PM			04/04/2017	11:28:12 A	Water	APHA	4500-CL-	Chloride	Total	188.00	mg/L		20.00	20.00			04/24/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		03/31/2017	9:28:00 A	03/31/2017	3:45:00 PM					Water	YSI	EPA 120.	Conductivity	Total	913.00	µmhos/cm						04/24/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		03/31/2017	9:28:00 A	03/31/2017	3:45:00 PM					Water	YSI	Field	Dissolved Oxygen	Total	11.64	mg/L						04/24/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		03/31/2017	9:28:00 A	03/31/2017	3:45:00 PM			03/31/2017	4:35:00 P	Water	USEPA	E. COLI	E. Coli	Total	2420.00	MPN/100mL		1.00	1.00			04/24/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		03/31/2017	9:28:00 A	03/31/2017	3:45:00 PM			03/31/2017	4:59:00 P	Water	USEPA	DISSOLV	Filtered and Preserved	Total	complete		V	0.00	0.00			04/24/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		03/31/2017	9:28:00 A	03/31/2017	3:45:00 PM			04/03/2017	6:04:54 P	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30			04/24/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		03/31/2017	9:28:00 A	03/31/2017	3:45:00 PM			04/06/2017	2:09:36 P	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	4.91	mg/L		1.10	3.50			04/24/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		03/31/2017	9:28:00 A	03/31/2017	3:45:00 PM			03/31/2017	5:53:51 P	Water	USEPA	365.2	Orthophosphate (As P)	Total	0.11	mg/L		0.03	0.05			04/24/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		03/31/2017	9:28:00 A	03/31/2017	3:45:00 PM					Water	USEPA	365.2	pH, Field	Total	7.61	pH						04/24/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		03/31/2017	9:28:00 A	03/31/2017	3:45:00 PM			04/04/2017	3:25:54 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.20	mg/L		0.05	0.14			04/24/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		03/31/2017	9:28:00 A	03/31/2017	3:45:00 PM																	

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code - IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		06/29/2017	2:10:00 P	06/29/2017	4:44:00 PM					Water	USEPA	SM 2550B	Temperature	Total	20.52	°C						07/19/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		06/29/2017	2:10:00 P	06/29/2017	4:44:00 PM			07/06/2017	8:11:21 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	1.87	mg/L		0.10	0.20			07/19/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		06/29/2017	2:10:00 P	06/29/2017	4:44:00 PM			07/12/2017	8:07:00 A	Water	APHA	5310-C	Total Organic Carbon	Total	6.08	mg/L		1.00	1.00			07/19/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		06/29/2017	2:10:00 P	06/29/2017	4:44:00 PM			07/03/2017	11:25:54 A	Water	USEPA	2540-D	Total Suspended Solids	Total	29.00	mg/L		0.25	6.25			07/19/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		06/29/2017	2:10:00 P	06/29/2017	4:44:00 PM			06/29/2017	5:02:00 P	Water	Lab	2130-B	Turbidity	Total	37.20	NTU		0.10	0.20			07/19/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		06/29/2017	2:10:00 P	06/29/2017	4:44:00 PM			07/03/2017	11:25:54 A	Water	USEPA	2540-D	Volatile Suspended Solids	Total	4.00	mg/L	J	0.25	6.25			07/19/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		07/28/2017	12:31:00	07/28/2017	3:00:00 PM			07/31/2017	6:38:13 P	Water	APHA	4500-CL-	Chloride	Total	65.30	mg/L		20.00	20.00			08/10/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		07/28/2017	12:31:00	07/28/2017	3:00:00 PM					Water	YSI	EPA 120.	Conductivity	Total	638.00	umhos/cm						08/10/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		07/28/2017	12:31:00	07/28/2017	3:00:00 PM					Water	YSI	Field	Dissolved Oxygen	Total	3.97	mg/L						08/10/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		07/28/2017	12:31:00	07/28/2017	3:00:00 PM			07/28/2017	3:43:35 P	Water	USEPA	E. COLI I	E. Coli	Total	33.10	MPN/100mL		1.00	1.00			08/10/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		07/28/2017	12:31:00	07/28/2017	3:00:00 PM			07/28/2017	5:31:00 P	Water	USEPA	DISSOLV	Filtered and Preserved	Total	complete		V	0.00	0.00			08/10/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		07/28/2017	12:31:00	07/28/2017	3:00:00 PM			08/01/2017	5:15:15 P	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	0.34	mg/L		0.10	0.30			08/10/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		07/28/2017	12:31:00	07/28/2017	3:00:00 PM	08/08/2017	11:19:04 A	08/10/2017	12:06:03 P	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	ND	mg/L	SR	1.10	3.50			08/10/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		07/28/2017	12:31:00	07/28/2017	3:00:00 PM			07/28/2017	4:33:28 P	Water	USEPA	365.2	Orthophosphate (As P)	Total	0.31	mg/L		0.03	0.05			08/10/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		07/28/2017	12:31:00	07/28/2017	3:00:00 PM					Water	USEPA	365.2	pH, Field	Total	7.66	S.U.						08/10/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		07/28/2017	12:31:00	07/28/2017	3:00:00 PM	07/31/2017	9:32:43 A	08/01/2017	2:37:56 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.41	mg/L		0.05	0.14			08/10/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		07/28/2017	12:31:00	07/28/2017	3:00:00 PM			08/01/2017	3:06:08 P	Water	Lab	2510B	Specific Conductivity	Total	588.00	umhos/cm		1.00	1.00			08/10/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		07/28/2017	12:31:00	07/28/2017	3:00:00 PM			08/04/2017	4:33:59 P	Water	USEPA	375.2	Sulfate	Total	12.80	mg/L	J	10.00	25.50			08/10/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		07/28/2017	12:31:00	07/28/2017	3:00:00 PM					Water	USEPA	SM 2550B	Temperature	Total	25.28	°C						08/10/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		07/28/2017	12:31:00	07/28/2017	3:00:00 PM			07/31/2017	6:56:01 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.76	mg/L		0.10	0.20			08/10/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		07/28/2017	12:31:00	07/28/2017	3:00:00 PM			08/01/2017	3:31:19 P	Water	APHA	5310-C	Total Organic Carbon	Total	8.73	mg/L		1.00	1.00			08/10/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		07/28/2017	12:31:00	07/28/2017	3:00:00 PM			08/02/2017	1:45:00 P	Water	USEPA	2540-D	Total Suspended Solids	Total	6.80	mg/L		0.20	5.00			08/10/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		07/28/2017	12:31:00	07/28/2017	3:00:00 PM			07/28/2017	4:55:00 P	Water	Lab	2130-B	Turbidity	Total	4.37	NTU		0.10	0.20			08/10/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		07/28/2017	12:31:00	07/28/2017	3:00:00 PM			08/02/2017	1:45:00 P	Water	USEPA	2540-D	Volatile Suspended Solids	Total	2.00	mg/L	J	0.20	5.00			08/10/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		08/25/2017	9:09:00 A	08/25/2017	3:55:00 PM			08/30/2017	4:43:00 P	Water	APHA	4500-CL-	Chloride	Total	157.00	mg/L	S	20.00	20.00			09/14/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		08/25/2017	9:09:00 A	08/25/2017	3:55:00 PM					Water	YSI	EPA 120.	Conductivity	Total	1035.00	umhos/cm						09/14/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		08/25/2017	9:09:00 A	08/25/2017	3:55:00 PM					Water	YSI	Field	Dissolved Oxygen	Total	7.58	mg/L						09/14/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		08/25/2017	9:09:00 A	08/25/2017	3:55:00 PM			08/25/2017	4:31:59 P	Water	USEPA	E. COLI I	E. Coli	Total	35.00	MPN/100mL		1.00	1.00			09/14/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		08/25/2017	9:09:00 A	08/25/2017	3:55:00 PM			08/25/2017	5:20:00 P	Water	USEPA	DISSOLV	Filtered and Preserved	Total	complete		V	0.00	0.00			09/14/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		08/25/2017	9:09:00 A	08/25/2017	3:55:00 PM			08/28/2017	2:36:32 P	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30			09/14/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		08/25/2017	9:09:00 A	08/25/2017	3:55:00 PM			08/30/2017	4:26:39 P	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	ND	mg/L		1.10	3.50			09/14/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		08/25/2017	9:09:00 A	08/25/2017	3:55:00 PM			08/25/2017	6:30:25 P	Water	USEPA	365.2	Orthophosphate (As P)	Total	0.91	mg/L		0.03	0.05			09/14/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		08/25/2017	9:09:00 A	08/25/2017	3:55:00 PM					Water	USEPA	365.2	pH, Field	Total	7.78	S.U.						09/14/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		08/25/2017	9:09:00 A	08/25/2017	3:55:00 PM			08/30/2017	3:51:01 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	1.02	mg/L		0.05	0.14			09/14/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		08/25/2017	9:09:00 A	08/25/2017	3:55:00 PM			09/14/2017	2:02:15 P	Water	Lab	2510B	Specific Conductivity	Total	1040.00	umhos/cm		1.00	1.00			09/14/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		08/25/2017	9:09:00 A	08/25/2017	3:55:00 PM			08/31/2017	4:39:58 P	Water	USEPA	375.2	Sulfate	Total	179.00	mg/L		10.00	25.50			09/14/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		08/25/2017	9:09:00 A	08/25/2017	3:55:00 PM					Water	USEPA	SM 2550B	Temperature	Total	19.39	°C						09/14/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		08/25/2017	9:09:00 A	08/25/2017	3:55:00 PM			08/28/2017	8:23:00 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	9.59	mg/L	S	0.10	0.20			09/14/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		08/25/2017	9:09:00 A	08/25/2017	3:55:00 PM			08/31/2017	1:02:35 P	Water	APHA	5310-C	Total Organic Carbon	Total	7.05	mg/L		1.00	1.00			09/14/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River																									

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code - IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	2:35:00 P	09/28/2017	4:18:00 P	10/02/2017	5:46:00 A	10/06/2017	7:36:00 P	Water	USEPA	8082	Aroclor 1260	Total	ND	µg/L		0.11	0.11			11/03/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	2:35:00 P	09/28/2017	4:18:00 P	09/29/2017	2:51:54 P	10/20/2017	3:59:24 P	Water	USEPA	200.7	Arsenic	Total	0.01	mg/L	J	0.00	0.01			11/03/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	2:35:00 P	09/28/2017	4:18:00 PM			09/28/2017	7:43:00 P	Water	USEPA	8260B	Benzene	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	2:35:00 P	09/28/2017	4:18:00 P	10/02/2017	7:09:08 A	10/03/2017	6:44:00 P	Water	USEPA	8270D	Benzo(a)anthracene	Total	ND	µg/L		0.09	0.09			11/03/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	2:35:00 P	09/28/2017	4:18:00 P	10/02/2017	7:09:08 A	10/03/2017	6:44:00 P	Water	USEPA	8270D	Benzo(a)pyrene	Total	ND	µg/L		0.09	0.09			11/03/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	2:35:00 P	09/28/2017	4:18:00 P	10/02/2017	7:09:08 A	10/03/2017	6:44:00 P	Water	USEPA	8270D	Benzo(b)fluoranthene	Total	ND	µg/L		0.09	0.09			11/03/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	2:35:00 P	09/28/2017	4:18:00 P	10/02/2017	7:09:08 A	10/03/2017	6:44:00 P	Water	USEPA	8270D	Benzo(g,h,i)perylene	Total	ND	µg/L		0.09	0.09			11/03/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	2:35:00 P	09/28/2017	4:18:00 P	10/02/2017	7:09:08 A	10/03/2017	6:44:00 P	Water	USEPA	8270D	Benzo(k)fluoranthene	Total	ND	µg/L		0.09	0.09			11/03/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	2:35:00 P	09/28/2017	4:18:00 P	10/02/2017	5:45:41 A	10/06/2017	7:36:00 P	Water	USEPA	8081	beta-BHC	Total	ND	µg/L		0.03	0.03			11/03/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	2:35:00 P	09/28/2017	4:18:00 PM			09/28/2017	7:43:00 P	Water	USEPA	8260B	Bromodichloromethane	Total	1.98	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	2:35:00 P	09/28/2017	4:18:00 PM			09/28/2017	7:43:00 P	Water	USEPA	8260B	Bromoform	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	2:35:00 P	09/28/2017	4:18:00 PM			09/28/2017	7:43:00 P	Water	USEPA	8260B	Bromomethane	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	2:35:00 P	09/28/2017	4:18:00 P	09/29/2017	2:51:54 P	10/02/2017	12:05:26 P	Water	USEPA	200.7	Calcium	Total	59.20	mg/L		0.01	0.02			11/03/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	2:35:00 P	09/28/2017	4:18:00 PM			09/28/2017	7:43:00 P	Water	USEPA	8260B	Carbon disulfide	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	2:35:00 P	09/28/2017	4:18:00 PM			09/28/2017	7:43:00 P	Water	USEPA	8260B	Carbon tetrachloride	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	2:35:00 P	09/28/2017	4:18:00 P	10/02/2017	5:45:41 A	10/06/2017	7:36:00 P	Water	USEPA	8081	Chlordane	Total	ND	µg/L		0.11	0.11			11/03/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	2:35:00 P	09/28/2017	4:18:00 PM			10/03/2017	12:26:07 P	Water	APHA	4500-CL-	Chloride	Total	171.00	mg/L		20.00	20.00			11/03/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	2:35:00 P	09/28/2017	4:18:00 PM			09/28/2017	7:43:00 P	Water	USEPA	8260B	Chlorobenzene	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	2:35:00 P	09/28/2017	4:18:00 PM			09/28/2017	7:43:00 P	Water	USEPA	8260B	Chloroethane	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	2:35:00 P	09/28/2017	4:18:00 PM			09/28/2017	7:43:00 P	Water	USEPA	8260B	Chloroform	Total	5.22	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	2:35:00 P	09/28/2017	4:18:00 PM			09/28/2017	7:43:00 P	Water	USEPA	8260B	Chloromethane	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	2:35:00 P	09/28/2017	4:18:00 P	10/02/2017	7:09:08 A	10/03/2017	6:44:00 P	Water	USEPA	8270D	Chrysene	Total	ND	µg/L		0.09	0.09			11/03/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	2:35:00 P	09/28/2017	4:18:00 PM			09/28/2017	7:43:00 P	Water	USEPA	8260B	cis-1,2-Dichloroethene	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	2:35:00 P	09/28/2017	4:18:00 PM			09/28/2017	7:43:00 P	Water	USEPA	8260B	cis-1,3-Dichloropropene	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	2:35:00 P	09/28/2017	4:18:00 PM					Water	YSI	EPA 120.	Conductivity	Total	1160.00	umhos/cm						11/03/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	2:35:00 P	09/28/2017	4:18:00 P	09/29/2017	2:51:54 P	10/02/2017	12:05:26 P	Water	USEPA	200.7	Copper	Total	0.01	mg/L		0.00	0.01			11/03/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	2:35:00 P	09/28/2017	4:18:00 P	10/02/2017	5:45:41 A	10/06/2017	7:36:00 P	Water	USEPA	8081	delta-BHC	Total	ND	µg/L		0.03	0.03			11/03/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	2:35:00 P	09/28/2017	4:18:00 P	10/02/2017	7:09:08 A	10/03/2017	6:44:00 P	Water	USEPA	8270D	Dibenzo(a,h)anthracene	Total	ND	µg/L		0.09	0.09			11/03/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	2:35:00 P	09/28/2017	4:18:00 PM			09/28/2017	7:43:00 P	Water	USEPA	8260B	Dibromochloromethane	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	2:35:00 P	09/28/2017	4:18:00 P	10/02/2017	5:45:41 A	10/06/2017	7:36:00 P	Water	USEPA	8081	Dieldrin	Total	ND	µg/L		0.05	0.05			11/03/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	2:35:00 P	09/28/2017	4:18:00 PM					Water	YSI	Field	Dissolved Oxygen	Total	8.92	mg/L						11/03/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	2:35:00 P	09/28/2017	4:18:00 PM			09/28/2017	4:47:31 P	Water	USEPA	E. COLI	E. Coli	Total	75.90	MPN/100mL		1.00	1.00			11/03/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	2:35:00 P	09/28/2017	4:18:00 P	10/02/2017	5:45:41 A	10/06/2017	7:36:00 P	Water	USEPA	8081	Endosulfan I	Total	ND	µg/L		0.03	0.03			11/03/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	2:35:00 P	09/28/2017	4:18:00 P	10/02/2017	5:45:41 A	10/06/2017	7:36:00 P	Water	USEPA	8081	Endosulfan II	Total	ND	µg/L		0.05	0.05			11/03/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	2:35:00 P	09/28/2017	4:18:00 P	10/02/2017	5:45:41 A	10/06/2017	7:36:00 P	Water	USEPA	8081	Endosulfan sulfate	Total	ND	µg/L		0.05	0.05			11/03/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	2:35:00 P	09/28/2017	4:18:00 P	10/02/2017	5:45:41 A	10/06/2017	7:36:00 P	Water	USEPA	8081	Endrin	Total	ND	µg/L		0.05	0.05			11/03/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	2:35:00 P	09/28/2017	4:18:00 P	10/02/2017	5:45:41 A	10/06/2017	7:36:00 P	Water	USEPA	8081	Endrin aldehyde	Total	ND	µg/L		0.05	0.05			11/03/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	2:35:00 P	09/28/2017	4:18:00 P	10/02/2017	5:45:41 A	10/0														

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code - IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	2:35:00 P	09/28/2017	4:18:00 PM			09/28/2017	7:43:00 P	Water	USEPA	8260B	Total Xylenes	Total	ND	µg/L		2.00	2.00			11/03/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	2:35:00 P	09/28/2017	4:18:00 P	10/02/2017	5:45:41 A	10/06/2017	7:36:00 P	Water	USEPA	8081	Toxaphene	Total	ND	µg/L		0.21	0.21			11/03/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	2:35:00 P	09/28/2017	4:18:00 PM			09/28/2017	7:43:00 P	Water	USEPA	8260B	trans-1,2-Dichloroethene	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	2:35:00 P	09/28/2017	4:18:00 PM			09/28/2017	7:43:00 P	Water	USEPA	8260B	trans-1,3-Dichloropropene	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	2:35:00 P	09/28/2017	4:18:00 PM			09/28/2017	4:33:00 P	Water	Lab	2130-B	Turbidity		2.87	NTU		0.10	0.20			11/03/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	2:35:00 P	09/28/2017	4:18:00 PM			09/28/2017	7:43:00 P	Water	USEPA	8260B	Vinyl chloride	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	2:35:00 P	09/28/2017	4:18:00 PM			10/03/2017	9:50:42 A	Water	USEPA	2540-D	Volatile Suspended Solids	Total	0.20	mg/L	J	0.20	5.00			11/03/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	2:35:00 P	09/28/2017	4:18:00 PM	09/29/2017	2:51:54 P	10/02/2017	12:05:26 P	Water	USEPA	200.7	Zinc	Total	0.02	mg/L		0.00	0.01			11/03/2017
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		09/28/2017	2:35:00 P	09/28/2017	4:18:00 PM			10/20/2017	11:48:23 P	Water	USEPA	1631	Mercury	Total	ND	ng/L		0.50	0.50			11/03/2017
DRWW	Suburban Labs		16-3	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		03/31/2017	9:55:00 A	03/31/2017	3:45:00 PM			04/04/2017	11:29:05 P	Water	APHA	4500-CL-	Chloride	Total	188.00	mg/L		20.00	20.00			04/24/2017
DRWW	Suburban Labs		16-3	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		03/31/2017	9:55:00 A	03/31/2017	3:45:00 PM					Water	YSI	EPA 120.	Conductivity		885.00	umhos/cm						04/24/2017
DRWW	Suburban Labs		16-3	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		03/31/2017	9:55:00 A	03/31/2017	3:45:00 PM					Water	YSI	Field	Dissolved Oxygen		11.49	mg/L						04/24/2017
DRWW	Suburban Labs		16-3	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		03/31/2017	9:55:00 A	03/31/2017	3:45:00 PM			03/31/2017	4:35:00 P	Water	USEPA	E COLI	E. Coli	Total	1990.00	MPN/100mL		1.00	1.00			04/24/2017
DRWW	Suburban Labs		16-3	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		03/31/2017	9:55:00 A	03/31/2017	3:45:00 PM					Water	USEPA	365.2	pH, Field		7.70	pH						04/24/2017
DRWW	Suburban Labs		16-3	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		03/31/2017	9:55:00 A	03/31/2017	3:45:00 PM			04/04/2017	3:33:16 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.23	mg/L		0.05	0.14			04/24/2017
DRWW	Suburban Labs		16-3	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		03/31/2017	9:55:00 A	03/31/2017	3:45:00 PM			04/06/2017	12:33:36 P	Water	Lab	2510B	Specific Conductivity	Total	874.00	umhos/cm		1.00	1.00			04/24/2017
DRWW	Suburban Labs		16-3	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		03/31/2017	9:55:00 A	03/31/2017	3:45:00 PM					Water	USEPA	SM 2550E	Temperature		6.07	°C						04/24/2017
DRWW	Suburban Labs		16-3	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		03/31/2017	9:55:00 A	03/31/2017	3:45:00 PM			03/31/2017	8:31:14 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	1.71	mg/L		0.10	0.20			04/24/2017
DRWW	Suburban Labs		16-3	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		03/31/2017	9:55:00 A	03/31/2017	3:45:00 PM			04/03/2017	4:00:00 P	Water	Lab	2130-B	Turbidity		57.60	NTU	H	0.10	0.20			04/24/2017
DRWW	Suburban Labs		16-3	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		05/24/2017	8:54:00 A	05/24/2017	4:07:00 PM			05/24/2017	6:06:00 P	Water	APHA	4500-CL-	Chloride	Total	136.00	mg/L		20.00	20.00			06/09/2017
DRWW	Suburban Labs		16-3	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		05/24/2017	8:54:00 A	05/24/2017	4:07:00 PM					Water	YSI	Field	Dissolved Oxygen		7.58	mg/L						06/09/2017
DRWW	Suburban Labs		16-3	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		05/24/2017	8:54:00 A	05/24/2017	4:07:00 PM			05/24/2017	4:38:00 P	Water	USEPA	E COLI	E. Coli	Total	649.00	MPN/100mL		1.00	1.00			06/09/2017
DRWW	Suburban Labs		16-3	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		05/24/2017	8:54:00 A	05/24/2017	4:07:00 PM					Water	USEPA	365.2	pH, Field		7.78	pH						06/09/2017
DRWW	Suburban Labs		16-3	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		05/24/2017	8:54:00 A	05/24/2017	4:07:00 PM	06/02/2017	12:37:25 P	06/06/2017	4:51:34 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.30	mg/L		0.05	0.14			06/09/2017
DRWW	Suburban Labs		16-3	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		05/24/2017	8:54:00 A	05/24/2017	4:07:00 PM			05/30/2017	12:39:58 P	Water	Lab	2510B	Specific Conductivity	Total	955.00	umhos/cm		1.00	1.00			06/09/2017
DRWW	Suburban Labs		16-3	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		05/24/2017	8:54:00 A	05/24/2017	4:07:00 PM					Water	USEPA	SM 2550E	Temperature		14.77	°C						06/09/2017
DRWW	Suburban Labs		16-3	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		05/24/2017	8:54:00 A	05/24/2017	4:07:00 PM			05/24/2017	8:19:24 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	3.69	mg/L		0.10	0.22			06/09/2017
DRWW	Suburban Labs		16-3	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		05/24/2017	8:54:00 A	05/24/2017	4:07:00 PM			05/24/2017	6:00:00 P	Water	Lab	2130-B	Turbidity		20.80	NTU		0.10	0.20			06/09/2017
DRWW	Suburban Labs		16-3	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		06/30/2017	9:12:00 A	06/30/2017	4:16:00 PM			07/07/2017	6:20:58 P	Water	APHA	4500-CL-	Chloride	Total	93.40	mg/L		20.00	20.00			07/10/2017
DRWW	Suburban Labs		16-3	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		06/30/2017	9:12:00 A	06/30/2017	4:16:00 PM					Water	YSI	EPA 120.	Conductivity		661.00	umhos/cm						07/10/2017
DRWW	Suburban Labs		16-3	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		06/30/2017	9:12:00 A	06/30/2017	4:16:00 PM					Water	YSI	Field	Dissolved Oxygen		8.90	mg/L						07/10/2017
DRWW	Suburban Labs		16-3	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		06/30/2017	9:12:00 A	06/30/2017	4:16:00 PM			06/30/2017	4:59:20 P	Water	USEPA	E COLI	E. Coli	Total	1550.00	MPN/100mL		1.00	1.00			07/10/2017
DRWW	Suburban Labs		16-3	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		06/30/2017	9:12:00 A	06/30/2017	4:16:00 PM					Water	USEPA	365.2	pH, Field		7.60	pH						07/10/2017
DRWW	Suburban Labs		16-3	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		06/30/2017	9:12:00 A	06/30/2017	4:16:00 PM	07/05/2017	3:47:06 P	07/06/2017	5:10:18 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.37	mg/L		0.05	0.14			07/10/2017
DRWW	Suburban Labs		16-3	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		06/30/2017	9:12:00 A	06/30/2017	4:16:00 PM			07/07/2017	5:01:41 P	Water	Lab	2510B	Specific Conductivity	Total	646.00	umhos/cm		1.00	1.00			07/10/2017
DRWW	Suburban Labs		16-3	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		06/30/2017	9:12:00 A	06/30/2017	4:16:00 PM					Water	USEPA	SM 2550E	Temperature		20.72	°C						07/10/2017
DRWW	Suburban Labs		16-3	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		06/30/2017	9:12:00 A	06/30/2017	4:16:00 PM			07/06/2017	8:27:26 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	2.52	mg/L		0.10	0.22			07/10/2017
DRWW	Suburban Labs		16-3	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		06/30/2017	9:12:00 A	06/30/2017	4:16:00 PM			06/30/2017	4:45:00 P	Water	Lab	2130-B	Turbidity		17.20	NTU		0.10	0.20			07/10/2017
DRWW	Suburban Labs		16-3	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		07/28/2017	1:03:00 P	07/28/2017	3:00:00 PM			07/31/2017	6:40:07 P	Water	APHA	4500-CL-	Chloride	Total	67.80	mg/L		20.00	20.00			08/10/2017
DRWW	Suburban Labs		16-3	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		07/28/2017	1:03:00 P																			



Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code - IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs		16-3 Dupl	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	9:13:00 A	09/29/2017	3:50:00 PM					Water	USEPA	SM 2550B	Temperature		17.86	°C						11/03/2017
DRWW	Suburban Labs		16-3 Dupl	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	9:13:00 A	09/29/2017	3:50:00 PM			10/02/2017	8:33:55 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	16.90	mg/L		0.50	1.12			11/03/2017
DRWW	Suburban Labs		16-3 Dupl	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	9:13:00 A	09/29/2017	3:50:00 PM			09/29/2017	6:30:00 P	Water	Lab	2130-B	Turbidity		6.31	NTU		0.10	0.20			11/03/2017
DRWW	Suburban Labs		16-3 Field	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		05/24/2017	9:06:00 A	05/24/2017	4:07:00 PM			05/24/2017	6:08:03 P	Water	APHA	4500-CL-	Chloride	Total	ND	mg/L		20.00	20.00			06/09/2017
DRWW	Suburban Labs		16-3 Field	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		05/24/2017	9:06:00 A	05/24/2017	4:07:00 PM					Water	YSI	EPA 120.	Conductivity		0.00	umhos/cm						06/09/2017
DRWW	Suburban Labs		16-3 Field	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		05/24/2017	9:06:00 A	05/24/2017	4:07:00 PM					Water	YSI	Field	Dissolved Oxygen		8.08	mg/L						06/09/2017
DRWW	Suburban Labs		16-3 Field	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		05/24/2017	9:06:00 A	05/24/2017	4:07:00 PM			05/24/2017	4:38:00 P	Water	USEPA	E. COLI	E. Coli	Total	1.00	MPN/100mL		1.00	1.00			06/09/2017
DRWW	Suburban Labs		16-3 Field	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		05/24/2017	9:06:00 A	05/24/2017	4:07:00 PM					Water	USEPA	365.2	pH, Field		8.26	pH						06/09/2017
DRWW	Suburban Labs		16-3 Field	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		05/24/2017	9:06:00 A	05/24/2017	4:07:00 PM	06/02/2017	12:37:25 P	06/06/2017	4:54:12 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	ND	mg/L		0.05	0.14			06/09/2017
DRWW	Suburban Labs		16-3 Field	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		05/24/2017	9:06:00 A	05/24/2017	4:07:00 PM			05/30/2017	12:40:55 P	Water	Lab	2510B	Specific Conductivity	Total	1.19	umhos/cm		1.00	1.00			06/09/2017
DRWW	Suburban Labs		16-3 Field	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		05/24/2017	9:06:00 A	05/24/2017	4:07:00 PM					Water	USEPA	SM 2550B	Temperature		15.32	°C						06/09/2017
DRWW	Suburban Labs		16-3 Field	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		05/24/2017	9:06:00 A	05/24/2017	4:07:00 PM			05/24/2017	8:21:41 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22			06/09/2017
DRWW	Suburban Labs		16-3 Field	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		05/24/2017	9:06:00 A	05/24/2017	4:07:00 PM			05/24/2017	6:00:00 P	Water	Lab	2130-B	Turbidity		ND	NTU		0.10	0.20			06/09/2017
DRWW	Suburban Labs		16-3 Field	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		06/30/2017	9:22:00 A	06/30/2017	4:16:00 PM			07/07/2017	6:21:38 P	Water	APHA	4500-CL-	Chloride	Total	ND	mg/L		20.00	20.00			07/10/2017
DRWW	Suburban Labs		16-3 Field	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		06/30/2017	9:22:00 A	06/30/2017	4:16:00 PM					Water	YSI	EPA 120.	Conductivity		0.00	umhos/cm						07/10/2017
DRWW	Suburban Labs		16-3 Field	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		06/30/2017	9:22:00 A	06/30/2017	4:16:00 PM					Water	YSI	Field	Dissolved Oxygen		8.18	mg/L						07/10/2017
DRWW	Suburban Labs		16-3 Field	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		06/30/2017	9:22:00 A	06/30/2017	4:16:00 PM			06/30/2017	4:59:20 P	Water	USEPA	E. COLI	E. Coli	Total	< 1.00	MPN/100mL		1.00	1.00			07/10/2017
DRWW	Suburban Labs		16-3 Field	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		06/30/2017	9:22:00 A	06/30/2017	4:16:00 PM			07/05/2017	3:47:06 P	Water	USEPA	365.2	pH, Field		7.03	pH						07/10/2017
DRWW	Suburban Labs		16-3 Field	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		06/30/2017	9:22:00 A	06/30/2017	4:16:00 PM			07/06/2017	5:12:54 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	ND	mg/L		0.05	0.14			07/10/2017
DRWW	Suburban Labs		16-3 Field	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		06/30/2017	9:22:00 A	06/30/2017	4:16:00 PM			07/07/2017	5:19:33 P	Water	Lab	2510B	Specific Conductivity	Total	1.07	umhos/cm		1.00	1.00			07/10/2017
DRWW	Suburban Labs		16-3 Field	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		06/30/2017	9:22:00 A	06/30/2017	4:16:00 PM					Water	USEPA	SM 2550B	Temperature		21.68	°C						07/10/2017
DRWW	Suburban Labs		16-3 Field	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		06/30/2017	9:22:00 A	06/30/2017	4:16:00 PM			07/06/2017	8:29:44 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22			07/10/2017
DRWW	Suburban Labs		16-3 Field	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		06/30/2017	9:22:00 A	06/30/2017	4:16:00 PM			06/30/2017	4:45:00 P	Water	Lab	2130-B	Turbidity		ND	NTU		0.10	0.20			07/10/2017
DRWW	Suburban Labs		16-3 Field	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	9:28:00 A	09/29/2017	3:50:00 PM			10/03/2017	12:32:36 P	Water	APHA	4500-CL-	Chloride	Total	ND	mg/L		20.00	20.00			11/03/2017
DRWW	Suburban Labs		16-3 Field	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	9:28:00 A	09/29/2017	3:50:00 PM					Water	YSI	EPA 120.	Conductivity		0.00	umhos/cm						11/03/2017
DRWW	Suburban Labs		16-3 Field	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	9:28:00 A	09/29/2017	3:50:00 PM					Water	YSI	Field	Dissolved Oxygen		7.86	mg/L						11/03/2017
DRWW	Suburban Labs		16-3 Field	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	9:28:00 A	09/29/2017	3:50:00 PM			09/29/2017	4:40:04 P	Water	USEPA	E. COLI	E. Coli	Total	< 1.00	MPN/100mL		1.00	1.00			11/03/2017
DRWW	Suburban Labs		16-3 Field	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	9:28:00 A	09/29/2017	3:50:00 PM					Water	USEPA	365.2	pH, Field		8.30	S.U.						11/03/2017
DRWW	Suburban Labs		16-3 Field	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	9:28:00 A	09/29/2017	3:50:00 PM	10/03/2017	1:47:48 P	10/04/2017	3:21:10 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	ND	mg/L		0.05	0.14			11/03/2017
DRWW	Suburban Labs		16-3 Field	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	9:28:00 A	09/29/2017	3:50:00 PM			10/05/2017	5:11:32 P	Water	Lab	2510B	Specific Conductivity	Total	1.24	umhos/cm		1.00	1.00			11/03/2017
DRWW	Suburban Labs		16-3 Field	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	9:28:00 A	09/29/2017	3:50:00 PM					Water	USEPA	SM 2550B	Temperature		18.42	°C						11/03/2017
DRWW	Suburban Labs		16-3 Field	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	9:28:00 A	09/29/2017	3:50:00 PM			10/02/2017	7:01:31 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22			11/03/2017
DRWW	Suburban Labs		16-3 Field	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	9:28:00 A	09/29/2017	3:50:00 PM			09/29/2017	6:30:00 P	Water	Lab	2130-B	Turbidity		ND	NTU		0.10	0.20			11/03/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		03/31/2017	10:23:00	03/31/2017	3:45:00 PM			04/04/2017	11:29:57 P	Water	APHA	4500-CL-	Chloride	Total	133.00	mg/L		20.00	20.00			04/24/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		03/31/2017	10:23:00	03/31/2017	3:45:00 PM					Water	YSI	EPA 120.	Conductivity		837.00	umhos/cm						04/24/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		03/31/2017	10:23:00	03/31/2017	3:45:00 PM					Water	YSI	Field	Dissolved Oxygen		11.05	mg/L						04/24/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		03/31/2017	10:23:00	03/31/2017	3:45:00 PM			03/31/2017	4:35:00 P	Water	USEPA	E. COLI	E. Coli	Total	980.00	MPN/100mL		1.00	1.00			04/24/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		03/31/2017	10:23:00	03/31/2017	3:45:00 PM			03/31/2017	4:59:00 P	Water	USEPA	DISSOLV	Filtered and Preserved	Total	complete		V	0.00	0.00			04/24/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		03/31/2017	10:23:00	03/31/2017	3:45:00 PM			04/03/2017	6:13:37 P	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30			04/24/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		03/31/2017	10:23:00	03/31/2017	3:45:00 PM			04/06/2017	2:12:05 P	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	ND	mg/L		1.10	3.			

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code - IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		06/30/2017	10:03:00	06/30/2017	4:16:00 PM			06/30/2017	5:09:18 P	Water	USEPA	365.2	Orthophosphate (As P)	Total	0.48	mg/L		0.03	0.05			07/19/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		06/30/2017	10:03:00	06/30/2017	4:16:00 PM			06/30/2017	5:09:18 P	Water	USEPA	365.2	pH, Field		7.58	pH						07/19/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		06/30/2017	10:03:00	06/30/2017	4:16:00 PM	07/05/2017	3:47:06 P	07/06/2017	5:15:21 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.52	mg/L		0.05	0.14			07/19/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		06/30/2017	10:03:00	06/30/2017	4:16:00 PM			07/07/2017	5:06:27 P	Water	Lab	2510B	Specific Conductivity	Total	711.00	umhos/cm		1.00	1.00			07/19/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		06/30/2017	10:03:00	06/30/2017	4:16:00 PM			07/07/2017	6:14:55 P	Water	USEPA	375.2	Sulfate	Total	29.40	mg/L		10.00	25.50			07/19/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		06/30/2017	10:03:00	06/30/2017	4:16:00 PM					Water	USEPA	SM 2550B	Temperature		20.77	°C						07/19/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		06/30/2017	10:03:00	06/30/2017	4:16:00 PM			07/06/2017	8:38:54 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	4.23	mg/L		0.10	0.22			07/19/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		06/30/2017	10:03:00	06/30/2017	4:16:00 PM			07/17/2017	12:57:00	Water	APHA	5310-C	Total Organic Carbon	Total	7.07	mg/L	G	1.00	1.00			07/19/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		06/30/2017	10:03:00	06/30/2017	4:16:00 PM			07/06/2017	10:03:57	Water	USEPA	2540-D	Total Suspended Solids	Total	12.40	mg/L		0.20	5.00			07/19/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		06/30/2017	10:03:00	06/30/2017	4:16:00 PM			06/30/2017	4:45:00 P	Water	Lab	2130-B	Turbidity		12.20	NTU		0.10	0.20			07/19/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		06/30/2017	10:03:00	06/30/2017	4:16:00 PM			07/06/2017	10:03:57	Water	USEPA	2540-D	Volatile Suspended Solids	Total	2.00	mg/L	J	0.20	5.00			07/19/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		07/28/2017	1:15:00 P	07/28/2017	3:00:00 PM			07/31/2017	6:42:01 P	Water	APHA	4500-CL-	Chloride	Total	72.90	mg/L		20.00	20.00			08/10/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		07/28/2017	1:15:00 P	07/28/2017	3:00:00 PM					Water	YSI	EPA 120.	Conductivity		618.00	umhos/cm						08/10/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		07/28/2017	1:15:00 P	07/28/2017	3:00:00 PM					Water	YSI	Field	Dissolved Oxygen		3.40	mg/L						08/10/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		07/28/2017	1:15:00 P	07/28/2017	3:00:00 PM			07/28/2017	3:43:35 P	Water	USEPA	E_COLI	E. Coli	Total	31.30	MPN/100mL		1.00	1.00			08/10/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		07/28/2017	1:15:00 P	07/28/2017	3:00:00 PM			07/28/2017	5:31:00 P	Water	USEPA	DISSOLV	Filtered and Preserved	Total	complete		V	0.00	0.00			08/10/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		07/28/2017	1:15:00 P	07/28/2017	3:00:00 PM			08/01/2017	5:20:32 P	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	0.41	mg/L		0.10	0.30			08/10/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		07/28/2017	1:15:00 P	07/28/2017	3:00:00 PM	08/08/2017	11:19:04	08/10/2017	12:11:36	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	ND	mg/L		1.10	3.50			08/10/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		07/28/2017	1:15:00 P	07/28/2017	3:00:00 PM			07/28/2017	4:33:28 P	Water	USEPA	365.2	Orthophosphate (As P)	Total	0.30	mg/L		0.03	0.05			08/10/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		07/28/2017	1:15:00 P	07/28/2017	3:00:00 PM					Water	USEPA	365.2	pH, Field		7.59	S.U.						08/10/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		07/28/2017	1:15:00 P	07/28/2017	3:00:00 PM	07/31/2017	9:32:43 A	08/01/2017	2:57:23 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.40	mg/L		0.05	0.14			08/10/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		07/28/2017	1:15:00 P	07/28/2017	3:00:00 PM			08/01/2017	3:10:50 P	Water	Lab	2510B	Specific Conductivity	Total	577.00	umhos/cm		1.00	1.00			08/10/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		07/28/2017	1:15:00 P	07/28/2017	3:00:00 PM			08/04/2017	4:35:39 P	Water	USEPA	375.2	Sulfate	Total	26.20	mg/L		2.00	5.10			08/10/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		07/28/2017	1:15:00 P	07/28/2017	3:00:00 PM					Water	USEPA	SM 2550B	Temperature		24.37	°C						08/10/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		07/28/2017	1:15:00 P	07/28/2017	3:00:00 PM			07/31/2017	7:14:21 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.64	mg/L		0.10	0.22			08/10/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		07/28/2017	1:15:00 P	07/28/2017	3:00:00 PM			08/01/2017	3:44:22 P	Water	APHA	5310-C	Total Organic Carbon	Total	9.77	mg/L		1.00	1.00			08/10/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		07/28/2017	1:15:00 P	07/28/2017	3:00:00 PM			08/02/2017	1:45:00 P	Water	USEPA	2540-D	Total Suspended Solids	Total	5.00	mg/L		0.20	5.00			08/10/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		07/28/2017	1:15:00 P	07/28/2017	3:00:00 PM			07/28/2017	4:55:00 P	Water	Lab	2130-B	Turbidity		3.13	NTU		0.10	0.20			08/10/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		07/28/2017	1:15:00 P	07/28/2017	3:00:00 PM			08/02/2017	1:45:00 P	Water	USEPA	2540-D	Volatile Suspended Solids	Total	2.20	mg/L	J	0.20	5.00			08/10/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		08/25/2017	9:48:00 A	08/25/2017	3:55:00 PM			08/30/2017	4:46:05 P	Water	APHA	4500-CL-	Chloride	Total	148.00	mg/L		20.00	20.00			09/14/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		08/25/2017	9:48:00 A	08/25/2017	3:55:00 PM					Water	YSI	EPA 120.	Conductivity		1011.00	umhos/cm						09/14/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		08/25/2017	9:48:00 A	08/25/2017	3:55:00 PM					Water	YSI	Field	Dissolved Oxygen		7.33	mg/L						09/14/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		08/25/2017	9:48:00 A	08/25/2017	3:55:00 PM			08/25/2017	4:31:59 P	Water	USEPA	E_COLI	E. Coli	Total	< 1.00	MPN/100mL		1.00	1.00			09/14/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		08/25/2017	9:48:00 A	08/25/2017	3:55:00 PM			08/25/2017	5:20:00 P	Water	USEPA	DISSOLV	Filtered and Preserved	Total	complete		V	0.00	0.00			09/14/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		08/25/2017	9:48:00 A	08/25/2017	3:55:00 PM			08/28/2017	2:40:05 P	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30			09/14/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		08/25/2017	9:48:00 A	08/25/2017	3:55:00 PM			08/30/2017	4:29:08 P	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	1.12	mg/L	J	1.10	3.50			09/14/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		08/25/2017	9:48:00 A	08/25/2017	3:55:00 PM			08/25/2017	6:30:25 P	Water	USEPA	365.2	Orthophosphate (As P)	Total	0.90	mg/L		0.03	0.05			09/14/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		08/25/2017	9:48:00 A	08/25/2017	3:55:00 PM					Water	USEPA	365.2	pH, Field		7.86	S.U.						09/14/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		08/25/2017	9:48:00 A	08/25/2017	3:55:00 PM			08/30/2017	4:08:51 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	1.02	mg/L		0.05	0.14			09/14/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		08/25/2017	9:48:00 A	08/25/2017	3:55:00 PM			09/14/2017	2:04:06 P	Water	Lab	2510B	Specific Conductivity	Total	1010.00	umhos/cm		1.00	1.00			09/14/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		08/25/2017	9:48:00 A	08/25/2017	3:55:00 PM			08/31/2017	4:19:26 P	Water	USEPA	375.2	Sulfate	Total	54.70	mg/L		10.00	25.50			09/14/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		08/25/2017	9:48:00 A	08/25/2017	3:55:00 PM					Water	USEPA	SM 2550B	Temperature		19.06	°C						09/14/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		08/25/2017	9:48:00 A	08/25/2017	3:55:00 PM			08/28/2017	8:32:11 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	10.70	mg/L		0.10	0.22			09/14/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		08/25/2017	9:48:00 A	08/25/2017	3:55:00 PM			08/31/2017	1:15:51 P	Water	APHA	5310-C	Total Organic Carbon	Total	7.18	mg/L		1.00	1.00			09/14/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River																									

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code - IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:00:00	09/29/2017	3:50:00 P	10/02/2017	5:46:00 A	10/06/2017	8:01:00 P	Water	USEPA	8082	Aroclor 1221	Total	ND	µg/L		0.11	0.11			11/03/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:00:00	09/29/2017	3:50:00 P	10/02/2017	5:46:00 A	10/06/2017	8:01:00 P	Water	USEPA	8082	Aroclor 1232	Total	ND	µg/L		0.11	0.11			11/03/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:00:00	09/29/2017	3:50:00 P	10/02/2017	5:46:00 A	10/06/2017	8:01:00 P	Water	USEPA	8082	Aroclor 1242	Total	ND	µg/L		0.11	0.11			11/03/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:00:00	09/29/2017	3:50:00 P	10/02/2017	5:46:00 A	10/06/2017	8:01:00 P	Water	USEPA	8082	Aroclor 1248	Total	ND	µg/L		0.11	0.11			11/03/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:00:00	09/29/2017	3:50:00 P	10/02/2017	5:46:00 A	10/06/2017	8:01:00 P	Water	USEPA	8082	Aroclor 1254	Total	ND	µg/L		0.11	0.11			11/03/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:00:00	09/29/2017	3:50:00 P	10/02/2017	5:46:00 A	10/06/2017	8:01:00 P	Water	USEPA	8082	Aroclor 1260	Total	ND	µg/L		0.11	0.11			11/03/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:00:00	09/29/2017	3:50:00 P	11/01/2017	5:31:40 P	11/02/2017	12:16:47	Water	USEPA	200.7	Arsenic	Total	0.01	mg/L	J	0.00	0.01			11/03/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:00:00	09/29/2017	3:50:00 PM			10/06/2017	5:16:00 P	Water	USEPA	8260B	Benzene	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:00:00	09/29/2017	3:50:00 P	10/02/2017	7:09:08 A	10/03/2017	7:21:00 P	Water	USEPA	8270D	Benzo(a)anthracene	Total	ND	µg/L		0.10	0.10			11/03/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:00:00	09/29/2017	3:50:00 P	10/02/2017	7:09:08 A	10/03/2017	7:21:00 P	Water	USEPA	8270D	Benzo(a)pyrene	Total	ND	µg/L		0.10	0.10			11/03/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:00:00	09/29/2017	3:50:00 P	10/02/2017	7:09:08 A	10/03/2017	7:21:00 P	Water	USEPA	8270D	Benzo(b)fluoranthene	Total	ND	µg/L		0.10	0.10			11/03/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:00:00	09/29/2017	3:50:00 P	10/02/2017	7:09:08 A	10/03/2017	7:21:00 P	Water	USEPA	8270D	Benzo(g,h,i)perylene	Total	ND	µg/L		0.10	0.10			11/03/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:00:00	09/29/2017	3:50:00 P	10/02/2017	7:09:08 A	10/03/2017	7:21:00 P	Water	USEPA	8270D	Benzo(k)fluoranthene	Total	ND	µg/L		0.10	0.10			11/03/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:00:00	09/29/2017	3:50:00 P	10/02/2017	5:45:41 A	10/06/2017	8:01:00 P	Water	USEPA	8081	beta-BHC	Total	ND	µg/L		0.03	0.03			11/03/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:00:00	09/29/2017	3:50:00 PM			10/06/2017	5:16:00 P	Water	USEPA	8260B	Bromodichloromethane	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:00:00	09/29/2017	3:50:00 PM			10/06/2017	5:16:00 P	Water	USEPA	8260B	Bromofom	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:00:00	09/29/2017	3:50:00 PM			10/06/2017	5:16:00 P	Water	USEPA	8260B	Bromomethane	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:00:00	09/29/2017	3:50:00 P	10/02/2017	11:58:39	10/03/2017	11:49:02	Water	USEPA	200.7	Calcium	Total	55.20	mg/L		0.01	0.02			11/03/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:00:00	09/29/2017	3:50:00 PM			10/06/2017	5:16:00 P	Water	USEPA	8260B	Carbon disulfide	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:00:00	09/29/2017	3:50:00 PM			10/06/2017	5:16:00 P	Water	USEPA	8260B	Carbon tetrachloride	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:00:00	09/29/2017	3:50:00 P	10/02/2017	5:45:41 A	10/06/2017	8:01:00 P	Water	USEPA	8081	Chlordane	Total	ND	µg/L		0.11	0.11			11/03/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:00:00	09/29/2017	3:50:00 PM			10/03/2017	12:33:19	Water	APHA	4500-CL-	Chloride	Total	149.00	mg/L		20.00	20.00			11/03/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:00:00	09/29/2017	3:50:00 PM			10/06/2017	5:16:00 P	Water	USEPA	8260B	Chlorobenzene	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:00:00	09/29/2017	3:50:00 PM			10/06/2017	5:16:00 P	Water	USEPA	8260B	Chloroethane	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:00:00	09/29/2017	3:50:00 PM			10/06/2017	5:16:00 P	Water	USEPA	8260B	Chloroform	Total	1.15	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:00:00	09/29/2017	3:50:00 PM			10/06/2017	5:16:00 P	Water	USEPA	8260B	Chloromethane	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:00:00	09/29/2017	3:50:00 P	10/02/2017	7:09:08 A	10/03/2017	7:21:00 P	Water	USEPA	8270D	Chrysene	Total	ND	µg/L		0.10	0.10			11/03/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:00:00	09/29/2017	3:50:00 PM			10/06/2017	5:16:00 P	Water	USEPA	8260B	cis-1,2-Dichloroethene	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:00:00	09/29/2017	3:50:00 PM			10/06/2017	5:16:00 P	Water	USEPA	8260B	cis-1,3-Dichloropropene	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:00:00	09/29/2017	3:50:00 PM					Water	YSI	EPA 120.	Conductivity		1048.00	umhos/cm						11/03/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:00:00	09/29/2017	3:50:00 P	10/02/2017	11:58:39	10/03/2017	11:49:02	Water	USEPA	200.7	Copper	Total	0.01	mg/L		0.00	0.01			11/03/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:00:00	09/29/2017	3:50:00 P	10/02/2017	5:45:41 A	10/06/2017	8:01:00 P	Water	USEPA	8081	delta-BHC	Total	ND	µg/L		0.03	0.03			11/03/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:00:00	09/29/2017	3:50:00 P	10/02/2017	7:09:08 A	10/03/2017	7:21:00 P	Water	USEPA	8270D	Dibenzo(a,h)anthracene	Total	ND	µg/L		0.10	0.10			11/03/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:00:00	09/29/2017	3:50:00 PM			10/06/2017	5:16:00 P	Water	USEPA	8260B	Dibromochloromethane	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:00:00	09/29/2017	3:50:00 P	10/02/2017	5:45:41 A	10/06/2017	8:01:00 P	Water	USEPA	8081	Dieldrin	Total	ND	µg/L		0.05	0.05			11/03/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:00:00	09/29/2017	3:50:00 PM			09/29/2017	4:40:04 P	Water	YSI	Field	Dissolved Oxygen		6.26	mg/L						11/03/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:00:00	09/29/2017	3:50:00 PM					Water	USEPA	E_COLI	E. Coli	Total	179.00	MPN/100mL		1.00	1.00			11/03/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:00:00	09/29/2017	3:50:00 P	10/02/2017	5:45:41 A	10/06/2017	8:01:00 P	Water	USEPA	8081	Endosulfan I	Total	ND	µg/L		0.03	0.03			11/03/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:00:00	09/29/2017	3:50:00 P	10/02/2017	5:45:41 A	10/06/2017	8:01:00 P	Water	USEPA	8081	Endosulfan II	Total	ND	µg/L		0.05	0.05			11/03/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:00:00	09/29/2017	3:50:00 P	10/02/2017	5:45:41 A	10/06/2017	8:01:00 P	Water	USEPA	8081	Endosulfan sulfate	Total	ND	µg/L		0.05	0.05			11/03/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:00:00	09/29/2017	3:50:00 P	10/02/2017	5:45:41 A	10/06/2017	8:01:00 P	Water	USEPA	8081	Endrin	Total	ND	µg/L		0.05	0.05			11/03/2017
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:00:00	09/29/2017	3:50:00 P	10/02/2017	5:45:41 A	10/06/2017	8:01:00 P	Water	USEPA	8081	Endrin aldehyde	Total	ND	µg/L		0.05	0.05			11/03/2017
DRWW																																

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code - IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released	
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:00:00	09/29/2017	3:50:00 PM			10/06/2017	5:16:00 P	Water	USEPA	8260B	Tetrachloroethene	Total	ND	µg/L		1.00	1.00			11/03/2017	
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:00:00	09/29/2017	3:50:00 PM			10/06/2017	5:16:00 P	Water	USEPA	8260B	Toluene	Total	ND	µg/L		1.00	1.00			11/03/2017	
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:00:00	09/29/2017	3:50:00 PM			10/02/2017	8:34:52 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	18.40	mg/L		0.50	1.12			11/03/2017	
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:00:00	09/29/2017	3:50:00 PM			10/04/2017	12:52:13 P	Water	APHA	5310-C	Total Organic Carbon	Total	5.08	mg/L		1.00	1.00			11/03/2017	
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:00:00	09/29/2017	3:50:00 PM			10/03/2017	1:01:15 P	Water	USEPA	2540-D	Total Suspended Solids	Total	6.20	mg/L		0.20	5.00			11/03/2017	
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:00:00	09/29/2017	3:50:00 PM			10/06/2017	5:16:00 P	Water	USEPA	8260B	Total Xylenes	Total	ND	µg/L		2.00	2.00			11/03/2017	
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:00:00	09/29/2017	3:50:00 PM	10/02/2017	5:45:41 A	10/06/2017	8:01:00 P	Water	USEPA	8081	Toxaphene	Total	ND	µg/L		0.21	0.21			11/03/2017	
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:00:00	09/29/2017	3:50:00 PM			10/06/2017	5:16:00 P	Water	USEPA	8260B	trans-1,2-Dichloroethene	Total	ND	µg/L		1.00	1.00			11/03/2017	
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:00:00	09/29/2017	3:50:00 PM			10/06/2017	5:16:00 P	Water	USEPA	8260B	trans-1,3-Dichloropropene	Total	ND	µg/L		1.00	1.00			11/03/2017	
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:00:00	09/29/2017	3:50:00 PM			10/06/2017	5:16:00 P	Water	USEPA	8260B	Trichloroethene	Total	ND	µg/L		1.00	1.00			11/03/2017	
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:00:00	09/29/2017	3:50:00 PM			09/29/2017	6:30:00 P	Water	Lab	2130-B	Turbidity		5.77	NTU		0.10	0.20			11/03/2017	
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:00:00	09/29/2017	3:50:00 PM			10/06/2017	5:16:00 P	Water	USEPA	8260B	Vinyl chloride	Total	ND	µg/L		1.00	1.00			11/03/2017	
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:00:00	09/29/2017	3:50:00 PM			10/03/2017	1:01:15 P	Water	USEPA	2540-D	Volatile Suspended Solids	Total	1.60	mg/L	J	0.20	5.00			11/03/2017	
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:00:00	09/29/2017	3:50:00 PM	10/02/2017	11:58:39	10/03/2017	11:49:02	Water	USEPA	200.7	Zinc	Total	0.02	mg/L		0.00	0.01			11/03/2017	
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:00:00	09/29/2017	3:50:00 PM			10/20/2017	11:57:56	Water	USEPA	1631	Mercury	Total	ND	ng/L		0.50	0.50			11/03/2017	
DRWW	Suburban Labs		16-4 Dupl	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		08/25/2017	9:48:00 A	08/25/2017	3:55:00 PM			08/30/2017	4:46:50 P	Water	APHA	4500-CL-	Chloride	Total	145.00	mg/L		20.00	20.00			09/14/2017	
DRWW	Suburban Labs		16-4 Dupl	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		08/25/2017	9:48:00 A	08/25/2017	3:55:00 PM					Water	YSI	EPA 120.	Conductivity		1011.00	µmhos/cm						09/14/2017	
DRWW	Suburban Labs		16-4 Dupl	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		08/25/2017	9:48:00 A	08/25/2017	3:55:00 PM					Water	YSI	Field	Dissolved Oxygen		7.33	mg/L						09/14/2017	
DRWW	Suburban Labs		16-4 Dupl	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		08/25/2017	9:48:00 A	08/25/2017	3:55:00 PM			08/25/2017	4:31:59 P	Water	USEPA	E COLI I	E. Coli	Total	67.00	MPN/100mL		1.00	1.00			09/14/2017	
DRWW	Suburban Labs		16-4 Dupl	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		08/25/2017	9:48:00 A	08/25/2017	3:55:00 PM			08/25/2017	5:20:00 P	Water	USEPA	DISSOLV	Filtered and Preserved	Total	complete		V	0.00	0.00			09/14/2017	
DRWW	Suburban Labs		16-4 Dupl	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		08/25/2017	9:48:00 A	08/25/2017	3:55:00 PM			08/28/2017	2:41:49 P	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30			09/14/2017	
DRWW	Suburban Labs		16-4 Dupl	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		08/25/2017	9:48:00 A	08/25/2017	3:55:00 PM			08/30/2017	4:30:22 P	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	1.19	mg/L	J	1.10	3.50			09/14/2017	
DRWW	Suburban Labs		16-4 Dupl	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		08/25/2017	9:48:00 A	08/25/2017	3:55:00 PM			08/25/2017	6:30:25 P	Water	USEPA	365.2	Orthophosphate (As P)	Total	0.89	mg/L		0.03	0.05			09/14/2017	
DRWW	Suburban Labs		16-4 Dupl	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		08/25/2017	9:48:00 A	08/25/2017	3:55:00 PM					Water	USEPA	365.2	pH, Field		7.86	S.U.						09/14/2017	
DRWW	Suburban Labs		16-4 Dupl	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		08/25/2017	9:48:00 A	08/25/2017	3:55:00 PM			08/30/2017	4:11:34 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	1.04	mg/L		0.05	0.14			09/14/2017	
DRWW	Suburban Labs		16-4 Dupl	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		08/25/2017	9:48:00 A	08/25/2017	3:55:00 PM			09/14/2017	2:04:50 P	Water	Lab	2510B	Specific Conductivity	Total	1020.00	µmhos/cm		1.00	1.00			09/14/2017	
DRWW	Suburban Labs		16-4 Dupl	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		08/25/2017	9:48:00 A	08/25/2017	3:55:00 PM			08/31/2017	4:20:08 P	Water	USEPA	375.2	Sulfate	Total	51.50	mg/L		10.00	25.50			09/14/2017	
DRWW	Suburban Labs		16-4 Dupl	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		08/25/2017	9:48:00 A	08/25/2017	3:55:00 PM					Water	USEPA	SM 2550B	Temperature		19.06	°C						09/14/2017	
DRWW	Suburban Labs		16-4 Dupl	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		08/25/2017	9:48:00 A	08/25/2017	3:55:00 PM			08/28/2017	8:39:04 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.17	mg/L	J	0.10	0.22			09/14/2017	
DRWW	Suburban Labs		16-4 Dupl	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		08/25/2017	9:48:00 A	08/25/2017	3:55:00 PM			08/31/2017	1:28:58 P	Water	APHA	5310-C	Total Organic Carbon	Total	7.06	mg/L		1.00	1.00			09/14/2017	
DRWW	Suburban Labs		16-4 Dupl	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		08/25/2017	9:48:00 A	08/25/2017	3:55:00 PM			08/28/2017	8:41:00 A	Water	USEPA	2540-D	Total Suspended Solids	Total	8.20	mg/L		0.20	5.00			09/14/2017	
DRWW	Suburban Labs		16-4 Dupl	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		08/25/2017	9:48:00 A	08/25/2017	3:55:00 PM			08/25/2017	5:00:00 P	Water	Lab	2130-B	Turbidity		6.72	NTU		0.10	0.20			09/14/2017	
DRWW	Suburban Labs		16-4 Dupl	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		08/25/2017	9:48:00 A	08/25/2017	3:55:00 PM			08/28/2017	8:41:00 A	Water	USEPA	2540-D	Volatile Suspended Solids	Total	1.20	mg/L	J	0.20	5.00			09/14/2017	
DRWW	Suburban Labs		16-4 Field	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		07/28/2017	1:38:00 P	07/28/2017	3:00:00 PM			07/31/2017	6:41:23 P	Water	APHA	4500-CL-	Chloride	Total	ND	mg/L		20.00	20.00			08/10/2017	
DRWW	Suburban Labs		16-4 Field	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		07/28/2017	1:38:00 P	07/28/2017	3:00:00 PM					Water	YSI	EPA 120.	Conductivity		1.00	µmhos/cm						08/10/2017	
DRWW	Suburban Labs		16-4 Field	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		07/28/2017	1:38:00 P	07/28/2017	3:00:00 PM					Water	YSI	Field	Dissolved Oxygen		9.40	mg/L							08/10/2017
DRWW	Suburban Labs		16-4 Field	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		07/28/2017	1:38:00 P	07/28/2017	3:00:00 PM			07/28/2017	3:43:35 P	Water	USEPA	E COLI I	E. Coli	Total	< 1.00	MPN/100mL		1.00	1.00			08/10/2017	
DRWW	Suburban Labs		16-4 Field	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		07/28/2017	1:38:00 P	07/28/2017	3:00:00 PM					Water	USEPA	365.2	pH, Field		8.27	S.U.						08/10/2017	
DRWW	Suburban Labs		16-4 Field	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		07/28/2017	1:38:00 P	07/28/2017	3:00:00 PM	07/31/2017	9:32:43 A	08/01/2017	2:50:23 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	ND	mg/L		0.05	0.14			08/10/2017	
DRWW	Suburban Labs		16-4 Field	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		07/28/2017	1:38:00 P	07/28/2017	3:00:00 PM			08/01/2017	3:26:31 P	Water	Lab	2510B	Specific Conductivity	Total	1.41	µmhos/cm		1.00	1.00			08/10/2017	
DRWW	Suburban Labs		16-4 Field	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		07/28/2017	1:38:00 P	07/28/2017	3:00:00 PM					Water	USEPA	SM 2550B	Temperature		24.35	°C						08/10/2017	
DRWW	Suburban Labs		16-4 Field	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		07/28/2017	1:38:00 P	07/28/2017	3:00:00 PM			07/31/2017	7:09:37 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22			08/10/2017	
DRWW	Suburban Labs		16-4 Field	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		07/28/2017	1:38:00 P	07/28/2017	3:00:00 PM			07/28/2017	4:55:00 P	Water	Lab	2130-B	Turbidity		ND	NTU		0.10	0.20			08/10/2017	
DRWW	Suburban Labs		16-4 Field	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		08/25/2017	10:09:00	08/25/2017	3:55:00 PM			08/30/2017	4:47:35 P	Water	APHA	4500-CL-	Chloride	Total	ND	mg/L		20.00	20.00			09/14/2017	
DRWW																																	



Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code - IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		03/31/2017	10:53:00	03/31/2017	3:45:00 PM			04/03/2017	10:13:00	Water	USEPA	2540-D	Total Suspended Solids	Total	13.60	mg/L		0.20	5.00			04/24/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		03/31/2017	10:53:00	03/31/2017	3:45:00 PM			04/03/2017	4:00:00 P	Water	Lab	2130-B	Turbidity	Total	17.30	NTU	H	0.10	0.20			04/24/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		03/31/2017	10:53:00	03/31/2017	3:45:00 PM			04/03/2017	10:13:00	Water	USEPA	2540-D	Volatile Suspended Solids	Total	4.40	mg/L	J	0.20	5.00			04/24/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		05/24/2017	10:08:00	05/24/2017	4:07:00 PM			05/24/2017	6:09:26 P	Water	APHA	4500-CL-	Chloride	Total	130.00	mg/L		20.00	20.00			06/09/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		05/24/2017	10:08:00	05/24/2017	4:07:00 PM					Water	YSI	Field	Dissolved Oxygen	Total	7.01	mg/L					06/09/2017	
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		05/24/2017	10:08:00	05/24/2017	4:07:00 PM			05/24/2017	4:38:00 P	Water	USEPA	E_COLI	E. Coli	Total	411.00	MPN/100mL		1.00	1.00			06/09/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		05/24/2017	10:08:00	05/24/2017	4:07:00 PM			05/24/2017	6:19:00 P	Water	USEPA	DISSOLV	Filtered and Preserved	Total	complete		V	0.00	0.00			06/09/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		05/24/2017	10:08:00	05/24/2017	4:07:00 PM			05/30/2017	6:05:18 P	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30			06/09/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		05/24/2017	10:08:00	05/24/2017	4:07:00 PM	05/26/2017	11:41:39	05/30/2017	12:55:31	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	ND	mg/L		1.10	3.50			06/09/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		05/24/2017	10:08:00	05/24/2017	4:07:00 PM			05/25/2017	4:43:18 P	Water	USEPA	365.2	Orthophosphate (As P)	Total	0.39	mg/L		0.03	0.05			06/09/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		05/24/2017	10:08:00	05/24/2017	4:07:00 PM					Water	USEPA	365.2	pH, Field	Total	7.80	pH					06/09/2017	
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		05/24/2017	10:08:00	05/24/2017	4:07:00 PM	06/02/2017	12:37:25	06/06/2017	4:56:41 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.42	mg/L		0.05	0.14			06/09/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		05/24/2017	10:08:00	05/24/2017	4:07:00 PM			05/30/2017	12:42:21	Water	Lab	2510B	Specific Conductivity	Total	973.00	umhos/cm		1.00	1.00			06/09/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		05/24/2017	10:08:00	05/24/2017	4:07:00 PM			05/25/2017	3:46:59 P	Water	USEPA	375.2	Sulfate	Total	52.60	mg/L		4.00	10.20			06/09/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		05/24/2017	10:08:00	05/24/2017	4:07:00 PM					Water	USEPA	SM 2550B	Temperature	Total	15.09	°C					06/09/2017	
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		05/24/2017	10:08:00	05/24/2017	4:07:00 PM			05/24/2017	8:28:34 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	5.10	mg/L		0.10	0.22			06/09/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		05/24/2017	10:08:00	05/24/2017	4:07:00 PM			05/26/2017	6:26:37 P	Water	APHA	5310-C	Total Organic Carbon	Total	6.67	mg/L		1.00	1.00			06/09/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		05/24/2017	10:08:00	05/24/2017	4:07:00 PM			05/25/2017	9:36:29 A	Water	USEPA	2540-D	Total Suspended Solids	Total	13.30	mg/L		0.25	6.25			06/09/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		05/24/2017	10:08:00	05/24/2017	4:07:00 PM			05/24/2017	6:00:00 P	Water	Lab	2130-B	Turbidity	Total	16.50	NTU		0.10	0.20			06/09/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		05/24/2017	10:08:00	05/24/2017	4:07:00 PM			05/25/2017	9:36:29 A	Water	USEPA	2540-D	Volatile Suspended Solids	Total	2.25	mg/L	J	0.25	6.25			06/09/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		06/30/2017	10:38:00	06/30/2017	4:16:00 PM			07/07/2017	6:22:57 P	Water	APHA	4500-CL-	Chloride	Total	107.00	mg/L		20.00	20.00			07/19/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		06/30/2017	10:38:00	06/30/2017	4:16:00 PM					Water	YSI	EPA 120.	Conductivity	Total	787.00	umhos/cm						07/19/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		06/30/2017	10:38:00	06/30/2017	4:16:00 PM					Water	YSI	Field	Dissolved Oxygen	Total	8.22	mg/L						07/19/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		06/30/2017	10:38:00	06/30/2017	4:16:00 PM			06/30/2017	4:59:20 P	Water	USEPA	E_COLI	E. Coli	Total	>2419.6	MPN/100mL		1.00	1.00			07/19/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		06/30/2017	10:38:00	06/30/2017	4:16:00 PM			06/30/2017	4:51:00 P	Water	USEPA	DISSOLV	Filtered and Preserved	Total	complete		V	0.00	0.00			07/19/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		06/30/2017	10:38:00	06/30/2017	4:16:00 PM			07/05/2017	5:07:17 P	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30			07/19/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		06/30/2017	10:38:00	06/30/2017	4:16:00 PM	07/06/2017	10:30:38	07/06/2017	6:35:36 P	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	1.92	mg/L	J	1.10	3.50			07/19/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		06/30/2017	10:38:00	06/30/2017	4:16:00 PM			06/30/2017	5:09:18 P	Water	USEPA	365.2	Orthophosphate (As P)	Total	0.36	mg/L		0.03	0.05			07/19/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		06/30/2017	10:38:00	06/30/2017	4:16:00 PM					Water	USEPA	365.2	pH, Field	Total	7.69	pH					07/19/2017	
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		06/30/2017	10:38:00	06/30/2017	4:16:00 PM	07/05/2017	3:47:06 P	07/06/2017	5:17:58 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.42	mg/L		0.05	0.14			07/19/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		06/30/2017	10:38:00	06/30/2017	4:16:00 PM			07/07/2017	5:07:02 P	Water	Lab	2510B	Specific Conductivity	Total	764.00	umhos/cm		1.00	1.00			07/19/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		06/30/2017	10:38:00	06/30/2017	4:16:00 PM			07/07/2017	6:05:11 P	Water	USEPA	375.2	Sulfate	Total	38.00	mg/L		10.00	25.50			07/19/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		06/30/2017	10:38:00	06/30/2017	4:16:00 PM					Water	USEPA	SM 2550B	Temperature	Total	20.86	°C					07/19/2017	
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		06/30/2017	10:38:00	06/30/2017	4:16:00 PM			07/06/2017	8:41:14 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	4.29	mg/L		0.10	0.22			07/19/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		06/30/2017	10:38:00	06/30/2017	4:16:00 PM			07/18/2017	9:57:00 A	Water	APHA	5310-C	Total Organic Carbon	Total	7.62	mg/L	G	1.00	1.00			07/19/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		06/30/2017	10:38:00	06/30/2017	4:16:00 PM			07/06/2017	10:03:57	Water	USEPA	2540-D	Total Suspended Solids	Total	15.60	mg/L		0.20	5.00			07/19/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		06/30/2017	10:38:00	06/30/2017	4:16:00 PM			06/30/2017	4:45:00 P	Water	Lab	2130-B	Turbidity	Total	14.00	NTU		0.10	0.20			07/19/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		06/30/2017	10:38:00	06/30/2017	4:16:00 PM			07/06/2017	10:03:57	Water	USEPA	2540-D	Volatile Suspended Solids	Total	2.60	mg/L	J	0.20	5.00			07/19/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		07/28/2017	9:09:00 A	07/28/2017	2:56:00 PM			07/31/2017	6:27:26 P	Water	APHA	4500-CL-	Chloride	Total	76.50	mg/L		20.00	20.00			08/10/2017
DRWW	Sub																															

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code - IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released	
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:39:00	09/29/2017	3:50:00 P	10/02/2017	7:09:08 A	10/03/2017	7:58:00 P	Water	USEPA	8270D	Surr: 4-Terphenyl-d23	Total	4.65	%Rec		0.09					11/03/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:39:00	09/29/2017	3:50:00 PM			10/06/2017	5:41:00 P	Water	USEPA	8260B	Surr: Dibromofluoromethane	Total	48.50	%Rec		0.00					11/03/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:39:00	09/29/2017	3:50:00 P	10/02/2017	7:09:08 A	10/03/2017	7:58:00 P	Water	USEPA	8270D	Surr: Nitrobenzene-d14	Total	5.41	%Rec		0.09					11/03/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:39:00	09/29/2017	3:50:00 P	10/02/2017	5:45:41 A	10/06/2017	8:25:00 P	Water	USEPA	8082	Surr: Tetrachloro-m-xylene	Total	0.27	%Rec		0.00					11/03/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:39:00	09/29/2017	3:50:00 PM			10/06/2017	8:25:00 P	Water	USEPA	8082	Surr: Tetrachloro-m-xylene	Total	0.26	%Rec		0.00					11/03/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:39:00	09/29/2017	3:50:00 PM			10/06/2017	5:41:00 P	Water	USEPA	8260B	Surr: Toluene-d8	Total	48.90	%Rec		0.00					11/03/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:39:00	09/29/2017	3:50:00 PM			10/06/2017	5:41:00 P	Water	USEPA	8260B	1,1,1-Trichloroethane	Total	ND	µg/L		1.00	1.00				11/03/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:39:00	09/29/2017	3:50:00 PM			10/06/2017	5:41:00 P	Water	USEPA	8260B	1,1,2,2-Tetrachloroethane	Total	ND	µg/L		1.00	1.00				11/03/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:39:00	09/29/2017	3:50:00 PM			10/06/2017	5:41:00 P	Water	USEPA	8260B	1,1,2-Trichloroethane	Total	ND	µg/L		1.00	1.00				11/03/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:39:00	09/29/2017	3:50:00 PM			10/06/2017	5:41:00 P	Water	USEPA	8260B	1,1-Dichloroethane	Total	ND	µg/L		1.00	1.00				11/03/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:39:00	09/29/2017	3:50:00 PM			10/06/2017	5:41:00 P	Water	USEPA	8260B	1,1-Dichloroethane	Total	ND	µg/L		1.00	1.00				11/03/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:39:00	09/29/2017	3:50:00 PM			10/06/2017	5:41:00 P	Water	USEPA	8260B	1,2-Dichloroethane	Total	ND	µg/L		1.00	1.00				11/03/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:39:00	09/29/2017	3:50:00 PM			10/06/2017	5:41:00 P	Water	USEPA	8260B	1,2-Dichloropropane	Total	ND	µg/L		1.00	1.00				11/03/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:39:00	09/29/2017	3:50:00 PM			10/06/2017	5:41:00 P	Water	USEPA	8260B	2-Butanone	Total	ND	µg/L		10.00	10.00				11/03/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:39:00	09/29/2017	3:50:00 PM			10/06/2017	5:41:00 P	Water	USEPA	8260B	2-Hexanone	Total	ND	µg/L		25.00	25.00				11/03/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:39:00	09/29/2017	3:50:00 P	10/02/2017	5:45:41 A	10/06/2017	8:25:00 P	Water	USEPA	8081	4,4'-DDD	Total	ND	µg/L		0.05	0.05				11/03/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:39:00	09/29/2017	3:50:00 P	10/02/2017	5:45:41 A	10/06/2017	8:25:00 P	Water	USEPA	8081	4,4'-DDE	Total	ND	µg/L		0.05	0.05				11/03/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:39:00	09/29/2017	3:50:00 P	10/02/2017	5:45:41 A	10/06/2017	8:25:00 P	Water	USEPA	8081	4,4'-DDT	Total	ND	µg/L		0.05	0.05				11/03/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:39:00	09/29/2017	3:50:00 PM			10/06/2017	5:41:00 P	Water	USEPA	8260B	4-Methyl-2-pentanone	Total	ND	µg/L		25.00	25.00				11/03/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:39:00	09/29/2017	3:50:00 P	10/02/2017	7:09:08 A	10/03/2017	7:58:00 P	Water	USEPA	8270D	Acenaphthene	Total	ND	µg/L		0.09	0.09				11/03/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:39:00	09/29/2017	3:50:00 PM			10/03/2017	7:58:00 P	Water	USEPA	8270D	Acenaphthylene	Total	ND	µg/L		0.09	0.09				11/03/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:39:00	09/29/2017	3:50:00 PM			10/06/2017	5:41:00 P	Water	USEPA	8260B	Acetone	Total	ND	µg/L		25.00	25.00				11/03/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:39:00	09/29/2017	3:50:00 P	10/02/2017	5:45:41 A	10/06/2017	8:25:00 P	Water	USEPA	8081	Aldrin	Total	ND	µg/L		0.03	0.03				11/03/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:39:00	09/29/2017	3:50:00 PM	10/02/2017	5:45:41 A	10/06/2017	8:25:00 P	Water	USEPA	8081	alpha-BHC	Total	ND	µg/L		0.03	0.03				11/03/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:39:00	09/29/2017	3:50:00 P	10/02/2017	5:45:41 A	10/06/2017	8:25:00 P	Water	USEPA	8081	alpha-Chlordane	Total	ND	µg/L		0.03	0.03				11/03/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:39:00	09/29/2017	3:50:00 P	10/02/2017	7:09:08 A	10/03/2017	7:58:00 P	Water	USEPA	8270D	Anthracene	Total	ND	µg/L		0.09	0.09				11/03/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:39:00	09/29/2017	3:50:00 P	10/02/2017	5:46:00 A	10/06/2017	8:25:00 P	Water	USEPA	8082	Aroclor 1016	Total	ND	µg/L		0.11	0.11				11/03/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:39:00	09/29/2017	3:50:00 P	10/02/2017	5:46:00 A	10/06/2017	8:25:00 P	Water	USEPA	8082	Aroclor 1221	Total	ND	µg/L		0.11	0.11				11/03/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:39:00	09/29/2017	3:50:00 P	10/02/2017	5:46:00 A	10/06/2017	8:25:00 P	Water	USEPA	8082	Aroclor 1232	Total	ND	µg/L		0.11	0.11				11/03/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:39:00	09/29/2017	3:50:00 P	10/02/2017	5:46:00 A	10/06/2017	8:25:00 P	Water	USEPA	8082	Aroclor 1242	Total	ND	µg/L		0.11	0.11				11/03/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:39:00	09/29/2017	3:50:00 P	10/02/2017	5:46:00 A	10/06/2017	8:25:00 P	Water	USEPA	8082	Aroclor 1248	Total	ND	µg/L		0.11	0.11				11/03/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:39:00	09/29/2017	3:50:00 P	10/02/2017	5:46:00 A	10/06/2017	8:25:00 P	Water	USEPA	8082	Aroclor 1254	Total	ND	µg/L		0.11	0.11				11/03/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:39:00	09/29/2017	3:50:00 P	10/02/2017	5:46:00 A	10/06/2017	8:25:00 P	Water	USEPA	8082	Aroclor 1260	Total	ND	µg/L		0.11	0.11				11/03/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:39:00	09/29/2017	3:50:00 P	11/01/2017	5:31:40 P	11/02/2017	12:19:48	Water	USEPA	200.7	Arsenic	Total	0.00	mg/L	J	0.00	0.01				11/03/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:39:00	09/29/2017	3:50:00 PM			10/06/2017	5:41:00 P	Water	USEPA	8260B	Benzene	Total	ND	µg/L		1.00	1.00				11/03/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:39:00	09/29/2017	3:50:00 P	10/02/2017	7:09:08 A	10/03/2017	7:58:00 P	Water	USEPA	8270D	Benzo(a)anthracene	Total	0.12	µg/L		0.09	0.09				11/03/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:39:00	09/29/2017	3:50:00 P	10/02/2017	7:09:08 A	10/03/2017	7:58:00 P	Water	USEPA	8270D	Benzo(a)pyrene	Total	0.11	µg/L		0.09	0.09				11/03/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:39:00	09/29/2017	3:50:00 P	10/02/2017	7:09:08 A	10/03/2017	7:58:00 P	Water	USEPA	8270D	Benzo(b)fluoranthene	Total	0.22	µg/L		0.09	0.09				11/03/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:39:00	09/29/2017	3:50:00 P	10/02/2017	7:09:08 A	10/03/2017	7:58:00 P	Water	USEPA	8270D	Benzo(g,h,i)perylene	Total	0.13	µg/L		0.09	0.09				11/03/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:39:00	09/29/2017	3:50:00 P	10/02/2017	7:09:08 A	10/03/2017	7:58:00 P	Water	USEPA	8270D	Benzo(k)fluoranthene	Total	ND	µg/L		0.09	0.09				11/03/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:39:00	09/29/2017	3:50:00 P	10/02/2017	5:45:41 A	10/06/2017	8:25:00 P	Water	USEPA	8081	beta-BHC	Total	ND	µg/L		0.03	0.03				11/03/2017
DRWW	Suburban Labs																																

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code - IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:39:00	09/29/2017	3:50:00 P	10/02/2017	11:58:39	10/03/2017	11:51:27	Water	USEPA	200.7	Hardness (As CaCO3)	Total	221.00	mg/L		0.05	0.15			11/03/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:39:00	09/29/2017	3:50:00 P	10/02/2017	5:45:41 A	10/06/2017	8:25:00 P	Water	USEPA	8081	Heptachlor	Total	ND	ug/L		0.03	0.03			11/03/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:39:00	09/29/2017	3:50:00 P	10/02/2017	5:45:41 A	10/06/2017	8:25:00 P	Water	USEPA	8081	Heptachlor epoxide	Total	ND	ug/L		0.03	0.03			11/03/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:39:00	09/29/2017	3:50:00 P	10/02/2017	7:09:08 A	10/03/2017	7:58:00 P	Water	USEPA	8270D	Indeno(1,2,3-cd)pyrene	Total	0.12	ug/L		0.09	0.09			11/03/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:39:00	09/29/2017	3:50:00 P	10/02/2017	11:58:39	10/03/2017	11:51:27	Water	USEPA	200.7	Iron	Total	0.35	mg/L		0.00	0.01			11/03/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:39:00	09/29/2017	3:50:00 PM			10/06/2017	5:41:00 P	Water	USEPA	8260B	m,p-Xylene	Total	ND	ug/L		2.00	2.00			11/03/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:39:00	09/29/2017	3:50:00 P	10/02/2017	11:58:39	10/03/2017	11:51:27	Water	USEPA	200.7	Magnesium	Total	20.20	mg/L		0.00	0.00			11/03/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:39:00	09/29/2017	3:50:00 P	10/02/2017	11:58:39	10/03/2017	11:51:27	Water	USEPA	200.7	Manganese	Total	0.06	mg/L		0.00	0.01			11/03/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:39:00	09/29/2017	3:50:00 PM			10/20/2017	12:02:41	Water	USEPA	1631	Mercury	Total	1.69	ng/L		0.50	0.50			11/03/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:39:00	09/29/2017	3:50:00 P	10/02/2017	5:45:41 A	10/06/2017	8:25:00 P	Water	USEPA	8081	Methoxychlor	Total	ND	ug/L		0.27	0.27			11/03/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:39:00	09/29/2017	3:50:00 PM			10/06/2017	5:41:00 P	Water	USEPA	8260B	Methyl tert-butyl ether	Total	ND	ug/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:39:00	09/29/2017	3:50:00 PM			10/06/2017	5:41:00 P	Water	USEPA	8260B	Methylene chloride	Total	ND	ug/L		5.00	5.00			11/03/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:39:00	09/29/2017	3:50:00 P	10/02/2017	7:09:08 A	10/03/2017	7:58:00 P	Water	USEPA	8270D	Naphthalene	Total	ND	ug/L		0.09	0.09			11/03/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:39:00	09/29/2017	3:50:00 P	10/02/2017	11:58:39	10/03/2017	11:51:27	Water	USEPA	200.7	Nickel	Total	0.00	mg/L	J	0.00	0.00			11/03/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:39:00	09/29/2017	3:50:00 PM			10/04/2017	6:59:30 P	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30			11/03/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:39:00	09/29/2017	3:50:00 P	10/05/2017	11:18:25	10/09/2017	1:06:05 P	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	ND	mg/L		1.19	3.78			11/03/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:39:00	09/29/2017	3:50:00 PM			09/29/2017	6:10:03 P	Water	USEPA	365.2	Orthophosphate (As P)	Total	0.11	mg/L		0.03	0.05			11/03/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:39:00	09/29/2017	3:50:00 PM			10/06/2017	5:41:00 P	Water	USEPA	8260B	o-Xylene	Total	ND	ug/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:39:00	09/29/2017	3:50:00 PM					Water	USEPA	365.2	pH, Field	Total	8.64	pH						11/03/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:39:00	09/29/2017	3:50:00 P	10/02/2017	7:09:08 A	10/03/2017	7:58:00 P	Water	USEPA	8270D	Phenanthrene	Total	ND	ug/L		0.09	0.09			11/03/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:39:00	09/29/2017	3:50:00 P	10/02/2017	11:58:39	10/03/2017	11:51:27	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.20	mg/L		0.04	0.14			11/03/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:39:00	09/29/2017	3:50:00 P	10/02/2017	7:09:08 A	10/03/2017	7:58:00 P	Water	USEPA	8270D	Pyrene	Total	0.41	ug/L		0.09	0.09			11/03/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:39:00	09/29/2017	3:50:00 P	10/02/2017	11:58:39	10/03/2017	11:51:27	Water	USEPA	200.7	Sodium	Total	123.00	mg/L		0.03	0.09			11/03/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:39:00	09/29/2017	3:50:00 PM			10/03/2017	3:57:19 P	Water	Lab	2510B	Specific Conductivity	Total	1150.00	umhos/cm		1.00	1.00			11/03/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:39:00	09/29/2017	3:50:00 PM			10/06/2017	5:41:00 P	Water	USEPA	8260B	Styrene	Total	ND	ug/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:39:00	09/29/2017	3:50:00 PM			10/03/2017	4:23:54 P	Water	USEPA	375.2	Sulfate	Total	29.50	mg/L		2.00	5.10			11/03/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:39:00	09/29/2017	3:50:00 PM					Water	USEPA	SM 2550B	Temperature	Total	20.60	°C						11/03/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:39:00	09/29/2017	3:50:00 PM			10/06/2017	5:41:00 P	Water	USEPA	8260B	Tetrachloroethene	Total	ND	ug/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:39:00	09/29/2017	3:50:00 PM			10/06/2017	5:41:00 P	Water	USEPA	8260B	Toluene	Total	ND	ug/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:39:00	09/29/2017	3:50:00 PM			10/02/2017	7:12:31 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22			11/03/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:39:00	09/29/2017	3:50:00 PM			10/04/2017	1:07:39 P	Water	APHA	5310-C	Total Organic Carbon	Total	6.83	mg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:39:00	09/29/2017	3:50:00 PM			10/03/2017	1:01:15 P	Water	USEPA	2540-D	Total Suspended Solids	Total	8.20	mg/L		0.20	5.00			11/03/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:39:00	09/29/2017	3:50:00 PM			10/06/2017	5:41:00 P	Water	USEPA	8260B	Total Xylenes	Total	ND	ug/L		2.00	2.00			11/03/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:39:00	09/29/2017	3:50:00 P	10/02/2017	5:45:41 A	10/06/2017	8:25:00 P	Water	USEPA	8081	Toxaphene	Total	ND	ug/L		0.22	0.22			11/03/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:39:00	09/29/2017	3:50:00 PM			10/06/2017	5:41:00 P	Water	USEPA	8260B	trans-1,2-Dichloroethene	Total	ND	ug/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:39:00	09/29/2017	3:50:00 PM			10/06/2017	5:41:00 P	Water	USEPA	8260B	trans-1,3-Dichloropropene	Total	ND	ug/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:39:00	09/29/2017	3:50:00 PM			10/06/2017	5:41:00 P	Water	USEPA	8260B	Trichloroethene	Total	ND	ug/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	10:39:00	09/29/2017	3:50:00 PM			09/29/2017	6:30:00 P	Water	Lab	2130-B	Turbidity	Total	8.14	NTU		0.10	0.20			

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code - IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		05/24/2017	10:33:00	05/24/2017	4:07:00 PM			05/25/2017	9:36:29 A	Water	USEPA	2540-D	Volatile Suspended Solids	Total	2.80	mg/L	J	0.20	5.00			06/09/2017	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		06/30/2017	11:07:00	06/30/2017	4:16:00 PM			07/07/2017	6:26:19 P	Water	APHA	4500-CL	Chloride	Total	104.00	mg/L		20.00	20.00			07/19/2017	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		06/30/2017	11:07:00	06/30/2017	4:16:00 PM					Water	YSI	EPA 120	Conductivity		804.00	umhos/cm						07/19/2017	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		06/30/2017	11:07:00	06/30/2017	4:16:00 PM			06/30/2017	4:59:20 P	Water	USEPA	E_COLI	E. Coli	Total	921.00	MPN/100mL		1.00	1.00			07/19/2017	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		06/30/2017	11:07:00	06/30/2017	4:16:00 PM			06/30/2017	4:51:00 P	Water	USEPA	DISSOLV	Filtered and Preserved	Total	complete		V	0.00	0.00			07/19/2017	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		06/30/2017	11:07:00	06/30/2017	4:16:00 PM			07/05/2017	5:10:44 P	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30			07/19/2017	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		06/30/2017	11:07:00	06/30/2017	4:16:00 PM			07/18/2017	10:20:57 A	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	ND	mg/L		1.10	3.50			07/19/2017	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		06/30/2017	11:07:00	06/30/2017	4:16:00 PM			06/30/2017	5:09:18 P	Water	USEPA	365.2	Orthophosphate (As P)	Total	0.27	mg/L		0.03	0.05			07/19/2017	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		06/30/2017	11:07:00	06/30/2017	4:16:00 PM			07/07/2017	5:07:59 P	Water	USEPA	365.2	pH, Field	Total	7.77	pH						07/19/2017	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		06/30/2017	11:07:00	06/30/2017	4:16:00 PM			07/05/2017	3:47:06 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.32	mg/L		0.05	0.14			07/19/2017	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		06/30/2017	11:07:00	06/30/2017	4:16:00 PM			07/07/2017	5:07:59 P	Water	Lab	2510B	Specific Conductivity	Total	773.00	umhos/cm		1.00	1.00			07/19/2017	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		06/30/2017	11:07:00	06/30/2017	4:16:00 PM			07/07/2017	6:05:54 P	Water	USEPA	375.2	Sulfate	Total	38.50	mg/L		10.00	25.50			07/19/2017	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		06/30/2017	11:07:00	06/30/2017	4:16:00 PM					Water	USEPA	SM 2550B	Temperature		20.75	°C						07/19/2017	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		06/30/2017	11:07:00	06/30/2017	4:16:00 PM			07/06/2017	8:43:33 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	3.94	mg/L		0.10	0.22			07/19/2017	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		06/30/2017	11:07:00	06/30/2017	4:16:00 PM			07/18/2017	9:57:00 A	Water	APHA	5310-C	Total Organic Carbon	Total	7.87	mg/L	G	1.00	1.00			07/19/2017	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		06/30/2017	11:07:00	06/30/2017	4:16:00 PM			07/06/2017	10:03:57 A	Water	USEPA	2540-D	Total Suspended Solids	Total	16.00	mg/L		0.20	5.00			07/19/2017	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		06/30/2017	11:07:00	06/30/2017	4:16:00 PM			06/30/2017	4:45:00 P	Water	Lab	2130-B	Turbidity	Total	14.70	NTU		0.10	0.20			07/19/2017	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		06/30/2017	11:07:00	06/30/2017	4:16:00 PM			07/06/2017	10:03:57 A	Water	USEPA	2540-D	Volatile Suspended Solids	Total	2.80	mg/L	J	0.20	5.00			07/19/2017	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		07/28/2017	9:38:00 A	07/28/2017	2:56:00 PM			07/31/2017	6:28:06 P	Water	APHA	4500-CL	Chloride	Total	58.60	mg/L		20.00	20.00			08/10/2017	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		07/28/2017	9:38:00 A	07/28/2017	2:56:00 PM					Water	YSI	EPA 120	Conductivity		607.00	umhos/cm							08/10/2017
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		07/28/2017	9:38:00 A	07/28/2017	2:56:00 PM					Water	YSI	Field	Dissolved Oxygen		3.41	mg/L							08/10/2017
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		07/28/2017	9:38:00 A	07/28/2017	2:56:00 PM			07/28/2017	3:43:35 P	Water	USEPA	E_COLI	E. Coli	Total	32.70	MPN/100mL		1.00	1.00			08/10/2017	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		07/28/2017	9:38:00 A	07/28/2017	2:56:00 PM			07/28/2017	5:31:00 P	Water	USEPA	DISSOLV	Filtered and Preserved	Total	complete		V	0.00	0.00			08/10/2017	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		07/28/2017	9:38:00 A	07/28/2017	2:56:00 PM			08/01/2017	5:04:47 P	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	0.43	mg/L		0.10	0.30			08/10/2017	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		07/28/2017	9:38:00 A	07/28/2017	2:56:00 PM			08/07/2017	3:05:43 P	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	1.94	mg/L	J	1.10	3.50			08/10/2017	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		07/28/2017	9:38:00 A	07/28/2017	2:56:00 PM			08/02/2017	10:22:16 A	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	1.94	mg/L	J	1.10	3.50			08/10/2017	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		07/28/2017	9:38:00 A	07/28/2017	2:56:00 PM			07/28/2017	4:33:28 P	Water	USEPA	365.2	Orthophosphate (As P)	Total	0.26	mg/L		0.03	0.05			08/10/2017	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		07/28/2017	9:38:00 A	07/28/2017	2:56:00 PM			07/28/2017	9:38:00 A	Water	USEPA	365.2	pH, Field	Total	7.60	S.U.							08/10/2017
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		07/28/2017	9:38:00 A	07/28/2017	2:56:00 PM			07/31/2017	9:21:48 A	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.35	mg/L		0.05	0.14			08/10/2017	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		07/28/2017	9:38:00 A	07/28/2017	2:56:00 PM			08/01/2017	2:50:53 P	Water	Lab	2510B	Specific Conductivity	Total	581.00	umhos/cm		1.00	1.00			08/10/2017	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		07/28/2017	9:38:00 A	07/28/2017	2:56:00 PM			08/04/2017	4:32:21 P	Water	USEPA	375.2	Sulfate	Total	24.70	mg/L		2.00	5.10			08/10/2017	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		07/28/2017	9:38:00 A	07/28/2017	2:56:00 PM					Water	USEPA	SM 2550B	Temperature		23.54	°C							08/10/2017
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		07/28/2017	9:38:00 A	07/28/2017	2:56:00 PM			07/31/2017	6:26:06 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.46	mg/L		0.10	0.22			08/10/2017	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		07/28/2017	9:38:00 A	07/28/2017	2:56:00 PM			08/01/2017	3:01:45 P	Water	APHA	5310-C	Total Organic Carbon	Total	9.55	mg/L		1.00	1.00			08/10/2017	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		07/28/2017	9:38:00 A	07/28/2017	2:56:00 PM			08/02/2017	1:45:00 P	Water	USEPA	2540-D	Total Suspended Solids	Total	3.20	mg/L	J	0.20	5.00			08/10/2017	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		07/28/2017	9:38:00 A	07/28/2017	2:56:00 PM			07/28/2017	4:55:00 P	Water	Lab	2130-B	Turbidity	Total	2.30	NTU		0.10	0.20			08/10/2017	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		07/28/2017	9:38:00 A	07/28/2017	2:56:00 PM			08/02/2017	1:45:00 P	Water	USEPA	2540-D	Volatile Suspended Solids	Total	1.80	mg/L	J	0.20	5.00			08/10/2017	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		08/25/2017	11:31:00	08/25/2017	3:55:00 PM			08/30/2017	4:50:36 P	Water	APHA	4500-CL	Chloride	Total	144.00	mg/L		20.00	20.00			09/14/2017	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		08/25/2017	11:31:00	08/25/2017	3:55:00 PM					Water	YSI	EPA 120	Conductivity		1012.00	umhos/cm							09/14/2017
DRWW	Suburban Labs																																



Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code - IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	11:15:00	09/29/2017	3:50:00 P	10/02/2017	7:09:08 A	10/03/2017	8:35:00 P	Water	USEPA	8270D	Acenaphthene	Total	ND	µg/L		0.09	0.09			11/03/2017
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	11:15:00	09/29/2017	3:50:00 P	10/02/2017	7:09:08 A	10/03/2017	8:35:00 P	Water	USEPA	8270D	Acenaphthylene	Total	ND	µg/L		0.09	0.09			11/03/2017
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	11:15:00	09/29/2017	3:50:00 PM			10/06/2017	6:06:00 P	Water	USEPA	8260B	Acetone	Total	ND	µg/L		25.00	25.00			11/03/2017
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	11:15:00	09/29/2017	3:50:00 P	10/02/2017	5:45:41 A	10/06/2017	8:49:00 P	Water	USEPA	8081	Aldrin	Total	ND	µg/L		0.03	0.03			11/03/2017
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	11:15:00	09/29/2017	3:50:00 P	10/02/2017	5:45:41 A	10/06/2017	8:49:00 P	Water	USEPA	8081	alpha-BHC	Total	ND	µg/L		0.03	0.03			11/03/2017
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	11:15:00	09/29/2017	3:50:00 P	10/02/2017	5:45:41 A	10/06/2017	8:49:00 P	Water	USEPA	8081	alpha-Chlordane	Total	ND	µg/L		0.03	0.03			11/03/2017
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	11:15:00	09/29/2017	3:50:00 P	10/02/2017	7:09:08 A	10/03/2017	8:35:00 P	Water	USEPA	8270D	Anthracene	Total	ND	µg/L		0.09	0.09			11/03/2017
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	11:15:00	09/29/2017	3:50:00 P	10/02/2017	5:46:00 A	10/06/2017	8:49:00 P	Water	USEPA	8082	Aroclor 1016	Total	ND	µg/L		0.12	0.12			11/03/2017
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	11:15:00	09/29/2017	3:50:00 P	10/02/2017	5:46:00 A	10/06/2017	8:49:00 P	Water	USEPA	8082	Aroclor 1221	Total	ND	µg/L		0.12	0.12			11/03/2017
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	11:15:00	09/29/2017	3:50:00 P	10/02/2017	5:46:00 A	10/06/2017	8:49:00 P	Water	USEPA	8082	Aroclor 1232	Total	ND	µg/L		0.12	0.12			11/03/2017
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	11:15:00	09/29/2017	3:50:00 P	10/02/2017	5:46:00 A	10/06/2017	8:49:00 P	Water	USEPA	8082	Aroclor 1242	Total	ND	µg/L		0.12	0.12			11/03/2017
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	11:15:00	09/29/2017	3:50:00 P	10/02/2017	5:46:00 A	10/06/2017	8:49:00 P	Water	USEPA	8082	Aroclor 1248	Total	ND	µg/L		0.12	0.12			11/03/2017
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	11:15:00	09/29/2017	3:50:00 P	10/02/2017	5:46:00 A	10/06/2017	8:49:00 P	Water	USEPA	8082	Aroclor 1254	Total	ND	µg/L		0.12	0.12			11/03/2017
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	11:15:00	09/29/2017	3:50:00 P	10/02/2017	5:46:00 A	10/06/2017	8:49:00 P	Water	USEPA	8082	Aroclor 1260	Total	ND	µg/L		0.12	0.12			11/03/2017
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	11:15:00	09/29/2017	3:50:00 PM	11/01/2017	5:31:40 P	11/02/2017	12:22:50	Water	USEPA	200.7	Arsenic	Total	0.01	mg/L		0.00	0.01			11/03/2017
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	11:15:00	09/29/2017	3:50:00 PM			10/06/2017	6:06:00 P	Water	USEPA	8260B	Benzene	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	11:15:00	09/29/2017	3:50:00 P	10/02/2017	7:09:08 A	10/03/2017	8:35:00 P	Water	USEPA	8270D	Benzo(a)anthracene	Total	ND	µg/L		0.09	0.09			11/03/2017
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	11:15:00	09/29/2017	3:50:00 P	10/02/2017	7:09:08 A	10/03/2017	8:35:00 P	Water	USEPA	8270D	Benzo(a)pyrene	Total	ND	µg/L		0.09	0.09			11/03/2017
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	11:15:00	09/29/2017	3:50:00 P	10/02/2017	7:09:08 A	10/03/2017	8:35:00 P	Water	USEPA	8270D	Benzo(b)fluoranthene	Total	ND	µg/L		0.09	0.09			11/03/2017
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	11:15:00	09/29/2017	3:50:00 P	10/02/2017	7:09:08 A	10/03/2017	8:35:00 P	Water	USEPA	8270D	Benzo(g,h,i)perylene	Total	ND	µg/L		0.09	0.09			11/03/2017
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	11:15:00	09/29/2017	3:50:00 P	10/02/2017	7:09:08 A	10/03/2017	8:35:00 P	Water	USEPA	8270D	Benzo(k)fluoranthene	Total	ND	µg/L		0.09	0.09			11/03/2017
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	11:15:00	09/29/2017	3:50:00 P	10/02/2017	5:45:41 A	10/06/2017	8:49:00 P	Water	USEPA	8081	beta-BHC	Total	ND	µg/L		0.03	0.03			11/03/2017
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	11:15:00	09/29/2017	3:50:00 PM			10/06/2017	6:06:00 P	Water	USEPA	8260B	Bromodichloromethane	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	11:15:00	09/29/2017	3:50:00 PM			10/06/2017	6:06:00 P	Water	USEPA	8260B	Bromoform	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	11:15:00	09/29/2017	3:50:00 PM			10/06/2017	6:06:00 P	Water	USEPA	8260B	Bromomethane	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	11:15:00	09/29/2017	3:50:00 P	10/02/2017	11:58:39	10/03/2017	11:53:54	Water	USEPA	200.7	Calcium	Total	54.20	mg/L		0.01	0.02			11/03/2017
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	11:15:00	09/29/2017	3:50:00 PM			10/06/2017	6:06:00 P	Water	USEPA	8260B	Carbon disulfide	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	11:15:00	09/29/2017	3:50:00 PM			10/06/2017	6:06:00 P	Water	USEPA	8260B	Carbon tetrachloride	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	11:15:00	09/29/2017	3:50:00 P	10/02/2017	5:45:41 A	10/06/2017	8:49:00 P	Water	USEPA	8081	Chlordane	Total	ND	µg/L		0.12	0.12			11/03/2017
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	11:15:00	09/29/2017	3:50:00 PM			10/03/2017	12:35:28	Water	APHA	4500-CL-	Chloride	Total	149.00	mg/L		20.00	20.00			11/03/2017
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	11:15:00	09/29/2017	3:50:00 PM			10/06/2017	6:06:00 P	Water	USEPA	8260B	Chlorobenzene	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	11:15:00	09/29/2017	3:50:00 PM			10/06/2017	6:06:00 P	Water	USEPA	8260B	Chloroethane	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	11:15:00	09/29/2017	3:50:00 PM			10/06/2017	6:06:00 P	Water	USEPA	8260B	Chloroform	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	11:15:00	09/29/2017	3:50:00 PM			10/06/2017	6:06:00 P	Water	USEPA	8260B	Chloromethane	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	11:15:00	09/29/2017	3:50:00 P	10/02/2017	7:09:08 A	10/03/2017	8:35:00 P	Water	USEPA	8270D	Chrysene	Total	ND	µg/L		0.09	0.09			11/03/2017
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	11:15:00	09/29/2017	3:50:00 PM			10/06/2017	6:06:00 P	Water	USEPA	8260B	cis-1,2-Dichloroethene	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	11:15:00	09/29/2017	3:50:00 PM			10/06/2017	6:06:00 P	Water	USEPA	8260B	cis-1,3-Dichloropropene	Total	ND	µg/L		1.00	1.00			11/03/2017
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	11:15:00	09/29/2017	3:50:00 PM					Water	YSI	EPA 120.	Conductivity	Total	1065.00	umhos/cm						11/03/2017
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	11:15:00	09/29/2017	3:50:00 P	10/02/2017	11:58:39	10/03/2017	11:53:54	Water	USEPA	200.7	Copper	Total	0.00	mg/L	J	0.00	0.01			11/03/2017
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	11:15:00	09/29/2017	3:50:00 P	10/02/2017	5:45:41 A	10/06/2017	8:49:00 P	Water	USEPA	8081	delta-BHC	Total	ND	µg/L		0.03	0.03			11/03/2017
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	11:15:00	09/29/2017	3:50:00 P	10/02/2017	7:09:08 A	10/03/2017	8:35:00 P	Water	USEPA	8270D	Dibenzo(a,h)anthracene	Total	ND	µg/L		0.09	0.09			11/03/2017
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	11:15:00	09/29/2017	3:50:00 PM			10/06/2017	6:06:00 P	Water	USEPA	8260B	Dibromochloromethane	Total	ND	µg/L						

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code - IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	11:15:00	09/29/2017	3:50:00 P	10/02/2017	7:09:08 A	10/03/2017	8:35:00 P	Water	USEPA	8270D	Phenanthrene	Total	ND	µg/L		0.09	0.09			11/03/2017
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	11:15:00	09/29/2017	3:50:00 P	10/02/2017	11:58:39 A	10/03/2017	11:53:54 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	1.26	mg/L		0.04	0.14		11/03/2017	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	11:15:00	09/29/2017	3:50:00 P	10/02/2017	7:09:08 A	10/03/2017	8:35:00 P	Water	USEPA	8270D	Pyrene	Total	ND	µg/L		0.09	0.09		11/03/2017	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	11:15:00	09/29/2017	3:50:00 P	10/02/2017	11:58:39 A	10/03/2017	11:53:54 P	Water	USEPA	200.7	Sodium	Total	99.30	mg/L		0.03	0.09		11/03/2017	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	11:15:00	09/29/2017	3:50:00 PM			10/03/2017	3:58:54 P	Water	Lab	2510B	Specific Conductivity	Total	1100.00	µmhos/cm		1.00	1.00		11/03/2017	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	11:15:00	09/29/2017	3:50:00 PM			10/06/2017	6:06:00 P	Water	USEPA	8260B	Styrene	Total	ND	µg/L		1.00	1.00		11/03/2017	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	11:15:00	09/29/2017	3:50:00 PM			10/03/2017	4:00:38 P	Water	USEPA	375.2	Sulfate	Total	64.90	mg/L		10.00	25.50		11/03/2017	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	11:15:00	09/29/2017	3:50:00 PM					Water	USEPA	SM 2550B	Temperature		18.58	°C					11/03/2017	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	11:15:00	09/29/2017	3:50:00 PM			10/06/2017	6:06:00 P	Water	USEPA	8260B	Tetrachloroethene	Total	ND	µg/L		1.00	1.00		11/03/2017	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	11:15:00	09/29/2017	3:50:00 PM			10/06/2017	6:06:00 P	Water	USEPA	8260B	Toluene	Total	ND	µg/L		1.00	1.00		11/03/2017	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	11:15:00	09/29/2017	3:50:00 PM			10/02/2017	8:37:41 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	16.90	mg/L		0.50	1.12		11/03/2017	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	11:15:00	09/29/2017	3:50:00 PM			10/04/2017	1:23:50 P	Water	APHA	5310-C	Total Organic Carbon	Total	4.99	mg/L		1.00	1.00		11/03/2017	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	11:15:00	09/29/2017	3:50:00 PM			10/03/2017	1:01:15 P	Water	USEPA	8240-D	Total Suspended Solids	Total	5.80	mg/L		0.20	5.00		11/03/2017	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	11:15:00	09/29/2017	3:50:00 PM			10/06/2017	6:06:00 P	Water	USEPA	8260B	Total Xylenes	Total	ND	µg/L		2.00	2.00		11/03/2017	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	11:15:00	09/29/2017	3:50:00 P	10/02/2017	5:45:41 A	10/06/2017	8:49:00 P	Water	USEPA	8081	Toxaphene	Total	ND	µg/L		0.24	0.24		11/03/2017	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	11:15:00	09/29/2017	3:50:00 PM			10/06/2017	6:06:00 P	Water	USEPA	8260B	trans-1,2-Dichloroethene	Total	ND	µg/L		1.00	1.00		11/03/2017	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	11:15:00	09/29/2017	3:50:00 PM			10/06/2017	6:06:00 P	Water	USEPA	8260B	trans-1,3-Dichloropropene	Total	ND	µg/L		1.00	1.00		11/03/2017	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	11:15:00	09/29/2017	3:50:00 PM			10/06/2017	6:06:00 P	Water	USEPA	8260B	Trichloroethene	Total	ND	µg/L		1.00	1.00		11/03/2017	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	11:15:00	09/29/2017	3:50:00 PM			09/29/2017	6:30:00 P	Water	Lab	2130-B	Turbidity		6.57	NTU		0.10	0.20		11/03/2017	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	11:15:00	09/29/2017	3:50:00 PM			10/06/2017	6:06:00 P	Water	USEPA	8260B	Vinyl chloride	Total	ND	µg/L		1.00	1.00		11/03/2017	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	11:15:00	09/29/2017	3:50:00 PM			10/03/2017	1:01:15 P	Water	USEPA	8240-D	Volatile Suspended Solids	Total	1.20	mg/L	J	0.20	5.00		11/03/2017	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	11:15:00	09/29/2017	3:50:00 P	10/02/2017	11:58:39 A	10/03/2017	11:53:54 P	Water	USEPA	200.7	Zinc	Total	0.01	mg/L		0.00	0.01		11/03/2017	
DRWW	Suburban Labs		16-6 Blain	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		09/29/2017	11:15:00	09/29/2017	3:50:00 PM			10/20/2017	12:31:15 P	Water	USEPA	1631	Mercury	Total	0.77	ng/L		0.50	0.50		11/03/2017	
DRWW	Suburban Labs		17-1	GS-01	0.5	ft	Buffalo Creek			Non-IEPA		03/31/2017	12:07:00	03/31/2017	3:45:00 PM			04/04/2017	12:22:51 P	Water	APHA	4500-CL-	Chloride	Total	272.00	mg/L		40.00	40.00		04/24/2017	
DRWW	Suburban Labs		17-1	GS-01	0.5	ft	Buffalo Creek			Non-IEPA		03/31/2017	12:07:00	03/31/2017	3:45:00 PM					Water	YSI	EPA 120.	Conductivity		1089.00	µmhos/cm					04/24/2017	
DRWW	Suburban Labs		17-1	GS-01	0.5	ft	Buffalo Creek			Non-IEPA		03/31/2017	12:07:00	03/31/2017	3:45:00 PM					Water	YSI	Field	Dissolved Oxygen		11.94	mg/L					04/24/2017	
DRWW	Suburban Labs		17-1	GS-01	0.5	ft	Buffalo Creek			Non-IEPA		03/31/2017	12:07:00	03/31/2017	3:45:00 PM			03/31/2017	4:35:00 P	Water	USEPA	E. COLI	E. Coli	Total	866.00	MPN/100mL		1.00	1.00		04/24/2017	
DRWW	Suburban Labs		17-1	GS-01	0.5	ft	Buffalo Creek			Non-IEPA		03/31/2017	12:07:00	03/31/2017	3:45:00 PM			03/31/2017	4:59:00 P	Water	USEPA	DISSOLV	Filtered and Preserved	Total	complete		V	0.00	0.00		04/24/2017	
DRWW	Suburban Labs		17-1	GS-01	0.5	ft	Buffalo Creek			Non-IEPA		03/31/2017	12:07:00	03/31/2017	3:45:00 PM			04/03/2017	6:23:57 P	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30		04/24/2017	
DRWW	Suburban Labs		17-1	GS-01	0.5	ft	Buffalo Creek			Non-IEPA		03/31/2017	12:07:00	03/31/2017	3:45:00 PM			04/10/2017	1:07:59 P	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	1.24	mg/L	J	1.10	3.50		04/24/2017	
DRWW	Suburban Labs		17-1	GS-01	0.5	ft	Buffalo Creek			Non-IEPA		03/31/2017	12:07:00	03/31/2017	3:45:00 PM			03/31/2017	5:53:51 P	Water	USEPA	365.2	Orthophosphate (As P)	Total	ND	mg/L		0.03	0.05		04/24/2017	
DRWW	Suburban Labs		17-1	GS-01	0.5	ft	Buffalo Creek			Non-IEPA		03/31/2017	12:07:00	03/31/2017	3:45:00 PM					Water	USEPA	365.2	pH, Field		7.76	pH					04/24/2017	
DRWW	Suburban Labs		17-1	GS-01	0.5	ft	Buffalo Creek			Non-IEPA		03/31/2017	12:07:00	03/31/2017	3:45:00 PM			04/04/2017	3:54:45 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.12	mg/L	J	0.05	0.14		04/24/2017	
DRWW	Suburban Labs		17-1	GS-01	0.5	ft	Buffalo Creek			Non-IEPA		03/31/2017	12:07:00	03/31/2017	3:45:00 PM			04/06/2017	12:36:55 P	Water	Lab	2510B	Specific Conductivity	Total	1070.00	µmhos/cm		1.00	1.00		04/24/2017	
DRWW	Suburban Labs		17-1	GS-01	0.5	ft	Buffalo Creek			Non-IEPA		03/31/2017	12:07:00	03/31/2017	3:45:00 PM					Water	USEPA	SM 2550B	Temperature		6.13	°C					04/24/2017	
DRWW	Suburban Labs		17-1	GS-01	0.5	ft	Buffalo Creek			Non-IEPA		03/31/2017	12:07:00	03/31/2017	3:45:00 PM			03/31/2017	8:40:01 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.63	mg/L		0.10	0.20		04/24/2017	
DRWW	Suburban Labs		17-1	GS-01	0.5	ft	Buffalo Creek			Non-IEPA		03/31/2017	12:07:00	03/31/2017	3:45:00 PM			04/03/2017	10:13:00 P	Water	USEPA	2540-D	Total Suspended Solids	Total	72.40	mg/L		0.40	10.00		04/24/2017	
DRWW	Suburban Labs		17-1	GS-01	0.5	ft	Buffalo Creek			Non-IEPA		03/31/2017	12:07:00	03/31/2017	3:45:00 PM			04/03/2017	4:00:00 P	Water	Lab	2130-B	Turbidity		86.20	NTU		0.10	0.20		04/24/2017	
DRWW	Suburban Labs		17-1	GS-01	0.5	ft	Buffalo Creek			Non-IEPA		03/31/2017	12:07:00	03/31/2017	3:45:00 PM			04/03/2017	10:13:00 P	Water	USEPA	2540-D	Volatile Suspended Solids	Total	9.20	mg/L	J	0.40	10.00		04/24/2017	
DRWW	Suburban Labs		17-1	GS-01	0.5	ft	Buffalo Creek			Non-IEPA		05/24/2017																				

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code - IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released			
DRWW	Suburban Labs		17-1	GS-01	0.5	ft	Buffalo Creek			Non-IEPA		07/28/2017	10:15:00	07/28/2017	2:56:00 PM	08/02/2017	10:22:16	08/07/2017	3:06:58 P	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	3.45	mg/L	J	1.10	3.50			08/10/2017			
DRWW	Suburban Labs		17-1	GS-01	0.5	ft	Buffalo Creek			Non-IEPA		07/28/2017	10:15:00	07/28/2017	2:56:00 PM			07/28/2017	4:33:28 P	Water	USEPA	365.2	Orthophosphate (As P)	Total	0.05	mg/L	J	0.03	0.05			08/10/2017			
DRWW	Suburban Labs		17-1	GS-01	0.5	ft	Buffalo Creek			Non-IEPA		07/28/2017	10:15:00	07/28/2017	2:56:00 PM					Water	USEPA	365.2	pH, Field	Total	7.72	S.U.						08/10/2017			
DRWW	Suburban Labs		17-1	GS-01	0.5	ft	Buffalo Creek			Non-IEPA		07/28/2017	10:15:00	07/28/2017	2:56:00 PM	07/31/2017	9:21:48 A	08/01/2017	1:42:14 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.13	mg/L	J	0.05	0.14			08/10/2017			
DRWW	Suburban Labs		17-1	GS-01	0.5	ft	Buffalo Creek			Non-IEPA		07/28/2017	10:15:00	07/28/2017	2:56:00 PM			08/01/2017	3:00:44 P	Water	Lab	2510B	Specific Conductivity	Total	675.00	umhos/cm		1.00	1.00			08/10/2017			
DRWW	Suburban Labs		17-1	GS-01	0.5	ft	Buffalo Creek			Non-IEPA		07/28/2017	10:15:00	07/28/2017	2:56:00 PM					Water	USEPA	SM 2550B	Temperature	Total	23.78	°C						08/10/2017			
DRWW	Suburban Labs		17-1	GS-01	0.5	ft	Buffalo Creek			Non-IEPA		07/28/2017	10:15:00	07/28/2017	2:56:00 PM			07/31/2017	6:37:33 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.22	mg/L	J	0.10	0.22			08/10/2017			
DRWW	Suburban Labs		17-1	GS-01	0.5	ft	Buffalo Creek			Non-IEPA		07/28/2017	10:15:00	07/28/2017	2:56:00 PM			08/02/2017	1:45:00 P	Water	USEPA	2540-D	Total Suspended Solids	Total	13.20	mg/L		0.20	5.00			08/10/2017			
DRWW	Suburban Labs		17-1	GS-01	0.5	ft	Buffalo Creek			Non-IEPA		07/28/2017	10:15:00	07/28/2017	2:56:00 PM			07/28/2017	4:55:00 P	Water	Lab	2130-B	Turbidity	Total	14.80	NTU		0.10	0.20			08/10/2017			
DRWW	Suburban Labs		17-1	GS-01	0.5	ft	Buffalo Creek			Non-IEPA		07/28/2017	10:15:00	07/28/2017	2:56:00 PM			08/02/2017	1:45:00 P	Water	USEPA	2540-D	Volatile Suspended Solids	Total	2.60	mg/L	J	0.20	5.00			08/10/2017			
DRWW	Suburban Labs		17-1	GS-01	0.5	ft	Buffalo Creek			Non-IEPA		08/25/2017	12:11:00	08/25/2017	3:55:00 PM			08/30/2017	4:51:20 P	Water	APHA	4500-CL-	Chloride	Total	183.00	mg/L		20.00	20.00				09/14/2017		
DRWW	Suburban Labs		17-1	GS-01	0.5	ft	Buffalo Creek			Non-IEPA		08/25/2017	12:11:00	08/25/2017	3:55:00 PM					Water	YSI	EPA 120.	Conductivity	Total	1037.00	umhos/cm							09/14/2017		
DRWW	Suburban Labs		17-1	GS-01	0.5	ft	Buffalo Creek			Non-IEPA		08/25/2017	12:11:00	08/25/2017	3:55:00 PM					Water	YSI	Field	Dissolved Oxygen	Total	12.98	mg/L							09/14/2017		
DRWW	Suburban Labs		17-1	GS-01	0.5	ft	Buffalo Creek			Non-IEPA		08/25/2017	12:11:00	08/25/2017	3:55:00 PM			08/25/2017	4:31:59 P	Water	USEPA	E COLI	E. Coli	Total	95.90	MPN/100mL		1.00	1.00					09/14/2017	
DRWW	Suburban Labs		17-1	GS-01	0.5	ft	Buffalo Creek			Non-IEPA		08/25/2017	12:11:00	08/25/2017	3:55:00 PM			08/25/2017	5:20:00 P	Water	USEPA	DISSOLV	Filtered and Preserved	Total	complete		V	0.00	0.00					09/14/2017	
DRWW	Suburban Labs		17-1	GS-01	0.5	ft	Buffalo Creek			Non-IEPA		08/25/2017	12:11:00	08/25/2017	3:55:00 PM			08/28/2017	2:48:49 P	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30					09/14/2017	
DRWW	Suburban Labs		17-1	GS-01	0.5	ft	Buffalo Creek			Non-IEPA		08/25/2017	12:11:00	08/25/2017	3:55:00 PM			09/05/2017	12:51:37 P	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	ND	mg/L		1.10	3.50					09/14/2017	
DRWW	Suburban Labs		17-1	GS-01	0.5	ft	Buffalo Creek			Non-IEPA		08/25/2017	12:11:00	08/25/2017	3:55:00 PM			08/25/2017	6:30:25 P	Water	USEPA	365.2	Orthophosphate (As P)	Total	ND	mg/L		0.03	0.05					09/14/2017	
DRWW	Suburban Labs		17-1	GS-01	0.5	ft	Buffalo Creek			Non-IEPA		08/25/2017	12:11:00	08/25/2017	3:55:00 PM					Water	USEPA	365.2	pH, Field	Total	8.66	S.U.							09/14/2017		
DRWW	Suburban Labs		17-1	GS-01	0.5	ft	Buffalo Creek			Non-IEPA		08/25/2017	12:11:00	08/25/2017	3:55:00 PM			08/30/2017	11:40:48	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.06	mg/L	J	0.05	0.14					09/14/2017	
DRWW	Suburban Labs		17-1	GS-01	0.5	ft	Buffalo Creek			Non-IEPA		08/25/2017	12:11:00	08/25/2017	3:55:00 PM			09/14/2017	2:07:25 P	Water	Lab	2510B	Specific Conductivity	Total	1060.00	umhos/cm		1.00	1.00					09/14/2017	
DRWW	Suburban Labs		17-1	GS-01	0.5	ft	Buffalo Creek			Non-IEPA		08/25/2017	12:11:00	08/25/2017	3:55:00 PM					Water	USEPA	SM 2550B	Temperature	Total	21.76	°C							09/14/2017		
DRWW	Suburban Labs		17-1	GS-01	0.5	ft	Buffalo Creek			Non-IEPA		08/25/2017	12:11:00	08/25/2017	3:55:00 PM			08/28/2017	8:48:18 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22					09/14/2017	
DRWW	Suburban Labs		17-1	GS-01	0.5	ft	Buffalo Creek			Non-IEPA		08/25/2017	12:11:00	08/25/2017	3:55:00 PM			08/28/2017	8:41:00 A	Water	USEPA	2540-D	Total Suspended Solids	Total	3.60	mg/L	J	0.20	5.00					09/14/2017	
DRWW	Suburban Labs		17-1	GS-01	0.5	ft	Buffalo Creek			Non-IEPA		08/25/2017	12:11:00	08/25/2017	3:55:00 PM			08/25/2017	5:00:00 P	Water	Lab	2130-B	Turbidity	Total	2.15	NTU		0.10	0.20					09/14/2017	
DRWW	Suburban Labs		17-1	GS-01	0.5	ft	Buffalo Creek			Non-IEPA		08/25/2017	12:11:00	08/25/2017	3:55:00 PM			08/28/2017	8:41:00 A	Water	USEPA	2540-D	Volatile Suspended Solids	Total	2.20	mg/L	J	0.20	5.00					09/14/2017	
DRWW	Suburban Labs		17-1	GS-01	0.5	ft	Buffalo Creek			Non-IEPA		09/29/2017	12:07:00	09/29/2017	3:50:00 PM	10/03/2017	1:42:33 P	10/04/2017	2:33:41 P	Water	USEPA	200.7	Calcium	Total	47.90	mg/L		0.01	0.02					11/03/2017	
DRWW	Suburban Labs		17-1	GS-01	0.5	ft	Buffalo Creek			Non-IEPA		09/29/2017	12:07:00	09/29/2017	3:50:00 PM			10/03/2017	1:07:58 P	Water	APHA	4500-CL-	Chloride	Total	218.00	mg/L		40.00	40.00					11/03/2017	
DRWW	Suburban Labs		17-1	GS-01	0.5	ft	Buffalo Creek			Non-IEPA		09/29/2017	12:07:00	09/29/2017	3:50:00 PM					Water	YSI	EPA 120.	Conductivity	Total	1079.00	umhos/cm								11/03/2017	
DRWW	Suburban Labs		17-1	GS-01	0.5	ft	Buffalo Creek			Non-IEPA		09/29/2017	12:07:00	09/29/2017	3:50:00 PM					Water	YSI	Field	Dissolved Oxygen	Total	10.89	mg/L								11/03/2017	
DRWW	Suburban Labs		17-1	GS-01	0.5	ft	Buffalo Creek			Non-IEPA		09/29/2017	12:07:00	09/29/2017	3:50:00 PM			09/29/2017	4:40:04 P	Water	USEPA	E COLI	E. Coli	Total	548.00	MPN/100mL		1.00	1.00						11/03/2017
DRWW	Suburban Labs		17-1	GS-01	0.5	ft	Buffalo Creek			Non-IEPA		09/29/2017	12:07:00	09/29/2017	3:50:00 PM			09/29/2017	5:32:00 P	Water	USEPA	DISSOLV	Filtered and Preserved	Total	complete		V	0.00	0.00					11/03/2017	
DRWW	Suburban Labs		17-1	GS-01	0.5	ft	Buffalo Creek			Non-IEPA		09/29/2017	12:07:00	09/29/2017	3:50:00 PM	10/03/2017	1:42:33 P	10/04/2017	2:33:41 P	Water	USEPA	200.7	Hardness (As CaCO3)	Total	216.00	mg/L		0.05	0.15					11/03/2017	
DRWW	Suburban Labs		17-1	GS-01	0.5	ft	Buffalo Creek			Non-IEPA		09/29/2017	12:07:00	09/29/2017	3:50:00 PM	10/03/2017	1:42:33 P	10/04/2017	2:33:41 P	Water	USEPA	200.7	Magnesium	Total	23.50	mg/L		0.00	0.00					11/03/2017	
DRWW	Suburban Labs		17-1	GS-01	0.5	ft	Buffalo Creek			Non-IEPA		09/29/2017	12:07:00	09/29/2017	3:50:00 PM	10/03/2017	1:42:33 P	10/04/2017	2:33:41 P	Water	USEPA	200.7	Manganese	Total	0.03	mg/L		0.00	0.01					11/03/2017	
DRWW	Suburban Labs		17-1	GS-01	0.5	ft	Buffalo Creek			Non-IEPA		09/29/2017	12:07:00	09/29/2017	3:50:00 PM			10/04/2017	7:02:58 P	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30					11/03/2017	
DRWW	Suburban Labs		17-1	GS-01	0.5	ft	Buffalo Creek			Non-IEPA		09/29/2017	12:07:00	09/29/2017	3:50:00 PM	10/05/2017	11:18:25 A	10/09/2017	1:15:48 P	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	ND	mg/L		1.19	3.78					11/03/2017	
DRWW	Suburban Labs		17-1	GS-01	0.5	ft	Buffalo Creek			Non-IEPA		09/29/2017	12:07:00	09/29/2017	3:50:00 PM			09/29/2017	6:10:03 P	Water	USEPA	365.2	Orthophosphate (As P)	Total	ND	mg/L		0.03	0.05					11/03/2017	
DRWW	Suburban Labs		17-1	GS-01	0																														

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code - IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released	
DRWW	Suburban Labs		17-2	GST-02	0.5	ft	Buffalo Creek			Non-IEPA		07/28/2017	10:48:00	07/28/2017	2:56:00 PM					Water	YSI	EPA 120.	Conductivity		661.00	umhos/cm					08/10/2017		
DRWW	Suburban Labs		17-2	GST-02	0.5	ft	Buffalo Creek			Non-IEPA		07/28/2017	10:48:00	07/28/2017	2:56:00 PM					Water	YSI	Field	Dissolved Oxygen		1.14	mg/L					08/10/2017		
DRWW	Suburban Labs		17-2	GST-02	0.5	ft	Buffalo Creek			Non-IEPA		07/28/2017	10:48:00	07/28/2017	2:56:00 PM		07/28/2017	3:43:35 P		Water	USEPA	E_COLI	E. Coli	Total	83.60	MPN/100mL	1.00	1.00			08/10/2017		
DRWW	Suburban Labs		17-2	GST-02	0.5	ft	Buffalo Creek			Non-IEPA		07/28/2017	10:48:00	07/28/2017	2:56:00 PM	07/31/2017	9:21:48 A	08/01/2017	1:47:10 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.13	mg/L	J	0.05	0.14			08/10/2017	
DRWW	Suburban Labs		17-2	GST-02	0.5	ft	Buffalo Creek			Non-IEPA		07/28/2017	10:48:00	07/28/2017	2:56:00 PM			08/01/2017	3:03:39 P	Water	Lab	2510B	Specific Conductivity	Total	636.00	umhos/cm	1.00	1.00			08/10/2017		
DRWW	Suburban Labs		17-2	GST-02	0.5	ft	Buffalo Creek			Non-IEPA		07/28/2017	10:48:00	07/28/2017	2:56:00 PM					Water	USEPA	SM 2550B	Temperature		24.38	°C					08/10/2017		
DRWW	Suburban Labs		17-2	GST-02	0.5	ft	Buffalo Creek			Non-IEPA		07/28/2017	10:48:00	07/28/2017	2:56:00 PM			07/31/2017	6:42:12 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.16	mg/L	J	0.10	0.22			08/10/2017	
DRWW	Suburban Labs		17-2	GST-02	0.5	ft	Buffalo Creek			Non-IEPA		07/28/2017	10:48:00	07/28/2017	2:56:00 PM			07/28/2017	4:55:00 P	Water	Lab	2130-B	Turbidity		13.40	NTU		0.10	0.20			08/10/2017	
DRWW	Suburban Labs		17-2	GST-02	0.5	ft	Buffalo Creek			Non-IEPA		08/25/2017	12:38:00	08/25/2017	3:55:00 PM			08/30/2017	4:52:03 P	Water	APHA	4500-CL-	Chloride	Total	128.00	mg/L		20.00	20.00			09/14/2017	
DRWW	Suburban Labs		17-2	GST-02	0.5	ft	Buffalo Creek			Non-IEPA		08/25/2017	12:38:00	08/25/2017	3:55:00 PM					Water	YSI	EPA 120.	Conductivity		813.00	umhos/cm						09/14/2017	
DRWW	Suburban Labs		17-2	GST-02	0.5	ft	Buffalo Creek			Non-IEPA		08/25/2017	12:38:00	08/25/2017	3:55:00 PM					Water	YSI	Field	Dissolved Oxygen		10.91	mg/L						09/14/2017	
DRWW	Suburban Labs		17-2	GST-02	0.5	ft	Buffalo Creek			Non-IEPA		08/25/2017	12:38:00	08/25/2017	3:55:00 PM			08/25/2017	4:31:59 P	Water	USEPA	E_COLI	E. Coli	Total	33.60	MPN/100mL	1.00	1.00					09/14/2017
DRWW	Suburban Labs		17-2	GST-02	0.5	ft	Buffalo Creek			Non-IEPA		08/25/2017	12:38:00	08/25/2017	3:55:00 PM					Water	USEPA	365.2	pH, Field		8.38	S.U.						09/14/2017	
DRWW	Suburban Labs		17-2	GST-02	0.5	ft	Buffalo Creek			Non-IEPA		08/25/2017	12:38:00	08/25/2017	3:55:00 PM			08/30/2017	11:55:48 A	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.07	mg/L	J	0.05	0.14			09/14/2017	
DRWW	Suburban Labs		17-2	GST-02	0.5	ft	Buffalo Creek			Non-IEPA		08/25/2017	12:38:00	08/25/2017	3:55:00 PM			09/14/2017	2:09:45 P	Water	Lab	2510B	Specific Conductivity	Total	814.00	umhos/cm	1.00	1.00					09/14/2017
DRWW	Suburban Labs		17-2	GST-02	0.5	ft	Buffalo Creek			Non-IEPA		08/25/2017	12:38:00	08/25/2017	3:55:00 PM					Water	USEPA	SM 2550B	Temperature		21.11	°C						09/14/2017	
DRWW	Suburban Labs		17-2	GST-02	0.5	ft	Buffalo Creek			Non-IEPA		08/25/2017	12:38:00	08/25/2017	3:55:00 PM			08/28/2017	8:50:36 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22			09/14/2017	
DRWW	Suburban Labs		17-2	GST-02	0.5	ft	Buffalo Creek			Non-IEPA		08/25/2017	12:38:00	08/25/2017	3:55:00 PM			08/25/2017	5:00:00 P	Water	Lab	2130-B	Turbidity		1.73	NTU		0.10	0.20			09/14/2017	
DRWW	Suburban Labs		17-2	GST-02	0.5	ft	Buffalo Creek			Non-IEPA		09/29/2017	1:38:35 P	09/29/2017	3:50:00 PM			10/03/2017	12:38:22	Water	APHA	4500-CL-	Chloride	Total	160.00	mg/L		20.00	20.00			11/03/2017	
DRWW	Suburban Labs		17-2	GST-02	0.5	ft	Buffalo Creek			Non-IEPA		09/29/2017	1:38:35 P	09/29/2017	3:50:00 PM					Water	YSI	EPA 120.	Conductivity		940.00	umhos/cm							11/03/2017
DRWW	Suburban Labs		17-2	GST-02	0.5	ft	Buffalo Creek			Non-IEPA		09/29/2017	1:38:35 P	09/29/2017	3:50:00 PM					Water	YSI	Field	Dissolved Oxygen		8.21	mg/L							11/03/2017
DRWW	Suburban Labs		17-2	GST-02	0.5	ft	Buffalo Creek			Non-IEPA		09/29/2017	1:38:35 P	09/29/2017	3:50:00 PM			09/29/2017	4:40:04 P	Water	USEPA	E_COLI	E. Coli	Total	205.00	MPN/100mL	1.00	1.00					11/03/2017
DRWW	Suburban Labs		17-2	GST-02	0.5	ft	Buffalo Creek			Non-IEPA		09/29/2017	1:38:35 P	09/29/2017	3:50:00 PM					Water	USEPA	365.2	pH, Field		8.10	S.U.							11/03/2017
DRWW	Suburban Labs		17-2	GST-02	0.5	ft	Buffalo Creek			Non-IEPA		09/29/2017	1:38:35 P	09/29/2017	3:50:00 PM	10/03/2017	1:47:48 P	10/04/2017	3:23:33 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.06	mg/L	J	0.05	0.14			11/03/2017	
DRWW	Suburban Labs		17-2	GST-02	0.5	ft	Buffalo Creek			Non-IEPA		09/29/2017	1:38:35 P	09/29/2017	3:50:00 PM			10/03/2017	4:34:36 P	Water	Lab	2510B	Specific Conductivity	Total	967.00	umhos/cm	1.00	1.00					11/03/2017
DRWW	Suburban Labs		17-2	GST-02	0.5	ft	Buffalo Creek			Non-IEPA		09/29/2017	1:38:35 P	09/29/2017	3:50:00 PM					Water	USEPA	SM 2550B	Temperature		18.64	°C							11/03/2017
DRWW	Suburban Labs		17-2	GST-02	0.5	ft	Buffalo Creek			Non-IEPA		09/29/2017	1:38:35 P	09/29/2017	3:50:00 PM			10/02/2017	7:23:35 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22			11/03/2017	
DRWW	Suburban Labs		17-2	GST-02	0.5	ft	Buffalo Creek			Non-IEPA		09/29/2017	1:38:35 P	09/29/2017	3:50:00 PM			09/29/2017	6:30:00 P	Water	Lab	2130-B	Turbidity		2.77	NTU		0.10	0.20			11/03/2017	
DRWW	Suburban Labs		17-3	GST-03	0.5	ft	Buffalo Creek			Non-IEPA		03/31/2017	1:02:00 P	03/31/2017	3:45:00 PM			04/04/2017	12:24:18	Water	APHA	4500-CL-	Chloride	Total	178.00	mg/L		20.00	20.00			04/24/2017	
DRWW	Suburban Labs		17-3	GST-03	0.5	ft	Buffalo Creek			Non-IEPA		03/31/2017	1:02:00 P	03/31/2017	3:45:00 PM					Water	YSI	EPA 120.	Conductivity		856.00	umhos/cm							04/24/2017
DRWW	Suburban Labs		17-3	GST-03	0.5	ft	Buffalo Creek			Non-IEPA		03/31/2017	1:02:00 P	03/31/2017	3:45:00 PM					Water	YSI	Field	Dissolved Oxygen		11.65	mg/L							04/24/2017
DRWW	Suburban Labs		17-3	GST-03	0.5	ft	Buffalo Creek			Non-IEPA		03/31/2017	1:02:00 P	03/31/2017	3:45:00 PM			03/31/2017	4:35:00 P	Water	USEPA	E_COLI	E. Coli	Total	1410.00	MPN/100mL	1.00	1.00					04/24/2017
DRWW	Suburban Labs		17-3	GST-03	0.5	ft	Buffalo Creek			Non-IEPA		03/31/2017	1:02:00 P	03/31/2017	3:45:00 PM					Water	USEPA	365.2	pH, Field		7.93	pH							04/24/2017
DRWW	Suburban Labs		17-3	GST-03	0.5	ft	Buffalo Creek			Non-IEPA		03/31/2017	1:02:00 P	03/31/2017	3:45:00 PM			04/04/2017	3:59:15 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.13	mg/L	J	0.05	0.14			04/24/2017	
DRWW	Suburban Labs		17-3	GST-03	0.5	ft	Buffalo Creek			Non-IEPA		03/31/2017	1:02:00 P	03/31/2017	3:45:00 PM			04/06/2017	12:38:20	Water	Lab	2510B	Specific Conductivity	Total	845.00	umhos/cm	1.00	1.00					04/24/2017
DRWW	Suburban Labs		17-3	GST-03	0.5	ft	Buffalo Creek			Non-IEPA		03/31/2017	1:02:00 P	03/31/2017	3:45:00 PM					Water	USEPA	SM 2550B	Temperature		5.67	°C							04/24/2017
DRWW	Suburban Labs		17-3	GST-03	0.5	ft	Buffalo Creek			Non-IEPA		03/31/2017	1:02:00 P	03/31/2017	3:45:00 PM			03/31/2017	8:44:27 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.77	mg/L		0.10	0.20			04/24/2017	
DRWW	Suburban Labs		17-3	GST-03	0.5	ft	Buffalo Creek			Non-IEPA		03/31/2017	1:02:00 P	03/31/2017	3:45:00 PM			04/03/2017	4:00:00 P	Water	Lab	2130-B	Turbidity		115.00	NTU	H	0.10	0.20			04/24/2017	
DRWW	Suburban Labs		17-3	GST-03	0.5	ft	Buffalo Creek			Non-IEPA		05/24/2017	12:09:00	05/24/2017	4:07:00 PM			05/24/2017	6:12:11 P	Water	APHA	4500-CL-	Chloride	Total	119.00	mg/L		20.00	20.00			06/09/2017	
DRWW	Suburban Labs		17-3	GST-03	0.5	ft	Buffalo Creek			Non-IEPA		05/24/2017	12:09:00	05/24/2017	4:07:00 PM					Water	YSI	Field	Dissolved Oxygen		7.34	mg/L							06/09/2017
DRWW	Suburban Labs		17-3	GST-03	0.5	ft	Buffalo Creek			Non-IEPA		05/24/2017	12:09:00	05/24/2017	4:07:00 PM			05/24/2017	4:38:00 P	Water	USEPA	E_COLI	E. Coli	Total	649.00	MPN/100mL	1.00	1.00					06/09/2017
DRWW	Suburban Labs		17-3	GST-03	0.5	ft	Buffalo Creek			Non-IEPA		05/24/2017	12:09:00	05/24/2017	4:07:00 PM					Water	USEPA	365.2	pH, Field		7.89	pH							06/09/2017
DRWW	Suburban Labs		17-3	GST-03	0.5	ft	Buffalo Creek			Non-IEPA		05/24/2017	12:09:00	05/24/2017	4:07:00 PM	06/02/2017	12:37:25	06/06/2017	5:20:15 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.11	mg/L	J	0.05	0.14			06/09/2017	
DRWW	Suburban Labs		17-3	GST-03	0.5	ft	Buffalo Creek			Non-IEPA		05/24/2017	12:09:00	05/24/2017	4:07:00 PM			05/30/2017	12:45:41	Water	Lab	2510B	Specific Conductivity	Total	939.00	umhos/cm	1.00	1.00					06/09/2017
DRWW	Suburban Labs		17-3	GST-03	0.5	ft	Buffalo Creek			Non-IEPA		05/24/2017	12:09:00	05/24/2017	4:07:00 PM					Water	USEPA	SM 2550B	Temperature		14.70	°C							06/09/2017
DRWW	Suburban Labs		17-3	GST-03	0.																												



Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code - IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs		17-3	GST-03	0.5	ft	Buffalo Creek			Non-IEPA		08/25/2017	12:53:00	08/25/2017	3:55:00 PM			08/28/2017	8:52:58 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.23	mg/L		0.10	0.22		09/14/2017	
DRWW	Suburban Labs		17-3	GST-03	0.5	ft	Buffalo Creek			Non-IEPA		08/25/2017	12:53:00	08/25/2017	3:55:00 PM			08/25/2017	5:00:00 P	Water	Lab	2130-B	Turbidity	Total	4.79	NTU		0.10	0.20		09/14/2017	
DRWW	Suburban Labs		17-3	GST-03	0.5	ft	Buffalo Creek			Non-IEPA		09/29/2017	12:51:00	09/29/2017	3:50:00 PM			10/03/2017	12:39:04	Water	APHA	4500-CL-	Chloride	Total	116.00	mg/L		20.00	20.00		11/03/2017	
DRWW	Suburban Labs		17-3	GST-03	0.5	ft	Buffalo Creek			Non-IEPA		09/29/2017	12:51:00	09/29/2017	3:50:00 PM					Water	YSI	EPA 120.	Conductivity	Total	978.00	umhos/cm					11/03/2017	
DRWW	Suburban Labs		17-3	GST-03	0.5	ft	Buffalo Creek			Non-IEPA		09/29/2017	12:51:00	09/29/2017	3:50:00 PM			09/29/2017	4:40:04 P	Water	USEPA	E_COLI	Dissolved Oxygen	Total	6.63	mg/L					11/03/2017	
DRWW	Suburban Labs		17-3	GST-03	0.5	ft	Buffalo Creek			Non-IEPA		09/29/2017	12:51:00	09/29/2017	3:50:00 PM			09/29/2017	4:40:04 P	Water	USEPA	E_COLI	E. Coli	Total	56.30	MPN/100mL		1.00	1.00		11/03/2017	
DRWW	Suburban Labs		17-3	GST-03	0.5	ft	Buffalo Creek			Non-IEPA		09/29/2017	12:51:00	09/29/2017	3:50:00 PM			10/03/2017	1:47:48 P	Water	USEPA	365.2	pH, Field	Total	8.02	S.U.					11/03/2017	
DRWW	Suburban Labs		17-3	GST-03	0.5	ft	Buffalo Creek			Non-IEPA		09/29/2017	12:51:00	09/29/2017	3:50:00 PM			10/04/2017	3:50:50 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.10	mg/L	J	0.05	0.14		11/03/2017	
DRWW	Suburban Labs		17-3	GST-03	0.5	ft	Buffalo Creek			Non-IEPA		09/29/2017	12:51:00	09/29/2017	3:50:00 PM			10/03/2017	4:38:26 P	Water	Lab	2510B	Specific Conductivity	Total	1000.00	umhos/cm		1.00	1.00		11/03/2017	
DRWW	Suburban Labs		17-3	GST-03	0.5	ft	Buffalo Creek			Non-IEPA		09/29/2017	12:51:00	09/29/2017	3:50:00 PM					Water	USEPA	SM 2550B	Temperature	Total	16.81	°C					11/03/2017	
DRWW	Suburban Labs		17-3	GST-03	0.5	ft	Buffalo Creek			Non-IEPA		09/29/2017	12:51:00	09/29/2017	3:50:00 PM			10/02/2017	7:25:51 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22		11/03/2017	
DRWW	Suburban Labs		17-3	GST-03	0.5	ft	Buffalo Creek			Non-IEPA		09/29/2017	12:51:00	09/29/2017	3:50:00 PM			09/29/2017	6:30:00 P	Water	Lab	2130-B	Turbidity	Total	1.61	NTU		0.10	0.20		11/03/2017	
DRWW	Suburban Labs		17-4	GSTZA-0	0.5	ft	Buffalo Creek			Non-IEPA		03/31/2017	1:29:00 P	03/31/2017	3:45:00 PM			04/04/2017	12:26:27	Water	APHA	4500-CL-	Chloride	Total	334.00	mg/L		40.00	40.00		04/24/2017	
DRWW	Suburban Labs		17-4	GSTZA-0	0.5	ft	Buffalo Creek			Non-IEPA		03/31/2017	1:29:00 P	03/31/2017	3:45:00 PM					Water	YSI	EPA 120.	Conductivity	Total	1250.00	umhos/cm					04/24/2017	
DRWW	Suburban Labs		17-4	GSTZA-0	0.5	ft	Buffalo Creek			Non-IEPA		03/31/2017	1:29:00 P	03/31/2017	3:45:00 PM			03/31/2017	4:35:00 P	Water	USEPA	E_COLI	E. Coli	Total	579.00	MPN/100mL		1.00	1.00		04/24/2017	
DRWW	Suburban Labs		17-4	GSTZA-0	0.5	ft	Buffalo Creek			Non-IEPA		03/31/2017	1:29:00 P	03/31/2017	3:45:00 PM			03/31/2017	4:59:00 P	Water	USEPA	DISSOLV	Filtered and Preserved	Total	complete		V	0.00	0.00		04/24/2017	
DRWW	Suburban Labs		17-4	GSTZA-0	0.5	ft	Buffalo Creek			Non-IEPA		03/31/2017	1:29:00 P	03/31/2017	3:45:00 PM			04/03/2017	6:25:40 P	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	0.12	mg/L	J	0.10	0.30		04/24/2017	
DRWW	Suburban Labs		17-4	GSTZA-0	0.5	ft	Buffalo Creek			Non-IEPA		03/31/2017	1:29:00 P	03/31/2017	3:45:00 PM			04/10/2017	1:09:23 P	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	ND	mg/L		1.10	3.50		04/24/2017	
DRWW	Suburban Labs		17-4	GSTZA-0	0.5	ft	Buffalo Creek			Non-IEPA		03/31/2017	1:29:00 P	03/31/2017	3:45:00 PM			03/31/2017	5:53:51 P	Water	USEPA	365.2	Orthophosphate (As P)	Total	ND	mg/L		0.03	0.05		04/24/2017	
DRWW	Suburban Labs		17-4	GSTZA-0	0.5	ft	Buffalo Creek			Non-IEPA		03/31/2017	1:29:00 P	03/31/2017	3:45:00 PM					Water	USEPA	365.2	pH, Field	Total	7.77	pH					04/24/2017	
DRWW	Suburban Labs		17-4	GSTZA-0	0.5	ft	Buffalo Creek			Non-IEPA		03/31/2017	1:29:00 P	03/31/2017	3:45:00 PM			04/04/2017	4:01:31 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.08	mg/L	J	0.05	0.14		04/24/2017	
DRWW	Suburban Labs		17-4	GSTZA-0	0.5	ft	Buffalo Creek			Non-IEPA		03/31/2017	1:29:00 P	03/31/2017	3:45:00 PM			04/06/2017	12:39:06	Water	Lab	2510B	Specific Conductivity	Total	1230.00	umhos/cm		1.00	1.00		04/24/2017	
DRWW	Suburban Labs		17-4	GSTZA-0	0.5	ft	Buffalo Creek			Non-IEPA		03/31/2017	1:29:00 P	03/31/2017	3:45:00 PM					Water	USEPA	SM 2550B	Temperature	Total	5.98	°C					04/24/2017	
DRWW	Suburban Labs		17-4	GSTZA-0	0.5	ft	Buffalo Creek			Non-IEPA		03/31/2017	1:29:00 P	03/31/2017	3:45:00 PM			03/31/2017	8:45:34 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.75	mg/L		0.10	0.20		04/24/2017	
DRWW	Suburban Labs		17-4	GSTZA-0	0.5	ft	Buffalo Creek			Non-IEPA		03/31/2017	1:29:00 P	03/31/2017	3:45:00 PM			04/03/2017	10:13:00	Water	USEPA	2540-D	Total Suspended Solids	Total	33.60	mg/L		0.40	10.00		04/24/2017	
DRWW	Suburban Labs		17-4	GSTZA-0	0.5	ft	Buffalo Creek			Non-IEPA		03/31/2017	1:29:00 P	03/31/2017	3:45:00 PM			04/03/2017	4:00:00 P	Water	Lab	2130-B	Turbidity	Total	37.30	NTU	H	0.10	0.20		04/24/2017	
DRWW	Suburban Labs		17-4	GSTZA-0	0.5	ft	Buffalo Creek			Non-IEPA		03/31/2017	1:29:00 P	03/31/2017	3:45:00 PM			04/03/2017	10:13:00	Water	USEPA	2540-D	Volatile Suspended Solids	Total	5.60	mg/L	J	0.40	10.00		04/24/2017	
DRWW	Suburban Labs		17-4	GSTZA-0	0.5	ft	Buffalo Creek			Non-IEPA		05/24/2017	12:35:00	05/24/2017	4:07:00 PM			05/24/2017	6:12:49 P	Water	APHA	4500-CL-	Chloride	Total	215.00	mg/L		100.00	100.00		06/09/2017	
DRWW	Suburban Labs		17-4	GSTZA-0	0.5	ft	Buffalo Creek			Non-IEPA		05/24/2017	12:35:00	05/24/2017	4:07:00 PM					Water	YSI	Field	Dissolved Oxygen	Total	6.63	mg/L					06/09/2017	
DRWW	Suburban Labs		17-4	GSTZA-0	0.5	ft	Buffalo Creek			Non-IEPA		05/24/2017	12:35:00	05/24/2017	4:07:00 PM			05/24/2017	5:03:00 P	Water	USEPA	E_COLI	E. Coli	Total	548.00	MPN/100mL		1.00	1.00		06/09/2017	
DRWW	Suburban Labs		17-4	GSTZA-0	0.5	ft	Buffalo Creek			Non-IEPA		05/24/2017	12:35:00	05/24/2017	4:07:00 PM			05/24/2017	6:19:00 P	Water	USEPA	DISSOLV	Filtered and Preserved	Total	complete		V	0.00	0.00		06/09/2017	
DRWW	Suburban Labs		17-4	GSTZA-0	0.5	ft	Buffalo Creek			Non-IEPA		05/24/2017	12:35:00	05/24/2017	4:07:00 PM			06/01/2017	1:07:24 P	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30		06/09/2017	
DRWW	Suburban Labs		17-4	GSTZA-0	0.5	ft	Buffalo Creek			Non-IEPA		05/24/2017	12:35:00	05/24/2017	4:07:00 PM			05/30/2017	12:59:18	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	1.94	mg/L	J	1.10	3.50		06/09/2017	
DRWW	Suburban Labs		17-4	GSTZA-0	0.5	ft	Buffalo Creek			Non-IEPA		05/24/2017	12:35:00	05/24/2017	4:07:00 PM			05/25/2017	4:43:18 P	Water	USEPA	365.2	Orthophosphate (As P)	Total	ND	mg/L		0.03	0.05		06/09/2017	
DRWW	Suburban Labs		17-4	GSTZA-0	0.5	ft	Buffalo Creek			Non-IEPA		05/24/2017	12:35:00	05/24/2017	4:07:00 PM					Water	USEPA	365.2	pH, Field	Total	7.88	pH					06/09/2017	
DRWW	Suburban Labs		17-4	GSTZA-0	0.5	ft	Buffalo Creek			Non-IEPA		05/24/2017	12:35:00	05/24/2017	4:07:00 PM			06/02/2017	12:37:25	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.06	mg/L	J	0.05	0.14		06/09/2017	
DRWW	Suburban Labs		17-4	GSTZA-0	0.5	ft	Buffalo Creek			Non-IEPA		05/24/2017	12:35:00	05/24/2017	4:07:00 PM			05/30/2017	12:48:09	Water	Lab	2510B	Specific Conductivity	Total	1130.00	umhos/cm		1.00	1.00		06/09/2017	
DRWW	Suburban Labs		17-4	GSTZA-0	0.5	ft	Buffalo Creek			Non-IEPA		05/24/2017	12:35:00	05/24/2017	4:07:00 PM					Water	USEPA	SM 2550B	Temperature	Total	15.27	°C					06/09/2017	
DRWW	Suburban Labs		17-4	GSTZA-0	0.5	ft	Buffalo Creek			Non-IEPA		05/24/2017	12:35:00	05/24/2017	4:07:00 PM			05/24/2017	8:44:41 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.13	mg/L	J	0.10	0.22		06/09/2017	
DRWW	Suburban Labs		17-4	GSTZA-0	0.5	ft	Buffalo Creek			Non-IEPA		05/24/2017	12:35:00	05/24/2017	4:07:00 PM			05/25/2017	9:36:29 A	Water	USEPA	2540-D	Total Suspended Solids	Total	9.80	mg/L		0.20	5.00		06/09/2017	
DRWW	Suburban Labs		17-4	GSTZA-0	0.5	ft	Buffalo Creek			Non-IEPA		05/24/2017	12:35:00	05/24/2017	4:07:00 PM			05/24/2017	6:00:00 P	Water	Lab	2130-B	Turbidity	Total	9.75	NTU		0.10	0.20		06/09/2017	
DRWW	Suburban Labs		17-4	GSTZA-0	0.5	ft	Buffalo Creek			Non-IEPA		05/24/2017	12:35:00	05/24/2017	4:07:00 PM			05/25/2017	9:36:29 A	Water	USEPA	2540-D	Volatile Suspended Solids	Total	3.00	mg/L	J	0.20	5.00		06/09/2017	
DRWW	Suburban Labs		17-4	GSTZA-0	0.5	ft	Buffalo Creek			Non-IEPA		06/30/2017	12:59:00	06/30/2017	4:16:00 PM			07/07/2017	6:29:44 P	Water	APHA	4500-CL-	Chloride	Total	98.10	mg/L		20.00	20.00		07/19/2017	
DRWW	Suburban Labs		17-4	GSTZA-0	0.5	ft	Buffalo Creek			Non-IEPA		06/30/2017	12:59:00	06/30/2017	4:16:00 PM					Water	YSI	EPA 120.	Conductivity	Total	560.00	umhos/cm					07/19/2017	
DRWW	Suburban Labs		17-4	GSTZA-0	0.5	ft	Buffalo Creek			Non-IEPA		06/30/2017	12:59:00	06/30/2017	4:16:00 PM					Water	YSI	Field	Dissolved Oxygen	Total	3.17	mg/L					07/19/2017	
DRWW	Suburban Labs		17-4	GSTZA-0	0.5	ft	Buffalo Creek			Non-IEPA		06/30/2017																				

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code - IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released	
DRWW	Suburban Labs		17-4	GSTZA-0	0.5	ft	Buffalo Creek			Non-IEPA		08/25/2017	1:09:00 P	08/25/2017	3:55:00 PM					Water	YSI	EPA 120.	Conductivity		872.00	umhos/cm					09/14/2017		
DRWW	Suburban Labs		17-4	GSTZA-0	0.5	ft	Buffalo Creek			Non-IEPA		08/25/2017	1:09:00 P	08/25/2017	3:55:00 PM					Water	YSI	Field	Dissolved Oxygen		7.93	mg/L					09/14/2017		
DRWW	Suburban Labs		17-4	GSTZA-0	0.5	ft	Buffalo Creek			Non-IEPA		08/25/2017	1:09:00 P	08/25/2017	3:55:00 PM		08/25/2017	4:31:59 P	Water	USEPA	E. COLI	E. Coli	Total	308.00	MPN/100mL	1.00	1.00			09/14/2017			
DRWW	Suburban Labs		17-4	GSTZA-0	0.5	ft	Buffalo Creek			Non-IEPA		08/25/2017	1:09:00 P	08/25/2017	3:55:00 PM		08/28/2017	5:20:00 P	Water	USEPA	DISSOLV	Filtered and Preserved	Total	complete		V	0.00	0.00			09/14/2017		
DRWW	Suburban Labs		17-4	GSTZA-0	0.5	ft	Buffalo Creek			Non-IEPA		08/25/2017	1:09:00 P	08/25/2017	3:55:00 PM		08/28/2017	2:54:10 P	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30			09/14/2017		
DRWW	Suburban Labs		17-4	GSTZA-0	0.5	ft	Buffalo Creek			Non-IEPA		08/25/2017	1:09:00 P	08/25/2017	3:55:00 PM		09/05/2017	12:52:58 P	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	1.38	mg/L	J	1.10	3.50			09/14/2017		
DRWW	Suburban Labs		17-4	GSTZA-0	0.5	ft	Buffalo Creek			Non-IEPA		08/25/2017	1:09:00 P	08/25/2017	3:55:00 PM		08/25/2017	6:30:25 P	Water	USEPA	365.2	Orthophosphate (As P)	Total	ND	mg/L		0.03	0.05			09/14/2017		
DRWW	Suburban Labs		17-4	GSTZA-0	0.5	ft	Buffalo Creek			Non-IEPA		08/25/2017	1:09:00 P	08/25/2017	3:55:00 PM				Water	USEPA	365.2	pH, Field		8.02	S.U.					09/14/2017			
DRWW	Suburban Labs		17-4	GSTZA-0	0.5	ft	Buffalo Creek			Non-IEPA		08/25/2017	1:09:00 P	08/25/2017	3:55:00 PM		08/30/2017	12:00:49 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.06	mg/L	J	0.05	0.14			09/14/2017		
DRWW	Suburban Labs		17-4	GSTZA-0	0.5	ft	Buffalo Creek			Non-IEPA		08/25/2017	1:09:00 P	08/25/2017	3:55:00 PM		09/14/2017	2:19:21 P	Water	Lab	2510B	Specific Conductivity	Total	888.00	umhos/cm	1.00	1.00			09/14/2017			
DRWW	Suburban Labs		17-4	GSTZA-0	0.5	ft	Buffalo Creek			Non-IEPA		08/25/2017	1:09:00 P	08/25/2017	3:55:00 PM				Water	USEPA	SM 2550E	Temperature		18.23	°C					09/14/2017			
DRWW	Suburban Labs		17-4	GSTZA-0	0.5	ft	Buffalo Creek			Non-IEPA		08/25/2017	1:09:00 P	08/25/2017	3:55:00 PM		08/28/2017	8:58:45 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.29	mg/L		0.10	0.22			09/14/2017		
DRWW	Suburban Labs		17-4	GSTZA-0	0.5	ft	Buffalo Creek			Non-IEPA		08/25/2017	1:09:00 P	08/25/2017	3:55:00 PM		08/28/2017	8:41:00 A	Water	USEPA	2540-D	Total Suspended Solids	Total	5.40	mg/L		0.20	5.00			09/14/2017		
DRWW	Suburban Labs		17-4	GSTZA-0	0.5	ft	Buffalo Creek			Non-IEPA		08/25/2017	1:09:00 P	08/25/2017	3:55:00 PM		08/25/2017	5:00:00 P	Water	Lab	2130-B	Turbidity		6.83	NTU		0.10	0.20			09/14/2017		
DRWW	Suburban Labs		17-4	GSTZA-0	0.5	ft	Buffalo Creek			Non-IEPA		08/25/2017	1:09:00 P	08/25/2017	3:55:00 PM		08/28/2017	8:41:00 A	Water	USEPA	2540-D	Volatile Suspended Solids	Total	1.40	mg/L	J	0.20	5.00			09/14/2017		
DRWW	Suburban Labs		17-4	GSTZA-0	0.5	ft	Buffalo Creek			Non-IEPA		09/29/2017	1:15:00 P	09/29/2017	3:50:00 P	10/03/2017	1:42:33 P	10/04/2017	2:36:02 P	Water	USEPA	200.7	Calcium	Total	64.00	mg/L		0.01	0.02			11/03/2017	
DRWW	Suburban Labs		17-4	GSTZA-0	0.5	ft	Buffalo Creek			Non-IEPA		09/29/2017	1:15:00 P	09/29/2017	3:50:00 PM		10/03/2017	12:39:47 P	Water	APHA	4500-CL-	Chloride	Total	197.00	mg/L		20.00	20.00			11/03/2017		
DRWW	Suburban Labs		17-4	GSTZA-0	0.5	ft	Buffalo Creek			Non-IEPA		09/29/2017	1:15:00 P	09/29/2017	3:50:00 PM				Water	YSI	EPA 120.	Conductivity		1186.00	umhos/cm						11/03/2017		
DRWW	Suburban Labs		17-4	GSTZA-0	0.5	ft	Buffalo Creek			Non-IEPA		09/29/2017	1:15:00 P	09/29/2017	3:50:00 PM				Water	YSI	Field	Field	Dissolved Oxygen		3.34	mg/L						11/03/2017	
DRWW	Suburban Labs		17-4	GSTZA-0	0.5	ft	Buffalo Creek			Non-IEPA		09/29/2017	1:15:00 P	09/29/2017	3:50:00 PM		09/29/2017	4:40:04 P	Water	USEPA	E. COLI	E. Coli	Total	104.00	MPN/100mL	1.00	1.00					11/03/2017	
DRWW	Suburban Labs		17-4	GSTZA-0	0.5	ft	Buffalo Creek			Non-IEPA		09/29/2017	1:15:00 P	09/29/2017	3:50:00 PM		09/29/2017	5:32:00 P	Water	USEPA	DISSOLV	Filtered and Preserved	Total	complete		V	0.00	0.00			11/03/2017		
DRWW	Suburban Labs		17-4	GSTZA-0	0.5	ft	Buffalo Creek			Non-IEPA		09/29/2017	1:15:00 P	09/29/2017	3:50:00 P	10/03/2017	1:42:33 P	10/04/2017	2:36:02 P	Water	USEPA	200.7	Hardness (As CaCO3)	Total	271.00	mg/L		0.05	0.15			11/03/2017	
DRWW	Suburban Labs		17-4	GSTZA-0	0.5	ft	Buffalo Creek			Non-IEPA		09/29/2017	1:15:00 P	09/29/2017	3:50:00 P	10/03/2017	1:42:33 P	10/04/2017	2:36:02 P	Water	USEPA	200.7	Magnesium	Total	27.00	mg/L		0.00	0.00			11/03/2017	
DRWW	Suburban Labs		17-4	GSTZA-0	0.5	ft	Buffalo Creek			Non-IEPA		09/29/2017	1:15:00 P	09/29/2017	3:50:00 P	10/03/2017	1:42:33 P	10/04/2017	2:36:02 P	Water	USEPA	200.7	Manganese	Total	0.09	mg/L	S	0.00	0.01			11/03/2017	
DRWW	Suburban Labs		17-4	GSTZA-0	0.5	ft	Buffalo Creek			Non-IEPA		09/29/2017	1:15:00 P	09/29/2017	3:50:00 PM		10/04/2017	7:04:45 P	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30			11/03/2017		
DRWW	Suburban Labs		17-4	GSTZA-0	0.5	ft	Buffalo Creek			Non-IEPA		09/29/2017	1:15:00 P	09/29/2017	3:50:00 P	10/05/2017	11:18:25 A	10/09/2017	1:17:12 P	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	ND	mg/L		1.19	3.78			11/03/2017	
DRWW	Suburban Labs		17-4	GSTZA-0	0.5	ft	Buffalo Creek			Non-IEPA		09/29/2017	1:15:00 P	09/29/2017	3:50:00 PM		09/29/2017	6:10:03 P	Water	USEPA	365.2	Orthophosphate (As P)	Total	0.04	mg/L	J	0.03	0.05			11/03/2017		
DRWW	Suburban Labs		17-4	GSTZA-0	0.5	ft	Buffalo Creek			Non-IEPA		09/29/2017	1:15:00 P	09/29/2017	3:50:00 PM		09/29/2017	6:10:03 P	Water	USEPA	365.2	pH, Field		7.74	S.U.						11/03/2017		
DRWW	Suburban Labs		17-4	GSTZA-0	0.5	ft	Buffalo Creek			Non-IEPA		09/29/2017	1:15:00 P	09/29/2017	3:50:00 P	10/03/2017	1:42:33 P	10/04/2017	2:36:02 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.07	mg/L	JS	0.04	0.14			11/03/2017	
DRWW	Suburban Labs		17-4	GSTZA-0	0.5	ft	Buffalo Creek			Non-IEPA		09/29/2017	1:15:00 P	09/29/2017	3:50:00 PM		10/03/2017	4:43:17 P	Water	Lab	2510B	Specific Conductivity	Total	1220.00	umhos/cm	1.00	1.00			11/03/2017			
DRWW	Suburban Labs		17-4	GSTZA-0	0.5	ft	Buffalo Creek			Non-IEPA		09/29/2017	1:15:00 P	09/29/2017	3:50:00 PM				Water	USEPA	SM 2550E	Temperature		16.80	°C						11/03/2017		
DRWW	Suburban Labs		17-4	GSTZA-0	0.5	ft	Buffalo Creek			Non-IEPA		09/29/2017	1:15:00 P	09/29/2017	3:50:00 PM		10/02/2017	7:28:07 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.11	mg/L	J	0.10	0.22			11/03/2017		
DRWW	Suburban Labs		17-4	GSTZA-0	0.5	ft	Buffalo Creek			Non-IEPA		09/29/2017	1:15:00 P	09/29/2017	3:50:00 PM		10/05/2017	3:44:05 P	Water	USEPA	2540-D	Total Suspended Solids	Total	8.00	mg/L		0.20	5.00			11/03/2017		
DRWW	Suburban Labs		17-4	GSTZA-0	0.5	ft	Buffalo Creek			Non-IEPA		09/29/2017	1:15:00 P	09/29/2017	3:50:00 PM		09/29/2017	6:30:00 P	Water	Lab	2130-B	Turbidity		10.00	NTU		0.10	0.20			11/03/2017		
DRWW	Suburban Labs		17-4	GSTZA-0	0.5	ft	Buffalo Creek			Non-IEPA		09/29/2017	1:15:00 P	09/29/2017	3:50:00 PM		10/05/2017	3:44:05 P	Water	USEPA	2540-D	Volatile Suspended Solids	Total	2.20	mg/L	J	0.20	5.00			11/03/2017		
DRWW	Suburban Labs		17-5	GST-LZS	0.5	ft	Buffalo Creek			Non-IEPA		8/23/2017								Water	APHA	4500-CL-	Chloride	Total	108.00	mg/L						9/7/2017	
DRWW	Suburban Labs		17-5	GST-LZS	0.5	ft	Buffalo Creek			Non-IEPA		8/23/2017								Water	YSI	EPA 120.	Conductivity		835.00	umhos/cm						9/7/2017	
DRWW	Suburban Labs		17-5	GST-LZS	0.5	ft	Buffalo Creek			Non-IEPA		8/23/2017								Water	YSI	Field	Dissolved Oxygen		6.40	mg/L						9/7/2017	
DRWW	Suburban Labs		17-5	GST-LZS	0.5	ft	Buffalo Creek			Non-IEPA		8/23/2017								Water	USEPA	E. COLI	E. Coli	Total	58.00	MPN/100mL	1.00	1.00					9/7/2017
DRWW	Suburban Labs		17-5	GST-LZS	0.5	ft	Buffalo Creek			Non-IEPA		8/23/2017								Water	USEPA	365.2	pH, Field		7.16	pH						9/7/2017	
DRWW	Suburban Labs		17-5	GST-LZS	0.5	ft	Buffalo Creek			Non-IEPA		8/23/2017								Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.09	mg/L						9/7/2017	
DRWW	Suburban Labs		17-5	GST-LZS	0.5	ft	Buffalo Creek			Non-IEPA		8/23/2017								Water	USEPA	SM 2550E	Temperature		18.89	°C						9/7/2017	
DRWW	Suburban Labs		17-5	GST-LZS	0.5	ft	Buffalo Creek			Non-IEPA		8/23/2017								Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.25	mg/L						9/7/2017	
DRWW	Suburban Labs		17-5	GST-LZS	0.5	ft	Buffalo Creek			Non-IEPA		9/20/2017	#####							Water	APHA	4500-CL-	Chloride	Total	186.00	mg/L							10/11/2017
DRWW	Suburban Labs		17-5	GST-LZS	0.5	ft	Buffalo Creek			Non-IEPA		9/20/2017	#####							Water	YSI	EPA 120.	Conductivity		1194.00	umhos/cm							10/11/2017
DRWW	Suburban Labs		17-5	GST-LZS	0.5	ft	Buffalo Creek			Non-IEPA		9/20/2017	#####							Water	YSI	Field	Dissolved Oxygen		4.00	mg/L							10/11/2017
DRWW	Suburban Labs		17-5	GST-LZS	0.5	ft	Buffalo Creek			Non-IEPA		9/20/2017	#####							Water	USEPA	E. COLI	E. Coli	Total	42.00	MPN/100mL	1.00	1.00					

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code - IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs		18-1	GZC-03	0.5	ft	Aptakisis Creek			Non-IEPA		05/24/2017	1:08:00 P	05/24/2017	4:07:00 PM			05/30/2017	12:48:41	Water	Lab	2510B	Specific Conductivity	Total	1400.00	umhos/cm		1.00	1.00			06/09/2017
DRWW	Suburban Labs		18-1	GZC-03	0.5	ft	Aptakisis Creek			Non-IEPA		05/24/2017	1:08:00 P	05/24/2017	4:07:00 PM					Water	USEPA	SM 2550B	Temperature	Total	15.81	°C						06/09/2017
DRWW	Suburban Labs		18-1	GZC-03	0.5	ft	Aptakisis Creek			Non-IEPA		05/24/2017	1:08:00 P	05/24/2017	4:07:00 PM			05/24/2017	8:45:49 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	11.40	mg/L		0.10	0.22			06/09/2017
DRWW	Suburban Labs		18-1	GZC-03	0.5	ft	Aptakisis Creek			Non-IEPA		05/24/2017	1:08:00 P	05/24/2017	4:07:00 PM			05/25/2017	9:36:29 A	Water	USEPA	2540-D	Total Suspended Solids	Total	13.80	mg/L		0.20	5.00			06/09/2017
DRWW	Suburban Labs		18-1	GZC-03	0.5	ft	Aptakisis Creek			Non-IEPA		05/24/2017	1:08:00 P	05/24/2017	4:07:00 PM			05/24/2017	6:00:00 P	Water	Lab	2130-B	Turbidity	Total	10.40	NTU		0.10	0.20			06/09/2017
DRWW	Suburban Labs		18-1	GZC-03	0.5	ft	Aptakisis Creek			Non-IEPA		05/24/2017	1:08:00 P	05/24/2017	4:07:00 PM			05/25/2017	9:36:29 A	Water	USEPA	2540-D	Volatile Suspended Solids	Total	3.20	mg/L	J	0.20	5.00			06/09/2017
DRWW	Suburban Labs		18-1	GZC-03	0.5	ft	Aptakisis Creek			Non-IEPA		06/30/2017	1:30:00 P	06/30/2017	4:16:00 PM			07/07/2017	6:30:22 P	Water	APHA	4500-CL-	Chloride	Total	112.00	mg/L		20.00	20.00			07/19/2017
DRWW	Suburban Labs		18-1	GZC-03	0.5	ft	Aptakisis Creek			Non-IEPA		06/30/2017	1:30:00 P	06/30/2017	4:16:00 PM					Water	YSI	EPA 120.	Conductivity	Total	807.00	umhos/cm						07/19/2017
DRWW	Suburban Labs		18-1	GZC-03	0.5	ft	Aptakisis Creek			Non-IEPA		06/30/2017	1:30:00 P	06/30/2017	4:16:00 PM					Water	YSI	Field	Dissolved Oxygen	Total	5.98	mg/L						07/19/2017
DRWW	Suburban Labs		18-1	GZC-03	0.5	ft	Aptakisis Creek			Non-IEPA		06/30/2017	1:30:00 P	06/30/2017	4:16:00 PM			06/30/2017	4:59:20 P	Water	USEPA	E. COLI	E. Coli	Total	1120.00	MPN/100mL		1.00	1.00			07/19/2017
DRWW	Suburban Labs		18-1	GZC-03	0.5	ft	Aptakisis Creek			Non-IEPA		06/30/2017	1:30:00 P	06/30/2017	4:16:00 PM			06/30/2017	4:51:00 P	Water	USEPA	DISSOLV	Filtered and Preserved	Total	complete		V	0.00	0.00			07/19/2017
DRWW	Suburban Labs		18-1	GZC-03	0.5	ft	Aptakisis Creek			Non-IEPA		06/30/2017	1:30:00 P	06/30/2017	4:16:00 PM			07/05/2017	6:28:02 P	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30			07/19/2017
DRWW	Suburban Labs		18-1	GZC-03	0.5	ft	Aptakisis Creek			Non-IEPA		06/30/2017	1:30:00 P	06/30/2017	4:16:00 PM	07/14/2017	10:41:47	07/18/2017	10:27:45	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	ND	mg/L		1.10	3.50			07/19/2017
DRWW	Suburban Labs		18-1	GZC-03	0.5	ft	Aptakisis Creek			Non-IEPA		06/30/2017	1:30:00 P	06/30/2017	4:16:00 PM			06/30/2017	5:09:18 P	Water	USEPA	365.2	Orthophosphate (As P)	Total	0.40	mg/L		0.03	0.05			07/19/2017
DRWW	Suburban Labs		18-1	GZC-03	0.5	ft	Aptakisis Creek			Non-IEPA		06/30/2017	1:30:00 P	06/30/2017	4:16:00 PM					Water	USEPA	365.2	pH, Field	Total	7.62	pH						07/19/2017
DRWW	Suburban Labs		18-1	GZC-03	0.5	ft	Aptakisis Creek			Non-IEPA		06/30/2017	1:30:00 P	06/30/2017	4:16:00 PM	07/05/2017	3:50:51 P	07/07/2017	2:19:40 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.50	mg/L		0.05	0.14			07/19/2017
DRWW	Suburban Labs		18-1	GZC-03	0.5	ft	Aptakisis Creek			Non-IEPA		06/30/2017	1:30:00 P	06/30/2017	4:16:00 PM			07/12/2017	2:05:26 P	Water	Lab	2510B	Specific Conductivity	Total	788.00	umhos/cm		1.00	1.00			07/19/2017
DRWW	Suburban Labs		18-1	GZC-03	0.5	ft	Aptakisis Creek			Non-IEPA		06/30/2017	1:30:00 P	06/30/2017	4:16:00 PM					Water	USEPA	SM 2550B	Temperature	Total	20.81	°C						07/19/2017
DRWW	Suburban Labs		18-1	GZC-03	0.5	ft	Aptakisis Creek			Non-IEPA		06/30/2017	1:30:00 P	06/30/2017	4:16:00 PM			07/06/2017	9:06:56 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	3.14	mg/L		0.10	0.22			07/19/2017
DRWW	Suburban Labs		18-1	GZC-03	0.5	ft	Aptakisis Creek			Non-IEPA		06/30/2017	1:30:00 P	06/30/2017	4:16:00 PM			07/06/2017	10:03:57	Water	USEPA	2540-D	Total Suspended Solids	Total	16.60	mg/L		0.20	5.00			07/19/2017
DRWW	Suburban Labs		18-1	GZC-03	0.5	ft	Aptakisis Creek			Non-IEPA		06/30/2017	1:30:00 P	06/30/2017	4:16:00 PM			06/30/2017	4:45:00 P	Water	Lab	2130-B	Turbidity	Total	17.40	NTU		0.10	0.20			07/19/2017
DRWW	Suburban Labs		18-1	GZC-03	0.5	ft	Aptakisis Creek			Non-IEPA		06/30/2017	1:30:00 P	06/30/2017	4:16:00 PM			07/06/2017	10:03:57	Water	USEPA	2540-D	Volatile Suspended Solids	Total	2.80	mg/L	J	0.20	5.00			07/19/2017
DRWW	Suburban Labs		18-1	GZC-03	0.5	ft	Aptakisis Creek			Non-IEPA		07/28/2017	12:17:00	07/28/2017	2:56:00 PM			07/31/2017	6:38:51 P	Water	APHA	4500-CL-	Chloride	Total	168.00	mg/L		20.00	20.00			08/10/2017
DRWW	Suburban Labs		18-1	GZC-03	0.5	ft	Aptakisis Creek			Non-IEPA		07/28/2017	12:17:00	07/28/2017	2:56:00 PM					Water	YSI	EPA 120.	Conductivity	Total	1226.00	umhos/cm						08/10/2017
DRWW	Suburban Labs		18-1	GZC-03	0.5	ft	Aptakisis Creek			Non-IEPA		07/28/2017	12:17:00	07/28/2017	2:56:00 PM					Water	YSI	Field	Dissolved Oxygen	Total	7.53	mg/L						08/10/2017
DRWW	Suburban Labs		18-1	GZC-03	0.5	ft	Aptakisis Creek			Non-IEPA		07/28/2017	12:17:00	07/28/2017	2:56:00 PM			07/28/2017	3:43:35 P	Water	USEPA	E. COLI	E. Coli	Total	96.00	MPN/100mL		1.00	1.00			08/10/2017
DRWW	Suburban Labs		18-1	GZC-03	0.5	ft	Aptakisis Creek			Non-IEPA		07/28/2017	12:17:00	07/28/2017	2:56:00 PM			07/28/2017	5:31:00 P	Water	USEPA	DISSOLV	Filtered and Preserved	Total	complete		V	0.00	0.00			08/10/2017
DRWW	Suburban Labs		18-1	GZC-03	0.5	ft	Aptakisis Creek			Non-IEPA		07/28/2017	12:17:00	07/28/2017	2:56:00 PM			08/01/2017	5:17:01 P	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	0.12	mg/L		0.10	0.30			08/10/2017
DRWW	Suburban Labs		18-1	GZC-03	0.5	ft	Aptakisis Creek			Non-IEPA		07/28/2017	12:17:00	07/28/2017	2:56:00 PM	08/08/2017	11:19:04	08/10/2017	12:10:14	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	ND	mg/L		1.10	3.50			08/10/2017
DRWW	Suburban Labs		18-1	GZC-03	0.5	ft	Aptakisis Creek			Non-IEPA		07/28/2017	12:17:00	07/28/2017	2:56:00 PM			07/28/2017	4:33:28 P	Water	USEPA	365.2	Orthophosphate (As P)	Total	1.40	mg/L		0.13	0.25			08/10/2017
DRWW	Suburban Labs		18-1	GZC-03	0.5	ft	Aptakisis Creek			Non-IEPA		07/28/2017	12:17:00	07/28/2017	2:56:00 PM					Water	USEPA	365.2	pH, Field	Total	7.80	S.U.						08/10/2017
DRWW	Suburban Labs		18-1	GZC-03	0.5	ft	Aptakisis Creek			Non-IEPA		07/28/2017	12:17:00	07/28/2017	2:56:00 PM	07/31/2017	9:32:43 A	08/01/2017	2:40:25 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	1.46	mg/L		0.05	0.14			08/10/2017
DRWW	Suburban Labs		18-1	GZC-03	0.5	ft	Aptakisis Creek			Non-IEPA		07/28/2017	12:17:00	07/28/2017	2:56:00 PM			08/01/2017	3:08:39 P	Water	Lab	2510B	Specific Conductivity	Total	1140.00	umhos/cm		1.00	1.00			08/10/2017
DRWW	Suburban Labs		18-1	GZC-03	0.5	ft	Aptakisis Creek			Non-IEPA		07/28/2017	12:17:00	07/28/2017	2:56:00 PM					Water	USEPA	SM 2550B	Temperature	Total	22.43	°C						08/10/2017
DRWW	Suburban Labs		18-1	GZC-03	0.5	ft	Aptakisis Creek			Non-IEPA		07/28/2017	12:17:00	07/28/2017	2:56:00 PM			07/31/2017	6:58:18 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	8.17	mg/L		0.10	0.22			08/10/2017
DRWW	Suburban Labs		18-1	GZC-03	0.5	ft	Aptakisis Creek			Non-IEPA		07/28/2017	12:17:00	07/28/2017	2:56:00 PM			08/02/2017	1:45:00 P	Water	USEPA	2540-D	Total Suspended Solids	Total	10.60	mg/L		0.20	5.00			08/10/2017
DRWW	Suburban Labs		18-1	GZC-03	0.5	ft	Aptakisis Creek			Non-IEPA		07/28/2017	12:17:00	07/28/2017	2:56:00 PM			07/28/2017	4:55:00 P	Water	Lab	2130-B	Turbidity	Total	8.89	NTU		0.10	0.20			08/10/2017
DRWW	Suburban Labs		18-1	GZC-03	0.5	ft	Aptakisis Creek			Non-IEPA		07/28/2017	12:17:00	07/28/2017	2:56:00 PM			08/02/2017	1:45:00 P	Water	USEPA	2540-D	Volatile Suspended Solids	Total	2.60	mg/L	J	0.20	5.00			08/10/2017
DRWW	Suburban Labs		18-1	GZC-03	0.5	ft	Aptakisis Creek			Non-IEPA		08/25/2017	1:34:00 P	08/25/2017	3:55:00 PM			08/30/2017	5:14:52 P	Water	APHA	4500-CL-	Chloride	Total	272.00	mg/L		40.00	40.00			09/14/2017
DRWW	Suburban Labs		18-1	GZC-03	0.5	ft	Aptakisis Creek			Non-IEPA		08/25/2017	1:34:00 P	08/25/2017	3:55:00 PM					Water	YSI	EPA 120.	Conductivity	Total	1533.00	umhos/cm						09/14/2017
DRWW	Suburban Labs		18-1	GZC-03	0.5	ft	Aptakisis Creek			Non-IEPA		08/25/2017	1:34:00 P	08/25/2017	3:55:00 PM					Water	YSI	Field	Dissolved Oxygen	Total	9.02	mg/L						09/14/2017
DRWW	Suburban Labs		18-1	GZC-03	0.5	ft	Aptakisis Creek			Non-IEPA		08/25/2017	1:34:00 P	08/25/2017	3:55:00 PM			08/25/2017	4:31:59 P	Water	USEPA	E. COLI	E. Coli	Total	172.00	MPN/100mL		1.00	1.00			09/14/2017
DRWW	Suburban Labs		18-1	GZC-03	0.5	ft	Aptakisis Creek			Non-IEPA		08/25/2017	1:34:00 P	08/25/2017	3:55:00 PM			08/25/2017	5:20:00 P	Water	USEPA	DISSOLV	Filtered and Preserved	Total	complete		V	0.00	0.00			09/14/2017
DRWW	Suburban Labs		18-1	GZC-03	0.5	ft	Aptakisis Creek			Non-IEPA		08/25/2017	1:34:00 P	08/25/2017	3:55:00 PM			08/28/2017	2:55:58 P	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30			09/14/2017
DRWW	Suburban Labs		18-1	GZC-03																												

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code - IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs		18-2	GZC-02	0.5	ft	Aptakisis Creek			Non-IEPA		03/29/2017	1:36:00 P	03/29/2017	3:34:00 PM					Water	YSI	Field	Dissolved Oxygen		12.42	mg/L						04/24/2017
DRWW	Suburban Labs		18-2	GZC-02	0.5	ft	Aptakisis Creek			Non-IEPA		03/29/2017	1:36:00 P	03/29/2017	3:34:00 PM			03/29/2017	4:14:00 P	Water	USEPA	E_COLI	E. Coli	Total	4.10	MPN/100mL		1.00	1.00			04/24/2017
DRWW	Suburban Labs		18-2	GZC-02	0.5	ft	Aptakisis Creek			Non-IEPA		03/29/2017	1:36:00 P	03/29/2017	3:34:00 PM					Water	USEPA	365.2	pH, Field		8.20	pH						04/24/2017
DRWW	Suburban Labs		18-2	GZC-02	0.5	ft	Aptakisis Creek			Non-IEPA		03/29/2017	1:36:00 P	03/29/2017	3:34:00 PM			04/03/2017	1:46:48 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.05	mg/L	J	0.05	0.14			04/24/2017
DRWW	Suburban Labs		18-2	GZC-02	0.5	ft	Aptakisis Creek			Non-IEPA		03/29/2017	1:36:00 P	03/29/2017	3:34:00 PM			04/06/2017	12:15:47 P	Water	Lab	2510B	Specific Conductivity	Total	1720.00	umhos/cm		1.00	1.00			04/24/2017
DRWW	Suburban Labs		18-2	GZC-02	0.5	ft	Aptakisis Creek			Non-IEPA		03/29/2017	1:36:00 P	03/29/2017	3:34:00 PM					Water	USEPA	SM 2550B	Temperature		9.35	°C						04/24/2017
DRWW	Suburban Labs		18-2	GZC-02	0.5	ft	Aptakisis Creek			Non-IEPA		03/29/2017	1:36:00 P	03/29/2017	3:34:00 PM			03/31/2017	7:29:39 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.47	mg/L		0.10	0.20			04/24/2017
DRWW	Suburban Labs		18-2	GZC-02	0.5	ft	Aptakisis Creek			Non-IEPA		03/29/2017	1:36:00 P	03/29/2017	3:34:00 PM			03/29/2017	6:40:00 P	Water	Lab	2130-B	Turbidity		15.40	NTU		0.10	0.20			04/24/2017
DRWW	Suburban Labs		18-2	GZC-02	0.5	ft	Aptakisis Creek			Non-IEPA		05/24/2017	1:22:00 P	05/24/2017	4:07:00 PM			05/30/2017	3:07:41 P	Water	APHA	4500-CL-	Chloride	Total	206.00	mg/L	S	40.00	40.00			06/09/2017
DRWW	Suburban Labs		18-2	GZC-02	0.5	ft	Aptakisis Creek			Non-IEPA		05/24/2017	1:22:00 P	05/24/2017	4:07:00 PM					Water	YSI	Field	Dissolved Oxygen		8.05	mg/L						06/09/2017
DRWW	Suburban Labs		18-2	GZC-02	0.5	ft	Aptakisis Creek			Non-IEPA		05/24/2017	1:22:00 P	05/24/2017	4:07:00 PM			05/24/2017	4:38:00 P	Water	USEPA	E_COLI	E. Coli	Total	88.20	MPN/100mL		1.00	1.00			06/09/2017
DRWW	Suburban Labs		18-2	GZC-02	0.5	ft	Aptakisis Creek			Non-IEPA		05/24/2017	1:22:00 P	05/24/2017	4:07:00 PM					Water	USEPA	365.2	pH, Field		8.25	pH						06/09/2017
DRWW	Suburban Labs		18-2	GZC-02	0.5	ft	Aptakisis Creek			Non-IEPA		05/24/2017	1:22:00 P	05/24/2017	4:07:00 PM	06/02/2017	12:37:25 P	06/06/2017	5:28:14 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.08	mg/L	J	0.05	0.14			06/09/2017
DRWW	Suburban Labs		18-2	GZC-02	0.5	ft	Aptakisis Creek			Non-IEPA		05/24/2017	1:22:00 P	05/24/2017	4:07:00 PM			05/30/2017	12:49:44 P	Water	Lab	2510B	Specific Conductivity	Total	1150.00	umhos/cm		1.00	1.00			06/09/2017
DRWW	Suburban Labs		18-2	GZC-02	0.5	ft	Aptakisis Creek			Non-IEPA		05/24/2017	1:22:00 P	05/24/2017	4:07:00 PM					Water	USEPA	SM 2550B	Temperature		15.98	°C						06/09/2017
DRWW	Suburban Labs		18-2	GZC-02	0.5	ft	Aptakisis Creek			Non-IEPA		05/24/2017	1:22:00 P	05/24/2017	4:07:00 PM			05/24/2017	8:46:46 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.12	mg/L	J	0.10	0.22			06/09/2017
DRWW	Suburban Labs		18-2	GZC-02	0.5	ft	Aptakisis Creek			Non-IEPA		05/24/2017	1:22:00 P	05/24/2017	4:07:00 PM			05/24/2017	6:00:00 P	Water	Lab	2130-B	Turbidity		27.80	NTU		0.10	0.20			06/09/2017
DRWW	Suburban Labs		18-2	GZC-02	0.5	ft	Aptakisis Creek			Non-IEPA		06/30/2017	1:45:00 P	06/30/2017	4:16:00 PM			07/07/2017	6:31:00 P	Water	APHA	4500-CL-	Chloride	Total	90.70	mg/L		20.00	20.00			07/14/2017
DRWW	Suburban Labs		18-2	GZC-02	0.5	ft	Aptakisis Creek			Non-IEPA		06/30/2017	1:45:00 P	06/30/2017	4:16:00 PM					Water	YSI	EPA 120.	Conductivity		593.00	umhos/cm						07/14/2017
DRWW	Suburban Labs		18-2	GZC-02	0.5	ft	Aptakisis Creek			Non-IEPA		06/30/2017	1:45:00 P	06/30/2017	4:16:00 PM					Water	YSI	Field	Dissolved Oxygen		3.43	mg/L						07/14/2017
DRWW	Suburban Labs		18-2	GZC-02	0.5	ft	Aptakisis Creek			Non-IEPA		06/30/2017	1:45:00 P	06/30/2017	4:16:00 PM			06/30/2017	4:59:20 P	Water	USEPA	E_COLI	E. Coli	Total	1550.00	MPN/100mL		1.00	1.00			07/14/2017
DRWW	Suburban Labs		18-2	GZC-02	0.5	ft	Aptakisis Creek			Non-IEPA		06/30/2017	1:45:00 P	06/30/2017	4:16:00 PM					Water	USEPA	365.2	pH, Field		7.69	pH						07/14/2017
DRWW	Suburban Labs		18-2	GZC-02	0.5	ft	Aptakisis Creek			Non-IEPA		06/30/2017	1:45:00 P	06/30/2017	4:16:00 PM	07/05/2017	3:50:51 P	07/07/2017	2:22:01 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.11	mg/L	J	0.05	0.14			07/14/2017
DRWW	Suburban Labs		18-2	GZC-02	0.5	ft	Aptakisis Creek			Non-IEPA		06/30/2017	1:45:00 P	06/30/2017	4:16:00 PM			07/12/2017	2:07:30 P	Water	Lab	2510B	Specific Conductivity	Total	579.00	umhos/cm		1.00	1.00			07/14/2017
DRWW	Suburban Labs		18-2	GZC-02	0.5	ft	Aptakisis Creek			Non-IEPA		06/30/2017	1:45:00 P	06/30/2017	4:16:00 PM					Water	USEPA	SM 2550B	Temperature		21.76	°C						07/14/2017
DRWW	Suburban Labs		18-2	GZC-02	0.5	ft	Aptakisis Creek			Non-IEPA		06/30/2017	1:45:00 P	06/30/2017	4:16:00 PM			07/06/2017	9:09:16 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.62	mg/L		0.10	0.22			07/14/2017
DRWW	Suburban Labs		18-2	GZC-02	0.5	ft	Aptakisis Creek			Non-IEPA		06/30/2017	1:45:00 P	06/30/2017	4:16:00 PM			06/30/2017	4:45:00 P	Water	Lab	2130-B	Turbidity		21.70	NTU		0.10	0.20			07/14/2017
DRWW	Suburban Labs		18-2	GZC-02	0.5	ft	Aptakisis Creek			Non-IEPA		07/28/2017	12:33:00 P	07/28/2017	2:56:00 PM			07/31/2017	6:39:29 P	Water	APHA	4500-CL-	Chloride	Total	92.50	mg/L		20.00	20.00			08/10/2017
DRWW	Suburban Labs		18-2	GZC-02	0.5	ft	Aptakisis Creek			Non-IEPA		07/28/2017	12:33:00 P	07/28/2017	2:56:00 PM					Water	YSI	EPA 120.	Conductivity		681.00	umhos/cm						08/10/2017
DRWW	Suburban Labs		18-2	GZC-02	0.5	ft	Aptakisis Creek			Non-IEPA		07/28/2017	12:33:00 P	07/28/2017	2:56:00 PM					Water	YSI	Field	Dissolved Oxygen		6.49	mg/L						08/10/2017
DRWW	Suburban Labs		18-2	GZC-02	0.5	ft	Aptakisis Creek			Non-IEPA		07/28/2017	12:33:00 P	07/28/2017	2:56:00 PM			07/28/2017	3:43:35 P	Water	USEPA	E_COLI	E. Coli	Total	79.40	MPN/100mL		1.00	1.00			08/10/2017
DRWW	Suburban Labs		18-2	GZC-02	0.5	ft	Aptakisis Creek			Non-IEPA		07/28/2017	12:33:00 P	07/28/2017	2:56:00 PM					Water	USEPA	365.2	pH, Field		8.24	S.U.						08/10/2017
DRWW	Suburban Labs		18-2	GZC-02	0.5	ft	Aptakisis Creek			Non-IEPA		07/28/2017	12:33:00 P	07/28/2017	2:56:00 PM	07/31/2017	9:32:43 A	08/01/2017	2:42:57 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.07	mg/L	J	0.05	0.14			08/10/2017
DRWW	Suburban Labs		18-2	GZC-02	0.5	ft	Aptakisis Creek			Non-IEPA		07/28/2017	12:33:00 P	07/28/2017	2:56:00 PM			08/01/2017	3:09:19 P	Water	Lab	2510B	Specific Conductivity	Total	638.00	umhos/cm		1.00	1.00			08/10/2017
DRWW	Suburban Labs		18-2	GZC-02	0.5	ft	Aptakisis Creek			Non-IEPA		07/28/2017	12:33:00 P	07/28/2017	2:56:00 PM					Water	USEPA	SM 2550B	Temperature		25.81	°C						08/10/2017
DRWW	Suburban Labs		18-2	GZC-02	0.5	ft	Aptakisis Creek			Non-IEPA		07/28/2017	12:33:00 P	07/28/2017	2:56:00 PM			07/31/2017	7:05:13 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22			08/10/2017
DRWW	Suburban Labs		18-2	GZC-02	0.5	ft	Aptakisis Creek			Non-IEPA		07/28/2017	12:33:00 P	07/28/2017	2:56:00 PM			07/28/2017	4:55:00 P	Water	Lab	2130-B	Turbidity		33.50	NTU		0.10	0.20			08/10/2017
DRWW	Suburban Labs		18-2	GZC-02	0.5	ft	Aptakisis Creek			Non-IEPA		08/25/2017	1:49:00 P	08/25/2017	3:55:00 PM			08/30/2017	4:54:55 P	Water	APHA	4500-CL-	Chloride	Total	140.00	mg/L		20.00	20.00			09/14/2017
DRWW	Suburban Labs		18-2	GZC-02	0.5	ft	Aptakisis Creek			Non-IEPA		08/25/2017	1:49:00 P	08/25/2017	3:55:00 PM					Water	YSI	EPA 120.	Conductivity		880.00	umhos/cm						09/14/2017
DRWW	Suburban Labs		18-2	GZC-02	0.5	ft	Aptakisis Creek			Non-IEPA		08/25/2017	1:49:00 P	08/25/2017	3:55:00 PM					Water	YSI	Field	Dissolved Oxygen									



Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code - IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs		18-3	GZC-04	0.5	ft	Aptakistic Creek			Non-IEPA		06/30/2017	2:08:00 P	06/30/2017	4:16:00 PM			07/07/2017	6:31:38 P	Water	APHA	4500-CL-	Chloride	Total	84.60	mg/L		20.00	20.00			07/14/2017
DRWW	Suburban Labs		18-3	GZC-04	0.5	ft	Aptakistic Creek			Non-IEPA		06/30/2017	2:08:00 P	06/30/2017	4:16:00 PM					Water	YSI	EPA 120.	Conductivity		645.00	umhos/cm						07/14/2017
DRWW	Suburban Labs		18-3	GZC-04	0.5	ft	Aptakistic Creek			Non-IEPA		06/30/2017	2:08:00 P	06/30/2017	4:16:00 PM					Water	YSI	Field	Dissolved Oxygen		4.15	mg/L						07/14/2017
DRWW	Suburban Labs		18-3	GZC-04	0.5	ft	Aptakistic Creek			Non-IEPA		06/30/2017	2:08:00 P	06/30/2017	4:16:00 PM			06/30/2017	4:59:20 P	Water	USEPA	E_COLI_	E. Coli	Total	>2419.6	MPN/100mL		1.00	1.00			07/14/2017
DRWW	Suburban Labs		18-3	GZC-04	0.5	ft	Aptakistic Creek			Non-IEPA		06/30/2017	2:08:00 P	06/30/2017	4:16:00 PM			07/05/2017	3:50:51 P	Water	USEPA	365.2	pH, Field		7.57	pH						07/14/2017
DRWW	Suburban Labs		18-3	GZC-04	0.5	ft	Aptakistic Creek			Non-IEPA		06/30/2017	2:08:00 P	06/30/2017	4:16:00 PM			07/07/2017	2:24:23 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.14	mg/L		0.05	0.14			07/14/2017
DRWW	Suburban Labs		18-3	GZC-04	0.5	ft	Aptakistic Creek			Non-IEPA		06/30/2017	2:08:00 P	06/30/2017	4:16:00 PM			07/12/2017	2:08:28 P	Water	Lab	2510B	Specific Conductivity	Total	627.00	umhos/cm		1.00	1.00			07/14/2017
DRWW	Suburban Labs		18-3	GZC-04	0.5	ft	Aptakistic Creek			Non-IEPA		06/30/2017	2:08:00 P	06/30/2017	4:16:00 PM					Water	USEPA	SM 2550E	Temperature		22.94	°C						07/14/2017
DRWW	Suburban Labs		18-3	GZC-04	0.5	ft	Aptakistic Creek			Non-IEPA		06/30/2017	2:08:00 P	06/30/2017	4:16:00 PM			07/06/2017	9:13:58 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.51	mg/L		0.10	0.22			07/14/2017
DRWW	Suburban Labs		18-3	GZC-04	0.5	ft	Aptakistic Creek			Non-IEPA		06/30/2017	2:08:00 P	06/30/2017	4:16:00 PM			06/30/2017	4:45:00 P	Water	Lab	2130-B	Turbidity		20.70	NTU		0.10	0.20			07/14/2017
DRWW	Suburban Labs		18-3	GZC-04	0.5	ft	Aptakistic Creek			Non-IEPA		07/28/2017	12:59:00	07/28/2017	2:56:00 PM					Water	APHA	4500-CL-	Chloride	Total	93.20	mg/L		20.00	20.00			08/10/2017
DRWW	Suburban Labs		18-3	GZC-04	0.5	ft	Aptakistic Creek			Non-IEPA		07/28/2017	12:59:00	07/28/2017	2:56:00 PM					Water	YSI	EPA 120.	Conductivity		835.00	umhos/cm						08/10/2017
DRWW	Suburban Labs		18-3	GZC-04	0.5	ft	Aptakistic Creek			Non-IEPA		07/28/2017	12:59:00	07/28/2017	2:56:00 PM					Water	YSI	Field	Dissolved Oxygen		7.39	mg/L						08/10/2017
DRWW	Suburban Labs		18-3	GZC-04	0.5	ft	Aptakistic Creek			Non-IEPA		07/28/2017	12:59:00	07/28/2017	2:56:00 PM			07/28/2017	3:43:35 P	Water	USEPA	E_COLI_	E. Coli	Total	222.00	MPN/100mL		1.00	1.00			08/10/2017
DRWW	Suburban Labs		18-3	GZC-04	0.5	ft	Aptakistic Creek			Non-IEPA		07/28/2017	12:59:00	07/28/2017	2:56:00 PM					Water	USEPA	365.2	pH, Field		7.99	S.U.						08/10/2017
DRWW	Suburban Labs		18-3	GZC-04	0.5	ft	Aptakistic Creek			Non-IEPA		07/28/2017	12:59:00	07/28/2017	2:56:00 PM			07/31/2017	9:32:43 A	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.07	mg/L	J	0.05	0.14			08/10/2017
DRWW	Suburban Labs		18-3	GZC-04	0.5	ft	Aptakistic Creek			Non-IEPA		07/28/2017	12:59:00	07/28/2017	2:56:00 PM			08/01/2017	3:10:22 P	Water	Lab	2510B	Specific Conductivity	Total	770.00	umhos/cm		1.00	1.00			08/10/2017
DRWW	Suburban Labs		18-3	GZC-04	0.5	ft	Aptakistic Creek			Non-IEPA		07/28/2017	12:59:00	07/28/2017	2:56:00 PM					Water	USEPA	SM 2550E	Temperature		24.62	°C						08/10/2017
DRWW	Suburban Labs		18-3	GZC-04	0.5	ft	Aptakistic Creek			Non-IEPA		07/28/2017	12:59:00	07/28/2017	2:56:00 PM			07/31/2017	7:08:41 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.32	mg/L		0.10	0.22			08/10/2017
DRWW	Suburban Labs		18-3	GZC-04	0.5	ft	Aptakistic Creek			Non-IEPA		07/28/2017	12:59:00	07/28/2017	2:56:00 PM			07/28/2017	4:55:00 P	Water	Lab	2130-B	Turbidity		3.04	NTU		0.10	0.20			08/10/2017
DRWW	Suburban Labs		18-3	GZC-04	0.5	ft	Aptakistic Creek			Non-IEPA		08/25/2017	2:10:00 P	08/25/2017	3:55:00 PM			08/30/2017	4:55:38 P	Water	APHA	4500-CL-	Chloride	Total	156.00	mg/L		20.00	20.00			09/14/2017
DRWW	Suburban Labs		18-3	GZC-04	0.5	ft	Aptakistic Creek			Non-IEPA		08/25/2017	2:10:00 P	08/25/2017	3:55:00 PM					Water	YSI	EPA 120.	Conductivity		1020.00	umhos/cm						09/14/2017
DRWW	Suburban Labs		18-3	GZC-04	0.5	ft	Aptakistic Creek			Non-IEPA		08/25/2017	2:10:00 P	08/25/2017	3:55:00 PM					Water	YSI	Field	Dissolved Oxygen		12.88	mg/L						09/14/2017
DRWW	Suburban Labs		18-3	GZC-04	0.5	ft	Aptakistic Creek			Non-IEPA		08/25/2017	2:10:00 P	08/25/2017	3:55:00 PM			08/25/2017	4:31:59 P	Water	USEPA	E_COLI_	E. Coli	Total	411.00	MPN/100mL		1.00	1.00			09/14/2017
DRWW	Suburban Labs		18-3	GZC-04	0.5	ft	Aptakistic Creek			Non-IEPA		08/25/2017	2:10:00 P	08/25/2017	3:55:00 PM					Water	USEPA	365.2	pH, Field		8.35	S.U.						09/14/2017
DRWW	Suburban Labs		18-3	GZC-04	0.5	ft	Aptakistic Creek			Non-IEPA		08/25/2017	2:10:00 P	08/25/2017	3:55:00 PM			08/30/2017	12:13:17 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.06	mg/L	J	0.05	0.14			09/14/2017
DRWW	Suburban Labs		18-3	GZC-04	0.5	ft	Aptakistic Creek			Non-IEPA		08/25/2017	2:10:00 P	08/25/2017	3:55:00 PM			09/14/2017	2:21:09 P	Water	Lab	2510B	Specific Conductivity	Total	1020.00	umhos/cm		1.00	1.00			09/14/2017
DRWW	Suburban Labs		18-3	GZC-04	0.5	ft	Aptakistic Creek			Non-IEPA		08/25/2017	2:10:00 P	08/25/2017	3:55:00 PM					Water	USEPA	SM 2550E	Temperature		22.35	°C						09/14/2017
DRWW	Suburban Labs		18-3	GZC-04	0.5	ft	Aptakistic Creek			Non-IEPA		08/25/2017	2:10:00 P	08/25/2017	3:55:00 PM			08/31/2017	9:06:43 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22			09/14/2017
DRWW	Suburban Labs		18-3	GZC-04	0.5	ft	Aptakistic Creek			Non-IEPA		08/25/2017	2:10:00 P	08/25/2017	3:55:00 PM			08/25/2017	5:00:00 P	Water	Lab	2130-B	Turbidity		1.15	NTU		0.10	0.20			09/14/2017
DRWW	Suburban Labs		18-3	GZC-04	0.5	ft	Aptakistic Creek			Non-IEPA		09/29/2017	2:21:00 P	09/29/2017	3:50:00 PM			10/03/2017	12:41:56 P	Water	APHA	4500-CL-	Chloride	Total	148.00	mg/L		20.00	20.00			11/03/2017
DRWW	Suburban Labs		18-3	GZC-04	0.5	ft	Aptakistic Creek			Non-IEPA		09/29/2017	2:21:00 P	09/29/2017	3:50:00 PM					Water	YSI	EPA 120.	Conductivity		1132.00	umhos/cm						11/03/2017
DRWW	Suburban Labs		18-3	GZC-04	0.5	ft	Aptakistic Creek			Non-IEPA		09/29/2017	2:21:00 P	09/29/2017	3:50:00 PM					Water	YSI	Field	Dissolved Oxygen		8.29	mg/L						11/03/2017
DRWW	Suburban Labs		18-3	GZC-04	0.5	ft	Aptakistic Creek			Non-IEPA		09/29/2017	2:21:00 P	09/29/2017	3:50:00 PM			09/29/2017	4:40:04 P	Water	USEPA	E_COLI_	E. Coli	Total	1300.00	MPN/100mL		1.00	1.00			11/03/2017
DRWW	Suburban Labs		18-3	GZC-04	0.5	ft	Aptakistic Creek			Non-IEPA		09/29/2017	2:21:00 P	09/29/2017	3:50:00 PM					Water	USEPA	365.2	pH, Field		7.80	S.U.						11/03/2017
DRWW	Suburban Labs		18-3	GZC-04	0.5	ft	Aptakistic Creek			Non-IEPA		09/29/2017	2:21:00 P	09/29/2017	3:50:00 PM			10/03/2017	1:47:48 P	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.05	mg/L	J	0.05	0.14			11/03/2017
DRWW	Suburban Labs		18-3	GZC-04	0.5	ft	Aptakistic Creek			Non-IEPA		09/29/2017	2:21:00 P	09/29/2017	3:50:00 PM			10/03/2017	4:51:12 P	Water	Lab	2510B	Specific Conductivity	Total	1160.00	umhos/cm		1.00	1.00			11/03/2017
DRWW	Suburban Labs		18-3	GZC-04	0.5	ft	Aptakistic Creek			Non-IEPA		09/29/2017	2:21:00 P	09/29/2017	3:50:00 PM					Water	USEPA	SM 2550E	Temperature		18.29	°C						11/03/2017
DRWW	Suburban Labs		18-3	GZC-04	0.5	ft	Aptakistic Creek			Non-IEPA		09/29/2017	2:21:00 P	09/29/2017	3:50:00 PM			10/02/2017	7:39:12 P	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22			11/03/2017
DRWW	Suburban Labs		18-3	GZC-04	0.5	ft	Aptakistic Creek			Non-IEPA		09/29/2017	2:21:00 P	09/29/2017	3:50:00 PM			09/29/2017	6:30:00 P	Water	Lab	2130-B	Turbidity		2.73	NTU		0.10	0.20			11/03/2017
DRWW	Suburban Labs		18-5	GZCZA-0	0.5	ft	Aptakistic Creek			Non-IEPA		8/23/2017								Water	APHA	4500-CL-	Chloride	Total	108.00	mg/L						9/7/2017
DRWW	Suburban Labs		18-5	GZCZA-0	0.5	ft	Aptakistic Creek			Non-IEPA		8/23/2017								Water	YSI	EPA 120.	Conductivity		754.00	umhos/cm						9/7/2017
DRWW	Suburban Labs		18-5	GZCZA-0	0.5	ft	Aptakistic Creek			Non-IEPA		8/23/2017								Water	YSI	Field	Dissolved Oxygen		4.40	mg/L						9/7/2017
DRWW	Suburban Labs		18-5	GZCZA-0	0.5	ft	Aptakistic Creek			Non-IEPA		8/23/2017								Water	USEPA	E_COLI_	E. Coli	Total	156.00	MPN/100mL		1.00	1.00			9/7/2017
DRWW	Suburban Labs		18-5	GZCZA-0	0.5	ft	Aptakistic Creek			Non-IEPA		8/23/2017								Water	USEPA	365.2	pH, Field		6.76	pH						9/7/2017
DRWW	Suburban Labs		18-5	GZCZA-0	0.5	ft	Aptakistic Creek			Non-IEPA		8/23/2017								Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.11	mg/L						9/7/2017
DRWW	Suburban Labs		18-5	GZCZA-0	0.5	ft	Aptakistic Creek			Non-IEPA		8/																				