

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code-IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		01/29/2018	10:02:00 AM	01/29/2018	2:40:00 PM			02/05/2018	6:23:38 PM	Water	APHA	4500-CL-(E)	Chloride	Total	82.90	mg/L		20.00	20.00			02/09/2018
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		01/29/2018	10:02:00 AM	01/29/2018	2:40:00 PM			02/05/2018	6:23:38 PM	Water	YSI	EPA 120.1	Conductivity		788.00	umhos/cm						02/09/2018
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		01/29/2018	10:02:00 AM	01/29/2018	2:40:00 PM			01/29/2018	3:26:23 PM	Water	USEPA	E. COLI MPN	E. Coli	Total	648.80	MPN/100mL	1.00	1.00			02/09/2018	
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		01/29/2018	10:02:00 AM	01/29/2018	2:40:00 PM					Water	USEPA	365.2	pH, Field		7.10	S.U.					02/09/2018	
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		01/29/2018	10:02:00 AM	01/29/2018	2:40:00 PM			01/31/2018	6:11:17 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.26	mg/L	0.05	0.14			02/09/2018	
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		01/29/2018	10:02:00 AM	01/29/2018	2:40:00 PM					Water	USEPA	SM 2550B	Temperature		-0.10	°C					02/09/2018	
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		01/29/2018	10:02:00 AM	01/29/2018	2:40:00 PM			02/04/2018	12:47:48 AM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	2.54	mg/L	0.10	0.22			02/09/2018	
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		01/29/2018	10:02:00 AM	01/29/2018	2:40:00 PM			01/29/2018	4:51:00 PM	Water	Lab	2130-B	Turbidity		65.30	NTU	0.10	0.20			02/09/2018	
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		01/29/2018	10:27:00 AM	01/29/2018	2:40:00 PM			02/05/2018	6:25:39 PM	Water	APHA	4500-CL-(E)	Chloride	Total	80.20	mg/L	20.00	20.00			02/09/2018	
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		01/29/2018	10:27:00 AM	01/29/2018	2:40:00 PM			02/05/2018	6:25:39 PM	Water	YSI	EPA 120.1	Conductivity		769.00	umhos/cm					02/09/2018	
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		01/29/2018	10:27:00 AM	01/29/2018	2:40:00 PM			01/29/2018	3:26:23 PM	Water	USEPA	E. COLI MPN	E. Coli	Total	365.40	MPN/100mL	1.00	1.00			02/09/2018	
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		05/14/2018	10:02:00 AM	05/14/2018	4:00:28 PM			05/16/2018	1:07:34 PM	Water	APHA	4500-CL-(E)	Chloride	Total	50.50	mg/L	20.00	20.00			05/24/2018	
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		05/14/2018	10:02:00 AM	05/14/2018	4:00:28 PM					Water	YSI	EPA 120.1	Conductivity		449.00	umhos/cm					05/24/2018	
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		05/14/2018	10:02:00 AM	05/14/2018	4:00:28 PM			05/14/2018	4:32:00 PM	Water	USEPA	E. COLI MPN	E. Coli	Total	2419.60	MPN/100mL	1.00	1.00			05/24/2018	
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		05/14/2018	10:02:00 AM	05/14/2018	4:00:28 PM			05/14/2018	4:00:28 PM	Water	USEPA	365.2	pH, Field		7.60	S.U.					05/24/2018	
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		05/14/2018	10:02:00 AM	05/14/2018	4:00:28 PM	05/15/2018	10:46:02 AM	05/16/2018	3:52:49 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.63	mg/L	0.05	0.14			05/24/2018	
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		05/14/2018	10:02:00 AM	05/14/2018	4:00:28 PM			05/18/2018	1:47:30 AM	Water	Lab	2510B	Specific Conductivity	Total	458.00	umhos/cm	1.00	1.00			05/24/2018	
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		05/14/2018	10:02:00 AM	05/14/2018	4:00:28 PM					Water	USEPA	SM 2550B	Temperature		12.50	°C					05/24/2018	
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		05/14/2018	10:02:00 AM	05/14/2018	4:00:28 PM			05/16/2018	7:05:17 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	4.55	mg/L	0.10	0.22			05/24/2018	
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		05/14/2018	10:02:00 AM	05/14/2018	4:00:28 PM			05/15/2018	5:15:00 PM	Water	Lab	2130-B	Turbidity		505.00	NTU	0.10	0.20			05/24/2018	
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		05/14/2018	10:25:00 AM	05/14/2018	4:00:41 PM			05/16/2018	1:08:14 PM	Water	APHA	4500-CL-(E)	Chloride	Total	46.90	mg/L	20.00	20.00			05/24/2018	
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		05/14/2018	10:25:00 AM	05/14/2018	4:00:41 PM					Water	YSI	EPA 120.1	Conductivity		501.00	umhos/cm					05/24/2018	
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		05/14/2018	10:25:00 AM	05/14/2018	4:00:41 PM			05/14/2018	4:32:00 PM	Water	USEPA	E. COLI MPN	E. Coli	Total	2419.60	MPN/100mL	1.00	1.00			05/24/2018	
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		07/23/2018	9:55:00 AM	07/23/2018	4:10:00 PM			07/25/2018	11:13:52 AM	Water	APHA	4500-CL-(E)	Chloride	Total	85.70	mg/L	20.00	20.00			08/01/2018	
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		07/23/2018	9:55:00 AM	07/23/2018	4:10:00 PM					Water	YSI	EPA 120.1	Conductivity		767.00	umhos/cm					08/01/2018	
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		07/23/2018	9:55:00 AM	07/23/2018	4:10:00 PM			07/23/2018	4:40:00 PM	Water	USEPA	E. COLI MPN	E. Coli	Total	344.80	MPN/100mL	1.00	1.00			08/01/2018	
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		07/23/2018	9:55:00 AM	07/23/2018	4:10:00 PM					Water	USEPA	365.2	pH, Field		8.00	S.U.					08/01/2018	
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		07/23/2018	9:55:00 AM	07/23/2018	4:10:00 PM	07/24/2018	10:02:27 AM	07/26/2018	3:09:50 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.24	mg/L	0.05	0.14			08/01/2018	
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		07/23/2018	9:55:00 AM	07/23/2018	4:10:00 PM			07/31/2018	12:22:50 PM	Water	Lab	2510B	Specific Conductivity	Total	739.00	umhos/cm	1.00	1.00			08/01/2018	
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		07/23/2018	9:55:00 AM	07/23/2018	4:10:00 PM					Water	USEPA	SM 2550B	Temperature		20.60	°C					08/01/2018	
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		07/23/2018	9:55:00 AM	07/23/2018	4:10:00 PM			07/28/2018	2:35:00 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	1.91	mg/L	0.10	0.22			08/01/2018	
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		07/23/2018	9:55:00 AM	07/23/2018	4:10:00 PM			07/24/2018	5:00:00 PM	Water	Lab	2130-B	Turbidity		26.10	NTU	0.10	0.20			08/01/2018	
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		07/23/2018	10:22:00 AM	07/23/2018	4:10:00 PM			07/25/2018	11:15:11 AM	Water	APHA	4500-CL-(E)	Chloride	Total	79.20	mg/L	20.00	20.00			08/01/2018	
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		07/23/2018	10:22:00 AM	07/23/2018	4:10:00 PM					Water	YSI	EPA 120.1	Conductivity		747.00	umhos/cm					08/01/2018	
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		07/23/2018	10:22:00 AM	07/23/2018	4:10:00 PM			07/23/2018	4:40:00 PM	Water	USEPA	E. COLI MPN	E. Coli	Total	325.50	MPN/100mL	1.00	1.00			08/01/2018	
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		09/05/2018	11:50:00 AM	09/05/2018	12:23:32 PM			09/07/2018	1:54:38 PM	Water	APHA	4500-CL-(E)	Chloride	Total	61.40	mg/L	20.00	20.00			09/12/2018	
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		09/05/2018	11:50:00 AM	09/05/2018	12:23:32 PM					Water	YSI	EPA 120.1	Conductivity		619.00	umhos/cm					09/12/2018	
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		09/05/2018	11:50:00 AM	09/05/2018	12:23:32 PM			09/05/2018	3:14:08 PM	Water	USEPA	E. COLI MPN	E. Coli	Total	517.20	MPN/100mL	1.00	1.00			09/12/2018	
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		09/05/2018	11:50:00 AM	09/05/2018	12:23:32 PM					Water	USEPA	365.2	pH, Field		7.84	S.U.					09/12/2018	
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		09/05/2018	11:50:00 AM	09/05/2018	12:23:32 PM	09/07/2018	11:09:25 AM	09/11/2018	4:38:34 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.22	mg/L	0.05	0.14			09/12/2018	
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		09/05/2018	11:50:00 AM	09/05/2018	12:23:32 PM			09/11/2018	5:01:59 PM	Water	Lab	2510B	Specific Conductivity	Total	642.00	umhos/cm	1.00	1.00			09/12/2018	
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		09/05/2018	11:50:00 AM	09/05/2018	12:23:32 PM					Water	USEPA	SM 2550B	Temperature		24.07	°C					09/12/2018	
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		09/05/2018	11:50:00 AM	09/05/2018	12:23:32 PM			09/07/2018	6:15:22 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.50	mg/L	0.10	0.22			09/12/2018	
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		09/05/2018	11:50:00 AM	09/05/2018	12:23:32 PM			09/05/2018	5:15:00 PM	Water	Lab	2130-B	Turbidity		61.40	NTU	0.10	0.20			09/12/2018	
DRWW	Suburban Labs		10-1	GWA-02	0.5	ft	North Mill Creek			Non-IEPA		09/05/2018	11:25:00 AM	09/05/2018	11:54:53 AM			09/07/2018	1:46:38 PM	Water	APHA	4500-CL-(E)	Chloride	Total	64.70	mg/L	20.00	20.00				

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		05/14/2018	10:48:00 AM	05/14/2018	4:00:22 PM			05/16/2018	1:08:54 PM	Water	APHA	4500-CL(-E)	Chloride	Total	48.10	mg/L		20.00	20.00			05/31/2018
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		05/14/2018	10:48:00 AM	05/14/2018	4:00:22 PM					Water	YSI	EPA 120.1	Conductivity		546.00	umhos/cm						05/31/2018
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		05/14/2018	10:48:00 AM	05/14/2018	4:00:22 PM			05/14/2018	4:32:00 PM	Water	USEPA	E COLI MPN	E. Coli	Total	2419.60	MPN/100mL		1.00	1.00			05/31/2018
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		05/14/2018	10:48:00 AM	05/14/2018	4:00:22 PM			05/18/2018	3:28:26 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	0.43	mg/L		0.10	0.30			05/31/2018
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		05/14/2018	10:48:00 AM	05/14/2018	4:00:22 PM	05/30/2018	9:48:20 AM	05/31/2018	11:36:05 AM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	4.84	mg/L		1.19	3.78			05/31/2018
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		05/14/2018	10:48:00 AM	05/14/2018	4:00:22 PM					Water	USEPA	365.2	pH, Field		7.30	S.U.						05/31/2018
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		05/14/2018	10:48:00 AM	05/14/2018	4:00:22 PM	05/15/2018	10:46:02 AM	05/16/2018	3:59:40 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.42	mg/L		0.05	0.14			05/31/2018
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		05/14/2018	10:48:00 AM	05/14/2018	4:00:22 PM			05/18/2018	1:51:21 AM	Water	Lab	2510B	Specific Conductivity	Total	555.00	umhos/cm		1.00	1.00			05/31/2018
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		05/14/2018	10:48:00 AM	05/14/2018	4:00:22 PM					Water	USEPA	SM 2550B	Temperature		12.40	°C						05/31/2018
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		05/14/2018	10:48:00 AM	05/14/2018	4:00:22 PM			05/16/2018	7:09:41 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	4.11	mg/L		0.10	0.22			05/31/2018
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		05/14/2018	10:48:00 AM	05/14/2018	4:00:22 PM			05/16/2018	10:48:28 AM	Water	USEPA	2540-D	Total Suspended Solids	Total	165.00	mg/L		1.00	25.00			05/31/2018
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		05/14/2018	10:48:00 AM	05/14/2018	4:00:22 PM			05/15/2018	5:15:00 PM	Water	Lab	2130-B	Turbidity	Total	180.00	NTU		0.10	0.20			05/31/2018
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		05/14/2018	10:48:00 AM	05/14/2018	4:00:22 PM			05/16/2018	10:48:28 AM	Water	USEPA	2540-D	Volatile Suspended Solids	Total	22.00	mg/L	J	1.00	25.00			05/31/2018
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		07/23/2018	10:43:00 AM	07/23/2018	4:10:00 PM			07/25/2018	11:09:11 AM	Water	APHA	4500-CL(-E)	Chloride	Total	35.20	mg/L		20.00	20.00			08/01/2018
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		07/23/2018	10:43:00 AM	07/23/2018	4:10:00 PM			07/25/2018	11:09:11 AM	Water	YSI	EPA 120.1	Conductivity		619.00	umhos/cm						08/01/2018
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		07/23/2018	10:43:00 AM	07/23/2018	4:10:00 PM			07/23/2018	4:40:00 PM	Water	USEPA	E COLI MPN	E. Coli	Total	307.60	MPN/100mL		1.00	1.00			08/01/2018
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		07/23/2018	10:43:00 AM	07/23/2018	4:10:00 PM			07/25/2018	7:38:15 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30			08/01/2018
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		07/23/2018	10:43:00 AM	07/23/2018	4:10:00 PM	07/27/2018	10:41:20 AM	07/30/2018	11:38:00 AM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	ND	mg/L		1.19	3.78			08/01/2018
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		07/23/2018	10:43:00 AM	07/23/2018	4:10:00 PM					Water	USEPA	365.2	pH, Field		7.90	S.U.						08/01/2018
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		07/23/2018	10:43:00 AM	07/23/2018	4:10:00 PM	07/24/2018	10:02:27 AM	07/26/2018	3:16:16 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.11	mg/L	J	0.05	0.14			08/01/2018
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		07/23/2018	10:43:00 AM	07/23/2018	4:10:00 PM			07/31/2018	12:25:12 PM	Water	Lab	2510B	Specific Conductivity	Total	593.00	umhos/cm		1.00	1.00			08/01/2018
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		07/23/2018	10:43:00 AM	07/23/2018	4:10:00 PM					Water	USEPA	SM 2550B	Temperature		21.20	°C						08/01/2018
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		07/23/2018	10:43:00 AM	07/23/2018	4:10:00 PM			07/27/2018	7:53:00 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.50	mg/L		0.10	0.22			08/01/2018
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		07/23/2018	10:43:00 AM	07/23/2018	4:10:00 PM			07/24/2018	12:25:00 PM	Water	USEPA	2540-D	Total Suspended Solids	Total	26.80	mg/L		0.29	7.15			08/01/2018
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		07/23/2018	10:43:00 AM	07/23/2018	4:10:00 PM			07/24/2018	5:00:00 PM	Water	Lab	2130-B	Turbidity	Total	24.80	NTU		0.10	0.20			08/01/2018
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		07/23/2018	10:43:00 AM	07/23/2018	4:10:00 PM			07/24/2018	12:25:00 PM	Water	USEPA	2540-D	Volatile Suspended Solids	Total	5.43	mg/L	J	0.29	7.15			08/01/2018
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		09/05/2018	10:57:00 AM	09/05/2018	11:09:57 AM			09/07/2018	1:47:58 PM	Water	APHA	4500-CL(-E)	Chloride	Total	38.60	mg/L		20.00	20.00			08/01/2018
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		09/05/2018	10:57:00 AM	09/05/2018	11:09:57 AM					Water	YSI	EPA 120.1	Conductivity		602.00	umhos/cm						09/14/2018
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		09/05/2018	10:57:00 AM	09/05/2018	11:09:57 AM			09/05/2018	3:14:08 PM	Water	USEPA	E COLI MPN	E. Coli	Total	435.20	MPN/100mL		1.00	1.00			09/14/2018
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		09/05/2018	10:57:00 AM	09/05/2018	11:09:57 AM			09/13/2018	3:17:13 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30			09/14/2018
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		09/05/2018	10:57:00 AM	09/05/2018	11:09:57 AM	09/11/2018	11:36:15 AM	09/12/2018	11:40:20 AM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	ND	mg/L		1.19	3.78			09/14/2018
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		09/05/2018	10:57:00 AM	09/05/2018	11:09:57 AM					Water	USEPA	365.2	pH, Field		7.57	S.U.						09/14/2018
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		09/05/2018	10:57:00 AM	09/05/2018	11:09:57 AM	09/07/2018	11:09:25 AM	09/11/2018	4:31:50 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.17	mg/L		0.05	0.14			09/14/2018
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		09/05/2018	10:57:00 AM	09/05/2018	11:09:57 AM			09/11/2018	4:41:27 PM	Water	Lab	2510B	Specific Conductivity	Total	808.00	umhos/cm		1.00	1.00			09/14/2018
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		09/05/2018	10:57:00 AM	09/05/2018	11:09:57 AM					Water	USEPA	SM 2550B	Temperature		23.69	°C						09/14/2018
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		09/05/2018	10:57:00 AM	09/05/2018	11:09:57 AM			09/07/2018	4:09:55 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.55	mg/L		0.10	0.22			09/14/2018
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		09/05/2018	10:57:00 AM	09/05/2018	11:09:57 AM			09/06/2018	11:00:31 AM	Water	USEPA	2540-D	Total Suspended Solids	Total	28.80	mg/L		0.20	5.00			09/14/2018
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		09/05/2018	10:57:00 AM	09/05/2018	11:09:57 AM			09/05/2018	5:15:00 PM	Water	Lab	2130-B	Turbidity	Total	23.90	NTU		0.10	0.20			09/14/2018
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		09/05/2018	10:57:00 AM	09/05/2018	11:09:57 AM			09/06/2018	11:00:31 AM	Water	USEPA	2540-D	Volatile Suspended Solids	Total	4.80	mg/L	J	0.20	5.00			09/14/2018
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		10/22/2018	11:03:00 AM	10/22/2018	4:00:00 PM			10/23/2018		Water	APHA	4500-CL(-E)	Chloride	Total	36.70	mg/L		20.00	20.00			10/30/2018
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		10/22/2018	11:03:00 AM	10/22/2018	4:00:00 PM				4:49:53 PM	Water	YSI	EPA 120.1	Conductivity		647.00	umhos/cm						10/30/2018
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		10/22/2018	11:03:00 AM	10/22/2018	4:00:00 PM			10/22/2018	10:41:35 AM	Water	USEPA	E COLI MPN	E. Coli	Total	90.60	MPN/100mL		1.0	1.0			10/30/2018
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		10/22/2018	11:03:00 AM	10/22/2018	4:00:00 PM			10/24/2018		Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30			10/30/2018
DRWW	Suburban Labs		10-3	GWA-01	0.5	ft	North Mill Creek			Non-IEPA		10/22/2018	11:03:00 AM	10/22/2018	4:00:00 PM	10/24/2018	11:21:33 AM	10/26/2018		Water												

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code-IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs		10-4	GWAA-L-C-2	0.5	ft	North Mill Creek			Non-IEPA		09/05/2018	10:37:00 AM	09/05/2018	10:50:37 AM			09/06/2018	11:00:31 AM	Water	USEPA	2540-D	Total Suspended Solids		32.60	mg/L		0.29	7.15			09/21/2018
DRWW	Suburban Labs		10-4	GWAA-L-C-2	0.5	ft	North Mill Creek			Non-IEPA		09/05/2018	10:37:00 AM	09/05/2018	10:50:37 AM			09/05/2018	5:15:00 PM	Water	Lab	2130-B	Turbidity		30.20	NTU		0.10	0.20			09/21/2018
DRWW	Suburban Labs		10-4	GWAA-L-C-2	0.5	ft	North Mill Creek			Non-IEPA		09/05/2018	10:37:00 AM	09/05/2018	10:50:37 AM			09/06/2018	11:00:31 AM	Water	USEPA	2540-D	Volatile Suspended Solids	Total	4.86	mg/L	J	0.29	7.15			10/30/2018
DRWW	Suburban Labs		10-4	GWAA-L-C-2	0.5	ft	North Mill Creek			Non-IEPA		10/22/2018	11:21:00 AM	10/22/2018	4:00:00 PM			10/23/2018		Water	APHA	4500-CL(-E)	Chloride	Total	139.00	mg/L		20.0	20.0			10/30/2018
DRWW	Suburban Labs		10-4	GWAA-L-C-2	0.5	ft	North Mill Creek			Non-IEPA		10/22/2018	11:21:00 AM	10/22/2018	4:00:00 PM			10/24/2018	4:49:53 PM	Water	YSI	EPA 120.1	Conductivity		859.00	umhos/cm						10/30/2018
DRWW	Suburban Labs		10-4	GWAA-L-C-2	0.5	ft	North Mill Creek			Non-IEPA		10/22/2018	11:21:00 AM	10/22/2018	4:00:00 PM			10/22/2018	9:53:55 AM	Water	USEPA	E. COLI MPN	E. Coli	Total	29.50	MPN/100mL		1.0	1.0			10/30/2018
DRWW	Suburban Labs		10-4	GWAA-L-C-2	0.5	ft	North Mill Creek			Non-IEPA		10/22/2018	11:21:00 AM	10/22/2018	4:00:00 PM			10/24/2018		Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30			10/30/2018
DRWW	Suburban Labs		10-4	GWAA-L-C-2	0.5	ft	North Mill Creek			Non-IEPA		10/22/2018	11:21:00 AM	10/22/2018	4:00:00 PM	10/24/2018	11:21:33 AM	10/26/2018		Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	2.07	mg/L	J	1.19	3.78			10/30/2018
DRWW	Suburban Labs		10-4	GWAA-L-C-2	0.5	ft	North Mill Creek			Non-IEPA		10/22/2018	11:21:00 AM	10/22/2018	4:00:00 PM			10/24/2018		Water	USEPA	365.2	pH, Field		7.50	S.U.						10/30/2018
DRWW	Suburban Labs		10-4	GWAA-L-C-2	0.5	ft	North Mill Creek			Non-IEPA		10/22/2018	11:21:00 AM	10/22/2018	4:00:00 PM	10/23/2018	11:49:51 AM	10/26/2018		Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.22	mg/L		0.0500	0.135			10/30/2018
DRWW	Suburban Labs		10-4	GWAA-L-C-2	0.5	ft	North Mill Creek			Non-IEPA		10/22/2018	11:21:00 AM	10/22/2018	4:00:00 PM			10/23/2018		Water	Lab	2510B	Specific Conductivity	Total	872.00	umhos/cm		1.00	1.00			10/30/2018
DRWW	Suburban Labs		10-4	GWAA-L-C-2	0.5	ft	North Mill Creek			Non-IEPA		10/22/2018	11:21:00 AM	10/22/2018	4:00:00 PM			10/23/2018	7:30:47 PM	Water	USEPA	SM 2550B	Temperature		11.10	deg C						10/30/2018
DRWW	Suburban Labs		10-4	GWAA-L-C-2	0.5	ft	North Mill Creek			Non-IEPA		10/22/2018	11:21:00 AM	10/22/2018	4:00:00 PM			10/23/2018	2:32:55 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	4.86	mg/L		0.100	0.224			10/30/2018
DRWW	Suburban Labs		10-4	GWAA-L-C-2	0.5	ft	North Mill Creek			Non-IEPA		10/22/2018	11:21:00 AM	10/22/2018	4:00:00 PM			10/24/2018	1:46:00 PM	Water	USEPA	2540-D	Total Suspended Solids	Total	1.20	mg/L	J	0.200	5.00			10/30/2018
DRWW	Suburban Labs		10-4	GWAA-L-C-2	0.5	ft	North Mill Creek			Non-IEPA		10/22/2018	11:21:00 AM	10/22/2018	4:00:00 PM			10/23/2018		Water	Lab	2130-B	Turbidity		2.16	NTU		0.100	0.200			10/30/2018
DRWW	Suburban Labs		10-4	GWAA-L-C-2	0.5	ft	North Mill Creek			Non-IEPA		10/22/2018	11:21:00 AM	10/22/2018	4:00:00 PM			10/24/2018		Water	USEPA	2540-D	Volatile Suspended Solids	Total	1.20	mg/L	J	0.200	5.00			10/30/2018
DRWW	Suburban Labs		10-4	GWAA-L-A1 or G	0.5	ft	North Mill Creek			Non-IEPA		01/29/2018	11:39:00 AM	01/29/2018	2:40:00 PM			02/05/2018	6:27:38 PM	Water	APHA	4500-CL(-E)	Chloride	Total	158.00	mg/L		20.00	20.00			02/09/2018
DRWW	Suburban Labs		10-5	GWAA-L-A1 or G	0.5	ft	North Mill Creek			Non-IEPA		01/29/2018	11:39:00 AM	01/29/2018	2:40:00 PM			02/05/2018	6:27:38 PM	Water	YSI	EPA 120.1	Conductivity		896.00	umhos/cm						02/09/2018
DRWW	Suburban Labs		10-5	GWAA-L-A1 or G	0.5	ft	North Mill Creek			Non-IEPA		01/29/2018	11:39:00 AM	01/29/2018	2:40:00 PM			01/29/2018	3:26:23 PM	Water	USEPA	E. COLI MPN	E. Coli	Total	29.50	MPN/100mL		1.00	1.00			02/09/2018
DRWW	Suburban Labs		10-5	GWAA-L-A1 or G	0.5	ft	North Mill Creek			Non-IEPA		01/29/2018	11:39:00 AM	01/29/2018	2:40:00 PM					Water	USEPA	365.2	pH, Field		8.50	S.U.						02/09/2018
DRWW	Suburban Labs		10-5	GWAA-L-A1 or G	0.5	ft	North Mill Creek			Non-IEPA		01/29/2018	11:39:00 AM	01/29/2018	2:40:00 PM			01/31/2018	6:23:49 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.09	mg/L		0.05	0.14			02/09/2018
DRWW	Suburban Labs		10-5	GWAA-L-A1 or G	0.5	ft	North Mill Creek			Non-IEPA		01/29/2018	11:39:00 AM	01/29/2018	2:40:00 PM					Water	USEPA	SM 2550B	Temperature		2.50	°C						02/09/2018
DRWW	Suburban Labs		10-5	GWAA-L-A1 or G	0.5	ft	North Mill Creek			Non-IEPA		01/29/2018	11:39:00 AM	01/29/2018	2:40:00 PM			02/04/2018	1:00:59 AM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.22	mg/L		0.10	0.22			02/09/2018
DRWW	Suburban Labs		10-5	GWAA-L-A1 or G	0.5	ft	North Mill Creek			Non-IEPA		01/29/2018	11:39:00 AM	01/29/2018	2:40:00 PM			01/29/2018	4:51:00 PM	Water	Lab	2130-B	Turbidity		3.17	NTU		0.10	0.20			02/09/2018
DRWW	Suburban Labs		10-5	GWAA-L-A1 or G	0.5	ft	North Mill Creek			Non-IEPA		05/14/2018	11:23:00 AM	05/14/2018	4:00:19 PM			05/16/2018	1:11:36 PM	Water	APHA	4500-CL(-E)	Chloride	Total	157.00	umhos/cm		20.00	20.00			05/24/2018
DRWW	Suburban Labs		10-5	GWAA-L-A1 or G	0.5	ft	North Mill Creek			Non-IEPA		05/14/2018	11:23:00 AM	05/14/2018	4:00:19 PM					Water	YSI	EPA 120.1	Conductivity		881.00	umhos/cm						05/24/2018
DRWW	Suburban Labs		10-5	GWAA-L-A1 or G	0.5	ft	North Mill Creek			Non-IEPA		05/14/2018	11:23:00 AM	05/14/2018	4:00:19 PM			05/14/2018	4:32:00 PM	Water	USEPA	E. COLI MPN	E. Coli	Total	2419.60	MPN/100mL		1.00	1.00			05/24/2018
DRWW	Suburban Labs		10-5	GWAA-L-A1 or G	0.5	ft	North Mill Creek			Non-IEPA		05/14/2018	11:23:00 AM	05/14/2018	4:00:19 PM					Water	USEPA	365.2	pH, Field		7.80	S.U.						05/24/2018
DRWW	Suburban Labs		10-5	GWAA-L-A1 or G	0.5	ft	North Mill Creek			Non-IEPA		05/14/2018	11:23:00 AM	05/14/2018	4:00:19 PM	05/15/2018	10:46:02 AM	05/16/2018	4:06:07 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.08	mg/L	J	0.05	0.14			05/24/2018
DRWW	Suburban Labs		10-5	GWAA-L-A1 or G	0.5	ft	North Mill Creek			Non-IEPA		05/14/2018	11:23:00 AM	05/14/2018	4:00:19 PM			05/18/2018	1:52:58 AM	Water	Lab	2510B	Specific Conductivity	Total	888.00	umhos/cm		1.00	1.00			05/24/2018
DRWW	Suburban Labs		10-5	GWAA-L-A1 or G	0.5	ft	North Mill Creek			Non-IEPA		05/14/2018	11:23:00 AM	05/14/2018	4:00:19 PM					Water	USEPA	SM 2550B	Temperature		14.90	°C						05/24/2018
DRWW	Suburban Labs		10-5	GWAA-L-A1 or G	0.5	ft	North Mill Creek			Non-IEPA		05/14/2018	11:23:00 AM	05/14/2018	4:00:19 PM			05/16/2018	7:14:03 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.14	mg/L	J	0.10	0.22			05/24/2018
DRWW	Suburban Labs		10-5	GWAA-L-A1 or G	0.5	ft	North Mill Creek			Non-IEPA		05/14/2018	11:23:00 AM	05/14/2018	4:00:19 PM			05/15/2018	5:15:00 PM	Water	Lab	2130-B	Turbidity		14.70	NTU		0.10	0.20			05/24/2018
DRWW	Suburban Labs		10-5	GWAA-L-A1 or G	0.5	ft	North Mill Creek			Non-IEPA		07/23/2018	11:19:00 AM	07/23/2018	4:10:00 PM			07/25/2018	11:11:53 AM	Water	APHA	4500-CL(-E)	Chloride	Total	161.00	umhos/cm		20.00	20.00			08/01/2018
DRWW	Suburban Labs		10-5	GWAA-L-A1 or G	0.5	ft	North Mill Creek			Non-IEPA		07/23/2018	11:19:00 AM	07/23/2018	4:10:00 PM					Water	YSI	EPA 120.1	Conductivity		907.00	umhos/cm						08/01/2018
DRWW	Suburban Labs		10-5	GWAA-L-A1 or G	0.5	ft	North Mill Creek			Non-IEPA		07/23/2018	11:19:00 AM	07/23/2018	4:10:00 PM			07/23/2018	4:40:00 PM	Water	USEPA	E. COLI MPN	E. Coli	Total	101.40	MPN/100mL		1.00	1.00			08/01/2018
DRWW	Suburban Labs		10-5	GWAA-L-A1 or G	0.5	ft	North Mill Creek			Non-IEPA		07/23/2018	11:19:00 AM	07/23/2018	4:10:00 PM					Water	USEPA	365.2	pH, Field		8.10	S.U.						08/01/2018
DRWW	Suburban Labs		10-5	GWAA-L-A1 or G	0.5	ft	North Mill Creek			Non-IEPA		07/23/2018	11:19:00 AM	07/23/2018	4:10:00 PM	07/24/2018	10:02:27 AM	07/26/2018	3:22:40 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.06	mg/L	J	0.05	0.14			08/01/2018
DRWW	Suburban Labs		10-5	GWAA-L-A1 or G	0.5	ft	North Mill Creek			Non-IEPA		07/23/2018	11:19:00 AM	07/23/2018	4:10:00 PM			07/31/2018	12:28:44 PM	Water	Lab	2510B	Specific Conductivity	Total	887.00	umhos/cm		1.00	1.00			08/01/2018
DRWW	Suburban Labs		10-5	GWAA-L-A1 or G	0.5	ft	North Mill Creek			Non-IEPA		07/23/2018	11:19:00 AM	07/23/2018	4:10:00 PM					Water	USEPA	SM 2550B	Temperature		24.00	°C						08/01/2018
DRWW	Suburban Labs		10-5	GWAA-L-A1 or G	0.5	ft	North Mill Creek			Non-IEPA		07/23/2018	11:19:00 AM	07/23/2018	4:10:00 PM			07/27/2018	7:20:00 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22			08/01/2018
DRWW	Suburban Labs		10-5	GWAA-L-A1 or G	0.5	ft	North Mill Creek			Non-IEPA		07/23/2018	11:19:00 AM	07/23/2018	4:10:00 PM			07/24/2018	5:00:00 PM	Water	Lab	2130-B	Turbidity		3.02	NTU		0.10	0.20			08/01/2018
DRWW	Suburban Labs		10-5	GWAA-L-A1 or G	0.5	ft	North Mill Creek			Non-IEPA		09/05/2018	10:18:00 AM	09/05/2018	10:48:50 AM			09/07/2018	1:49:57 PM	Water	APHA	4500-CL(-E)	Chloride	Total	143.00	mg/L		20.00	20.00			09/21/2018
DRWW	Suburban Labs		10-5	GWAA-L-A1 or G	0.5	ft	North Mill Creek			Non-IEPA		09/05/2018	10:18:00 AM	09/05/2018	10:48:50 AM					Water												

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code I EPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released		
DRWW	Suburban Labs		10-6	GWZAZ-01	0.5	ft	North Mill Creek			Non-IEPA		10/22/2018	12:01:00 PM	10/22/2018	4:00:00 PM			10/23/2018		Water	Lab	2510B	Specific Conductivity	Total	652.00	µmhos/cm		1.00	1.00			10/30/2018		
DRWW	Suburban Labs		10-6	GWZAZ-01	0.5	ft	North Mill Creek			Non-IEPA		10/22/2018	12:01:00 PM	10/22/2018	4:00:00 PM				4:27:26 PM	Water	USEPA	SM 2550B	Temperature	Total	7.60	deg C						10/30/2018		
DRWW	Suburban Labs		10-6	GWZAZ-01	0.5	ft	North Mill Creek			Non-IEPA		10/22/2018	12:01:00 PM	10/22/2018	4:00:00 PM			10/23/2018	2:32:55 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.100	0.224			10/30/2018		
DRWW	Suburban Labs		10-6	GWZAZ-01	0.5	ft	North Mill Creek			Non-IEPA		10/22/2018	12:01:00 PM	10/22/2018	4:00:00 PM			10/23/2018	2:00:00 PM	Water	Lab	2130-B	Turbidity	Total	10.10	NTU		0.100	0.200			10/30/2018		
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		01/29/2018	12:33:00 PM	01/29/2018	2:40:00 PM			02/05/2018	6:28:57 PM	Water	APHA	4500-CL-(E)	Chloride	Total	125.00	mg/L		20.00	20.00			02/09/2018		
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		01/29/2018	12:33:00 PM	01/29/2018	2:40:00 PM			02/05/2018	6:28:57 PM	Water	YSI	EPA 120.1	Conductivity	Total	898.00	umhos/cm						02/09/2018		
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		01/29/2018	12:33:00 PM	01/29/2018	2:40:00 PM			01/29/2018	3:26:23 PM	Water	USEPA	E COLI MPN	E. Coli	Total	117.80	MPN/100mL		1.00	1.00			02/09/2018		
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		01/29/2018	12:33:00 PM	01/29/2018	2:40:00 PM			01/31/2018	9:50:00 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	0.65	mg/L		0.10	0.30			02/09/2018		
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		01/29/2018	12:33:00 PM	01/29/2018	2:40:00 PM			02/08/2018	7:03:00 PM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	2.50	mg/L		1.19	3.78			02/09/2018		
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		01/29/2018	12:33:00 PM	01/29/2018	2:40:00 PM					Water	USEPA	365.2	pH, Field	Total	8.10	S.U.						02/09/2018		
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		01/29/2018	12:33:00 PM	01/29/2018	2:40:00 PM			01/31/2018	6:30:15 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.14	mg/L		0.05	0.14			02/09/2018		
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		01/29/2018	12:33:00 PM	01/29/2018	2:40:00 PM					Water	USEPA	SM 2550B	Temperature	Total	0.20	°C						02/09/2018		
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		01/29/2018	12:33:00 PM	01/29/2018	2:40:00 PM			02/04/2018	1:09:44 AM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	2.25	mg/L		0.10	0.22			02/09/2018		
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		01/29/2018	12:33:00 PM	01/29/2018	2:40:00 PM			02/01/2018	10:25:03 AM	Water	USEPA	2540-D	Total Suspended Solids	02/05/2018	25.60	mg/L		0.20	5.00			02/09/2018		
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		01/29/2018	12:33:00 PM	01/29/2018	2:40:00 PM			01/29/2018	4:51:00 PM	Water	Lab	2130-B	Turbidity	Total	33.60	NTU		0.10	0.20			02/09/2018		
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		01/29/2018	12:33:00 PM	01/29/2018	2:40:00 PM			02/01/2018	10:25:03 AM	Water	USEPA	2540-D	Volatile Suspended Solids	Total	4.00	mg/L		0.20	5.00			02/09/2018		
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		05/14/2018	12:01:00 PM	05/14/2018	4:00:30 PM			05/16/2018	1:12:55 PM	Water	APHA	4500-CL-(E)	Chloride	Total	112.00	mg/L		20.00	20.00			05/31/2018		
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		05/14/2018	12:01:00 PM	05/14/2018	4:00:30 PM					Water	YSI	EPA 120.1	Conductivity	Total	658.00	umhos/cm							05/31/2018	
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		05/14/2018	12:01:00 PM	05/14/2018	4:00:30 PM			05/14/2018	4:32:00 PM	Water	USEPA	E COLI MPN	E. Coli	Total	2419.60	MPN/100mL		1.00	1.00			05/31/2018		
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		05/14/2018	12:01:00 PM	05/14/2018	4:00:30 PM			05/18/2018	3:31:52 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	0.84	mg/L		0.10	0.30			05/31/2018		
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		05/14/2018	12:01:00 PM	05/14/2018	4:00:30 PM	05/30/2018	9:48:20 AM	05/31/2018	11:42:55 AM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	5.34	mg/L		1.19	3.78			05/31/2018		
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		05/14/2018	12:01:00 PM	05/14/2018	4:00:30 PM					Water	USEPA	365.2	pH, Field	Total	7.70	S.U.						05/31/2018		
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		05/14/2018	12:01:00 PM	05/14/2018	4:00:30 PM	05/15/2018	10:46:02 AM	05/16/2018	4:34:43 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.46	mg/L		0.05	0.14			05/31/2018		
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		05/14/2018	12:01:00 PM	05/14/2018	4:00:30 PM			05/18/2018	1:54:47 AM	Water	Lab	2510B	Specific Conductivity	Total	665.00	umhos/cm		1.00	1.00			05/31/2018		
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		05/14/2018	12:01:00 PM	05/14/2018	4:00:30 PM					Water	USEPA	SM 2550B	Temperature	Total	13.40	°C						05/31/2018		
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		05/14/2018	12:01:00 PM	05/14/2018	4:00:30 PM			05/16/2018	7:22:49 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	1.81	mg/L		0.10	0.22			05/31/2018		
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		05/14/2018	12:01:00 PM	05/14/2018	4:00:30 PM			05/16/2018	10:48:28 AM	Water	USEPA	2540-D	Total Suspended Solids	Total	342.00	mg/L		2.00	50.00			05/31/2018		
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		05/14/2018	12:01:00 PM	05/14/2018	4:00:30 PM			05/15/2018	5:15:00 PM	Water	Lab	2130-B	Turbidity	Total	421.00	NTU		0.10	0.20			05/31/2018		
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		05/14/2018	12:01:00 PM	05/14/2018	4:00:30 PM			05/16/2018	10:48:28 AM	Water	USEPA	2540-D	Volatile Suspended Solids	Total	34.00	mg/L	J	2.00	50.00			05/31/2018		
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		07/23/2018	12:04:00 PM	07/23/2018	4:10:00 PM			07/25/2018	11:17:09 AM	Water	APHA	4500-CL-(E)	Chloride	Total	111.00	mg/L		20.00	20.00					08/01/2018
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		07/23/2018	12:04:00 PM	07/23/2018	4:10:00 PM					Water	YSI	EPA 120.1	Conductivity	Total	800.00	umhos/cm							08/01/2018	
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		07/23/2018	12:04:00 PM	07/23/2018	4:10:00 PM			07/23/2018	4:40:00 PM	Water	USEPA	E COLI MPN	E. Coli	Total	49.60	MPN/100mL		1.00	1.00					08/01/2018
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		07/23/2018	12:04:00 PM	07/23/2018	4:10:00 PM			07/25/2018	7:52:17 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	0.20	mg/L	J	0.10	0.30					08/01/2018
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		07/23/2018	12:04:00 PM	07/23/2018	4:10:00 PM	07/27/2018	10:41:20 AM	07/30/2018	11:44:00 AM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	ND	mg/L		1.19	3.78			08/01/2018		
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		07/23/2018	12:04:00 PM	07/23/2018	4:10:00 PM					Water	USEPA	365.2	pH, Field	Total	8.00	S.U.						08/01/2018		
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		07/23/2018	12:04:00 PM	07/23/2018	4:10:00 PM	07/24/2018	10:02:27 AM	07/26/2018	3:29:09 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.20	mg/L		0.05	0.14			08/01/2018		
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		07/23/2018	12:04:00 PM	07/23/2018	4:10:00 PM			07/31/2018	12:32:32 PM	Water	Lab	2510B	Specific Conductivity	Total	769.00	umhos/cm		1.00	1.00			08/01/2018		
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		07/23/2018	12:04:00 PM	07/23/2018	4:10:00 PM					Water	USEPA	SM 2550B	Temperature	Total	23.30	°C						08/01/2018		
DRWW	Suburban Labs		11-1	GW-02	0.5	ft	Mill Creek			Non-IEPA		07/23/2018	12:04:00 PM	07/23/2018	4:10:00 PM			07/27/2018	7:59:00 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	1.04	mg/L		0.						

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code-IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs		11-2	GW-05	0.5	ft	Mill Creek			Non-IEPA		07/23/2018	12:22:00 PM	07/23/2018	4:10:00 PM			07/31/2018	12:33:15 PM	Water	Lab	2510B	Specific Conductivity	Total	757.00	µmhos/cm		1.00	1.00			08/01/2018
DRWW	Suburban Labs		11-2	GW-05	0.5	ft	Mill Creek			Non-IEPA		07/23/2018	12:22:00 PM	07/23/2018	4:10:00 PM					Water	USEPA	SM 2550B	Temperature	Total	23.60	°C					08/01/2018	
DRWW	Suburban Labs		11-2	GW-05	0.5	ft	Mill Creek			Non-IEPA		07/23/2018	12:22:00 PM	07/23/2018	4:10:00 PM			07/28/2018	2:51:00 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.70	mg/L		0.10	0.22			08/01/2018
DRWW	Suburban Labs		11-2	GW-05	0.5	ft	Mill Creek			Non-IEPA		07/23/2018	12:22:00 PM	07/23/2018	4:10:00 PM			07/24/2018	12:25:00 PM	Water	USEPA	2540-D	Total Suspended Solids	Total	55.60	mg/L		0.40	10.00			08/01/2018
DRWW	Suburban Labs		11-2	GW-05	0.5	ft	Mill Creek			Non-IEPA		07/23/2018	12:22:00 PM	07/23/2018	4:10:00 PM			07/24/2018	5:00:00 PM	Water	Lab	2130-B	Turbidity	Total	65.60	NTU		0.10	0.20			08/01/2018
DRWW	Suburban Labs		11-2	GW-05	0.5	ft	Mill Creek			Non-IEPA		07/23/2018	12:22:00 PM	07/23/2018	4:10:00 PM			07/24/2018	12:25:00 PM	Water	USEPA	2540-D	Volatile Suspended Solids	Total	10.40	mg/L		0.40	10.00			08/01/2018
DRWW	Suburban Labs		11-2	GW-05	0.5	ft	Mill Creek			Non-IEPA		09/05/2018	9:15:00 AM	09/05/2018	10:41:33 AM			09/07/2018	1:38:31 PM	Water	APHA	4500-CL(-E)	Chloride	Total	86.30	mg/L		20.00	20.00			09/14/2018
DRWW	Suburban Labs		11-2	GW-05	0.5	ft	Mill Creek			Non-IEPA		09/05/2018	9:15:00 AM	09/05/2018	10:41:33 AM					Water	YSI	EPA 120.1	Conductivity	Total	668.00	µmhos/cm					09/14/2018	
DRWW	Suburban Labs		11-2	GW-05	0.5	ft	Mill Creek			Non-IEPA		09/05/2018	9:15:00 AM	09/05/2018	10:41:33 AM			09/05/2018	3:14:08 PM	Water	USEPA	E. COLI MPN	E. Coli	Total	435.20	MPN/100mL		1.00	1.00			09/14/2018
DRWW	Suburban Labs		11-2	GW-05	0.5	ft	Mill Creek			Non-IEPA		09/05/2018	9:15:00 AM	09/05/2018	10:41:33 AM			09/13/2018	3:08:30 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30			09/14/2018
DRWW	Suburban Labs		11-2	GW-05	0.5	ft	Mill Creek			Non-IEPA		09/05/2018	9:15:00 AM	09/05/2018	10:41:33 AM	09/11/2018	11:36:15 AM	09/12/2018	11:36:37 AM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	ND	mg/L		1.19	3.78			09/14/2018
DRWW	Suburban Labs		11-2	GW-05	0.5	ft	Mill Creek			Non-IEPA		09/05/2018	9:15:00 AM	09/05/2018	10:41:33 AM					Water	USEPA	365.2	pH, Field	Total	7.82	S.U.						09/14/2018
DRWW	Suburban Labs		11-2	GW-05	0.5	ft	Mill Creek			Non-IEPA		09/05/2018	9:15:00 AM	09/05/2018	10:41:33 AM	09/07/2018	11:09:25 AM	09/11/2018	4:15:52 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.17	mg/L		0.05	0.14			09/14/2018
DRWW	Suburban Labs		11-2	GW-05	0.5	ft	Mill Creek			Non-IEPA		09/05/2018	9:15:00 AM	09/05/2018	10:41:33 AM			09/11/2018	4:29:47 PM	Water	Lab	2510B	Specific Conductivity	Total	699.00	µmhos/cm		1.00	1.00			09/14/2018
DRWW	Suburban Labs		11-2	GW-05	0.5	ft	Mill Creek			Non-IEPA		09/05/2018	9:15:00 AM	09/05/2018	10:41:33 AM					Water	USEPA	SM 2550B	Temperature	Total	24.44	°C						09/14/2018
DRWW	Suburban Labs		11-2	GW-05	0.5	ft	Mill Creek			Non-IEPA		09/05/2018	9:15:00 AM	09/05/2018	10:41:33 AM			09/07/2018	4:00:42 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.37	mg/L		0.10	0.22			09/14/2018
DRWW	Suburban Labs		11-2	GW-05	0.5	ft	Mill Creek			Non-IEPA		09/05/2018	9:15:00 AM	09/05/2018	10:41:33 AM			09/06/2018	11:00:31 AM	Water	USEPA	2540-D	Total Suspended Solids	Total	48.80	mg/L		0.40	10.00			09/14/2018
DRWW	Suburban Labs		11-2	GW-05	0.5	ft	Mill Creek			Non-IEPA		09/05/2018	9:15:00 AM	09/05/2018	10:41:33 AM			09/05/2018	5:15:00 PM	Water	Lab	2130-B	Turbidity	Total	51.20	NTU		0.10	0.20			09/14/2018
DRWW	Suburban Labs		11-2	GW-05	0.5	ft	Mill Creek			Non-IEPA		09/05/2018	9:15:00 AM	09/05/2018	10:41:33 AM			09/06/2018	11:00:31 AM	Water	USEPA	2540-D	Volatile Suspended Solids	Total	7.60	mg/L	J	0.40	10.00			09/14/2018
DRWW	Suburban Labs		11-2	GW-05	0.5	ft	Mill Creek			Non-IEPA		10/22/2018	12:47:00 PM	10/22/2018	4:00:00 PM			10/23/2018		Water	APHA	4500-CL(-E)	Chloride	Total	91.40	mg/L		20.0	20.0			10/31/2018
DRWW	Suburban Labs		11-2	GW-05	0.5	ft	Mill Creek			Non-IEPA		10/22/2018	12:47:00 PM	10/22/2018	4:00:00 PM				4:36:06 PM	Water	YSI	EPA 120.1	Conductivity	Total	722.00	µmhos/cm						10/31/2018
DRWW	Suburban Labs		11-2	GW-05	0.5	ft	Mill Creek			Non-IEPA		10/22/2018	12:47:00 PM	10/22/2018	4:00:00 PM			10/22/2018	7:36:21 PM	Water	USEPA	E. COLI MPN	E. Coli	Total	260.30	MPN/100mL		1.0	1.0			10/31/2018
DRWW	Suburban Labs		11-2	GW-05	0.5	ft	Mill Creek			Non-IEPA		10/22/2018	12:47:00 PM	10/22/2018	4:00:00 PM			10/24/2018		Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30			10/31/2018
DRWW	Suburban Labs		11-2	GW-05	0.5	ft	Mill Creek			Non-IEPA		10/22/2018	12:47:00 PM	10/22/2018	4:00:00 PM	10/29/2018	10:21:13 AM	10/31/2018		Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	1.95	mg/L	J	1.19	3.78			10/31/2018
DRWW	Suburban Labs		11-2	GW-05	0.5	ft	Mill Creek			Non-IEPA		10/22/2018	12:47:00 PM	10/22/2018	4:00:00 PM				1:54:59 PM	Water	USEPA	365.2	pH, Field	Total	8.00	S.U.						10/31/2018
DRWW	Suburban Labs		11-2	GW-05	0.5	ft	Mill Creek			Non-IEPA		10/22/2018	12:47:00 PM	10/22/2018	4:00:00 PM	10/23/2018	11:49:51 AM	10/26/2018	2:00:00 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.08	mg/L	J	0.0500	0.135			10/31/2018
DRWW	Suburban Labs		11-2	GW-05	0.5	ft	Mill Creek			Non-IEPA		10/22/2018	12:47:00 PM	10/22/2018	4:00:00 PM			10/23/2018		Water	Lab	2510B	Specific Conductivity	Total	732.00	µmhos/cm		1.00	1.00			10/31/2018
DRWW	Suburban Labs		11-2	GW-05	0.5	ft	Mill Creek			Non-IEPA		10/22/2018	12:47:00 PM	10/22/2018	4:00:00 PM				4:14:12 PM	Water	USEPA	SM 2550B	Temperature	Total	7.80	deg C						10/31/2018
DRWW	Suburban Labs		11-2	GW-05	0.5	ft	Mill Creek			Non-IEPA		10/22/2018	12:47:00 PM	10/22/2018	4:00:00 PM			10/23/2018	2:32:55 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.63	mg/L		0.100	0.224			10/31/2018
DRWW	Suburban Labs		11-2	GW-05	0.5	ft	Mill Creek			Non-IEPA		10/22/2018	12:47:00 PM	10/22/2018	4:00:00 PM			10/24/2018	1:22:29 PM	Water	USEPA	2540-D	Total Suspended Solids	Total	9.00	mg/L		0.200	5.00			10/31/2018
DRWW	Suburban Labs		11-2	GW-05	0.5	ft	Mill Creek			Non-IEPA		10/22/2018	12:47:00 PM	10/22/2018	4:00:00 PM			10/23/2018	2:00:00 PM	Water	Lab	2130-B	Turbidity	Total	10.20	NTU		0.100	0.200			10/31/2018
DRWW	Suburban Labs		11-2	GW-05	0.5	ft	Mill Creek			Non-IEPA		10/22/2018	12:47:00 PM	10/22/2018	4:00:00 PM			10/24/2018		Water	USEPA	2540-D	Volatile Suspended Solids	Total	2.20	mg/L	J	0.200	5.00			10/31/2018
DRWW	Suburban Labs		11-3	GW-04	0.5	ft	Mill Creek			Non-IEPA		01/30/2018	9:46:00 AM	01/30/2018	2:50:00 PM			02/05/2018	7:14:27 PM	Water	APHA	4500-CL(-E)	Chloride	Total	211.00	mg/L		40.00	40.00			02/09/2018
DRWW	Suburban Labs		11-3	GW-04	0.5	ft	Mill Creek			Non-IEPA		01/30/2018	9:46:00 AM	01/30/2018	2:50:00 PM			02/05/2018	7:14:27 PM	Water	YSI	EPA 120.1	Conductivity	Total	1140.00	µmhos/cm						02/09/2018
DRWW	Suburban Labs		11-3	GW-04	0.5	ft	Mill Creek			Non-IEPA		01/30/2018	9:46:00 AM	01/30/2018	2:50:00 PM			01/30/2018	3:11:52 PM	Water	USEPA	E. COLI MPN	E. Coli	Total	14.60	MPN/100mL		1.00	1.00			02/09/2018
DRWW	Suburban Labs		11-3	GW-04	0.5	ft	Mill Creek			Non-IEPA		01/30/2018	9:46:00 AM	01/30/2018	2:50:00 PM					Water	USEPA	365.2	pH, Field	Total	7.70	S.U.						02/09/2018
DRWW	Suburban Labs		11-3	GW-04	0.5	ft	Mill Creek			Non-IEPA		01/30/2018	9:46:00 AM	01/30/2018	2:50:00 PM			02/02/2018	2:48:21 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.07	mg/L		0.05	0.14			02/09/2018
DRWW	Suburban Labs		11-3	GW-04	0.5	ft	Mill Creek			Non-IEPA		01/30/2018	9:46:00 AM	01/30/2018	2:50:00 PM					Water	USEPA	SM 2550B	Temperature	Total	-0.10	°C						02/09/2018
DRWW	Suburban Labs		11-3	GW-04	0.5	ft	Mill Creek			Non-IEPA		01/30/2018	9:46:00 AM	01/30/2018	2:50:00 PM			02/04/2018	1:20:44 AM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.65	mg/L		0.10	0.22			02/09/2018
DRWW	Suburban Labs		11-3	GW-04	0.5	ft	Mill Creek			Non-IEPA		01/30/2018	9:46:00 AM	01/30/2018	2:50:00 PM			01/30/2018	4:40:00 PM	Water	Lab	2130-B	Turbidity	Total	6.32	NTU		0.10	0.20			02/09/2018
DRWW	Suburban Labs		11-3	GW-04	0.5	ft	Mill Creek			Non-IEPA		05/14/2018	12:37:00 PM	05/14/2018	4:00:28 PM			05/16/2018	1:14:14 PM	Water	APHA	4500-CL(-E)	Chloride	Total	144.00	mg/L		20.00	20.00			02/24/2018
DRWW	Suburban Labs		11-3	GW-04	0.5	ft	Mill Creek			Non-IEPA		05/14/2018	12:37:00 PM	05/14/2018	4:00:28 PM					Water	YSI	EPA 120.1	Conductivity	Total	753.00	µmhos/cm						05/24/2018
DRWW	Suburban Labs		11-3	GW-04	0.5	ft	Mill Creek			Non-IEPA		05/14/2018	12:37:00 PM	05/14/2018	4:00:28 PM			05/14/2018	4:32:00 PM	Water	USEPA	E. COLI MPN	E. Coli	Total	2419.60	MPN/100mL		1.00	1.00			05/24/2018
DRWW	Suburban Labs		11-3	GW-04	0.5	ft	Mill Creek			Non-IEPA		05/14/2018	12:37:00 PM	05/14/2018	4:00:28 PM					Water	USEPA	365.2	pH, Field	Total	7.60	S.U.						05/24/2018
DRWW	Suburban Labs		11-3	GW-04	0.5	ft	Mill Creek			Non-IEPA		05/14																				

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code-IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs		11-4	GW-03	0.5	ft	Mill Creek			Non-IEPA		05/14/2018	12:54:00 PM	05/14/2018	4:00:18 PM			05/15/2018	5:15:00 PM	Water	Lab	2130-B	Turbidity		39.70	NTU		0.10	0.20			05/24/2018
DRWW	Suburban Labs		11-4	GW-03	0.5	ft	Mill Creek			Non-IEPA		07/23/2018	1:02:27 PM	07/23/2018	4:10:00 PM			07/25/2018	11:16:30 AM	Water	APHA	4500-CL-(E)	Chloride	Total	144.00	mg/L		20.00	20.00			08/01/2018
DRWW	Suburban Labs		11-4	GW-03	0.5	ft	Mill Creek			Non-IEPA		07/23/2018	1:02:27 PM	07/23/2018	4:10:00 PM			07/23/2018	4:40:00 PM	Water	YSI	EPA 120.1	Conductivity		849.00	umhos/cm						08/01/2018
DRWW	Suburban Labs		11-4	GW-03	0.5	ft	Mill Creek			Non-IEPA		07/23/2018	1:02:27 PM	07/23/2018	4:10:00 PM			07/23/2018	4:40:00 PM	Water	USEPA	E COLI MPN	E. Coli	Total	191.80	MPN/100mL		1.00	1.00			08/01/2018
DRWW	Suburban Labs		11-4	GW-03	0.5	ft	Mill Creek			Non-IEPA		07/23/2018	1:02:27 PM	07/23/2018	4:10:00 PM			07/25/2018	7:46:59 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30			08/01/2018
DRWW	Suburban Labs		11-4	GW-03	0.5	ft	Mill Creek			Non-IEPA		07/23/2018	1:02:27 PM	07/23/2018	4:10:00 PM	07/27/2018	10:41:20 AM	07/30/2018	11:48:00 AM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	ND	mg/L		1.19	3.78			08/01/2018
DRWW	Suburban Labs		11-4	GW-03	0.5	ft	Mill Creek			Non-IEPA		07/23/2018	1:02:27 PM	07/23/2018	4:10:00 PM					Water	USEPA	365.2	pH, Field		8.50	S.U.						08/01/2018
DRWW	Suburban Labs		11-4	GW-03	0.5	ft	Mill Creek			Non-IEPA		07/23/2018	1:02:27 PM	07/23/2018	4:10:00 PM	07/24/2018	10:02:27 AM	07/26/2018	3:54:35 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	ND	mg/L		0.05	0.14			08/01/2018
DRWW	Suburban Labs		11-4	GW-03	0.5	ft	Mill Creek			Non-IEPA		07/23/2018	1:02:27 PM	07/23/2018	4:10:00 PM			07/31/2018	12:35:06 PM	Water	Lab	2510B	Specific Conductivity	Total	831.00	umhos/cm		1.00	1.00			08/01/2018
DRWW	Suburban Labs		11-4	GW-03	0.5	ft	Mill Creek			Non-IEPA		07/23/2018	1:02:27 PM	07/23/2018	4:10:00 PM					Water	USEPA	SM 2550B	Temperature		24.20	°C						08/01/2018
DRWW	Suburban Labs		11-4	GW-03	0.5	ft	Mill Creek			Non-IEPA		07/23/2018	1:02:27 PM	07/23/2018	4:10:00 PM			07/27/2018	7:30:00 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.21	mg/L		0.10	0.22			08/01/2018
DRWW	Suburban Labs		11-4	GW-03	0.5	ft	Mill Creek			Non-IEPA		07/23/2018	1:02:27 PM	07/23/2018	4:10:00 PM			07/24/2018	12:25:00 PM	Water	USEPA	2540-D	Total Suspended Solids	Total	2.80	mg/L	J	0.20	5.00			08/01/2018
DRWW	Suburban Labs		11-4	GW-03	0.5	ft	Mill Creek			Non-IEPA		07/23/2018	1:02:27 PM	07/23/2018	4:10:00 PM			07/24/2018	5:00:00 PM	Water	Lab	2130-B	Turbidity		5.35	NTU		0.10	0.20			08/01/2018
DRWW	Suburban Labs		11-4	GW-03	0.5	ft	Mill Creek			Non-IEPA		07/23/2018	1:02:27 PM	07/23/2018	4:10:00 PM			07/24/2018	12:25:00 PM	Water	USEPA	2540-D	Volatile Suspended Solids	Total		mg/L	J	0.20	5.00			08/01/2018
DRWW	Suburban Labs		11-4	GW-03	0.5	ft	Mill Creek			Non-IEPA		09/04/2018	1:55:00 PM	09/04/2018	2:13:20 PM			09/07/2018	1:59:15 PM	Water	APHA	4500-CL-(E)	Chloride	Total	143.00	mg/L		20.00	20.00			09/12/2018
DRWW	Suburban Labs		11-4	GW-03	0.5	ft	Mill Creek			Non-IEPA		09/04/2018	1:55:00 PM	09/04/2018	2:13:20 PM					Water	YSI	EPA 120.1	Conductivity		852.00	umhos/cm						09/12/2018
DRWW	Suburban Labs		11-4	GW-03	0.5	ft	Mill Creek			Non-IEPA		09/04/2018	1:55:00 PM	09/04/2018	2:13:20 PM			09/04/2018	5:05:00 PM	Water	USEPA	E COLI MPN	E. Coli	Total	435.20	MPN/100mL		1.00	1.00			09/12/2018
DRWW	Suburban Labs		11-4	GW-03	0.5	ft	Mill Creek			Non-IEPA		09/04/2018	1:55:00 PM	09/04/2018	2:13:20 PM			09/05/2018	5:46:50 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30			09/12/2018
DRWW	Suburban Labs		11-4	GW-03	0.5	ft	Mill Creek			Non-IEPA		09/04/2018	1:55:00 PM	09/04/2018	2:13:20 PM	09/11/2018	11:36:15 AM	09/12/2018	11:32:30 AM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	ND	mg/L		1.19	3.78			09/12/2018
DRWW	Suburban Labs		11-4	GW-03	0.5	ft	Mill Creek			Non-IEPA		09/04/2018	1:55:00 PM	09/04/2018	2:13:20 PM					Water	USEPA	365.2	pH, Field		7.60	S.U.						09/12/2018
DRWW	Suburban Labs		11-4	GW-03	0.5	ft	Mill Creek			Non-IEPA		09/04/2018	1:55:00 PM	09/04/2018	2:13:20 PM	09/05/2018	12:34:57 PM	09/07/2018	6:58:25 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.08	mg/L	J	0.05	0.14			09/12/2018
DRWW	Suburban Labs		11-4	GW-03	0.5	ft	Mill Creek			Non-IEPA		09/04/2018	1:55:00 PM	09/04/2018	2:13:20 PM			09/07/2018	3:53:38 PM	Water	Lab	2510B	Specific Conductivity	Total	792.00	umhos/cm		1.00	1.00			09/12/2018
DRWW	Suburban Labs		11-4	GW-03	0.5	ft	Mill Creek			Non-IEPA		09/04/2018	1:55:00 PM	09/04/2018	2:13:20 PM					Water	USEPA	SM 2550B	Temperature		25.67	°C						09/12/2018
DRWW	Suburban Labs		11-4	GW-03	0.5	ft	Mill Creek			Non-IEPA		09/04/2018	1:55:00 PM	09/04/2018	2:13:20 PM			09/05/2018	6:10:10 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.20	mg/L	J	0.10	0.22			09/12/2018
DRWW	Suburban Labs		11-4	GW-03	0.5	ft	Mill Creek			Non-IEPA		09/04/2018	1:55:00 PM	09/04/2018	2:13:20 PM			09/05/2018	2:11:54 PM	Water	USEPA	2540-D	Total Suspended Solids	Total	15.20	mg/L		0.20	5.00			09/12/2018
DRWW	Suburban Labs		11-4	GW-03	0.5	ft	Mill Creek			Non-IEPA		09/04/2018	1:55:00 PM	09/04/2018	2:13:20 PM			09/05/2018	5:15:00 PM	Water	Lab	2130-B	Turbidity		14.10	NTU		0.10	0.20			09/12/2018
DRWW	Suburban Labs		11-4	GW-03	0.5	ft	Mill Creek			Non-IEPA		09/04/2018	1:55:00 PM	09/04/2018	2:13:20 PM			09/05/2018	2:11:54 PM	Water	USEPA	2540-D	Volatile Suspended Solids	Total	5.60	mg/L		0.20	5.00			09/12/2018
DRWW	Suburban Labs		11-4	GW-03	0.5	ft	Mill Creek			Non-IEPA		10/22/2018	1:29:00 PM	10/22/2018	4:00:00 PM			10/23/2018		Water	APHA	4500-CL-(E)	Chloride	Total	121.00	mg/L		20.00	20.00			10/29/2018
DRWW	Suburban Labs		11-4	GW-03	0.5	ft	Mill Creek			Non-IEPA		10/22/2018	1:29:00 PM	10/22/2018	4:00:00 PM			10/22/2018	7:45:06 PM	Water	YSI	EPA 120.1	Conductivity		730.00	umhos/cm						10/29/2018
DRWW	Suburban Labs		11-4	GW-03	0.5	ft	Mill Creek			Non-IEPA		10/22/2018	1:29:00 PM	10/22/2018	4:00:00 PM			10/22/2018	7:45:06 PM	Water	USEPA	E COLI MPN	E. Coli	Total	43.50	MPN/100mL		1.0	1.0			10/29/2018
DRWW	Suburban Labs		11-4	GW-03	0.5	ft	Mill Creek			Non-IEPA		10/22/2018	1:29:00 PM	10/22/2018	4:00:00 PM			10/23/2018	11:51:54 AM	Water	USEPA	365.2	pH, Field		8.00	S.U.						10/29/2018
DRWW	Suburban Labs		11-4	GW-03	0.5	ft	Mill Creek			Non-IEPA		10/22/2018	1:29:00 PM	10/22/2018	4:00:00 PM	10/23/2018	11:51:54 AM	10/25/2018	2:00:00 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	ND	mg/L		0.0500	0.135			10/29/2018
DRWW	Suburban Labs		11-4	GW-03	0.5	ft	Mill Creek			Non-IEPA		10/22/2018	1:29:00 PM	10/22/2018	4:00:00 PM			10/23/2018		Water	Lab	2510B	Specific Conductivity	Total	755.00	umhos/cm		1.00	1.00			10/29/2018
DRWW	Suburban Labs		11-4	GW-03	0.5	ft	Mill Creek			Non-IEPA		10/22/2018	1:29:00 PM	10/22/2018	4:00:00 PM				4:09:46 PM	Water	USEPA	SM 2550B	Temperature		8.00	deg C						10/29/2018
DRWW	Suburban Labs		11-4	GW-03	0.5	ft	Mill Creek			Non-IEPA		10/22/2018	1:29:00 PM	10/22/2018	4:00:00 PM			10/23/2018	2:32:55 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.12	mg/L	J	0.100	0.224			10/29/2018
DRWW	Suburban Labs		11-4	GW-03	0.5	ft	Mill Creek			Non-IEPA		10/22/2018	1:29:00 PM	10/22/2018	4:00:00 PM			10/23/2018	2:00:00 PM	Water	Lab	2130-B	Turbidity		2.32	NTU		0.100	0.200			10/29/2018
DRWW	Suburban Labs		11-5	GW-07	0.5	ft	Mill Creek			Non-IEPA		01/30/2018	10:39:00 AM	01/30/2018	2:50:00 PM			02/05/2018	7:15:11 PM	Water	APHA	4500-CL-(E)	Chloride	Total	278.00	mg/L		40.00	40.00			02/09/2018
DRWW	Suburban Labs		11-5	GW-07	0.5	ft	Mill Creek			Non-IEPA		01/30/2018	10:39:00 AM	01/30/2018	2:50:00 PM			02/05/2018	7:15:11 PM	Water	YSI	EPA 120.1	Conductivity		1440.00	umhos/cm						02/09/2018
DRWW	Suburban Labs		11-5	GW-07	0.5	ft	Mill Creek			Non-IEPA		01/30/2018	10:39:00 AM	01/30/2018	2:50:00 PM			01/30/2018	3:11:52 PM	Water	USEPA	E COLI MPN	E. Coli	Total	42.60	MPN/100mL		1.00	1.00			02/09/2018
DRWW	Suburban Labs		11-5	GW-07	0.5	ft	Mill Creek			Non-IEPA		01/30/2018	10:39:00 AM	01/30/2018	2:50:00 PM					Water	USEPA	365.2	pH, Field		7.70	S.U.						02/09/2018
DRWW	Suburban Labs		11-5	GW-07	0.5	ft	Mill Creek			Non-IEPA		01/30/2018	10:39:00 AM	01/30/2018	2:50:00 PM			02/02/2018	2:54:32 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.07	mg/L		0.05	0.14			02/09/2018
DRWW	Suburban Labs		11-5	GW-07	0.5	ft	Mill Creek			Non-IEPA		01/30/2018	10:39:00 AM	01/30/2018	2:50:00 PM					Water	USEPA	SM 2550B	Temperature		0.90	°C						02/09/2018
DRWW	Suburban Labs		11-5	GW-07	0.5	ft	Mill Creek			Non-IEPA		01/30/2018	10:39:00 AM	01/30/2018	2:50:00 PM			02/04/2018	1:25:06 AM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	1.43	mg/L		0.10	0.22			02/09/2018
DRWW	Suburban Labs		11-5	GW-07	0.5	ft	Mill Creek			Non-IEPA		01/30/2018	10:39:00 AM	01/30/2018	2:50:00 PM			01/30/2018	4:40:00 PM	Water	Lab	2130-B	Turbidity		10.90	NTU		0.10	0.20			02/09/2018
DRWW	Suburban Labs		11-5	GW-07	0.5	ft	Mill Creek																									

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code-IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs		11-6	GW-08	0.5	ft	Mill Creek			Non-IEPA		05/15/2018	9:38:00 AM	05/15/2018	4:15:18 PM	05/17/2018		05/18/2018	3:58:10 PM	Water	USEPA Lab	200.7	Phosphorus, Total (as P)	Total	0.24	mg/L		0.05	0.14			05/24/2018
DRWW	Suburban Labs		11-6	GW-08	0.5	ft	Mill Creek			Non-IEPA		05/15/2018	9:38:00 AM	05/15/2018	4:15:18 PM			05/18/2018	2:03:00 AM	Water	USEPA Lab	2510B	Specific Conductivity	Total	759.00	µmhos/cm		1.00	1.00			05/24/2018
DRWW	Suburban Labs		11-6	GW-08	0.5	ft	Mill Creek			Non-IEPA		05/15/2018	9:38:00 AM	05/15/2018	4:15:18 PM					Water	USEPA Lab	SM 2550B	Temperature	Total	14.80	°C					05/24/2018	
DRWW	Suburban Labs		11-6	GW-08	0.5	ft	Mill Creek			Non-IEPA		05/15/2018	9:38:00 AM	05/15/2018	4:15:18 PM			05/21/2018	6:31:39 PM	Water	USEPA Lab	353.2	Total Nitrates (Nitrate+Nitrite)	Total	2.35	mg/L		0.10	0.22			05/24/2018
DRWW	Suburban Labs		11-6	GW-08	0.5	ft	Mill Creek			Non-IEPA		05/15/2018	9:38:00 AM	05/15/2018	4:15:18 PM			05/15/2018	5:15:00 PM	Water	Lab	2130-B	Turbidity	Total	240.00	NTU		0.10	0.20			05/24/2018
DRWW	Suburban Labs		11-6	GW-08	0.5	ft	Mill Creek			Non-IEPA		07/23/2018	1:51:00 PM	07/23/2018	4:10:00 PM			07/25/2018	11:13:12 AM	Water	APHA Lab	4500-CL(-E)	Chloride	Total	118.00	mg/L		20.00	20.00			08/01/2018
DRWW	Suburban Labs		11-6	GW-08	0.5	ft	Mill Creek			Non-IEPA		07/23/2018	1:51:00 PM	07/23/2018	4:10:00 PM					Water	YSI Lab	EPA 120.1	Conductivity	Total	1065.00	µmhos/cm						08/01/2018
DRWW	Suburban Labs		11-6	GW-08	0.5	ft	Mill Creek			Non-IEPA		07/23/2018	1:51:00 PM	07/23/2018	4:10:00 PM			07/23/2018	4:40:00 PM	Water	USEPA Lab	E_COLI_MPN	E. Coli	Total	579.40	MPN/100mL		1.00	1.00			08/01/2018
DRWW	Suburban Labs		11-6	GW-08	0.5	ft	Mill Creek			Non-IEPA		07/23/2018	1:51:00 PM	07/23/2018	4:10:00 PM			07/25/2018	7:31:20 PM	Water	USEPA Lab	350.3	Nitrogen, Ammonia (As N)	Total	0.19	mg/L	J	0.10	0.30			08/01/2018
DRWW	Suburban Labs		11-6	GW-08	0.5	ft	Mill Creek			Non-IEPA		07/23/2018	1:51:00 PM	07/23/2018	4:10:00 PM	07/27/2018	10:41:20 AM	07/30/2018	11:53:00 AM	Water	USEPA Lab	351.2	Nitrogen, Kjeldahl, Total	Total	2.19	mg/L	J	1.19	3.78			08/01/2018
DRWW	Suburban Labs		11-6	GW-08	0.5	ft	Mill Creek			Non-IEPA		07/23/2018	1:51:00 PM	07/23/2018	4:10:00 PM					Water	USEPA Lab	365.2	pH, Field	Total	7.80	S.U.						08/01/2018
DRWW	Suburban Labs		11-6	GW-08	0.5	ft	Mill Creek			Non-IEPA		07/23/2018	1:51:00 PM	07/23/2018	4:10:00 PM	07/24/2018	10:02:27 AM	07/26/2018	4:01:09 PM	Water	USEPA Lab	200.7	Phosphorus, Total (as P)	Total	0.08	mg/L	J	0.05	0.14			08/01/2018
DRWW	Suburban Labs		11-6	GW-08	0.5	ft	Mill Creek			Non-IEPA		07/23/2018	1:51:00 PM	07/23/2018	4:10:00 PM			07/31/2018	12:36:36 PM	Water	Lab	2510B	Specific Conductivity	Total	1020.00	µmhos/cm		1.00	1.00			08/01/2018
DRWW	Suburban Labs		11-6	GW-08	0.5	ft	Mill Creek			Non-IEPA		07/23/2018	1:51:00 PM	07/23/2018	4:10:00 PM					Water	USEPA Lab	SM 2550B	Temperature	Total	21.70	°C						08/01/2018
DRWW	Suburban Labs		11-6	GW-08	0.5	ft	Mill Creek			Non-IEPA		07/23/2018	1:51:00 PM	07/23/2018	4:10:00 PM			07/27/2018	7:35:00 PM	Water	USEPA Lab	353.2	Total Nitrates (Nitrate+Nitrite)	Total	1.49	mg/L		0.10	0.22			08/01/2018
DRWW	Suburban Labs		11-6	GW-08	0.5	ft	Mill Creek			Non-IEPA		07/23/2018	1:51:00 PM	07/23/2018	4:10:00 PM			07/24/2018	12:25:00 PM	Water	USEPA Lab	2540-D	Total Suspended Solids	Total	11.20	mg/L		0.20	5.00			08/01/2018
DRWW	Suburban Labs		11-6	GW-08	0.5	ft	Mill Creek			Non-IEPA		07/23/2018	1:51:00 PM	07/23/2018	4:10:00 PM			07/24/2018	5:00:00 PM	Water	Lab	2130-B	Turbidity	Total	16.40	NTU		0.10	0.20			08/01/2018
DRWW	Suburban Labs		11-6	GW-08	0.5	ft	Mill Creek			Non-IEPA		07/23/2018	1:51:00 PM	07/23/2018	4:10:00 PM			07/24/2018	12:25:00 PM	Water	USEPA Lab	2540-D	Volatile Suspended Solids	Total	2.60	mg/L	J	0.20	5.00			08/01/2018
DRWW	Suburban Labs		11-6	GW-08	0.5	ft	Mill Creek			Non-IEPA		09/04/2018	1:15:00 PM	09/04/2018	1:35:42 PM			09/07/2018	1:59:54 PM	Water	APHA Lab	4500-CL(-E)	Chloride	Total	44.70	mg/L		20.00	20.00			09/12/2018
DRWW	Suburban Labs		11-6	GW-08	0.5	ft	Mill Creek			Non-IEPA		09/04/2018	1:15:00 PM	09/04/2018	1:35:42 PM					Water	YSI Lab	EPA 120.1	Conductivity	Total	542.00	µmhos/cm						09/12/2018
DRWW	Suburban Labs		11-6	GW-08	0.5	ft	Mill Creek			Non-IEPA		09/04/2018	1:15:00 PM	09/04/2018	1:35:42 PM			09/04/2018	5:05:00 PM	Water	USEPA Lab	E_COLI_MPN	E. Coli	Total	250.00	MPN/100mL		1.00	1.00			09/12/2018
DRWW	Suburban Labs		11-6	GW-08	0.5	ft	Mill Creek			Non-IEPA		09/04/2018	1:15:00 PM	09/04/2018	1:35:42 PM			09/05/2018	4:45:56 PM	Water	USEPA Lab	350.3	Nitrogen, Ammonia (As N)	Total	0.11	mg/L	J	0.10	0.30			09/12/2018
DRWW	Suburban Labs		11-6	GW-08	0.5	ft	Mill Creek			Non-IEPA		09/04/2018	1:15:00 PM	09/04/2018	1:35:42 PM	09/11/2018	11:36:15 AM	09/12/2018	11:27:04 AM	Water	USEPA Lab	351.2	Nitrogen, Kjeldahl, Total	Total	ND	mg/L		1.19	3.78			09/12/2018
DRWW	Suburban Labs		11-6	GW-08	0.5	ft	Mill Creek			Non-IEPA		09/04/2018	1:15:00 PM	09/04/2018	1:35:42 PM					Water	USEPA Lab	365.2	pH, Field	Total	7.34	S.U.						09/12/2018
DRWW	Suburban Labs		11-6	GW-08	0.5	ft	Mill Creek			Non-IEPA		09/04/2018	1:15:00 PM	09/04/2018	1:35:42 PM	09/05/2018	12:34:57 PM	09/07/2018	6:52:00 PM	Water	USEPA Lab	200.7	Phosphorus, Total (as P)	Total	0.14	mg/L		0.05	0.14			09/12/2018
DRWW	Suburban Labs		11-6	GW-08	0.5	ft	Mill Creek			Non-IEPA		09/04/2018	1:15:00 PM	09/04/2018	1:35:42 PM			09/07/2018	3:51:53 PM	Water	Lab	2510B	Specific Conductivity	Total	503.00	µmhos/cm		1.00	1.00			09/12/2018
DRWW	Suburban Labs		11-6	GW-08	0.5	ft	Mill Creek			Non-IEPA		09/04/2018	1:15:00 PM	09/04/2018	1:35:42 PM					Water	USEPA Lab	SM 2550B	Temperature	Total	23.86	°C						09/12/2018
DRWW	Suburban Labs		11-6	GW-08	0.5	ft	Mill Creek			Non-IEPA		09/04/2018	1:15:00 PM	09/04/2018	1:35:42 PM			09/05/2018	5:52:39 PM	Water	USEPA Lab	353.2	Total Nitrates (Nitrate+Nitrite)	Total	1.26	mg/L		0.10	0.22			09/12/2018
DRWW	Suburban Labs		11-6	GW-08	0.5	ft	Mill Creek			Non-IEPA		09/04/2018	1:15:00 PM	09/04/2018	1:35:42 PM			09/05/2018	2:11:54 PM	Water	USEPA Lab	2540-D	Total Suspended Solids	Total	38.20	mg/L		0.20	5.00			09/12/2018
DRWW	Suburban Labs		11-6	GW-08	0.5	ft	Mill Creek			Non-IEPA		09/04/2018	1:15:00 PM	09/04/2018	1:35:42 PM			09/05/2018	5:15:00 PM	Water	Lab	2130-B	Turbidity	Total	54.80	NTU		0.10	0.20			09/12/2018
DRWW	Suburban Labs		11-6	GW-08	0.5	ft	Mill Creek			Non-IEPA		09/04/2018	1:15:00 PM	09/04/2018	1:35:42 PM			09/05/2018	2:11:54 PM	Water	USEPA Lab	2540-D	Volatile Suspended Solids	Total	6.60	mg/L		0.20	5.00			09/12/2018
DRWW	Suburban Labs		11-6	GW-08	0.5	ft	Mill Creek			Non-IEPA		10/23/2018	10:23:00 AM	10/23/2018	4:15:00 PM			10/29/2018		Water	APHA Lab	4500-CL(-E)	Chloride	Total	68.70	mg/L		20.0	20.0			10/31/2018
DRWW	Suburban Labs		11-6	GW-08	0.5	ft	Mill Creek			Non-IEPA		10/23/2018	10:23:00 AM	10/23/2018	4:15:00 PM				4:45:30 PM	Water	YSI Lab	EPA 120.1	Conductivity	Total	740.00	µmhos/cm						10/31/2018
DRWW	Suburban Labs		11-6	GW-08	0.5	ft	Mill Creek			Non-IEPA		10/23/2018	10:23:00 AM	10/23/2018	4:15:00 PM			10/23/2018		Water	USEPA Lab	E_COLI_MPN	E. Coli	Total	85.70	MPN/100mL		1.0	1.0			10/31/2018
DRWW	Suburban Labs		11-6	GW-08	0.5	ft	Mill Creek			Non-IEPA		10/23/2018	10:23:00 AM	10/23/2018	4:15:00 PM				4:48:38 PM	Water	USEPA Lab	365.2	pH, Field	Total	7.50	S.U.						10/31/2018
DRWW	Suburban Labs		11-6	GW-08	0.5	ft	Mill Creek			Non-IEPA		10/23/2018	10:23:00 AM	10/23/2018	4:15:00 PM	10/24/2018	11:02:16 AM	10/26/2018	12:41:33 PM	Water	USEPA Lab	200.7	Phosphorus, Total (as P)	Total	0.07	mg/L	J	0.0500	0.135			10/31/2018
DRWW	Suburban Labs		11-6	GW-08	0.5	ft	Mill Creek			Non-IEPA		10/23/2018	10:23:00 AM	10/23/2018	4:15:00 PM			10/25/2018		Water	Lab	2510B	Specific Conductivity	Total	760.00	µmhos/cm		1.00	1.00			10/31/2018
DRWW	Suburban Labs		11-6	GW-08	0.5	ft	Mill Creek			Non-IEPA		10/23/2018	10:23:00 AM	10/23/2018	4:15:00 PM				4:40:07 PM	Water	USEPA Lab	SM 2550B	Temperature	Total	7.40	deg C						10/31/2018
DRWW	Suburban Labs		11-6	GW-08	0.5	ft	Mill Creek			Non-IEPA		10/23/2018	10:23:00 AM	10/23/2018	4:15:00 PM			10/26/2018	4:30:00 PM	Water	USEPA Lab	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.75	mg/L		0.100	0.224			10/31/2018
DRWW	Suburban Labs		11-6	GW-08	0.5	ft	Mill Creek			Non-IEPA		10/23/2018	10:23:00 AM	10/23/2018	4:15:00 PM			10/23/2018		Water	Lab	2130-B	Turbidity	Total	10.90	NTU		0.100	0.200			10/31/2018
DRWW	Suburban Labs		11-6	GW-08	0.5	ft	Mill Creek			Non-IEPA		10/23/2018	10:23:00 AM	10/23/2018	4:15:00 PM			02/05/2018	6:34:56 PM	Water	APHA Lab	4500-CL(-E)	Chloride	Total	174.00	mg/L		20.00	20.00			02/22/2018
DRWW	Suburban Labs		12-1	GZB-99	0.5	ft	Newport Drainage Ditch			Non-IEPA		01/30/2018	11:45:00 AM	01/30/2018	2:50:00 PM			02/05/2018	6:34:56 PM	Water	YSI Lab	EPA 120.1	Conductivity	Total	1120.00	µmhos/cm						02/22/2018
DRWW	Suburban Labs		12-1	GZB-99	0.5	ft	Newport Drainage Ditch			Non-IEPA		01/30/2018	11:45:00 AM	01/30/2018	2:50:00 PM			01/30/2018	3:11:52 PM	Water	USEPA Lab	E_COLI_MPN	E. Coli	Total	12.20	MPN/100mL		1.00	1.00			02/22/2018
DRWW	Suburban Labs		12-1	GZB-99	0.5	ft	Newport Drainage Ditch			Non-IEPA		01/30/2018	11:45:00 AM	01/30/2018	2:50:00 PM					Water	USEPA Lab	365.2	pH, Field	Total	7.80	S.U.						02/22/2018
DRWW																																

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code-IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released				
DRWW	Suburban Labs		12-2	GZB-01	0.5	ft	Newport Drainage Ditch			Non-IEPA		05/15/2018	10:30:00 AM	05/15/2018	4:15:01 PM			05/16/2018	1:18:55 PM	Water	APHA	4500-CL(-E)	Chloride	Total	55.90	mg/L		20.00	20.00			05/24/2018				
DRWW	Suburban Labs		12-2	GZB-01	0.5	ft	Newport Drainage Ditch			Non-IEPA		05/15/2018	10:30:00 AM	05/15/2018	4:15:01 PM					Water	YSI	EPA 120.1	Conductivity	Total	449.00	umhos/cm						05/24/2018				
DRWW	Suburban Labs		12-2	GZB-01	0.5	ft	Newport Drainage Ditch			Non-IEPA		05/15/2018	10:30:00 AM	05/15/2018	4:15:01 PM			05/15/2018	5:00:00 PM	Water	USEPA	E. COLI MPN	E. Coli	Total	2419.60	MPN/100mL	1.00	1.00				05/24/2018				
DRWW	Suburban Labs		12-2	GZB-01	0.5	ft	Newport Drainage Ditch			Non-IEPA		05/15/2018	10:30:00 AM	05/15/2018	4:15:01 PM					Water	USEPA	365.2	pH, Field	Total	7.30	S.U.						05/24/2018				
DRWW	Suburban Labs		12-2	GZB-01	0.5	ft	Newport Drainage Ditch			Non-IEPA		05/15/2018	10:30:00 AM	05/15/2018	4:15:01 PM	05/17/2018	4:37:16 PM	05/18/2018	4:04:52 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.19	mg/L		0.05	0.14			05/24/2018				
DRWW	Suburban Labs		12-2	GZB-01	0.5	ft	Newport Drainage Ditch			Non-IEPA		05/15/2018	10:30:00 AM	05/15/2018	4:15:01 PM			05/18/2018	2:04:48 AM	Water	Lab	2510B	Specific Conductivity	Total	455.00	umhos/cm	1.00	1.00					05/24/2018			
DRWW	Suburban Labs		12-2	GZB-01	0.5	ft	Newport Drainage Ditch			Non-IEPA		05/15/2018	10:30:00 AM	05/15/2018	4:15:01 PM					Water	USEPA	SM 2550B	Temperature	Total	16.90	°C						05/24/2018				
DRWW	Suburban Labs		12-2	GZB-01	0.5	ft	Newport Drainage Ditch			Non-IEPA		05/15/2018	10:30:00 AM	05/15/2018	4:15:01 PM			05/21/2018	6:40:23 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.66	mg/L		0.10	0.22			05/24/2018				
DRWW	Suburban Labs		12-2	GZB-01	0.5	ft	Newport Drainage Ditch			Non-IEPA		05/15/2018	10:30:00 AM	05/15/2018	4:15:01 PM			05/15/2018	5:15:00 PM	Water	Lab	2130-B	Turbidity	Total	88.30	NTU		0.10	0.20			05/24/2018				
DRWW	Suburban Labs		12-2	GZB-01	0.5	ft	Newport Drainage Ditch			Non-IEPA		07/24/2018	10:00:00 AM	07/24/2018	4:15:00 PM			07/25/2018	11:19:52 AM	Water	APHA	4500-CL(-E)	Chloride	Total	106.00	mg/L		20.00	20.00					08/02/2018		
DRWW	Suburban Labs		12-2	GZB-01	0.5	ft	Newport Drainage Ditch			Non-IEPA		07/24/2018	10:00:00 AM	07/24/2018	4:15:00 PM			07/24/2018	5:10:07 PM	Water	YSI	EPA 120.1	Conductivity	Total	911.00	umhos/cm							08/02/2018			
DRWW	Suburban Labs		12-2	GZB-01	0.5	ft	Newport Drainage Ditch			Non-IEPA		07/24/2018	10:00:00 AM	07/24/2018	4:15:00 PM			07/24/2018	6:40:49 PM	Water	USEPA	E. COLI MPN	E. Coli	Total	866.40	MPN/100mL	1.00	1.00					08/02/2018			
DRWW	Suburban Labs		12-2	GZB-01	0.5	ft	Newport Drainage Ditch			Non-IEPA		07/24/2018	10:00:00 AM	07/24/2018	4:15:00 PM			08/01/2018	6:40:49 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30					08/02/2018		
DRWW	Suburban Labs		12-2	GZB-01	0.5	ft	Newport Drainage Ditch			Non-IEPA		07/24/2018	10:00:00 AM	07/24/2018	4:15:00 PM			07/27/2018	10:41:20 AM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	ND	mg/L		1.19	3.78					08/02/2018		
DRWW	Suburban Labs		12-2	GZB-01	0.5	ft	Newport Drainage Ditch			Non-IEPA		07/24/2018	10:00:00 AM	07/24/2018	4:15:00 PM					Water	USEPA	365.2	pH, Field	Total	7.70	S.U.							08/02/2018			
DRWW	Suburban Labs		12-2	GZB-01	0.5	ft	Newport Drainage Ditch			Non-IEPA		07/24/2018	10:00:00 AM	07/24/2018	4:15:00 PM			07/25/2018	4:25:46 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.11	mg/L	J	0.05	0.14					08/02/2018		
DRWW	Suburban Labs		12-2	GZB-01	0.5	ft	Newport Drainage Ditch			Non-IEPA		07/24/2018	10:00:00 AM	07/24/2018	4:15:00 PM			07/31/2018	12:38:49 PM	Water	Lab	2510B	Specific Conductivity	Total	863.00	umhos/cm	1.00	1.00							08/02/2018	
DRWW	Suburban Labs		12-2	GZB-01	0.5	ft	Newport Drainage Ditch			Non-IEPA		07/24/2018	10:00:00 AM	07/24/2018	4:15:00 PM					Water	USEPA	SM 2550B	Temperature	Total	22.70	°C								08/02/2018		
DRWW	Suburban Labs		12-2	GZB-01	0.5	ft	Newport Drainage Ditch			Non-IEPA		07/24/2018	10:00:00 AM	07/24/2018	4:15:00 PM			07/27/2018	7:44:00 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22					08/02/2018		
DRWW	Suburban Labs		12-2	GZB-01	0.5	ft	Newport Drainage Ditch			Non-IEPA		07/24/2018	10:00:00 AM	07/24/2018	4:15:00 PM			07/25/2018	12:41:45 PM	Water	USEPA	2540-D	Total Suspended Solids	Total	2.60	mg/L	J	0.20	5.00					08/02/2018		
DRWW	Suburban Labs		12-2	GZB-01	0.5	ft	Newport Drainage Ditch			Non-IEPA		07/24/2018	10:00:00 AM	07/24/2018	4:15:00 PM			07/24/2018	5:00:00 PM	Water	Lab	2130-B	Turbidity	Total	1.91	NTU		0.10	0.20					08/02/2018		
DRWW	Suburban Labs		12-2	GZB-01	0.5	ft	Newport Drainage Ditch			Non-IEPA		07/24/2018	10:00:00 AM	07/24/2018	4:15:00 PM			07/25/2018	12:41:45 PM	Water	USEPA	2540-D	Volatile Suspended Solids	Total	2.20	mg/L	J	0.20	5.00					08/02/2018		
DRWW	Suburban Labs		12-2	GZB-01	0.5	ft	Newport Drainage Ditch			Non-IEPA		09/04/2018	12:23:00 PM	09/04/2018	12:54:25 PM			09/07/2018	1:40:33 PM	Water	APHA	4500-CL(-E)	Chloride	Total	36.40	mg/L		20.00	20.00						09/12/2018	
DRWW	Suburban Labs		12-2	GZB-01	0.5	ft	Newport Drainage Ditch			Non-IEPA		09/04/2018	12:23:00 PM	09/04/2018	12:54:25 PM					Water	YSI	EPA 120.1	Conductivity	Total	436.00	umhos/cm								09/12/2018		
DRWW	Suburban Labs		12-2	GZB-01	0.5	ft	Newport Drainage Ditch			Non-IEPA		09/04/2018	12:23:00 PM	09/04/2018	12:54:25 PM			09/05/2018	4:56:18 PM	Water	USEPA	E. COLI MPN	E. Coli	Total	613.10	MPN/100mL	1.00	1.00							09/12/2018	
DRWW	Suburban Labs		12-2	GZB-01	0.5	ft	Newport Drainage Ditch			Non-IEPA		09/04/2018	12:23:00 PM	09/04/2018	12:54:25 PM			09/05/2018	4:56:18 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30						09/12/2018	
DRWW	Suburban Labs		12-2	GZB-01	0.5	ft	Newport Drainage Ditch			Non-IEPA		09/04/2018	12:23:00 PM	09/04/2018	12:54:25 PM	09/11/2018	11:36:15 AM	09/12/2018	11:24:20 AM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	ND	mg/L		1.19	3.78							09/12/2018
DRWW	Suburban Labs		12-2	GZB-01	0.5	ft	Newport Drainage Ditch			Non-IEPA		09/04/2018	12:23:00 PM	09/04/2018	12:54:25 PM					Water	USEPA	365.2	pH, Field	Total	7.41	S.U.								09/12/2018		
DRWW	Suburban Labs		12-2	GZB-01	0.5	ft	Newport Drainage Ditch			Non-IEPA		09/04/2018	12:23:00 PM	09/04/2018	12:54:25 PM	09/05/2018	12:34:57 PM	09/07/2018	6:29:52 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.23	mg/L		0.05	0.14							09/12/2018
DRWW	Suburban Labs		12-2	GZB-01	0.5	ft	Newport Drainage Ditch			Non-IEPA		09/04/2018	12:23:00 PM	09/04/2018	12:54:25 PM			09/07/2018	3:50:06 PM	Water	Lab	2510B	Specific Conductivity	Total	408.00	umhos/cm	1.00	1.00							09/12/2018	
DRWW	Suburban Labs		12-2	GZB-01	0.5	ft	Newport Drainage Ditch			Non-IEPA		09/04/2018	12:23:00 PM	09/04/2018	12:54:25 PM					Water	USEPA	SM 2550B	Temperature	Total	23.67	°C								09/12/2018		
DRWW	Suburban Labs		12-2	GZB-01	0.5	ft	Newport Drainage Ditch			Non-IEPA		09/04/2018	12:23:00 PM	09/04/2018	12:54:25 PM			09/05/2018	5:54:52 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.15	mg/L	J	0.10	0.22							09/12/2018
DRWW	Suburban Labs		12-2	GZB-01	0.5	ft	Newport Drainage Ditch			Non-IEPA		09/04/2018	12:23:00 PM	09/04/2018	12:54:25 PM			09/05/2018	2:11:54 PM	Water	USEPA	2540-D	Total Suspended Solids	Total	8.00	mg/L		0.20	5.00							09/12/2018
DRWW	Suburban Labs		12-2	GZB-01	0.5	ft	Newport Drainage Ditch			Non-IEPA		09/04/2018	12:23:00 PM	09/04/2018	12:54:25 PM			09/05/2018	5:15:00 PM	Water	Lab	2130-B	Turbidity	Total	20.50	NTU		0.10	0.20							09/12/2018
DRWW	Suburban Labs		12-2	GZB-01	0.5	ft	Newport Drainage Ditch			Non-IEPA		09/04/2018	12:23:00 PM	09/04/2018	12:54:25 PM			09/05/2018	2:11:54 PM	Water	USEPA	2540-D	Volatile Suspended Solids	Total	3.80	mg/L	J	0.20	5.00							09/12/2018
DRWW	Suburban Labs		12-2	GZB-01	0.5	ft	Newport Drainage Ditch			Non-IEPA		10/23/2018	11:21:00 AM	10/23/2018	11:36:00 AM			10/29/2018		Water	APHA	4500-CL(-E)	Chloride	Total	86.80	mg/L		20.0	20.0							10/31/2018
DRWW	Suburban Labs		12-2	GZB-01	0.5	ft	Newport Drainage Ditch			Non-IEPA		10/23/2018	11:21:00 AM	10/23/2018	11:36:00 AM			10/23/2018	4:49:53 PM	Water	YSI	EPA 120.1	Conductivity	Total	811.00	umhos/cm										10/31/2018
DRWW	Suburban Labs		12-2	GZB-01	0.5	ft	Newport Drainage Ditch			Non-IEPA		10/23/2018	11:21:00 AM																							

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code-IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		10/23/2018	11:54:00 AM	10/23/2018	4:15:00 PM			10/23/2018		Water	USEPA	E COLI_MPN	E. Coli	Total	77.10	MPN/100mL		1.0	1.0			10/31/2018
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		10/23/2018	11:54:00 AM	10/23/2018	4:15:00 PM			10/26/2018		Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	0.35	mg/L		0.10	0.30			10/31/2018
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		10/23/2018	11:54:00 AM	10/23/2018	4:15:00 PM	10/29/2018	10:21:13 AM	10/31/2018	4:42:02 PM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	2.16	mg/L	J	1.19	3.78			10/31/2018
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		10/23/2018	11:54:00 AM	10/23/2018	4:15:00 PM			4:57:31 PM		Water	USEPA	365.2	pH, Field	Total	7.70	S.U.					10/31/2018	
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		10/23/2018	11:54:00 AM	10/23/2018	4:15:00 PM	10/24/2018	11:02:16 AM	10/26/2018	2:54:23 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.28	mg/L		0.0500	0.135			10/31/2018
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		10/23/2018	11:54:00 AM	10/23/2018	4:15:00 PM			10/25/2018		Water	Lab	2510B	Specific Conductivity	Total	818.00	umhos/cm		1.00	1.00			10/31/2018
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		10/23/2018	11:54:00 AM	10/23/2018	4:15:00 PM			7:44:52 PM		Water	USEPA	SM 2550B	Temperature	Total	8.90	deg C					10/31/2018	
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		10/23/2018	11:54:00 AM	10/23/2018	4:15:00 PM			10/26/2018	4:30:00 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	2.74	mg/L		0.100	0.224			10/31/2018
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		10/23/2018	11:54:00 AM	10/23/2018	4:15:00 PM			10/24/2018		Water	USEPA	2540-D	Total Suspended Solids	Total	4.40	mg/L	J	0.200	5.00			10/31/2018
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		10/23/2018	11:54:00 AM	10/23/2018	4:15:00 PM			10/23/2018		Water	Lab	2130-B	Turbidity	Total	6.34	NTU		0.100	0.200			10/31/2018
DRWW	Suburban Labs		13-1	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		10/23/2018	11:54:00 AM	10/23/2018	4:15:00 PM			10/24/2018		Water	USEPA	2540-D	Volatile Suspended Solids	Total	1.20	mg/L	J	0.200	5.00			10/31/2018
DRWW	Suburban Labs		13-1 Duplicat	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/04/2018	11:23:00 AM	09/04/2018	11:59:38 AM			09/07/2018	2:02:36 PM	Water	APHA	4500-CL(-E)	Chloride	Total	83.50	mg/L		20.00	20.00			09/12/2018
DRWW	Suburban Labs		13-1 Duplicat	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/04/2018	11:23:00 AM	09/04/2018	11:59:38 AM	09/04/2018	6:00:13 PM	09/06/2018		Water	USEPA	SM A10200H	Chlorophyll a	Total	5.70	mg/L		4.00	4.00			09/12/2018
DRWW	Suburban Labs		13-1 Duplicat	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/04/2018	11:23:00 AM	09/04/2018	11:59:38 AM			09/04/2018	5:05:00 PM	Water	YSI	EPA 120.1	Conductivity	Total	657.00	umhos/cm					09/12/2018	
DRWW	Suburban Labs		13-1 Duplicat	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/04/2018	11:23:00 AM	09/04/2018	11:59:38 AM			09/04/2018	5:05:00 PM	Water	USEPA	E COLI_MPN	E. Coli	Total	396.80	MPN/100mL		1.00	1.00			09/12/2018
DRWW	Suburban Labs		13-1 Duplicat	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/04/2018	11:23:00 AM	09/04/2018	11:59:38 AM			09/05/2018	4:51:06 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30			09/12/2018
DRWW	Suburban Labs		13-1 Duplicat	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/04/2018	11:23:00 AM	09/04/2018	11:59:38 AM	09/07/2018	12:12:46 PM	09/08/2018	11:23:09 AM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	ND	mg/L		1.19	3.78			09/12/2018
DRWW	Suburban Labs		13-1 Duplicat	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/04/2018	11:23:00 AM	09/04/2018	11:59:38 AM			09/07/2018	6:23:29 PM	Water	USEPA	365.2	pH, Field	Total	7.61	S.U.					09/12/2018	
DRWW	Suburban Labs		13-1 Duplicat	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/04/2018	11:23:00 AM	09/04/2018	11:59:38 AM	09/05/2018	12:34:57 PM	09/07/2018	6:23:29 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.17	mg/L		0.05	0.14			09/12/2018
DRWW	Suburban Labs		13-1 Duplicat	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/04/2018	11:23:00 AM	09/04/2018	11:59:38 AM			09/07/2018	3:48:02 PM	Water	Lab	2510B	Specific Conductivity	Total	628.00	umhos/cm		1.00	1.00			09/12/2018
DRWW	Suburban Labs		13-1 Duplicat	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/04/2018	11:23:00 AM	09/04/2018	11:59:38 AM			09/05/2018	5:57:05 PM	Water	USEPA	SM 2550B	Temperature	Total	24.07	°C					09/12/2018	
DRWW	Suburban Labs		13-1 Duplicat	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/04/2018	11:23:00 AM	09/04/2018	11:59:38 AM			09/05/2018	2:11:54 PM	Water	USEPA	2540-D	Total Suspended Solids	Total	10.20	mg/L		0.20	5.00			09/12/2018
DRWW	Suburban Labs		13-1 Duplicat	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/04/2018	11:23:00 AM	09/04/2018	11:59:38 AM			09/05/2018	5:15:00 PM	Water	Lab	2130-B	Turbidity	Total	18.80	NTU		0.10	0.20			09/12/2018
DRWW	Suburban Labs		13-1 Duplicat	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/04/2018	11:23:00 AM	09/04/2018	11:59:38 AM			09/05/2018	2:11:54 PM	Water	USEPA	2540-D	Volatile Suspended Solids	Total	2.40	mg/L	J	0.20	5.00			09/12/2018
DRWW	Suburban Labs		13-1 Field Blg	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/04/2018	11:40:00 AM	09/04/2018	12:01:44 PM			09/07/2018	2:05:21 PM	Water	APHA	4500-CL(-E)	Chloride	Total	ND	mg/L		20.00	20.00			09/12/2018
DRWW	Suburban Labs		13-1 Field Blg	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/04/2018	11:40:00 AM	09/04/2018	12:01:44 PM	09/04/2018	6:00:13 PM	09/06/2018	6:45:56 PM	Water	USEPA	SM A10200H	Chlorophyll a	Total	ND	mg/L		4.00	4.00			09/12/2018
DRWW	Suburban Labs		13-1 Field Blg	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/04/2018	11:40:00 AM	09/04/2018	12:01:44 PM			09/04/2018	5:05:00 PM	Water	YSI	EPA 120.1	Conductivity	Total	1.00	umhos/cm					09/12/2018	
DRWW	Suburban Labs		13-1 Field Blg	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/04/2018	11:40:00 AM	09/04/2018	12:01:44 PM			09/04/2018	5:05:00 PM	Water	USEPA	E COLI_MPN	E. Coli	Total	<1	MPN/100mL		1.00	1.00			09/12/2018
DRWW	Suburban Labs		13-1 Field Blg	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/04/2018	11:40:00 AM	09/04/2018	12:01:44 PM			09/05/2018	4:09:27 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30			09/12/2018
DRWW	Suburban Labs		13-1 Field Blg	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/04/2018	11:40:00 AM	09/04/2018	12:01:44 PM	09/11/2018	11:36:15 AM	09/12/2018	11:20:14 AM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	ND	mg/L		1.19	3.78			09/12/2018
DRWW	Suburban Labs		13-1 Field Blg	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/04/2018	11:40:00 AM	09/04/2018	12:01:44 PM			09/07/2018	6:26:42 PM	Deionized Water	USEPA	365.2	pH, Field	Total	7.95	S.U.					09/12/2018	
DRWW	Suburban Labs		13-1 Field Blg	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/04/2018	11:40:00 AM	09/04/2018	12:01:44 PM	09/05/2018	12:34:57 PM	09/07/2018	6:26:42 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	ND	mg/L		0.05	0.14			09/12/2018
DRWW	Suburban Labs		13-1 Field Blg	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/04/2018	11:40:00 AM	09/04/2018	12:01:44 PM			09/11/2018	5:11:44 PM	Water	Lab	2510B	Specific Conductivity	Total	1.35	umhos/cm		1.00	1.00			09/12/2018
DRWW	Suburban Labs		13-1 Field Blg	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/04/2018	11:40:00 AM	09/04/2018	12:01:44 PM			09/05/2018	2:47:32 PM	Deionized Water	USEPA	SM 2550B	Temperature	Total	24.07	°C					09/12/2018	
DRWW	Suburban Labs		13-1 Field Blg	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/04/2018	11:40:00 AM	09/04/2018	12:01:44 PM			09/05/2018	2:11:54 PM	Deionized Water	USEPA	2540-D	Total Suspended Solids	Total	ND	mg/L		0.20	5.00			09/12/2018
DRWW	Suburban Labs		13-1 Field Blg	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/04/2018	11:40:00 AM	09/04/2018	12:01:44 PM			09/05/2018	5:15:00 PM	Water	Lab	2130-B	Turbidity	Total	ND	NTU		0.10	0.20			09/12/2018
DRWW	Suburban Labs		13-1 Field Blg	G-07	0.5	ft	Upper Des Plaines River			Non-IEPA		09/04/2018	11:40:00 AM	09/04/2018	12:01:44 PM			09/05/2018	2:11:54 PM	Water	USEPA	2540-D	Volatile Suspended Solids	Total	0.60	mg/L	J	0.20	5.00			09/12/2018
DRWW	Suburban Labs		13-10	GZL-01	0.5	ft	Upper Des Plaines River			Non-IEPA		01/30/2018	1:02:00 PM	01/30/2018	2:50:00 PM			02/05/2018	7:17:22 PM	Water	APHA	4500-CL(-E)	Chloride	Total	272.00	mg/L		40.00	40.00			02/09/2018
DRWW	Suburban Labs																															

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code-IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released	
DRWW	Suburban Labs		13-11	GZM-01	0.5	ft	Upper Des Plaines River			Non-IEPA		05/15/2018	11:59:00 AM	05/15/2018	4:15:30 PM					Water	YSI	EPA 120.1	Conductivity		438.00	umhos/cm						05/24/2018	
DRWW	Suburban Labs		13-11	GZM-01	0.5	ft	Upper Des Plaines River			Non-IEPA		05/15/2018	11:59:00 AM	05/15/2018	4:15:30 PM			05/15/2018	5:00:00 PM	Water	USEPA	E_COLI_MPN	E. Coli	Total	1413.60	MPN/100mL	1.00	1.00				05/24/2018	
DRWW	Suburban Labs		13-11	GZM-01	0.5	ft	Upper Des Plaines River			Non-IEPA		05/15/2018	11:59:00 AM	05/15/2018	4:15:30 PM					Water	USEPA	365.2	pH_Field		7.50	S.U.						05/24/2018	
DRWW	Suburban Labs		13-11	GZM-01	0.5	ft	Upper Des Plaines River			Non-IEPA		05/15/2018	11:59:00 AM	05/15/2018	4:15:30 PM	05/17/2018	4:37:16 PM	05/18/2018	4:18:01 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.21	mg/L	0.05	0.14				05/24/2018	
DRWW	Suburban Labs		13-11	GZM-01	0.5	ft	Upper Des Plaines River			Non-IEPA		05/15/2018	11:59:00 AM	05/15/2018	4:15:30 PM			05/18/2018	2:07:23 AM	Water	Lab	2510B	Specific Conductivity	Total	444.00	umhos/cm	1.00	1.00				05/24/2018	
DRWW	Suburban Labs		13-11	GZM-01	0.5	ft	Upper Des Plaines River			Non-IEPA		05/15/2018	11:59:00 AM	05/15/2018	4:15:30 PM					Water	USEPA	SM 2550B	Temperature		16.50	°C						05/24/2018	
DRWW	Suburban Labs		13-11	GZM-01	0.5	ft	Upper Des Plaines River			Non-IEPA		05/15/2018	11:59:00 AM	05/15/2018	4:15:30 PM			05/21/2018	6:51:23 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	1.17	mg/L	0.10	0.22				05/24/2018	
DRWW	Suburban Labs		13-11	GZM-01	0.5	ft	Upper Des Plaines River			Non-IEPA		05/15/2018	11:59:00 AM	05/15/2018	4:15:30 PM					Water	Lab	2130-B	Turbidity		162.00	NTU	0.10	0.20				05/24/2018	
DRWW	Suburban Labs		13-11	GZM-01	0.5	ft	Upper Des Plaines River			Non-IEPA		07/24/2018	11:41:00 AM	07/24/2018	4:15:00 PM			07/25/2018	11:44:15 AM	Water	APHA	4500-CL(-E)	Chloride	Total	248.00	mg/L	40.00	40.00					08/02/2018
DRWW	Suburban Labs		13-11	GZM-01	0.5	ft	Upper Des Plaines River			Non-IEPA		07/24/2018	11:41:00 AM	07/24/2018	4:15:00 PM					Water	YSI	EPA 120.1	Conductivity		1123.00	umhos/cm						08/02/2018	
DRWW	Suburban Labs		13-11	GZM-01	0.5	ft	Upper Des Plaines River			Non-IEPA		07/24/2018	11:41:00 AM	07/24/2018	4:15:00 PM			07/24/2018	5:10:07 PM	Water	USEPA	E_COLI_MPN	E. Coli	Total	461.10	MPN/100mL	1.00	1.00					08/02/2018
DRWW	Suburban Labs		13-11	GZM-01	0.5	ft	Upper Des Plaines River			Non-IEPA		07/24/2018	11:41:00 AM	07/24/2018	4:15:00 PM			08/01/2018	5:21:43 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	0.13	mg/L	J	0.10	0.30				08/02/2018
DRWW	Suburban Labs		13-11	GZM-01	0.5	ft	Upper Des Plaines River			Non-IEPA		07/24/2018	11:41:00 AM	07/24/2018	4:15:00 PM	07/27/2018	10:41:20 AM	07/30/2018	12:01:00 PM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	1.24	mg/L	J	1.19	3.78				08/02/2018
DRWW	Suburban Labs		13-11	GZM-01	0.5	ft	Upper Des Plaines River			Non-IEPA		07/24/2018	11:41:00 AM	07/24/2018	4:15:00 PM					Water	USEPA	365.2	pH_Field		7.90	S.U.						08/02/2018	
DRWW	Suburban Labs		13-11	GZM-01	0.5	ft	Upper Des Plaines River			Non-IEPA		07/24/2018	11:41:00 AM	07/24/2018	4:15:00 PM	07/25/2018	4:25:46 PM	07/26/2018	1:59:51 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.06	mg/L	J	0.05	0.14				08/02/2018
DRWW	Suburban Labs		13-11	GZM-01	0.5	ft	Upper Des Plaines River			Non-IEPA		07/24/2018	11:41:00 AM	07/24/2018	4:15:00 PM			07/31/2018	12:56:21 PM	Water	Lab	2510B	Specific Conductivity	Total	1460.00	umhos/cm	1.00	1.00					08/02/2018
DRWW	Suburban Labs		13-11	GZM-01	0.5	ft	Upper Des Plaines River			Non-IEPA		07/24/2018	11:41:00 AM	07/24/2018	4:15:00 PM					Water	USEPA	SM 2550B	Temperature		19.60	°C						08/02/2018	
DRWW	Suburban Labs		13-11	GZM-01	0.5	ft	Upper Des Plaines River			Non-IEPA		07/24/2018	11:41:00 AM	07/24/2018	4:15:00 PM			07/27/2018	8:00:00 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.31	mg/L		0.10	0.22				08/02/2018
DRWW	Suburban Labs		13-11	GZM-01	0.5	ft	Upper Des Plaines River			Non-IEPA		07/24/2018	11:41:00 AM	07/24/2018	4:15:00 PM			07/25/2018	12:41:45 PM	Water	USEPA	2540-D	Total Suspended Solids	Total	10.40	mg/L		0.20	5.00				08/02/2018
DRWW	Suburban Labs		13-11	GZM-01	0.5	ft	Upper Des Plaines River			Non-IEPA		07/24/2018	11:41:00 AM	07/24/2018	4:15:00 PM			07/24/2018	5:00:00 PM	Water	Lab	2130-B	Turbidity		10.80	NTU		0.10	0.20				08/02/2018
DRWW	Suburban Labs		13-11	GZM-01	0.5	ft	Upper Des Plaines River			Non-IEPA		07/24/2018	11:41:00 AM	07/24/2018	4:15:00 PM			07/25/2018	12:41:45 PM	Water	USEPA	2540-D	Volatile Suspended Solids	Total	2.80	mg/L	J	0.20	5.00				08/02/2018
DRWW	Suburban Labs		13-11	GZM-01	0.5	ft	Upper Des Plaines River			Non-IEPA		09/04/2018	10:25:00 AM	09/04/2018	11:53:16 AM			09/07/2018	2:00:34 PM	Water	APHA	4500-CL(-E)	Chloride	Total	30.50	mg/L	20.00	20.00					10/31/2018
DRWW	Suburban Labs		13-11	GZM-01	0.5	ft	Upper Des Plaines River			Non-IEPA		09/04/2018	10:25:00 AM	09/04/2018	11:53:16 AM					Water	YSI	EPA 120.1	Conductivity		381.00	umhos/cm							09/12/2018
DRWW	Suburban Labs		13-11	GZM-01	0.5	ft	Upper Des Plaines River			Non-IEPA		09/04/2018	10:25:00 AM	09/04/2018	11:53:16 AM			09/04/2018	5:05:00 PM	Water	USEPA	E_COLI_MPN	E. Coli	Total	727.00	MPN/100mL	1.00	1.00					09/12/2018
DRWW	Suburban Labs		13-11	GZM-01	0.5	ft	Upper Des Plaines River			Non-IEPA		09/04/2018	10:25:00 AM	09/04/2018	11:53:16 AM			09/05/2018	6:33:48 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	0.12	mg/L	J	0.10	0.30				09/12/2018
DRWW	Suburban Labs		13-11	GZM-01	0.5	ft	Upper Des Plaines River			Non-IEPA		09/04/2018	10:25:00 AM	09/04/2018	11:53:16 AM	09/07/2018	12:12:46 PM	09/08/2018	11:19:26 AM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	ND	mg/L		1.19	3.78				09/12/2018
DRWW	Suburban Labs		13-11	GZM-01	0.5	ft	Upper Des Plaines River			Non-IEPA		09/04/2018	10:25:00 AM	09/04/2018	11:53:16 AM					Water	USEPA	365.2	pH_Field		7.63	S.U.						09/12/2018	
DRWW	Suburban Labs		13-11	GZM-01	0.5	ft	Upper Des Plaines River			Non-IEPA		09/04/2018	10:25:00 AM	09/04/2018	11:53:16 AM	09/05/2018	12:34:57 PM	09/07/2018	6:13:50 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.19	mg/L		0.05	0.14				09/12/2018
DRWW	Suburban Labs		13-11	GZM-01	0.5	ft	Upper Des Plaines River			Non-IEPA		09/04/2018	10:25:00 AM	09/04/2018	11:53:16 AM			09/07/2018	3:30:12 PM	Water	Lab	2510B	Specific Conductivity	Total	359.00	umhos/cm	1.00	1.00					09/12/2018
DRWW	Suburban Labs		13-11	GZM-01	0.5	ft	Upper Des Plaines River			Non-IEPA		09/04/2018	10:25:00 AM	09/04/2018	11:53:16 AM					Water	USEPA	SM 2550B	Temperature		22.10	°C						09/12/2018	
DRWW	Suburban Labs		13-11	GZM-01	0.5	ft	Upper Des Plaines River			Non-IEPA		09/04/2018	10:25:00 AM	09/04/2018	11:53:16 AM			09/05/2018	5:26:24 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.28	mg/L		0.10	0.22				09/12/2018
DRWW	Suburban Labs		13-11	GZM-01	0.5	ft	Upper Des Plaines River			Non-IEPA		09/04/2018	10:25:00 AM	09/04/2018	11:53:16 AM			09/05/2018	2:11:54 PM	Water	USEPA	2540-D	Total Suspended Solids	Total	25.20	mg/L		0.20	5.00				09/12/2018
DRWW	Suburban Labs		13-11	GZM-01	0.5	ft	Upper Des Plaines River			Non-IEPA		09/04/2018	10:25:00 AM	09/04/2018	11:53:16 AM			09/05/2018	5:15:00 PM	Water	Lab	2130-B	Turbidity		37.60	NTU		0.10	0.20				09/12/2018
DRWW	Suburban Labs		13-11	GZM-01	0.5	ft	Upper Des Plaines River			Non-IEPA		09/04/2018	10:25:00 AM	09/04/2018	11:53:16 AM			09/05/2018	2:11:54 PM	Water	USEPA	2540-D	Volatile Suspended Solids	Total	4.60	mg/L	J	0.20	5.00				09/12/2018
DRWW	Suburban Labs		13-11	GZM-01	0.5	ft	Upper Des Plaines River			Non-IEPA		10/23/2018	12:47:00 PM	10/23/2018	4:15:00 PM			10/29/2018		Water	APHA	4500-CL(-E)	Chloride	Total	78.80	mg/L	20.00	20.00					10/31/2018
DRWW	Suburban Labs		13-11	GZM-01	0.5	ft	Upper Des Plaines River			Non-IEPA		10/23/2018	12:47:00 PM	10/23/2018	4:15:00 PM					Water	YSI	EPA 120.1	Conductivity		814.00	umhos/cm							10/31/2018
DRWW	Suburban Labs		13-11	GZM-01	0.5	ft	Upper Des Plaines River			Non-IEPA		10/23/2018	12:47:00 PM	10/23/2018	4:15:00 PM			10/23/2018	5:01:44 PM	Water	USEPA	E_COLI_MPN	E. Coli	Total	32.30	MPN/100mL	1.0	1.0					10/31/2018
DRWW	Suburban Labs		13-11	GZM-01	0.5	ft	Upper Des Plaines River			Non-IEPA		10/23/2018	12:47:00 PM	10/23/2018	4:15:00 PM					Water	USEPA	365.2	pH_Field		7.80	S.U.						10/31/2018	
DRWW	Suburban Labs		13-11	GZM-01	0.5	ft	Upper Des Plaines River			Non																							

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code-IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs		13-13	GZK-01	0.5	ft	Upper Des Plaines River			Non-IEPA		05/15/2018	12:48:00 PM	05/15/2018	4:15:14 PM			05/18/2018	2:12:22 AM	Water	Lab	2510B	Specific Conductivity	Total	898.00	µmhos/cm		1.00	1.00			05/24/2018
DRWW	Suburban Labs		13-13	GZK-01	0.5	ft	Upper Des Plaines River			Non-IEPA		05/15/2018	12:48:00 PM	05/15/2018	4:15:14 PM					Water	USEPA	SM 2550B	Temperature		16.30	°C						05/24/2018
DRWW	Suburban Labs		13-13	GZK-01	0.5	ft	Upper Des Plaines River			Non-IEPA		05/15/2018	12:48:00 PM	05/15/2018	4:15:14 PM			05/21/2018	6:54:23 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	1.64	mg/L		0.10	0.22			05/24/2018
DRWW	Suburban Labs		13-13	GZK-01	0.5	ft	Upper Des Plaines River			Non-IEPA		05/15/2018	12:48:00 PM	05/15/2018	4:15:14 PM			05/15/2018	5:15:00 PM	Water	Lab	2130-B	Turbidity	Total	35.10	NTU		0.10	0.20			05/24/2018
DRWW	Suburban Labs		13-13	GZK-01	0.5	ft	Upper Des Plaines River			Non-IEPA		07/24/2018	12:29:00 PM	07/24/2018	4:15:00 PM			07/25/2018	11:44:53 AM	Water	APHA	4500-CL(-E)	Chloride	Total	371.00	mg/L		40.00	40.00			08/01/2018
DRWW	Suburban Labs		13-13	GZK-01	0.5	ft	Upper Des Plaines River			Non-IEPA		07/24/2018	12:29:00 PM	07/24/2018	4:15:00 PM					Water	YSI	EPA 120.1	Conductivity		1251.00	µmhos/cm						08/01/2018
DRWW	Suburban Labs		13-13	GZK-01	0.5	ft	Upper Des Plaines River			Non-IEPA		07/24/2018	12:29:00 PM	07/24/2018	4:15:00 PM			07/24/2018	5:10:07 PM	Water	USEPA	E COLI MPN	E. Coli	Total	1986.30	MPN/100mL		1.00	1.00			08/01/2018
DRWW	Suburban Labs		13-13	GZK-01	0.5	ft	Upper Des Plaines River			Non-IEPA		07/24/2018	12:29:00 PM	07/24/2018	4:15:00 PM					Water	USEPA	365.2	pH, Field		8.10	S.U.						08/01/2018
DRWW	Suburban Labs		13-13	GZK-01	0.5	ft	Upper Des Plaines River			Non-IEPA		07/24/2018	12:29:00 PM	07/24/2018	4:15:00 PM	07/25/2018	4:25:46 PM	07/26/2018	2:22:05 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.07	mg/L	J	0.05	0.14			08/01/2018
DRWW	Suburban Labs		13-13	GZK-01	0.5	ft	Upper Des Plaines River			Non-IEPA		07/24/2018	12:29:00 PM	07/24/2018	4:15:00 PM			07/31/2018	12:57:47 PM	Water	Lab	2510B	Specific Conductivity	Total	1740.00	µmhos/cm		1.00	1.00			08/01/2018
DRWW	Suburban Labs		13-13	GZK-01	0.5	ft	Upper Des Plaines River			Non-IEPA		07/24/2018	12:29:00 PM	07/24/2018	4:15:00 PM					Water	USEPA	SM 2550B	Temperature		21.90	°C						08/01/2018
DRWW	Suburban Labs		13-13	GZK-01	0.5	ft	Upper Des Plaines River			Non-IEPA		07/24/2018	12:29:00 PM	07/24/2018	4:15:00 PM			07/30/2018	4:55:09 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.17	mg/L	J	0.10	0.22			08/01/2018
DRWW	Suburban Labs		13-13	GZK-01	0.5	ft	Upper Des Plaines River			Non-IEPA		07/24/2018	12:29:00 PM	07/24/2018	4:15:00 PM			07/24/2018	5:00:00 PM	Water	Lab	2130-B	Turbidity		7.10	NTU		0.10	0.20			08/01/2018
DRWW	Suburban Labs		13-13	GZK-01	0.5	ft	Upper Des Plaines River			Non-IEPA		09/04/2018	9:37:00 AM	09/04/2018	9:53:13 AM			09/11/2018	12:41:06 PM	Water	APHA	4500-CL(-E)	Chloride	Total	98.10	mg/L		20.00	20.00			09/14/2018
DRWW	Suburban Labs		13-13	GZK-01	0.5	ft	Upper Des Plaines River			Non-IEPA		09/04/2018	9:37:00 AM	09/04/2018	9:53:13 AM					Water	YSI	EPA 120.1	Conductivity		789.00	µmhos/cm						09/14/2018
DRWW	Suburban Labs		13-13	GZK-01	0.5	ft	Upper Des Plaines River			Non-IEPA		09/04/2018	9:37:00 AM	09/04/2018	9:53:13 AM			09/04/2018	5:05:00 PM	Water	USEPA	E COLI MPN	E. Coli	Total	920.80	MPN/100mL		1.00	1.00			09/14/2018
DRWW	Suburban Labs		13-13	GZK-01	0.5	ft	Upper Des Plaines River			Non-IEPA		09/04/2018	9:37:00 AM	09/04/2018	9:53:13 AM					Water	USEPA	365.2	pH, Field		7.81	S.U.						09/14/2018
DRWW	Suburban Labs		13-13	GZK-01	0.5	ft	Upper Des Plaines River			Non-IEPA		09/04/2018	9:37:00 AM	09/04/2018	9:53:13 AM	09/05/2018	12:34:57 PM	09/07/2018	6:07:23 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.10	mg/L	J	0.05	0.14			09/14/2018
DRWW	Suburban Labs		13-13	GZK-01	0.5	ft	Upper Des Plaines River			Non-IEPA		09/04/2018	9:37:00 AM	09/04/2018	9:53:13 AM			09/07/2018	3:28:39 PM	Water	Lab	2510B	Specific Conductivity	Total	743.00	µmhos/cm		1.00	1.00			09/14/2018
DRWW	Suburban Labs		13-13	GZK-01	0.5	ft	Upper Des Plaines River			Non-IEPA		09/04/2018	9:37:00 AM	09/04/2018	9:53:13 AM					Water	USEPA	SM 2550B	Temperature		22.40	°C						09/14/2018
DRWW	Suburban Labs		13-13	GZK-01	0.5	ft	Upper Des Plaines River			Non-IEPA		09/04/2018	9:37:00 AM	09/04/2018	9:53:13 AM			09/05/2018	5:11:06 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.73	mg/L		0.10	0.22			09/14/2018
DRWW	Suburban Labs		13-13	GZK-01	0.5	ft	Upper Des Plaines River			Non-IEPA		09/04/2018	9:37:00 AM	09/04/2018	9:53:13 AM			09/05/2018	5:15:00 PM	Water	Lab	2130-B	Turbidity		10.50	NTU		0.10	0.20			09/14/2018
DRWW	Suburban Labs		13-13	GZK-01	0.5	ft	Upper Des Plaines River			Non-IEPA		10/23/2018	1:35:00 PM	10/23/2018	4:15:00 PM			10/29/2018		Water	APHA	4500-CL(-E)	Chloride	Total	348.00	mg/L		40.0	40.0			10/31/2018
DRWW	Suburban Labs		13-13	GZK-01	0.5	ft	Upper Des Plaines River			Non-IEPA		10/23/2018	1:35:00 PM	10/23/2018	4:15:00 PM					Water	YSI	EPA 120.1	Conductivity		1230.00	µmhos/cm						10/31/2018
DRWW	Suburban Labs		13-13	GZK-01	0.5	ft	Upper Des Plaines River			Non-IEPA		10/23/2018	1:35:00 PM	10/23/2018	4:15:00 PM			10/23/2018		Water	USEPA	E COLI MPN	E. Coli	Total	307.60	MPN/100mL		1.0	1.0			10/31/2018
DRWW	Suburban Labs		13-13	GZK-01	0.5	ft	Upper Des Plaines River			Non-IEPA		10/23/2018	1:35:00 PM	10/23/2018	4:15:00 PM					Water	USEPA	365.2	pH, Field		7.80	S.U.						10/31/2018
DRWW	Suburban Labs		13-13	GZK-01	0.5	ft	Upper Des Plaines River			Non-IEPA		10/23/2018	1:35:00 PM	10/23/2018	4:15:00 PM	10/24/2018	11:02:16 AM	10/26/2018	12:40:40 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.06	mg/L	J	0.0500	0.135			10/31/2018
DRWW	Suburban Labs		13-13	GZK-01	0.5	ft	Upper Des Plaines River			Non-IEPA		10/23/2018	1:35:00 PM	10/23/2018	4:15:00 PM			10/25/2018		Water	Lab	2510B	Specific Conductivity	Total	1870.00	µmhos/cm		1.00	1.00			10/31/2018
DRWW	Suburban Labs		13-13	GZK-01	0.5	ft	Upper Des Plaines River			Non-IEPA		10/23/2018	1:35:00 PM	10/23/2018	4:15:00 PM					Water	USEPA	SM 2550B	Temperature		8.90	deg C						10/31/2018
DRWW	Suburban Labs		13-13	GZK-01	0.5	ft	Upper Des Plaines River			Non-IEPA		10/23/2018	1:35:00 PM	10/23/2018	4:15:00 PM			10/26/2018	4:30:00 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.100	0.224			10/31/2018
DRWW	Suburban Labs		13-13	GZK-01	0.5	ft	Upper Des Plaines River			Non-IEPA		10/23/2018	1:35:00 PM	10/23/2018	4:15:00 PM			10/23/2018		Water	Lab	2130-B	Turbidity		3.67	NTU		0.100	0.200			10/31/2018
DRWW	Suburban Labs		13-14	GZIA-01	0.5	ft	Upper Des Plaines River			Non-IEPA		01/31/2018	11:23:00 AM	01/31/2018	3:00:00 PM			02/05/2018	7:48:03 PM	Water	APHA	4500-CL(-E)	Chloride	Total	542.00	mg/L		80.00	80.00			02/09/2018
DRWW	Suburban Labs		13-14	GZIA-01	0.5	ft	Upper Des Plaines River			Non-IEPA		01/31/2018	11:23:00 AM	01/31/2018	3:00:00 PM			02/05/2018	7:48:03 PM	Water	YSI	EPA 120.1	Conductivity		2280.00	µmhos/cm						02/09/2018
DRWW	Suburban Labs		13-14	GZIA-01	0.5	ft	Upper Des Plaines River			Non-IEPA		01/31/2018	11:23:00 AM	01/31/2018	3:00:00 PM			01/31/2018	3:47:25 PM	Water	USEPA	E COLI MPN	E. Coli	Total	17.50	MPN/100mL		1.00	1.00			02/09/2018
DRWW	Suburban Labs		13-14	GZIA-01	0.5	ft	Upper Des Plaines River			Non-IEPA		01/31/2018	11:23:00 AM	01/31/2018	3:00:00 PM					Water	USEPA	365.2	pH, Field		7.90	S.U.						02/09/2018
DRWW	Suburban Labs		13-14	GZIA-01	0.5	ft	Upper Des Plaines River			Non-IEPA		01/31/2018	11:23:00 AM	01/31/2018	3:00:00 PM			02/02/2018	5:47:40 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.06	mg/L		0.05	0.14			02/09/2018
DRWW	Suburban Labs		13-14	GZIA-01	0.5	ft	Upper Des Plaines River			Non-IEPA		01/31/2018	11:23:00 AM	01/31/2018	3:00:00 PM					Water	USEPA	SM 2550B	Temperature		1.00	°C						02/09/2018
DRWW	Suburban Labs		13-14	GZIA-01	0.5	ft	Upper Des Plaines River			Non-IEPA		01/31/2018	11:23:00 AM	01/31/2018	3:00:00 PM			02/04/2018	2:11:04 AM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.90	mg/L		0.10	0.22			02/09/2018
DRWW	Suburban Labs		13-14	GZIA-01	0.5	ft	Upper Des Plaines River			Non-IEPA		01/31/2018	11:23:00 AM	01/31/2018	3:00:00 PM			01/31/2018	4:00:00 PM	Water	Lab	2130-B	Turbidity		6.87	NTU		0.10	0.20			02/09/2018
DRWW	Suburban Labs		13-14	GZIA-01	0.5	ft	Upper Des Plaines River			Non-IEPA		05/15/2018	1:09:00 PM	05/15/2018	4:15:11 PM			05/16/2018	1:26:47 PM	Water	APHA	4500-CL(-E)	Chloride	Total	156.00	mg/L		20.00	20.00			05/24/2018
DRWW	Suburban Labs		13-14	GZIA-01	0.5	ft	Upper Des Plaines River			Non-IEPA		05/15/2018	1:09:00 PM	05/15/2018	4:15:11 PM					Water	YSI	EPA 120.1	Conductivity		895.00	µmhos/cm						05/24/2018
DRWW	Suburban Labs		13-14	GZIA-01	0.5	ft	Upper Des Plaines River			Non-IEPA		05/15/2018	1:09:00 PM	05/15/2018	4:15:11 PM			05/15/2018	5:00:00 PM	Water	USEPA	E COLI MPN	E. Coli	Total	2419.60	MPN/100mL		1.00	1.00			05/24/2018
DRWW	Suburban Labs		13-14	GZIA-01	0.5	ft	Upper Des Plaines River			Non-IEPA		05/15/2018	1:09:00 PM	05/15/2018	4:15:11 PM					Water	USEPA	365.2	pH, Field		7.70	S.U.						05/24/2018
DRWW	Suburban Labs		13-14	GZIA-01	0.5	ft	Upper Des Plaines River			Non-IEPA		05/15/2018	1:09:00 PM	05/15/2018	4:15:11 PM	05/17/2018	4:37:16 PM	05/18/2018	4:27:54 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.11	mg/L	J	0.05	0.14			05/24/2018
DRWW	Suburban Labs																															

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code-IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released	
DRWW	Suburban Labs		13-15	GZH-02	0.5	ft	Upper Des Plaines River			Non-IEPA		07/24/2018	1:08:00 PM	07/24/2018	4:15:00 PM			07/24/2018	5:00:00 PM	Water	Lab	2130-B	Turbidity		8.63	NTU		0.10	0.20			08/01/2018	
DRWW	Suburban Labs		13-15	GZH-02	0.5	ft	Upper Des Plaines River			Non-IEPA		08/31/2018	2:07:00 PM	08/31/2018	2:45:12 PM			09/03/2018	12:17:19 PM	Water	APHA	4500-CL(-E)	Chloride	Total	179.00	mg/L		20.00	20.00			09/12/2018	
DRWW	Suburban Labs		13-15	GZH-02	0.5	ft	Upper Des Plaines River			Non-IEPA		08/31/2018	2:07:00 PM	08/31/2018	2:45:12 PM			09/03/2018	12:17:19 PM	Water	YSI	EPA 120.1	Conductivity		965.00	umhos/cm						09/12/2018	
DRWW	Suburban Labs		13-15	GZH-02	0.5	ft	Upper Des Plaines River			Non-IEPA		08/31/2018	2:07:00 PM	08/31/2018	2:45:12 PM			08/31/2018	4:53:44 PM	Water	USEPA	E COLI MPN	E. Coli	Total	727.00	MPN/100mL		1.00	1.00			09/12/2018	
DRWW	Suburban Labs		13-15	GZH-02	0.5	ft	Upper Des Plaines River			Non-IEPA		08/31/2018	2:07:00 PM	08/31/2018	2:45:12 PM			09/06/2018	8:50:41 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.20	mg/L		0.05	0.14			09/12/2018	
DRWW	Suburban Labs		13-15	GZH-02	0.5	ft	Upper Des Plaines River			Non-IEPA		08/31/2018	2:07:00 PM	08/31/2018	2:45:12 PM			09/03/2018	12:10:02 PM	Water	Lab	2510B	Specific Conductivity	Total	847.00	umhos/cm		1.00	1.00			09/12/2018	
DRWW	Suburban Labs		13-15	GZH-02	0.5	ft	Upper Des Plaines River			Non-IEPA		08/31/2018	2:07:00 PM	08/31/2018	2:45:12 PM			09/05/2018	4:46:59 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	1.06	mg/L		0.10	0.22			09/12/2018	
DRWW	Suburban Labs		13-15	GZH-02	0.5	ft	Upper Des Plaines River			Non-IEPA		08/31/2018	2:07:00 PM	08/31/2018	2:45:12 PM			08/31/2018	4:09:00 PM	Water	Lab	2130-B	Turbidity	Total	2.04	NTU		0.10	0.20			09/12/2018	
DRWW	Suburban Labs		13-15	GZH-02	0.5	ft	Upper Des Plaines River			Non-IEPA		10/23/2018	2:29:00 PM	10/23/2018	4:15:00 PM			10/29/2018		Water	APHA	4500-CL(-E)	Chloride	Total	101.00	mg/L		20.0	20.0			10/31/2018	
DRWW	Suburban Labs		13-15	GZH-02	0.5	ft	Upper Des Plaines River			Non-IEPA		10/23/2018	2:29:00 PM	10/23/2018	4:15:00 PM			10/23/2018	4:49:04 PM	Water	YSI	EPA 120.1	Conductivity		741.00	umhos/cm						10/31/2018	
DRWW	Suburban Labs		13-15	GZH-02	0.5	ft	Upper Des Plaines River			Non-IEPA		10/23/2018	2:29:00 PM	10/23/2018	4:15:00 PM			10/23/2018	11:55:19 AM	Water	USEPA	E COLI MPN	E. Coli	Total	37.30	MPN/100mL		1.0	1.0			10/31/2018	
DRWW	Suburban Labs		13-15	GZH-02	0.5	ft	Upper Des Plaines River			Non-IEPA		10/23/2018	2:29:00 PM	10/23/2018	4:15:00 PM			10/23/2018	5:23:10 PM	Water	USEPA	365.2	pH, Field		7.80	S.U.						10/31/2018	
DRWW	Suburban Labs		13-15	GZH-02	0.5	ft	Upper Des Plaines River			Non-IEPA		10/23/2018	2:29:00 PM	10/23/2018	4:15:00 PM			10/26/2018	1:41:11 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.44	mg/L		0.0500	0.135			10/31/2018	
DRWW	Suburban Labs		13-15	GZH-02	0.5	ft	Upper Des Plaines River			Non-IEPA		10/23/2018	2:29:00 PM	10/23/2018	4:15:00 PM			10/25/2018		Water	Lab	2510B	Specific Conductivity	Total	765.00	umhos/cm		1.00	1.00			10/31/2018	
DRWW	Suburban Labs		13-15	GZH-02	0.5	ft	Upper Des Plaines River			Non-IEPA		10/23/2018	2:29:00 PM	10/23/2018	4:15:00 PM			10/26/2018	3:38:36 PM	Water	USEPA	SM 2550B	Temperature		7.90	deg C						10/31/2018	
DRWW	Suburban Labs		13-15	GZH-02	0.5	ft	Upper Des Plaines River			Non-IEPA		10/23/2018	2:29:00 PM	10/23/2018	4:15:00 PM			10/26/2018	4:30:00 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.100	0.224			10/31/2018	
DRWW	Suburban Labs		13-15	GZH-02	0.5	ft	Upper Des Plaines River			Non-IEPA		10/23/2018	2:29:00 PM	10/23/2018	4:15:00 PM			10/23/2018		Water	Lab	2130-B	Turbidity		1.89	NTU		0.100	0.200			10/31/2018	
DRWW	Suburban Labs		13-16	G-09	0.5	ft	Upper Des Plaines River			Non-IEPA		01/31/2018	12:12:00 PM	01/31/2018	3:00:00 PM			02/05/2018	6:45:34 PM	Water	APHA	4500-CL(-E)	Chloride	Total	176.00	mg/L		20.00	20.00			02/09/2018	
DRWW	Suburban Labs		13-16	G-09	0.5	ft	Upper Des Plaines River			Non-IEPA		01/31/2018	12:12:00 PM	01/31/2018	3:00:00 PM			02/05/2018	6:45:34 PM	Water	YSI	EPA 120.1	Conductivity		1070.00	umhos/cm							02/09/2018
DRWW	Suburban Labs		13-16	G-09	0.5	ft	Upper Des Plaines River			Non-IEPA		01/31/2018	12:12:00 PM	01/31/2018	3:00:00 PM			01/31/2018	3:47:25 PM	Water	USEPA	E COLI MPN	E. Coli	Total	69.10	MPN/100mL		1.00	1.00			02/09/2018	
DRWW	Suburban Labs		13-16	G-09	0.5	ft	Upper Des Plaines River			Non-IEPA		01/31/2018	12:12:00 PM	01/31/2018	3:00:00 PM			02/02/2018	5:53:53 PM	Water	USEPA	365.2	pH, Field		7.70	S.U.							02/09/2018
DRWW	Suburban Labs		13-16	G-09	0.5	ft	Upper Des Plaines River			Non-IEPA		01/31/2018	12:12:00 PM	01/31/2018	3:00:00 PM			02/02/2018	5:53:53 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.20	mg/L		0.05	0.14			02/09/2018	
DRWW	Suburban Labs		13-16	G-09	0.5	ft	Upper Des Plaines River			Non-IEPA		01/31/2018	12:12:00 PM	01/31/2018	3:00:00 PM			02/04/2018	2:15:25 AM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	5.25	mg/L		0.10	0.22			02/09/2018	
DRWW	Suburban Labs		13-16	G-09	0.5	ft	Upper Des Plaines River			Non-IEPA		01/31/2018	12:12:00 PM	01/31/2018	3:00:00 PM			01/31/2018	4:00:00 PM	Water	Lab	2130-B	Turbidity		18.40	NTU		0.10	0.20			02/09/2018	
DRWW	Suburban Labs		13-16	G-09	0.5	ft	Upper Des Plaines River			Non-IEPA		05/15/2018	1:51:00 PM	05/15/2018	4:15:39 PM			05/16/2018	1:28:03 PM	Water	APHA	4500-CL(-E)	Chloride	Total	114.00	mg/L		20.00	20.00			05/24/2018	
DRWW	Suburban Labs		13-16	G-09	0.5	ft	Upper Des Plaines River			Non-IEPA		05/15/2018	1:51:00 PM	05/15/2018	4:15:39 PM			05/15/2018	5:00:00 PM	Water	YSI	EPA 120.1	Conductivity		734.00	umhos/cm							05/24/2018
DRWW	Suburban Labs		13-16	G-09	0.5	ft	Upper Des Plaines River			Non-IEPA		05/15/2018	1:51:00 PM	05/15/2018	4:15:39 PM			05/15/2018	5:00:00 PM	Water	USEPA	E COLI MPN	E. Coli	Total	1299.70	MPN/100mL		1.00	1.00			05/24/2018	
DRWW	Suburban Labs		13-16	G-09	0.5	ft	Upper Des Plaines River			Non-IEPA		05/15/2018	1:51:00 PM	05/15/2018	4:15:39 PM			05/18/2018	4:47:21 PM	Water	USEPA	365.2	pH, Field		7.60	S.U.							05/24/2018
DRWW	Suburban Labs		13-16	G-09	0.5	ft	Upper Des Plaines River			Non-IEPA		05/15/2018	1:51:00 PM	05/15/2018	4:15:39 PM			05/18/2018	2:15:47 AM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.14	mg/L		0.05	0.14			05/24/2018	
DRWW	Suburban Labs		13-16	G-09	0.5	ft	Upper Des Plaines River			Non-IEPA		05/15/2018	1:51:00 PM	05/15/2018	4:15:39 PM			05/18/2018	2:15:47 AM	Water	Lab	2510B	Specific Conductivity	Total	742.00	umhos/cm		1.00	1.00			05/24/2018	
DRWW	Suburban Labs		13-16	G-09	0.5	ft	Upper Des Plaines River			Non-IEPA		05/15/2018	1:51:00 PM	05/15/2018	4:15:39 PM			05/21/2018	6:57:12 PM	Water	USEPA	SM 2550B	Temperature		16.60	°C							05/24/2018
DRWW	Suburban Labs		13-16	G-09	0.5	ft	Upper Des Plaines River			Non-IEPA		05/15/2018	1:51:00 PM	05/15/2018	4:15:39 PM			05/21/2018	6:57:12 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	1.27	mg/L		0.10	0.22			05/24/2018	
DRWW	Suburban Labs		13-16	G-09	0.5	ft	Upper Des Plaines River			Non-IEPA		05/15/2018	1:51:00 PM	05/15/2018	4:15:39 PM			05/15/2018	5:15:00 PM	Water	Lab	2130-B	Turbidity		62.40	NTU		0.10	0.20			05/24/2018	
DRWW	Suburban Labs		13-16	G-09	0.5	ft	Upper Des Plaines River			Non-IEPA		07/24/2018	1:29:00 PM	07/24/2018	4:15:00 PM			07/25/2018	11:29:03 AM	Water	APHA	4500-CL(-E)	Chloride	Total	139.00	mg/L		20.00	20.00			08/01/2018	
DRWW	Suburban Labs		13-16	G-09	0.5	ft	Upper Des Plaines River			Non-IEPA		07/24/2018	1:29:00 PM	07/24/2018	4:15:00 PM			07/24/2018		Water	YSI	EPA 120.1	Conductivity		1043.00	umhos/cm							08/01/2018
DRWW	Suburban Labs		13-16	G-09	0.5	ft	Upper Des Plaines River			Non-IEPA		07/24/2018	1:29:00 PM	07/24/2018	4:15:00 PM			07/24/2018	5:10:07 PM	Water	USEPA	E COLI MPN	E. Coli	Total	29.80	MPN/100mL		1.00	1.00			08/01/2018	
DRWW	Suburban Labs		13-16	G-09	0.5	ft	Upper Des Plaines River			Non-IEPA		07/24/2018	1:29:00 PM	07/24/2018	4:15:00 PM			07/26/2018	2:31:46 PM	Water	USEPA	365.2	pH, Field		7.90	S.U.							08/01/2018
DRWW	Suburban Labs		13-16	G-09	0.5	ft	Upper Des Plaines River			Non-IEPA		07/24/2018	1:29:00 PM	07/24/2018	4:15:00 PM			07/25/2018	4:25:46 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.24	mg/L		0.05	0.14			08/01/2018	
DRWW	Suburban Labs		13-16	G-09	0.5	ft	Upper Des Plaines River			Non-IEPA		07/24/2018	1:29:00 PM	07/24/2018	4:15:00 PM			07/31/2018	1:00:02 PM	Water	Lab	2510B	Specific Conductivity	Total	994.00	umhos/cm		1.00	1.00			08/01/2018	
DRWW	Suburban Labs		13-16	G-09	0.5	ft	Upper Des Plaines River			Non-IEPA		07/24/2018	1:29:00 PM	07/24/2018	4:15:00 PM			07/31/2018	1:00:02 PM	Water	USEPA	SM 2550B	Temperature		24.70	°C							08/01/2018
DRWW	Suburban Labs		13-16	G-09	0.5	ft	Upper Des Plaines River			Non-IEPA		07/24/2018	1:29:00 PM	07/24/2018	4:15:00 PM			07/30/2018	4:48:33 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	8.25	mg/L		0.10	0.22			08/01/2018	
DRWW	Suburban Labs		13-16	G-09	0.5	ft	Upper Des Plaines River			Non-IEPA		07/24/2018	1:29:00 PM	07/24/2018	4:15:00 PM			07/24/2018	5:00:00 PM	Water	Lab	2130-B	Turbidity		4.19	NTU		0.10	0.20			08/01/2018	
DRWW	Suburban Labs		13-16	G-09	0.5	ft	Upper Des Plaines River			Non-IEPA		08/31/2018	1:45:00 PM	08/31/2018	2:42:11 PM			09/03/2018	12:28:05 PM	Water	APHA	4500-CL(-E)	Chloride	Total	129.00	mg/L		20.00	20.00			09/12/2018	
DRWW	Suburban Labs		13-16	G-09	0.5	ft	Upper Des Plaines River			Non-IEPA		08/31/2018	1:45:00 PM																				

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs		13-17	GZA-99	0.5	ft	Upper Des Plaines River			Non-IEPA		10/24/2018	10:28:00 AM	10/24/2018	4:20:00 PM			10/24/2018		Water	USEPA	E COLI_MPN	E. Coli	Total	81.30	MPN/100mL		1.0	1.0			10/31/2018
DRWW	Suburban Labs		13-17	GZA-99	0.5	ft	Upper Des Plaines River			Non-IEPA		10/24/2018	10:28:00 AM	10/24/2018	4:20:00 PM				4:11:27 PM	Water	USEPA	365.2	pH, Field	Total	8.00	S.U.						10/31/2018
DRWW	Suburban Labs		13-17	GZA-99	0.5	ft	Upper Des Plaines River			Non-IEPA		10/24/2018	10:28:00 AM	10/24/2018	4:20:00 PM	10/25/2018	10:01:12 AM	10/26/2018	2:10:26 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.08	mg/L	J	0.0500	0.135			10/31/2018
DRWW	Suburban Labs		13-17	GZA-99	0.5	ft	Upper Des Plaines River			Non-IEPA		10/24/2018	10:28:00 AM	10/24/2018	4:20:00 PM			10/25/2018		Water	Lab	2510B	Specific Conductivity	Total	912.00	umhos/cm		1.00	1.00			10/31/2018
DRWW	Suburban Labs		13-17	GZA-99	0.5	ft	Upper Des Plaines River			Non-IEPA		10/24/2018	10:28:00 AM	10/24/2018	4:20:00 PM			10/26/2018	4:37:54 PM	Water	USEPA	SM 2550B	Temperature	Total	5.60	deg C						10/31/2018
DRWW	Suburban Labs		13-17	GZA-99	0.5	ft	Upper Des Plaines River			Non-IEPA		10/24/2018	10:28:00 AM	10/24/2018	4:20:00 PM			10/26/2018	4:30:00 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.32	mg/L		0.100	0.224			10/31/2018
DRWW	Suburban Labs		13-17	GZA-99	0.5	ft	Upper Des Plaines River			Non-IEPA		10/24/2018	10:28:00 AM	10/24/2018	4:20:00 PM			10/25/2018		Water	Lab	2130-B	Turbidity	Total	1.91	NTU		0.100	0.200			10/31/2018
DRWW	Suburban Labs		13-18	GZL-01	0.5	ft	Upper Des Plaines River			Non-IEPA		01/31/2018	1:09:00 PM	01/31/2018	3:00:00 PM			02/05/2018	6:49:36 PM	Water	APHA	4500-CL(-E)	Chloride	Total	145.00	mg/L		20.00	20.00			02/09/2018
DRWW	Suburban Labs		13-18	GZL-01	0.5	ft	Upper Des Plaines River			Non-IEPA		01/31/2018	1:09:00 PM	01/31/2018	3:00:00 PM			02/05/2018	6:49:36 PM	Water	YSI	EPA 120.1	Conductivity	Total	951.00	umhos/cm						02/09/2018
DRWW	Suburban Labs		13-18	GZL-01	0.5	ft	Upper Des Plaines River			Non-IEPA		01/31/2018	1:09:00 PM	01/31/2018	3:00:00 PM			01/31/2018	3:47:25 PM	Water	USEPA	E COLI_MPN	E. Coli	Total	52.90	MPN/100mL		1.00	1.00			02/09/2018
DRWW	Suburban Labs		13-18	GZL-01	0.5	ft	Upper Des Plaines River			Non-IEPA		01/31/2018	1:09:00 PM	01/31/2018	3:00:00 PM			02/02/2018	6:03:13 PM	Water	USEPA	365.2	pH, Field	Total	7.70	S.U.						02/09/2018
DRWW	Suburban Labs		13-18	GZL-01	0.5	ft	Upper Des Plaines River			Non-IEPA		01/31/2018	1:09:00 PM	01/31/2018	3:00:00 PM			02/02/2018		Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.17	mg/L		0.05	0.14			02/09/2018
DRWW	Suburban Labs		13-18	GZL-01	0.5	ft	Upper Des Plaines River			Non-IEPA		01/31/2018	1:09:00 PM	01/31/2018	3:00:00 PM			02/02/2018		Water	USEPA	SM 2550B	Temperature	Total	0.40	°C						02/09/2018
DRWW	Suburban Labs		13-18	GZL-01	0.5	ft	Upper Des Plaines River			Non-IEPA		01/31/2018	1:09:00 PM	01/31/2018	3:00:00 PM			02/04/2018	2:19:47 AM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	3.48	mg/L		0.10	0.22			02/09/2018
DRWW	Suburban Labs		13-18	GZL-01	0.5	ft	Upper Des Plaines River			Non-IEPA		01/31/2018	1:09:00 PM	01/31/2018	3:00:00 PM			01/31/2018	4:00:00 PM	Water	Lab	2130-B	Turbidity	Total	20.60	NTU		0.10	0.20			02/09/2018
DRWW	Suburban Labs		13-18	GZL-01	0.5	ft	Upper Des Plaines River			Non-IEPA		05/16/2018	10:19:00 AM	05/16/2018	4:15:39 PM			05/21/2018	5:51:58 PM	Water	APHA	4500-CL(-E)	Chloride	Total	80.50	mg/L		20.00	20.00			05/29/2018
DRWW	Suburban Labs		13-18	GZL-01	0.5	ft	Upper Des Plaines River			Non-IEPA		05/16/2018	10:19:00 AM	05/16/2018	4:15:39 PM			05/21/2018		Water	YSI	EPA 120.1	Conductivity	Total	599.00	umhos/cm						05/29/2018
DRWW	Suburban Labs		13-18	GZL-01	0.5	ft	Upper Des Plaines River			Non-IEPA		05/16/2018	10:19:00 AM	05/16/2018	4:15:39 PM			05/16/2018	5:18:54 PM	Water	USEPA	E COLI_MPN	E. Coli	Total	648.80	MPN/100mL		1.00	1.00			05/29/2018
DRWW	Suburban Labs		13-18	GZL-01	0.5	ft	Upper Des Plaines River			Non-IEPA		05/16/2018	10:19:00 AM	05/16/2018	4:15:39 PM			05/16/2018		Water	USEPA	365.2	pH, Field	Total	7.50	S.U.						05/29/2018
DRWW	Suburban Labs		13-18	GZL-01	0.5	ft	Upper Des Plaines River			Non-IEPA		05/16/2018	10:19:00 AM	05/16/2018	4:15:39 PM	05/18/2018	4:24:30 PM	05/21/2018	5:09:40 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.19	mg/L		0.05	0.14			05/29/2018
DRWW	Suburban Labs		13-18	GZL-01	0.5	ft	Upper Des Plaines River			Non-IEPA		05/16/2018	10:19:00 AM	05/16/2018	4:15:39 PM			05/18/2018	2:47:12 AM	Water	Lab	2510B	Specific Conductivity	Total	597.00	umhos/cm		1.00	1.00			05/29/2018
DRWW	Suburban Labs		13-18	GZL-01	0.5	ft	Upper Des Plaines River			Non-IEPA		05/16/2018	10:19:00 AM	05/16/2018	4:15:39 PM			05/16/2018		Water	USEPA	SM 2550B	Temperature	Total	17.40	°C						05/29/2018
DRWW	Suburban Labs		13-18	GZL-01	0.5	ft	Upper Des Plaines River			Non-IEPA		05/16/2018	10:19:00 AM	05/16/2018	4:15:39 PM			05/25/2018	2:49:36 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	1.79	mg/L		0.10	0.22			05/29/2018
DRWW	Suburban Labs		13-18	GZL-01	0.5	ft	Upper Des Plaines River			Non-IEPA		05/16/2018	10:19:00 AM	05/16/2018	4:15:39 PM			05/17/2018	5:30:00 PM	Water	Lab	2130-B	Turbidity	Total	86.00	NTU		0.10	0.20			05/29/2018
DRWW	Suburban Labs		13-18	GZL-01	0.5	ft	Upper Des Plaines River			Non-IEPA		07/25/2018	9:46:00 AM	07/25/2018	4:20:00 PM			07/30/2018	4:46:39 PM	Water	APHA	4500-CL(-E)	Chloride	Total	120.00	umhos/cm		20.00	20.00			08/03/2018
DRWW	Suburban Labs		13-18	GZL-01	0.5	ft	Upper Des Plaines River			Non-IEPA		07/25/2018	9:46:00 AM	07/25/2018	4:20:00 PM			07/25/2018		Water	YSI	EPA 120.1	Conductivity	Total	896.00	umhos/cm						08/03/2018
DRWW	Suburban Labs		13-18	GZL-01	0.5	ft	Upper Des Plaines River			Non-IEPA		07/25/2018	9:46:00 AM	07/25/2018	4:20:00 PM			07/25/2018	6:15:00 PM	Water	USEPA	E COLI_MPN	E. Coli	Total	34.10	MPN/100mL	H	1.00	1.00			08/03/2018
DRWW	Suburban Labs		13-18	GZL-01	0.5	ft	Upper Des Plaines River			Non-IEPA		07/25/2018	9:46:00 AM	07/25/2018	4:20:00 PM			07/25/2018		Water	USEPA	365.2	pH, Field	Total	7.90	S.U.						08/03/2018
DRWW	Suburban Labs		13-18	GZL-01	0.5	ft	Upper Des Plaines River			Non-IEPA		07/25/2018	9:46:00 AM	07/25/2018	4:20:00 PM	07/26/2018	3:18:22 PM	07/27/2018	3:39:30 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.10	mg/L	J	0.05	0.14			08/03/2018
DRWW	Suburban Labs		13-18	GZL-01	0.5	ft	Upper Des Plaines River			Non-IEPA		07/25/2018	9:46:00 AM	07/25/2018	4:20:00 PM			07/31/2018	1:01:33 PM	Water	Lab	2510B	Specific Conductivity	Total	860.00	umhos/cm		1.00	1.00			08/03/2018
DRWW	Suburban Labs		13-18	GZL-01	0.5	ft	Upper Des Plaines River			Non-IEPA		07/25/2018	9:46:00 AM	07/25/2018	4:20:00 PM			07/30/2018	4:57:22 PM	Water	USEPA	SM 2550B	Temperature	Total	25.70	°C						08/03/2018
DRWW	Suburban Labs		13-18	GZL-01	0.5	ft	Upper Des Plaines River			Non-IEPA		07/25/2018	9:46:00 AM	07/25/2018	4:20:00 PM			07/26/2018	3:16:23 PM	Water	Lab	2130-B	Turbidity	Total	14.50	NTU		0.10	0.20			08/03/2018
DRWW	Suburban Labs		13-18	GZL-01	0.5	ft	Upper Des Plaines River			Non-IEPA		08/31/2018	1:00:00 PM	08/31/2018	1:10:17 PM			09/03/2018	12:25:22 PM	Water	APHA	4500-CL(-E)	Chloride	Total	127.00	umhos/cm		20.00	20.00			09/12/2018
DRWW	Suburban Labs		13-18	GZL-01	0.5	ft	Upper Des Plaines River			Non-IEPA		08/31/2018	1:00:00 PM	08/31/2018	1:10:17 PM			08/31/2018		Water	YSI	EPA 120.1	Conductivity	Total	899.00	umhos/cm						09/12/2018
DRWW	Suburban Labs		13-18	GZL-01	0.5	ft	Upper Des Plaines River			Non-IEPA		08/31/2018	1:00:00 PM	08/31/2018	1:10:17 PM			08/31/2018	4:53:44 PM	Water	USEPA	E COLI_MPN	E. Coli	Total	107.10	MPN/100mL		1.00	1.00			09/12/2018
DRWW	Suburban Labs		13-18	GZL-01	0.5	ft	Upper Des Plaines River			Non-IEPA		08/31/2018	1:00:00 PM	08/31/2018	1:10:17 PM			09/05/2018	5:52:03 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	0.19	mg/L	J	0.10	0.30			09/12/2018
DRWW	Suburban Labs		13-18	GZL-01	0.5	ft	Upper Des Plaines River			Non-IEPA		08/31/2018	1:00:00 PM	08/31/2018	1:10:17 PM	09/06/2018	6:31:11 PM	09/07/2018	11:22:50 AM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	ND	mg/L		1.19	3.78			09/12/2018
DRWW	Suburban Labs		13-18	GZL-01	0.5	ft	Upper Des Plaines River			Non-IEPA		08/31/2018	1:00:00 PM	08/31/2018	1:10:17 PM			09/03/2018		Water	USEPA	365.2	pH, Field	Total	7.79	S.U.						09/12/2018
DRWW	Suburban Labs		13-18	GZL-01	0.5	ft	Upper Des Plaines River			Non-IEPA		08/31/2018	1:00:00 PM	08/31/2018	1:10:17 PM	09/04/2018	10:07:16 AM	09/06/2018	7:42:05 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.14	mg/L		0.05	0.14			09/12/2018
DRWW	Suburban Labs		13-18	GZL-01	0.5	ft	Upper Des Plaines River			Non-IEPA		08/31/2018	1:00:00 PM	08/31/2018	1:10:17 PM			09/03/2018	12:08:22 PM	Water	Lab	2510B	Specific Conductivity	Total	784.00	umhos/cm		1.00	1.00			09/12/2018
DRWW	Suburban Labs		13-18	GZL-01	0.5	ft	Upper Des Plaines River			Non-IEPA		08/31/2018	1:00:00 PM	08/31/2018	1:10:17 PM			09/05/2018		Water	USEPA	SM 2550B	Temperature	Total	23.42	°C						09/12/2018
DRWW	Suburban Labs		13-18	GZL-01	0.5	ft	Upper Des Plaines River			Non-IEPA		08/31/2018	1:00:00 PM	08/31/2018	1:10:17 PM			09/05/2018	2:37:53 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.51	mg/L		0.10	0.22			09/12/2018
DRWW	Suburban Labs		13-18	GZL-01	0.5	ft	Upper Des Plaines River			Non-IEPA		08/31/2018	1:00:00 PM	08/31/2018	1:10:17 PM			09/04/2018	5:07:55 PM	Water	USEPA	2540-D	Total Suspended Solids	Total	20.20	mg/L		0.20	5.00			09/12/2018
DRWW	Suburban Labs		13-18	GZL-01	0.5	ft	Upper Des Plaines River																									

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code-IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		07/25/2018	10:20:00 AM	07/25/2018	4:20:00 PM			08/01/2018	5:45:00 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	0.11	mg/L	J	0.10	0.30		08/03/2018	
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		07/25/2018	10:20:00 AM	07/25/2018	4:20:00 PM	07/30/2018	11:53:28 AM	07/31/2018	3:24:17 PM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	1.91	mg/L	JS	1.19	3.78		08/03/2018	
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		07/25/2018	10:20:00 AM	07/25/2018	4:20:00 PM			07/25/2018	4:20:00 PM	Water	USEPA	365.2	pH, Field	Total	7.80	S.U.				08/03/2018		
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		07/25/2018	10:20:00 AM	07/25/2018	4:20:00 PM	07/26/2018	3:18:22 PM	07/27/2018	3:55:17 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.15	mg/L		0.05	0.14		08/03/2018	
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		07/25/2018	10:20:00 AM	07/25/2018	4:20:00 PM			07/31/2018	1:02:25 PM	Water	Lab	2510B	Specific Conductivity	Total	942.00	umhos/cm	1.00	1.00		08/03/2018		
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		07/25/2018	10:20:00 AM	07/25/2018	4:20:00 PM			07/26/2018	1:46:18 PM	Water	USEPA	SM 2550B	Temperature	Total	22.90	°C				08/03/2018		
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		07/25/2018	10:20:00 AM	07/25/2018	4:20:00 PM			07/28/2018	2:50:00 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	5.91	mg/L		0.10	0.22		08/03/2018	
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		07/25/2018	10:20:00 AM	07/25/2018	4:20:00 PM			07/26/2018	3:16:23 PM	Water	USEPA	2540-D	Total Suspended Solids	Total	23.70	mg/L		0.29	7.15		08/03/2018	
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		07/25/2018	10:20:00 AM	07/25/2018	4:20:00 PM			07/26/2018	3:16:23 PM	Water	Lab	2130-B	Turbidity	Total	18.40	NTU		0.10	0.20		08/03/2018	
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		07/25/2018	10:20:00 AM	07/25/2018	4:20:00 PM			07/26/2018	1:46:18 PM	Water	USEPA	2540-D	Volatile Suspended Solids	Total	4.58	mg/L	JR	0.29	7.15		08/03/2018	
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		08/31/2018	12:30:00 PM	08/31/2018	12:46:36 PM			09/03/2018	12:38:12 PM	Water	APHA	4500-CL(-E)	Chloride	Total	122.00	mg/L		20.00	20.00		09/17/2018	
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		08/31/2018	12:30:00 PM	08/31/2018	12:46:36 PM	08/31/2018	6:19:03 PM	09/06/2018	6:45:56 PM	Water	USEPA	SM A10200H	Chlorophyll a	Total	17.00	mg/L		4.00	4.00		09/17/2018	
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		08/31/2018	12:30:00 PM	08/31/2018	12:46:36 PM			08/31/2018	12:46:36 PM	Water	YSI	EPA 120.1	Conductivity	Total	923.00	umhos/cm					09/17/2018	
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		08/31/2018	12:30:00 PM	08/31/2018	12:46:36 PM			08/31/2018	4:53:44 PM	Water	USEPA	E COLI MPN	E. Coli	Total	214.20	MPN/100mL		1.00	1.00		09/17/2018	
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		08/31/2018	12:30:00 PM	08/31/2018	12:46:36 PM			09/05/2018	6:02:30 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30		09/17/2018	
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		08/31/2018	12:30:00 PM	08/31/2018	12:46:36 PM	09/06/2018	6:31:11 PM	09/07/2018	11:21:35 AM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	ND	mg/L		1.19	3.78		09/17/2018	
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		08/31/2018	12:30:00 PM	08/31/2018	12:46:36 PM			08/31/2018	12:46:36 PM	Water	USEPA	365.2	pH, Field	Total	7.75	S.U.					09/17/2018	
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		08/31/2018	12:30:00 PM	08/31/2018	12:46:36 PM	09/04/2018	10:07:16 AM	09/06/2018	7:38:51 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.19	mg/L		0.05	0.14		09/17/2018	
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		08/31/2018	12:30:00 PM	08/31/2018	12:46:36 PM			09/03/2018	12:07:45 PM	Water	Lab	2510B	Specific Conductivity	Total	810.00	umhos/cm	1.00	1.00		09/17/2018		
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		08/31/2018	12:30:00 PM	08/31/2018	12:46:36 PM			09/03/2018	12:07:45 PM	Water	USEPA	SM 2550B	Temperature	Total	22.58	°C					09/17/2018	
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		08/31/2018	12:30:00 PM	08/31/2018	12:46:36 PM			09/05/2018	4:42:36 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	1.74	mg/L		0.10	0.22		09/17/2018	
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		08/31/2018	12:30:00 PM	08/31/2018	12:46:36 PM			09/04/2018	5:07:55 PM	Water	USEPA	2540-D	Total Suspended Solids	Total	23.60	mg/L		0.20	5.00		09/17/2018	
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		08/31/2018	12:30:00 PM	08/31/2018	12:46:36 PM			08/31/2018	4:09:00 PM	Water	Lab	2130-B	Turbidity	Total	10.80	NTU		0.10	0.20		09/17/2018	
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		08/31/2018	12:30:00 PM	08/31/2018	12:46:36 PM			09/04/2018	5:07:55 PM	Water	USEPA	2540-D	Volatile Suspended Solids	Total	4.80	mg/L	J	0.20	5.00		09/17/2018	
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		10/24/2018	11:26:00 AM	10/24/2018	4:20:00 PM			10/29/2018		Water	APHA	4500-CL(-E)	Chloride	Total	116.00	mg/L		20.0	20.0		10/31/2018	
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		10/24/2018	11:26:00 AM	10/24/2018	4:20:00 PM	10/24/2018	5:58:23 PM	10/26/2018	4:36:06 PM	Water	USEPA	SM A10200H	Chlorophyll a	Total	ND	mg/L		4.0	4.0		10/31/2018	
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		10/24/2018	11:26:00 AM	10/24/2018	4:20:00 PM				4:45:30 PM	Water	YSI	EPA 120.1	Conductivity	Total	770.00	umhos/cm					10/31/2018	
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		10/24/2018	11:26:00 AM	10/24/2018	4:20:00 PM			10/24/2018		Water	USEPA	E COLI MPN	E. Coli	Total	101.70	MPN/100mL		1.0	1.0		10/31/2018	
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		10/24/2018	11:26:00 AM	10/24/2018	4:20:00 PM			10/26/2018		Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30		10/31/2018	
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		10/24/2018	11:26:00 AM	10/24/2018	4:20:00 PM	10/29/2018	10:21:13 AM	10/31/2018	4:29:24 PM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	ND	mg/L		1.19	3.78		10/31/2018	
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		10/24/2018	11:26:00 AM	10/24/2018	4:20:00 PM			10/26/2018	4:15:37 PM	Water	USEPA	365.2	pH, Field	Total	7.90	S.U.					10/31/2018	
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		10/24/2018	11:26:00 AM	10/24/2018	4:20:00 PM	10/25/2018	10:01:12 AM	10/26/2018	2:12:21 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.09	mg/L	J	0.0500	0.135		10/31/2018	
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		10/24/2018	11:26:00 AM	10/24/2018	4:20:00 PM			10/25/2018		Water	Lab	2510B	Specific Conductivity	Total	789.00	umhos/cm	1.00	1.00		10/31/2018		
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		10/24/2018	11:26:00 AM	10/24/2018	4:20:00 PM				4:29:06 PM	Water	USEPA	SM 2550B	Temperature	Total	8.00	deg C					10/31/2018	
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		10/24/2018	11:26:00 AM	10/24/2018	4:20:00 PM			10/29/2018	4:30:00 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.86	mg/L		0.100	0.224		10/31/2018	
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		10/24/2018	11:26:00 AM	10/24/2018	4:20:00 PM			10/26/2018		Water	USEPA	2540-D	Total Suspended Solids	Total	8.40	mg/L		0.200	5.00		10/31/2018	
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		10/24/2018	11:26:00 AM	10/24/2018	4:20:00 PM			10/25/2018		Water	Lab	2130-B	Turbidity	Total	9.36	NTU		0.100	0.200		10/31/2018	
DRWW	Suburban Labs		13-2	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		10/24/2018	11:26:00 AM	10/24/2018	4:20:00 PM			10/26/2018		Water	USEPA	2540-D	Volatile Suspended Solids	Total	2.00	mg/L	J	0.200	5.00		10/31/2018	
DRWW	Suburban Labs		13-2 Duplicate	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		05/16/2018	10:48:00 AM	05/16/2018	4:15:05 PM			05/21/2018	6:03:18 PM	Water	APHA	4500-CL(-E)	Chloride	Total	88.90	mg/L		20.00	20.00		05/31/2018	
DRWW	Suburban Labs		13-2 Duplicate	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		05/16/2018	10:48:00 AM	05/16/2018	4:15:05 PM			05/16/2018		Water	YSI	EPA 120.1	Conductivity	Total	627.00	umhos/cm					05/31/2018	
DRWW	Suburban Labs		13-2 Duplicate	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		05/16/2018	10:48:00 AM	05/16/2018	4:15:05 PM			05/16/2018		Water	USEPA	E COLI MPN	E. Coli	Total	344.10	MPN/100mL		1.00	1.00		05/31/2018	
DRWW	Suburban Labs		13-2 Duplicate	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		05/16/2018	10:48:00 AM	05/16/2018	4:15:05 PM			05/18/2018	5:14:21 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	0.15	mg/L	J	0.10	0.30		05/31/2018	
DRWW	Suburban Labs		13-2 Duplicate	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		05/16/2018	10:48:00 AM	05/16/2018	4:15:05 PM	05/30/2018	3:43:15 PM	05/31/2018	12:12:55 PM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	1.88	mg/L	J	1.19	3.78		05/31/2018	
DRWW	Suburban Labs		13-2 Duplicate	G-50	0.5	ft	Upper Des Plaines River			Non-IEPA		05/16/2018	10:48:00 AM	05/16/2018	4:15:05 PM			05/18/2018		Water	USEPA											

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code-IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		07/25/2018	10:40:00 AM	07/25/2018	4:20:00 PM			07/26/2018	1:46:18 PM	Water	USEPA	2540-D	Total Suspended Solids	Total	22.00	mg/L		0.40	10.00		08/03/2018	
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		07/25/2018	10:40:00 AM	07/25/2018	4:20:00 PM			07/26/2018	3:16:23 PM	Water	Lab	2130-B	Turbidity	Total	18.60	NTU		0.10	0.20		08/03/2018	
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		07/25/2018	10:40:00 AM	07/25/2018	4:20:00 PM			07/26/2018	1:46:18 PM	Water	USEPA	2540-D	Volatile Suspended Solids	Total	4.40	mg/L	JR	0.40	10.00		08/03/2018	
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		08/31/2018	12:11:00 PM	08/31/2018	12:43:32 PM			09/03/2018	12:33:32 PM	Water	APHA	4500-CL-(E)	Chloride	Total	124.00	mg/L		20.00	20.00		09/12/2018	
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		08/31/2018	12:11:00 PM	08/31/2018	12:43:32 PM	08/31/2018	6:19:03 PM	09/06/2018	6:45:56 PM	Water	USEPA	SM A10200H	Chlorophyll a	Total	13.00	mg/L		4.00	4.00		09/12/2018	
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		08/31/2018	12:11:00 PM	08/31/2018	12:43:32 PM			09/05/2018	6:44:22 PM	Water	YSI	EPA 120.1	Conductivity	Total	914.00	umhos/cm					09/12/2018	
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		08/31/2018	12:11:00 PM	08/31/2018	12:43:32 PM			08/31/2018	4:53:44 PM	Water	USEPA	E COLI MPN	E. Coli	Total	104.30	MPN/100mL		1.00	1.00		09/12/2018	
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		08/31/2018	12:11:00 PM	08/31/2018	12:43:32 PM			09/05/2018	6:44:22 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	0.16	mg/L	J	0.10	0.30		09/12/2018	
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		08/31/2018	12:11:00 PM	08/31/2018	12:43:32 PM	09/06/2018	6:31:11 PM	09/07/2018	11:20:21 AM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	1.82	mg/L	J	1.19	3.78		09/12/2018	
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		08/31/2018	12:11:00 PM	08/31/2018	12:43:32 PM			09/06/2018	7:23:02 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.18	mg/L		0.05	0.14		09/12/2018	
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		08/31/2018	12:11:00 PM	08/31/2018	12:43:32 PM			09/03/2018	12:07:05 PM	Water	Lab	2510B	Specific Conductivity	Total	799.00	umhos/cm		1.00	1.00		09/12/2018	
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		08/31/2018	12:11:00 PM	08/31/2018	12:43:32 PM			09/03/2018	12:07:05 PM	Water	USEPA	SM 2550B	Temperature	Total	22.53	°C					09/12/2018	
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		08/31/2018	12:11:00 PM	08/31/2018	12:43:32 PM			09/05/2018	2:33:31 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	1.70	mg/L		0.10	0.22		09/12/2018	
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		08/31/2018	12:11:00 PM	08/31/2018	12:43:32 PM			09/04/2018	5:07:55 PM	Water	USEPA	2540-D	Total Suspended Solids	Total	22.20	mg/L		0.20	5.00		09/12/2018	
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		08/31/2018	12:11:00 PM	08/31/2018	12:43:32 PM			08/31/2018	4:09:00 PM	Water	Lab	2130-B	Turbidity	Total	11.80	NTU		0.10	0.20		09/12/2018	
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		08/31/2018	12:11:00 PM	08/31/2018	12:43:32 PM			09/04/2018	5:07:55 PM	Water	USEPA	2540-D	Volatile Suspended Solids	Total	4.80	mg/L	J	0.20	5.00		09/12/2018	
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		10/24/2018	11:47:00 AM	10/24/2018	4:20:00 PM			10/29/2018		Water	APHA	4500-CL-(E)	Chloride	Total	76.40	mg/L		20.0	20.0		10/31/2018	
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		10/24/2018	11:47:00 AM	10/24/2018	4:20:00 PM	10/24/2018	5:58:23 PM	10/26/2018	4:36:06 PM	Water	USEPA	SM A10200H	Chlorophyll a	Total	ND	mg/L		4.0	4.0		10/31/2018	
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		10/24/2018	11:47:00 AM	10/24/2018	4:20:00 PM				4:45:30 PM	Water	YSI	EPA 120.1	Conductivity	Total	762.00	umhos/cm					10/31/2018	
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		10/24/2018	11:47:00 AM	10/24/2018	4:20:00 PM			10/24/2018		Water	USEPA	E COLI MPN	E. Coli	Total	126.70	MPN/100mL		1.0	1.0		10/31/2018	
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		10/24/2018	11:47:00 AM	10/24/2018	4:20:00 PM			10/26/2018		Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30		10/31/2018	
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		10/24/2018	11:47:00 AM	10/24/2018	4:20:00 PM	10/29/2018	10:21:13 AM	10/31/2018	4:31:30 PM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	2.03	mg/L	J	1.19	3.78		10/31/2018	
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		10/24/2018	11:47:00 AM	10/24/2018	4:20:00 PM			10/26/2018	4:17:43 PM	Water	USEPA	365.2	pH, Field	Total	8.00	S.U.					10/31/2018	
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		10/24/2018	11:47:00 AM	10/24/2018	4:20:00 PM	10/25/2018	10:01:12 AM	10/26/2018	2:13:53 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.10	mg/L	J	0.0500	0.135		10/31/2018	
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		10/24/2018	11:47:00 AM	10/24/2018	4:20:00 PM			10/25/2018		Water	Lab	2510B	Specific Conductivity	Total	784.00	umhos/cm		1.00	1.00		10/31/2018	
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		10/24/2018	11:47:00 AM	10/24/2018	4:20:00 PM				4:24:44 PM	Water	USEPA	SM 2550B	Temperature	Total	8.40	deg C					10/31/2018	
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		10/24/2018	11:47:00 AM	10/24/2018	4:20:00 PM			10/29/2018	4:30:00 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.86	mg/L		0.100	0.224		10/31/2018	
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		10/24/2018	11:47:00 AM	10/24/2018	4:20:00 PM			10/26/2018		Water	USEPA	2540-D	Total Suspended Solids	Total	9.00	mg/L		0.200	5.00		10/31/2018	
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		10/24/2018	11:47:00 AM	10/24/2018	4:20:00 PM			10/25/2018		Water	Lab	2130-B	Turbidity	Total	9.74	NTU		0.100	0.200		10/31/2018	
DRWW	Suburban Labs		13-3	G-51	0.5	ft	Upper Des Plaines River			Non-IEPA		10/24/2018	11:47:00 AM	10/24/2018	4:20:00 PM			10/26/2018		Water	USEPA	2540-D	Volatile Suspended Solids	Total	2.00	mg/L	J	0.200	5.00		10/31/2018	
DRWW	Suburban Labs		13-4	G-25	0.5	ft	Upper Des Plaines River			Non-IEPA		02/01/2018	11:13:00 AM	02/01/2018	2:50:00 PM			02/09/2018	10:04:48 AM	Water	APHA	4500-CL-(E)	Chloride	Total	137.00	mg/L		20.00	20.00		02/12/2018	
DRWW	Suburban Labs		13-4	G-25	0.5	ft	Upper Des Plaines River			Non-IEPA		02/01/2018	11:13:00 AM	02/01/2018	2:50:00 PM			02/09/2018	10:04:48 AM	Water	YSI	EPA 120.1	Conductivity	Total	1010.00	umhos/cm					02/12/2018	
DRWW	Suburban Labs		13-4	G-25	0.5	ft	Upper Des Plaines River			Non-IEPA		02/01/2018	11:13:00 AM	02/01/2018	2:50:00 PM			02/01/2018	3:50:54 PM	Water	USEPA	E COLI MPN	E. Coli	Total	22.60	MPN/100mL		1.00	1.00		02/12/2018	
DRWW	Suburban Labs		13-4	G-25	0.5	ft	Upper Des Plaines River			Non-IEPA		02/01/2018	11:13:00 AM	02/01/2018	2:50:00 PM			02/03/2018	10:14:39 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	0.15	mg/L		0.10	0.30		02/12/2018	
DRWW	Suburban Labs		13-4	G-25	0.5	ft	Upper Des Plaines River			Non-IEPA		02/01/2018	11:13:00 AM	02/01/2018	2:50:00 PM			02/08/2018	10:29:01 PM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	1.89	mg/L		1.19	3.78		02/12/2018	
DRWW	Suburban Labs		13-4	G-25	0.5	ft	Upper Des Plaines River			Non-IEPA		02/01/2018	11:13:00 AM	02/01/2018	2:50:00 PM					Water	USEPA	365.2	pH, Field	Total	7.50	S.U.					02/12/2018	
DRWW	Suburban Labs		13-4	G-25	0.5	ft	Upper Des Plaines River			Non-IEPA		02/01/2018	11:13:00 AM	02/01/2018	2:50:00 PM			02/05/2018	4:49:36 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.33	mg/L		0.05	0.14		02/12/2018	
DRWW	Suburban Labs		13-4	G-25	0.5	ft	Upper Des Plaines River			Non-IEPA		02/01/2018	11:13:00 AM	02/01/2018	2:50:00 PM					Water	USEPA	SM 2550B	Temperature	Total	0.20	°C					02/12/2018	
DRWW	Suburban Labs		13-4	G-25	0.5	ft	Upper Des Plaines River			Non-IEPA		02/01/2018	11:13:00 AM	02/01/2018	2:50:00 PM			02/04/2018	2:54:49 AM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	4.18	mg/L		0.10	0.22		02/12/2018	
DRWW	Suburban Labs		13-4	G-25	0.5	ft	Upper Des Plaines River			Non-IEPA		02/01/2018	11:13:00 AM	02/01/2018	2:50:00 PM			02/06/2018	9:57:07 AM	Water	USEPA	2540-D	Total Suspended Solids	Total	90.40	mg/L		0.40	10.00		02/12/2018	
DRWW	Suburban Labs		13-4	G-25	0.5	ft	Upper Des Plaines River			Non-IEPA		02/01/2018	11:13:00 AM	02/01/2018	2:50:00 PM			02/01/2018	5:01:00 PM	Water	Lab	2130-B	Turbidity	Total	62.30	NTU		0.10	0.20		02/12/2018	
DRWW	Suburban Labs		13-4	G-25	0.5	ft	Upper Des Plaines River			Non-IEPA		02/01/2018	11:13:00 AM	02/01/2018	2:50:00 PM			02/06/2018	9:57:07 AM	Water	USEPA	2540-D	Volatile Suspended Solids	Total	12.00	mg/L		0.40	10.00		02/12/2018	
DRWW	Suburban Labs		13-4	G-25	0.5	ft	Upper Des Plaines River			Non-IEPA		05/16/2018	11:45:00 AM	05/16/2018	4:15:21 PM			05/21/2018	5:55:59 PM	Water	APHA	4500-CL-(E)	Chloride	Total	61.40	mg/L		20.00	20.00		05/31/2018	
DRWW	Suburban Labs		13-4	G-25	0.5	ft	Upper Des Plaines River			Non-IEPA		05/16/2018	11:45:00 AM	05/16/2018	4:15:21 PM					Water	YSI	EPA 120.1	Conductivity	Total	511.00	umhos/cm					05/31/2018	

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code-IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		02/01/2018	11:34:00 AM	02/01/2018	2:50:00 PM			02/01/2018	3:50:54 PM	Water	USEPA	E COLI_MPN	E. Coli	Total	12.10	MPN/100mL		1.00	1.00			02/12/2018
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		02/01/2018	11:34:00 AM	02/01/2018	2:50:00 PM			02/03/2018	10:16:22 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	0.13	mg/L		0.10	0.30			02/12/2018
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		02/01/2018	11:34:00 AM	02/01/2018	2:50:00 PM			02/08/2018	11:43:28 PM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	1.35	mg/L		1.19	3.78			02/12/2018
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		02/01/2018	11:34:00 AM	02/01/2018	2:50:00 PM					Water	USEPA	365.2	pH, Field	Total	7.40	S.U.						02/12/2018
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		02/01/2018	11:34:00 AM	02/01/2018	2:50:00 PM			02/05/2018	4:52:48 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.16	mg/L		0.05	0.14			02/12/2018
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		02/01/2018	11:34:00 AM	02/01/2018	2:50:00 PM					Water	USEPA	SM 2550B	Temperature	Total	0.00	°C						02/12/2018
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		02/01/2018	11:34:00 AM	02/01/2018	2:50:00 PM			02/04/2018	2:57:03 AM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	4.65	mg/L		0.10	0.22			02/12/2018
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		02/01/2018	11:34:00 AM	02/01/2018	2:50:00 PM			02/06/2018	9:57:07 AM	Water	USEPA	2540-D	Total Suspended Solids	Total	8.00	mg/L		0.20	5.00			02/12/2018
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		02/01/2018	11:34:00 AM	02/01/2018	2:50:00 PM			02/01/2018	5:01:00 PM	Water	Lab	2130-B	Turbidity	Total	11.00	NTU		0.10	0.20			02/12/2018
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		02/01/2018	11:34:00 AM	02/01/2018	2:50:00 PM			02/06/2018	9:57:07 AM	Water	USEPA	2540-D	Volatile Suspended Solids	Total	2.80	mg/L		0.20	5.00			02/12/2018
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		05/16/2018	12:02:00 PM	05/16/2018	4:15:11 PM			05/21/2018	6:00:35 PM	Water	APHA	4500-CL(-E)	Chloride	Total	78.60	mg/L		20.00	20.00			05/31/2018
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		05/16/2018	12:02:00 PM	05/16/2018	4:15:11 PM					Water	YSI	EPA 120.1	Conductivity	Total	578.00	umhos/cm						05/31/2018
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		05/16/2018	12:02:00 PM	05/16/2018	4:15:11 PM			05/16/2018	5:18:54 PM	Water	USEPA	E COLI_MPN	E. Coli	Total	410.60	MPN/100mL		1.00	1.00			05/31/2018
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		05/16/2018	12:02:00 PM	05/16/2018	4:15:11 PM			05/18/2018	5:10:49 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	0.17	mg/L	J	0.10	0.30			05/31/2018
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		05/16/2018	12:02:00 PM	05/16/2018	4:15:11 PM	05/30/2018	3:43:15 PM	05/31/2018	12:07:30 PM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	2.48	mg/L	J	1.19	3.78			05/31/2018
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		05/16/2018	12:02:00 PM	05/16/2018	4:15:11 PM					Water	USEPA	365.2	pH, Field	Total	7.30	S.U.						05/31/2018
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		05/16/2018	12:02:00 PM	05/16/2018	4:15:11 PM	05/18/2018	4:32:33 PM	05/21/2018	6:10:26 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.25	mg/L		0.05	0.14			05/31/2018
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		05/16/2018	12:02:00 PM	05/16/2018	4:15:11 PM			05/18/2018	2:27:56 AM	Water	Lab	2510B	Specific Conductivity	Total	586.00	umhos/cm		1.00	1.00			05/31/2018
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		05/16/2018	12:02:00 PM	05/16/2018	4:15:11 PM					Water	USEPA	SM 2550B	Temperature	Total	17.50	°C						05/31/2018
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		05/16/2018	12:02:00 PM	05/16/2018	4:15:11 PM			05/25/2018	3:13:15 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	3.50	mg/L		0.10	0.22			05/31/2018
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		05/16/2018	12:02:00 PM	05/16/2018	4:15:11 PM			05/18/2018	9:45:29 AM	Water	USEPA	2540-D	Total Suspended Solids	Total	40.90	mg/L		0.29	7.15			05/31/2018
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		05/16/2018	12:02:00 PM	05/16/2018	4:15:11 PM			05/17/2018	5:30:00 PM	Water	Lab	2130-B	Turbidity	Total	110.00	NTU		0.10	0.20			05/31/2018
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		05/16/2018	12:02:00 PM	05/16/2018	4:15:11 PM			05/18/2018	9:45:29 AM	Water	USEPA	2540-D	Volatile Suspended Solids	Total	5.15	mg/L	JR	0.29	7.15			05/31/2018
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		07/25/2018	11:22:00 AM	07/25/2018	4:20:00 PM			07/30/2018	5:31:39 PM	Water	APHA	4500-CL(-E)	Chloride	Total	201.00	mg/L		40.00	40.00			08/03/2018
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		07/25/2018	11:22:00 AM	07/25/2018	4:20:00 PM	07/25/2018	6:44:50 PM	07/27/2018	6:12:27 PM	Water	USEPA	SM A10200H	Chlorophyll a	Total	12.00	mg/L		4.00	4.00			08/03/2018
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		07/25/2018	11:22:00 AM	07/25/2018	4:20:00 PM					Water	YSI	EPA 120.1	Conductivity	Total	1192.00	umhos/cm						08/03/2018
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		07/25/2018	11:22:00 AM	07/25/2018	4:20:00 PM			07/25/2018	6:15:00 PM	Water	USEPA	E COLI_MPN	E. Coli	Total	166.40	MPN/100mL		1.00	1.00			08/03/2018
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		07/25/2018	11:22:00 AM	07/25/2018	4:20:00 PM			08/01/2018	5:55:33 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30			08/03/2018
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		07/25/2018	11:22:00 AM	07/25/2018	4:20:00 PM	07/30/2018	11:53:28 AM	07/31/2018	3:32:24 PM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	1.32	mg/L	J	1.19	3.78			08/03/2018
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		07/25/2018	11:22:00 AM	07/25/2018	4:20:00 PM					Water	USEPA	365.2	pH, Field	Total	8.30	S.U.						08/03/2018
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		07/25/2018	11:22:00 AM	07/25/2018	4:20:00 PM	07/26/2018	3:18:22 PM	07/27/2018	4:05:03 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.15	mg/L		0.05	0.14			08/03/2018
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		07/25/2018	11:22:00 AM	07/25/2018	4:20:00 PM			07/31/2018	1:07:08 PM	Water	Lab	2510B	Specific Conductivity	Total	1170.00	umhos/cm		1.00	1.00			08/03/2018
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		07/25/2018	11:22:00 AM	07/25/2018	4:20:00 PM					Water	USEPA	SM 2550B	Temperature	Total	26.60	°C						08/03/2018
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		07/25/2018	11:22:00 AM	07/25/2018	4:20:00 PM			07/28/2018	2:51:00 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22			08/03/2018
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		07/25/2018	11:22:00 AM	07/25/2018	4:20:00 PM			07/26/2018	1:46:18 PM	Water	USEPA	2540-D	Total Suspended Solids	Total	34.00	mg/L		0.40	10.00			08/03/2018
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		07/25/2018	11:22:00 AM	07/25/2018	4:20:00 PM			07/26/2018	3:16:23 PM	Water	Lab	2130-B	Turbidity	Total	33.50	NTU		0.10	0.20			08/03/2018
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		07/25/2018	11:22:00 AM	07/25/2018	4:20:00 PM			07/26/2018	1:46:18 PM	Water	USEPA	2540-D	Volatile Suspended Solids	Total	6.40	mg/L	J	0.40	10.00			08/03/2018
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		08/31/2018	11:20:00 AM	08/31/2018	11:38:57 AM			09/03/2018	12:42:56 PM	Water	APHA	4500-CL(-E)	Chloride	Total	113.00	mg/L		20.00	20.00			09/12/2018
DRWW	Suburban Labs		13-5	G-34	0.5	ft	Upper Des Plaines River			Non-IEPA		08/31/2018	11:20:00 AM	08/31/2018	11:38:57 AM	08/31/2018	6:19:03 PM	09/06/2018														

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code-IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		07/25/2018	11:43:00 AM	07/25/2018	4:20:00 PM			07/30/2018	5:15:30 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22		08/03/2018	
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		07/25/2018	11:43:00 AM	07/25/2018	4:20:00 PM			07/26/2018	1:46:18 PM	Water	USEPA	2540-D	Total Suspended Solids	Total	21.20	mg/L		0.40	10.00		08/03/2018	
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		07/25/2018	11:43:00 AM	07/25/2018	4:20:00 PM			07/26/2018	3:16:23 PM	Water	Lab	2130-B	Turbidity	Total	16.60	NTU		0.10	0.20		08/03/2018	
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		07/25/2018	11:43:00 AM	07/25/2018	4:20:00 PM			07/26/2018	1:46:18 PM	Water	USEPA	2540-D	Volatile Suspended Solids	Total	6.00	mg/L	J	0.40	10.00		08/03/2018	
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		08/31/2018	11:00:00 AM	08/31/2018	4:10:09 PM			09/03/2018	12:30:48 PM	Water	APHA	4500-CL-(E)	Chloride	Total	125.00	mg/L		20.00	20.00		09/12/2018	
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		08/31/2018	11:00:00 AM	08/31/2018	4:10:09 PM	08/31/2018	6:19:03 PM	09/06/2018	6:45:56 PM	Water	USEPA	SM A10200H	Chlorophyll a	Total	11.00	mg/L		4.00	4.00		09/12/2018	
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		08/31/2018	11:00:00 AM	08/31/2018	4:10:09 PM					Water	YSI	EPA 120.1	Conductivity		915.00	umhos/cm					09/12/2018	
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		08/31/2018	11:00:00 AM	08/31/2018	4:10:09 PM			08/31/2018	4:53:44 PM	Water	USEPA	E_COLI_MPN	E. Coli	Total	178.20	MPN/100mL		1.00	1.00		09/12/2018	
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		08/31/2018	11:00:00 AM	08/31/2018	4:10:09 PM			09/05/2018	6:25:08 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30		09/12/2018	
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		08/31/2018	11:00:00 AM	08/31/2018	4:10:09 PM	09/07/2018	12:12:46 PM	09/08/2018	11:11:17 AM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	ND	mg/L		1.19	3.78		09/12/2018	
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		08/31/2018	11:00:00 AM	08/31/2018	4:10:09 PM					Water	USEPA	365.2	pH, Field	Total	7.67	S.U.					09/12/2018	
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		08/31/2018	11:00:00 AM	08/31/2018	4:10:09 PM	09/04/2018	10:10:13 AM	09/06/2018	8:53:54 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.21	mg/L		0.05	0.14		09/12/2018	
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		08/31/2018	11:00:00 AM	08/31/2018	4:10:09 PM			09/03/2018	11:57:19 AM	Water	Lab	2510B	Specific Conductivity	Total	803.00	umhos/cm		1.00	1.00		09/12/2018	
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		08/31/2018	11:00:00 AM	08/31/2018	4:10:09 PM					Water	USEPA	SM 2550B	Temperature		20.76	°C					09/12/2018	
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		08/31/2018	11:00:00 AM	08/31/2018	4:10:09 PM			09/05/2018	5:33:01 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	1.05	mg/L		0.10	0.22		09/12/2018	
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		08/31/2018	11:00:00 AM	08/31/2018	4:10:09 PM			09/04/2018	5:07:55 PM	Water	USEPA	2540-D	Total Suspended Solids	Total	27.40	mg/L		0.20	5.00		09/12/2018	
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		08/31/2018	11:00:00 AM	08/31/2018	4:10:09 PM			09/05/2018	5:15:00 PM	Water	Lab	2130-B	Turbidity	Total	29.30	NTU	H	0.10	0.20		09/12/2018	
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		08/31/2018	11:00:00 AM	08/31/2018	4:10:09 PM			09/04/2018	5:07:55 PM	Water	USEPA	2540-D	Volatile Suspended Solids	Total	5.80	mg/L		0.20	5.00		09/12/2018	
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		10/24/2018	12:58:00 PM	10/24/2018	4:20:00 PM			10/29/2018		Water	APHA	4500-CL-(E)	Chloride	Total	65.30	mg/L		2.0	20.0		10/31/2018	
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		10/24/2018	12:58:00 PM	10/24/2018	4:20:00 PM	10/24/2018	5:58:23 PM	10/26/2018	4:36:06 PM	Water	USEPA	SM A10200H	Chlorophyll a	Total	ND	mg/L		4.0	4.0		10/31/2018	
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		10/24/2018	12:58:00 PM	10/24/2018	4:20:00 PM				4:45:30 PM	Water	YSI	EPA 120.1	Conductivity		810.00	umhos/cm					10/31/2018	
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		10/24/2018	12:58:00 PM	10/24/2018	4:20:00 PM			10/24/2018		Water	USEPA	E_COLI_MPN	E. Coli	Total	70.30	MPN/100mL		1.0	1.0		10/31/2018	
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		10/24/2018	12:58:00 PM	10/24/2018	4:20:00 PM			10/26/2018		Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30		10/31/2018	
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		10/24/2018	12:58:00 PM	10/24/2018	4:20:00 PM	10/30/2018	10:59:52 AM	10/31/2018	4:37:49 PM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	1.56	mg/L	J	1.19	3.78		10/31/2018	
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		10/24/2018	12:58:00 PM	10/24/2018	4:20:00 PM				4:28:11 PM	Water	USEPA	365.2	pH, Field	Total	7.80	S.U.					10/31/2018	
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		10/24/2018	12:58:00 PM	10/24/2018	4:20:00 PM	10/25/2018	10:01:12 AM	10/26/2018	12:36:04 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.10	mg/L	J	0.0500	0.135		10/31/2018	
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		10/24/2018	12:58:00 PM	10/24/2018	4:20:00 PM			10/25/2018		Water	Lab	2510B	Specific Conductivity	Total	830.00	umhos/cm		1.00	1.00		10/31/2018	
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		10/24/2018	12:58:00 PM	10/24/2018	4:20:00 PM				4:53:17 PM	Water	USEPA	SM 2550B	Temperature		7.00	deg C					10/31/2018	
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		10/24/2018	12:58:00 PM	10/24/2018	4:20:00 PM			10/29/2018	4:30:00 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	1.36	mg/L		0.100	0.224		10/31/2018	
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		10/24/2018	12:58:00 PM	10/24/2018	4:20:00 PM			10/26/2018		Water	USEPA	2540-D	Total Suspended Solids	Total	6.75	mg/L		0.250	6.25		10/31/2018	
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		10/24/2018	12:58:00 PM	10/24/2018	4:20:00 PM			10/25/2018		Water	Lab	2130-B	Turbidity	Total	7.71	NTU		0.100	0.200		10/31/2018	
DRWW	Suburban Labs		13-6	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		10/24/2018	12:58:00 PM	10/24/2018	4:20:00 PM			10/26/2018		Water	USEPA	2540-D	Volatile Suspended Solids	Total	3.25	mg/L	JR	0.250	6.25		10/31/2018	
DRWW	Suburban Labs		13-6 Blank	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		07/25/2018	11:48:00 AM	07/25/2018	4:20:00 PM			07/30/2018	4:52:38 PM	Water	APHA	4500-CL-(E)	Chloride	Total	ND	mg/L		20.00	20.00		08/03/2018	
DRWW	Suburban Labs		13-6 Blank	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		07/25/2018	11:48:00 AM	07/25/2018	4:20:00 PM	07/25/2018	6:44:50 PM	07/27/2018	6:12:27 PM	Water	USEPA	SM A10200H	Chlorophyll a	Total	ND	mg/L		4.00	4.00		08/03/2018	
DRWW	Suburban Labs		13-6 Blank	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		07/25/2018	11:48:00 AM	07/25/2018	4:20:00 PM					Water	YSI	EPA 120.1	Conductivity		1.00	umhos/cm					08/03/2018	
DRWW	Suburban Labs		13-6 Blank	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		07/25/2018	11:48:00 AM	07/25/2018	4:20:00 PM			07/25/2018	6:15:00 PM	Water	USEPA	E_COLI_MPN	E. Coli	Total	<1	MPN/100mL		1.00	1.00		08/03/2018	
DRWW	Suburban Labs		13-6 Blank	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		07/25/2018	11:48:00 AM	07/25/2018	4:20:00 PM			08/01/2018	6:04:00 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30		08/03/2018	
DRWW	Suburban Labs		13-6 Blank	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		07/25/2018	11:48:00 AM	07/25/2018	4:20:00 PM	07/30/2018	11:53:28 AM	07/31/2018	4:13:18 PM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	2.14	mg/L	J	1.19	3.78		08/03/2018	
DRWW	Suburban Labs		13-6 Blank	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		07/25/2018	11:48:00 AM	07/25/2018	4:20:00 PM					Water	USEPA	365.2	pH, Field	Total	7.60	S.U.					08/03/2018	
DRWW	Suburban Labs		13-6 Blank	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		07/25/2018	11:48:00 AM	07/25/2018	4:20:00 PM	07/26/2018	3:18:22 PM	07/27/2018	4:11:41 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	ND	mg/L		0.05	0.14		08/03/2018	
DRWW	Suburban Labs		13-6 Blank	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		07/25/2018	11:48:00 AM	07/25/2018	4:20:00 PM			07/31/2018	2:06:06 PM	Water	Lab	2510B	Specific Conductivity	Total	4.88	umhos/cm		1.00	1.00		08/03/2018	
DRWW	Suburban Labs		13-6 Blank	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		07/25/2018	11:48:00 AM	07/25/2018	4:20:00 PM					Water	USEPA	SM 2550B	Temperature		23.50	°C					08/03/2018	
DRWW	Suburban Labs		13-6 Blank	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		07/25/2018	11:48:00 AM	07/25/2018	4:20:00 PM			07/30/2018	4:59:35 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22		08/03/2018	
DRWW	Suburban Labs		13-6 Blank	G-08	0.5	ft	Upper Des Plaines River			Non-IEPA		07/25/2018	11:48:00 AM	07/25/2018	4:20:00 PM			07/26/2018	1:46:18 PM	Water	USEPA	2540-D	Total Suspended Solids	Total	ND	mg/L		0.20	5.00		08/03/2018	
DRWW	Suburban Labs		13-6 Blank	G-08																												

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code-IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released					
DRWW	Suburban Labs		13-7	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		08/31/2018								Water	USEPA	2540-D	Total Suspended Solids	Total	No flow	mg/L											
DRWW	Suburban Labs		13-7	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		08/31/2018								Water	Lab	2130-B	Turbidity	Total	No flow	NTU											
DRWW	Suburban Labs		13-7	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		08/31/2018								Water	USEPA	2540-D	Volatile Suspended Solids	Total	No flow	mg/L											
DRWW	Suburban Labs		13-7	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		10/24/2018	1:40:00 PM	10/24/2018	4:20:00 PM			10/29/2018		Water	APHA	4500-CL(-E)	Chloride	Total	70.30	mg/L		20.0	20.0			10/31/2018					
DRWW	Suburban Labs		13-7	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		10/24/2018	1:40:00 PM	10/24/2018	4:20:00 PM			10/24/2018	4:45:30 PM	Water	YSI	EPA 120.1	Conductivity	Total	764.00	umhos/cm						10/31/2018					
DRWW	Suburban Labs		13-7	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		10/24/2018	1:40:00 PM	10/24/2018	4:20:00 PM			10/24/2018	4:30:17 PM	Water	USEPA	E. COLI MPN	E. Coli	Total	186.00	MPN/100mL		1.0	1.0				10/31/2018				
DRWW	Suburban Labs		13-7	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		10/24/2018	1:40:00 PM	10/24/2018	4:20:00 PM			10/25/2018	10:01:12 AM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	ND	mg/L		0.0500	0.135				10/31/2018				
DRWW	Suburban Labs		13-7	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		10/24/2018	1:40:00 PM	10/24/2018	4:20:00 PM			10/25/2018		Water	Lab	2510B	Specific Conductivity	Total	785.00	umhos/cm		1.00	1.00				10/31/2018				
DRWW	Suburban Labs		13-7	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		10/24/2018	1:40:00 PM	10/24/2018	4:20:00 PM			10/29/2018	4:30:00 PM	Water	USEPA	SM 2550B	Temperature	Total	7.30	deg C							10/31/2018				
DRWW	Suburban Labs		13-7	GZH-01	0.5	ft	Upper Des Plaines River			Non-IEPA		10/24/2018	1:40:00 PM	10/24/2018	4:20:00 PM			10/25/2018		Water	Lab	2130-B	Turbidity	Total	2.86	NTU		0.100	0.200				10/31/2018				
DRWW	Suburban Labs		13-8	GZI-01	0.5	ft	Upper Des Plaines River			Non-IEPA		02/01/2018	12:48:00 PM	02/01/2018	2:50:00 PM			02/05/2018	7:49:57 PM	Water	APHA	4500-CL(-E)	Chloride	Total	477.00	mg/L		80.00	80.00					02/12/2018			
DRWW	Suburban Labs		13-8	GZI-01	0.5	ft	Upper Des Plaines River			Non-IEPA		02/01/2018	12:48:00 PM	02/01/2018	2:50:00 PM			02/05/2018	7:49:57 PM	Water	YSI	EPA 120.1	Conductivity	Total	2290.00	umhos/cm								02/12/2018			
DRWW	Suburban Labs		13-8	GZI-01	0.5	ft	Upper Des Plaines River			Non-IEPA		02/01/2018	12:48:00 PM	02/01/2018	2:50:00 PM			02/01/2018	3:50:54 PM	Water	USEPA	E. COLI MPN	E. Coli	Total	58.80	MPN/100mL		1.00	1.00					02/12/2018			
DRWW	Suburban Labs		13-8	GZI-01	0.5	ft	Upper Des Plaines River			Non-IEPA		02/01/2018	12:48:00 PM	02/01/2018	2:50:00 PM			02/05/2018	5:12:04 PM	Water	USEPA	365.2	pH, Field	Total	8.00	S.U.								02/12/2018			
DRWW	Suburban Labs		13-8	GZI-01	0.5	ft	Upper Des Plaines River			Non-IEPA		02/01/2018	12:48:00 PM	02/01/2018	2:50:00 PM			02/05/2018	5:12:04 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.12	mg/L		0.05	0.14					02/12/2018			
DRWW	Suburban Labs		13-8	GZI-01	0.5	ft	Upper Des Plaines River			Non-IEPA		02/01/2018	12:48:00 PM	02/01/2018	2:50:00 PM			02/04/2018	3:03:40 AM	Water	USEPA	SM 2550B	Temperature	Total	0.40	°C								02/12/2018			
DRWW	Suburban Labs		13-8	GZI-01	0.5	ft	Upper Des Plaines River			Non-IEPA		02/01/2018	12:48:00 PM	02/01/2018	2:50:00 PM			02/04/2018	3:03:40 AM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	1.06	mg/L		0.10	0.22						02/12/2018		
DRWW	Suburban Labs		13-8	GZI-01	0.5	ft	Upper Des Plaines River			Non-IEPA		02/01/2018	12:48:00 PM	02/01/2018	2:50:00 PM			02/01/2018	5:01:00 PM	Water	Lab	2130-B	Turbidity	Total	5.47	NTU		0.10	0.20					02/12/2018			
DRWW	Suburban Labs		13-8	GZI-01	0.5	ft	Upper Des Plaines River			Non-IEPA		05/16/2018	1:10:00 PM	05/16/2018	4:15:28 PM			05/21/2018	5:59:16 PM	Water	APHA	4500-CL(-E)	Chloride	Total	188.00	mg/L		20.00	20.00						05/29/2018		
DRWW	Suburban Labs		13-8	GZI-01	0.5	ft	Upper Des Plaines River			Non-IEPA		05/16/2018	1:10:00 PM	05/16/2018	4:15:28 PM			05/16/2018	5:18:54 PM	Water	YSI	EPA 120.1	Conductivity	Total	1031.00	umhos/cm									05/29/2018		
DRWW	Suburban Labs		13-8	GZI-01	0.5	ft	Upper Des Plaines River			Non-IEPA		05/16/2018	1:10:00 PM	05/16/2018	4:15:28 PM			05/16/2018	5:18:54 PM	Water	USEPA	E. COLI MPN	E. Coli	Total	410.60	MPN/100mL		1.00	1.00						05/29/2018		
DRWW	Suburban Labs		13-8	GZI-01	0.5	ft	Upper Des Plaines River			Non-IEPA		05/16/2018	1:10:00 PM	05/16/2018	4:15:28 PM			05/18/2018	4:24:30 PM	Water	USEPA	365.2	pH, Field	Total	8.00	S.U.									05/29/2018		
DRWW	Suburban Labs		13-8	GZI-01	0.5	ft	Upper Des Plaines River			Non-IEPA		05/16/2018	1:10:00 PM	05/16/2018	4:15:28 PM			05/18/2018	2:31:14 AM	Water	Lab	2510B	Specific Conductivity	Total	1050.00	umhos/cm		1.00	1.00						05/29/2018		
DRWW	Suburban Labs		13-8	GZI-01	0.5	ft	Upper Des Plaines River			Non-IEPA		05/16/2018	1:10:00 PM	05/16/2018	4:15:28 PM			05/16/2018	4:15:28 PM	Water	USEPA	SM 2550B	Temperature	Total	17.50	°C									05/29/2018		
DRWW	Suburban Labs		13-8	GZI-01	0.5	ft	Upper Des Plaines River			Non-IEPA		05/16/2018	1:10:00 PM	05/16/2018	4:15:28 PM			05/25/2018	3:10:25 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.54	mg/L		0.10	0.22						05/29/2018		
DRWW	Suburban Labs		13-8	GZI-01	0.5	ft	Upper Des Plaines River			Non-IEPA		05/16/2018	1:10:00 PM	05/16/2018	4:15:28 PM			05/17/2018	5:30:00 PM	Water	Lab	2130-B	Turbidity	Total	18.70	NTU		0.10	0.20						05/29/2018		
DRWW	Suburban Labs		13-8	GZI-01	0.5	ft	Upper Des Plaines River			Non-IEPA		07/25/2018	12:55:00 PM	07/25/2018	4:20:00 PM			07/30/2018	5:33:06 PM	Water	APHA	4500-CL(-E)	Chloride	Total	289.00	mg/L		40.00	40.00							08/03/2018	
DRWW	Suburban Labs		13-8	GZI-01	0.5	ft	Upper Des Plaines River			Non-IEPA		07/25/2018	12:55:00 PM	07/25/2018	4:20:00 PM			07/25/2018	6:15:00 PM	Water	YSI	EPA 120.1	Conductivity	Total	1202.00	umhos/cm										08/03/2018	
DRWW	Suburban Labs		13-8	GZI-01	0.5	ft	Upper Des Plaines River			Non-IEPA		07/25/2018	12:55:00 PM	07/25/2018	4:20:00 PM			07/25/2018	6:15:00 PM	Water	USEPA	E. COLI MPN	E. Coli	Total	81.30	MPN/100mL		1.00	1.00							08/03/2018	
DRWW	Suburban Labs		13-8	GZI-01	0.5	ft	Upper Des Plaines River			Non-IEPA		07/25/2018	12:55:00 PM	07/25/2018	4:20:00 PM			08/01/2018	6:27:22 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	0.18	mg/L		J	0.10	0.30						08/03/2018	
DRWW	Suburban Labs		13-8	GZI-01	0.5	ft	Upper Des Plaines River			Non-IEPA		07/25/2018	12:55:00 PM	07/25/2018	4:20:00 PM			07/31/2018	11:53:28 AM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	1.70	mg/L		J	1.19	3.78							08/03/2018
DRWW	Suburban Labs		13-8	GZI-01	0.5	ft	Upper Des Plaines River			Non-IEPA		07/25/2018	12:55:00 PM	07/25/2018	4:20:00 PM			07/25/2018	4:20:00 PM	Water	USEPA	365.2	pH, Field	Total	7.80	S.U.									08/03/2018		
DRWW	Suburban Labs		13-8	GZI-01	0.5	ft	Upper Des Plaines River			Non-IEPA		07/25/2018	12:55:00 PM	07/25/2018	4:20:00 PM			07/26/2018	3:18:22 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.08	mg/L		J	0.05	0.14						08/03/2018	
DRWW	Suburban Labs		13-8	GZI-01	0.5	ft	Upper Des Plaines River			Non-IEPA		07/25/2018	12:55:00 PM	07/25/2018	4:20:00 PM			07/31/2018	1:10:12 PM	Water	Lab	2510B	Specific Conductivity	Total	1490.00	umhos/cm		1.00	1.00							08/03/2018	
DRWW	Suburban Labs		13-8	GZI-01	0.5	ft	Upper Des Plaines River			Non-IEPA		07/25/2018	12:55:00 PM	07/25/2018	4:20:00 PM			07/30/2018	5:11:44 PM	Water	USEPA	SM 2550B	Temperature	Total	23.50	°C										08/03/2018	
DRWW	Suburban Labs		13-8	GZI-01	0.5	ft	Upper Des Plaines River			Non-IEPA		07/25/2018	12:55:00 PM	07/25/2018	4:20:00 PM			07/26/2018	1:46:18 PM	Water	USEPA	2540-D	Total Suspended Solids	Total	4.20	mg/L		J	0.20	5.00						08/03/2018	
DRWW	Suburban Labs		13-8	GZI-01	0.5	ft	Upper Des Plaines River			Non-IEPA		07/25/2018	12:55:00 PM	07/25/2018	4:20:00 PM			07/26/2018	1:36:23 PM	Water	Lab	2130-B	Turbidity	Total	2.78	NTU		0.10	0.20							08/03/2018	
DRWW	Suburban Labs		13-8	GZI-01	0.5	ft	Upper Des Plaines River			Non-IEPA		07/25/2018	12:55:00 PM	07/25/2018	4:20:00 PM			07/26/2018	1:46:18 PM	Water	USEPA	2540-D	Volatile Suspended Solids	Total	1.80	mg/L		J	0.20	5.00						08/03/2018	
DRWW	Suburban Labs		13-8	GZI-01	0.5	ft	Upper Des Plaines River			Non-IEPA		08/31/2018	9:50:00 AM	08/31/2018	11:32:18 AM			09/03/2018	12:19:18 PM	Water	APHA	4500-CL(-E)	Chloride	Total	136.00	mg/L		20.00	20.00							09/12/2018	
DRWW	Suburban Labs		13-8	GZI-01	0.5	ft	Upper Des Plaines River			Non-IEPA		08/31/2018	9:50:00 AM	08/31/2018	11:32:18 AM			08/31/2018	11:32:18 AM	Water	YSI	EPA 120.1	Conductivity	Total	944.00	umhos/cm											09/12/2018
DRWW	Suburban Labs		13-8	GZI-01	0.5	ft	Upper Des Plaines River			Non-IEPA		08/31/2018	9:50:00 AM	08/31/2018	11:32:18 AM			08/31/2018	4:53:44 PM	Water	USEPA	E. COLI MPN	E. Coli	Total	307.60	MPN/100mL		1.00	1.00							09/12/2018	
DRWW	Suburban Labs		13-8	GZI-01	0.5	ft	Upper Des Plaines River			Non-IEPA		08/31/2018	9:50:00 AM	08/31/2018	11:32:18 AM			09/05/2018	6:26:54 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	0.13	mg/L		J	0.10	0.30							09/12/2018
DRWW	Suburban Labs		13-8	GZI-01	0.5	ft	Upper Des Plaines River			Non-IEPA		08/31/2018	9:50:00 AM	08/31/2018	11:32:18 AM			09/06/2018																			

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code-IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released	
DRWW	Suburban Labs		13-9	GZJ-01	0.5	ft	Upper Des Plaines River			Non-IEPA		08/31/2018	9:40:00 AM	08/31/2018	11:28:58 AM	09/04/2018	10:07:16 AM	09/06/2018	7:10:03 PM	Water	USEPA Lab	200.7	Phosphorus, Total (as P)	Total	0.05	mg/L	J	0.05	0.14			09/12/2018	
DRWW	Suburban Labs		13-9	GZJ-01	0.5	ft	Upper Des Plaines River			Non-IEPA		08/31/2018	9:40:00 AM	08/31/2018	11:28:58 AM			09/03/2018	11:55:17 AM	Water	Lab	2510B	Specific Conductivity	Total	901.00	umhos/cm		1.00	1.00			09/12/2018	
DRWW	Suburban Labs		13-9	GZJ-01	0.5	ft	Upper Des Plaines River			Non-IEPA		08/31/2018	9:40:00 AM	08/31/2018	11:28:58 AM					Water	USEPA	SM 2550B	Temperature	Total	19.62	°C					09/12/2018		
DRWW	Suburban Labs		13-9	GZJ-01	0.5	ft	Upper Des Plaines River			Non-IEPA		08/31/2018	9:40:00 AM	08/31/2018	11:28:58 AM			09/05/2018	5:39:33 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.19	mg/L	J	0.10	0.22			09/12/2018	
DRWW	Suburban Labs		13-9	GZJ-01	0.5	ft	Upper Des Plaines River			Non-IEPA		08/31/2018	9:40:00 AM	08/31/2018	11:28:58 AM			09/04/2018	5:07:55 PM	Water	USEPA	2540-D	Total Suspended Solids	Total	8.00	mg/L		0.20	5.00			09/12/2018	
DRWW	Suburban Labs		13-9	GZJ-01	0.5	ft	Upper Des Plaines River			Non-IEPA		08/31/2018	9:40:00 AM	08/31/2018	11:28:58 AM			08/31/2018	4:09:00 PM	Water	Lab	2130-B	Turbidity	Total	7.33	NTU		0.10	0.20			09/12/2018	
DRWW	Suburban Labs		13-9	GZJ-01	0.5	ft	Upper Des Plaines River			Non-IEPA		08/31/2018	9:40:00 AM	08/31/2018	11:28:58 AM			09/04/2018	5:07:55 PM	Water	USEPA	2540-D	Volatile Suspended Solids	Total	2.80	mg/L	J	0.20	5.00			09/12/2018	
DRWW	Suburban Labs		13-9	GZJ-01	0.5	ft	Upper Des Plaines River			Non-IEPA		10/25/2018	10:11:00 AM	10/25/2018	4:25:00 PM			10/29/2018		Water	APHA	4500-CL(-E)	Chloride	Total	192.00	mg/L		40.0	40.0			11/05/2018	
DRWW	Suburban Labs		13-9	GZJ-01	0.5	ft	Upper Des Plaines River			Non-IEPA		10/25/2018	10:11:00 AM	10/25/2018	4:25:00 PM				3:12:01 PM	Water	YSI	EPA 120.1	Conductivity	Total	1104.00	umhos/cm						11/05/2018	
DRWW	Suburban Labs		13-9	GZJ-01	0.5	ft	Upper Des Plaines River			Non-IEPA		10/25/2018	10:11:00 AM	10/25/2018	4:25:00 PM			10/25/2018		Water	USEPA	E. COLI MPN	E. Coli	Total	42.80	MPN/100mL		1.0	1.0			11/05/2018	
DRWW	Suburban Labs		13-9	GZJ-01	0.5	ft	Upper Des Plaines River			Non-IEPA		10/25/2018	10:11:00 AM	10/25/2018	4:25:00 PM			10/25/2018		Water	USEPA	365.2	pH, Field	Total	8.30	S.U.						11/05/2018	
DRWW	Suburban Labs		13-9	GZJ-01	0.5	ft	Upper Des Plaines River			Non-IEPA		10/25/2018	10:11:00 AM	10/25/2018	4:25:00 PM	10/26/2018		10/29/2018		Water	USEPA	200.7	Phosphorus, Total (as P)	Total	ND	mg/L		0.0500	0.135			11/05/2018	
DRWW	Suburban Labs		13-9	GZJ-01	0.5	ft	Upper Des Plaines River			Non-IEPA		10/25/2018	10:11:00 AM	10/25/2018	4:25:00 PM			10/30/2018		Water	Lab	2510B	Specific Conductivity	Total	1160.00	umhos/cm		1.00	1.00			11/05/2018	
DRWW	Suburban Labs		13-9	GZJ-01	0.5	ft	Upper Des Plaines River			Non-IEPA		10/25/2018	10:11:00 AM	10/25/2018	4:25:00 PM				2:32:55 PM	Water	USEPA	SM 2550B	Temperature	Total	7.00	deg C							11/05/2018
DRWW	Suburban Labs		13-9	GZJ-01	0.5	ft	Upper Des Plaines River			Non-IEPA		10/25/2018	10:11:00 AM	10/25/2018	4:25:00 PM			11/01/2018		Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.65	mg/L		0.100	0.224			11/05/2018	
DRWW	Suburban Labs		13-9	GZJ-01	0.5	ft	Upper Des Plaines River			Non-IEPA		10/25/2018	10:11:00 AM	10/25/2018	4:25:00 PM			10/26/2018		Water	Lab	2130-B	Turbidity	Total	1.97	NTU		0.100	0.200			11/05/2018	
DRWW	Suburban Labs		14-1	GV-01	0.5	ft	Bull Creek			Non-IEPA		02/02/2018	10:11:00 AM	02/02/2018	2:18:00 PM			02/15/2018		Water	APHA	4500-CL(-E)	Chloride	Total	278.00	mg/L		40.00	40.00			02/15/2018	
DRWW	Suburban Labs		14-1	GV-01	0.5	ft	Bull Creek			Non-IEPA		02/02/2018	10:11:00 AM	02/02/2018	2:18:00 PM			02/15/2018		Water	YSI	EPA 120.1	Conductivity	Total	1550.00	umhos/cm							02/15/2018
DRWW	Suburban Labs		14-1	GV-01	0.5	ft	Bull Creek			Non-IEPA		02/02/2018	10:11:00 AM	02/02/2018	2:18:00 PM			02/02/2018		Water	USEPA	E. COLI MPN	E. Coli	Total	14.80	MPN/100mL		1.00	1.00			02/15/2018	
DRWW	Suburban Labs		14-1	GV-01	0.5	ft	Bull Creek			Non-IEPA		02/02/2018	10:11:00 AM	02/02/2018	2:18:00 PM			02/03/2018		Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30			02/15/2018	
DRWW	Suburban Labs		14-1	GV-01	0.5	ft	Bull Creek			Non-IEPA		02/02/2018	10:11:00 AM	02/02/2018	2:18:00 PM			02/12/2018		Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	1.31	mg/L		1.19	3.78			02/15/2018	
DRWW	Suburban Labs		14-1	GV-01	0.5	ft	Bull Creek			Non-IEPA		02/02/2018	10:11:00 AM	02/02/2018	2:18:00 PM			02/12/2018		Water	USEPA	365.2	pH, Field	Total	8.30	S.U.							02/15/2018
DRWW	Suburban Labs		14-1	GV-01	0.5	ft	Bull Creek			Non-IEPA		02/02/2018	10:11:00 AM	02/02/2018	2:18:00 PM			02/06/2018		Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.05	mg/L		0.05	0.14			02/15/2018	
DRWW	Suburban Labs		14-1	GV-01	0.5	ft	Bull Creek			Non-IEPA		02/02/2018	10:11:00 AM	02/02/2018	2:18:00 PM			02/05/2018		Water	USEPA	SM 2550B	Temperature	Total	0.00	°C							02/15/2018
DRWW	Suburban Labs		14-1	GV-01	0.5	ft	Bull Creek			Non-IEPA		02/02/2018	10:11:00 AM	02/02/2018	2:18:00 PM			02/05/2018		Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.62	mg/L		0.10	0.22			02/15/2018	
DRWW	Suburban Labs		14-1	GV-01	0.5	ft	Bull Creek			Non-IEPA		02/02/2018	10:11:00 AM	02/02/2018	2:18:00 PM			02/06/2018		Water	USEPA	2540-D	Total Suspended Solids	Total	5.60	mg/L		0.20	5.00			02/15/2018	
DRWW	Suburban Labs		14-1	GV-01	0.5	ft	Bull Creek			Non-IEPA		02/02/2018	10:11:00 AM	02/02/2018	2:18:00 PM			02/02/2018		Water	Lab	2130-B	Turbidity	Total	9.70	NTU		0.10	0.20			02/15/2018	
DRWW	Suburban Labs		14-1	GV-01	0.5	ft	Bull Creek			Non-IEPA		02/02/2018	10:11:00 AM	02/02/2018	2:18:00 PM			02/06/2018		Water	USEPA	2540-D	Volatile Suspended Solids	Total	3.00	mg/L		0.20	5.00			02/15/2018	
DRWW	Suburban Labs		14-1	GV-01	0.5	ft	Bull Creek			Non-IEPA		05/17/2018	10:18:00 AM	05/17/2018	4:15:33 PM			05/21/2018		Water	APHA	4500-CL(-E)	Chloride	Total	190.00	mg/L		20.00	20.00			05/31/2018	
DRWW	Suburban Labs		14-1	GV-01	0.5	ft	Bull Creek			Non-IEPA		05/17/2018	10:18:00 AM	05/17/2018	4:15:33 PM			05/21/2018		Water	YSI	EPA 120.1	Conductivity	Total	1044.00	umhos/cm							05/31/2018
DRWW	Suburban Labs		14-1	GV-01	0.5	ft	Bull Creek			Non-IEPA		05/17/2018	10:18:00 AM	05/17/2018	4:15:33 PM			05/17/2018		Water	USEPA	E. COLI MPN	E. Coli	Total	117.80	MPN/100mL		1.00	1.00			05/31/2018	
DRWW	Suburban Labs		14-1	GV-01	0.5	ft	Bull Creek			Non-IEPA		05/17/2018	10:18:00 AM	05/17/2018	4:15:33 PM			05/18/2018		Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30			05/31/2018	
DRWW	Suburban Labs		14-1	GV-01	0.5	ft	Bull Creek			Non-IEPA		05/17/2018	10:18:00 AM	05/17/2018	4:15:33 PM	05/30/2018	3:43:15 PM	05/31/2018		Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	2.04	mg/L	J	1.19	3.78			05/31/2018	
DRWW	Suburban Labs		14-1	GV-01	0.5	ft	Bull Creek			Non-IEPA		05/17/2018	10:18:00 AM	05/17/2018	4:15:33 PM			05/31/2018		Water	USEPA	365.2	pH, Field	Total	8.00	S.U.							05/31/2018
DRWW	Suburban Labs		14-1	GV-01	0.5	ft	Bull Creek			Non-IEPA		05/17/2018	10:18:00 AM	05/17/2018	4:15:33 PM	05/18/2018	4:32:33 PM	05/21/2018		Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.07	mg/L	J	0.05	0.14			05/31/2018	
DRWW	Suburban Labs		14-1	GV-01	0.5	ft	Bull Creek			Non-IEPA		05/17/2018	10:18:00 AM	05/17/2018	4:15:33 PM			05/18/2018		Water	Lab	2510B	Specific Conductivity	Total	1070.00	umhos/cm		1.00	1.00			05/31/2018	
DRWW	Suburban Labs		14-1	GV-01	0.5	ft	Bull Creek			Non-IEPA		05/17/2018	10:18:00 AM	05/17/2018	4:15:33 PM			05/18/2018		Water	USEPA	SM 2550B	Temperature	Total	17.40	°C							05/31/2018
DRWW	Suburban Labs		14-1	GV-01	0.5	ft	Bull Creek			Non-IEPA		05/17/2018	10:18:00 AM	05/17/2018	4:15:33 PM			05/25/2018		Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22			05/31/2018	
DRWW	Suburban Labs		14-1	GV-01	0.5	ft	Bull Creek			Non-IEPA		05/17/2018	10:18:00 AM	05/17/2018	4:15:33 PM			05/18/2018		Water	USEPA	2540-D	Total Suspended Solids	Total	16.00	mg/L		0.20	5.00			05/31/2018	
DRWW	Suburban Labs		14-1	GV-01	0.5	ft	Bull Creek			Non-IEPA		05/17/2018	10:18:00 AM	05/17/2018	4:15:33 PM			05/17/2018		Water	Lab	2130-B	Turbidity	Total	13.80	NTU		0.10	0.20			05/31/2018	
DRWW	Suburban Labs		14-1	GV-01	0.5	ft	Bull Creek			Non-IEPA		05/17/2018	10:18:00 AM	05/17/2018	4:15:33 PM			05/18/2018		Water	USEPA	2540-D	Volatile Suspended Solids	Total	3.40	mg/L	J	0.20	5.00			05/31/2018	
DRWW	Suburban Labs		14-1	GV-01	0.5	ft	Bull Creek			Non-IEPA		07/25/2018	1:35:00 PM	07/25/2018	4:20:00 PM			07/30/2018		Water	APHA	4500-CL(-E)	Chloride	Total	207.00	mg/L		40.00	40.00			08/03/2018	
DRWW	Suburban Labs		14-1	GV-01	0.5	ft	Bull Creek			Non-IEPA		07/25/2018	1:35:00 PM	07/25/2018	4:20:00 PM			07/30/2018		Water	YSI	EPA 120.1	Conductivity	Total	1050.00	umhos/cm							08/03/2018
DRWW	Suburban Labs		14-1	GV-01	0.5	ft	Bull Creek			Non-IEPA		07/25/2018	1:35:00 PM	07/25/2018	4:20:00 PM			07/25/2018		Water	USEPA	E. COLI MPN	E. Coli	Total	>2419.6	MPN/100mL		1.00	1.00			08/03/2018	
DRWW	Suburban Labs		14-1	GV-01	0.5	ft	Bull Creek			Non-IEPA		07/25/2018	1:35:00 PM	07																			

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code-IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs		14-1 Field Bl	GV-01	0.5	ft	Bull Creek			Non-IEPA		08/31/2018	9:20:00 AM	08/31/2018	11:25:19 AM		09/03/2018	12:19:19 PM	Water	Lab	2510B	Specific Conductivity	Total	1.40	µmhos/cm		1.00	1.00			09/12/2018	
DRWW	Suburban Labs		14-1 Field Bl	GV-01	0.5	ft	Bull Creek			Non-IEPA		08/31/2018	9:20:00 AM	08/31/2018	11:25:19 AM				Deionized Water	USEPA	SM 2550B	Temperature	Total	20.59	°C					09/12/2018		
DRWW	Suburban Labs		14-1 Field Bl	GV-01	0.5	ft	Bull Creek			Non-IEPA		08/31/2018	9:20:00 AM	08/31/2018	11:25:19 AM		09/05/2018	2:42:18 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22			09/12/2018	
DRWW	Suburban Labs		14-1 Field Bl	GV-01	0.5	ft	Bull Creek			Non-IEPA		08/31/2018	9:20:00 AM	08/31/2018	11:25:19 AM		09/04/2018	5:07:55 PM	Deionized Water	USEPA	2540-D	Total Suspended Solids	Total	0.60	mg/L	J	0.20	5.00			09/12/2018	
DRWW	Suburban Labs		14-1 Field Bl	GV-01	0.5	ft	Bull Creek			Non-IEPA		08/31/2018	9:20:00 AM	08/31/2018	11:25:19 AM		08/31/2018	4:09:00 PM	Water	Lab	2130-B	Turbidity	Total	0.32	NTU		0.10	0.20			09/12/2018	
DRWW	Suburban Labs		14-1 Field Bl	GV-01	0.5	ft	Bull Creek			Non-IEPA		08/31/2018	9:20:00 AM	08/31/2018	11:25:19 AM		09/04/2018	5:07:55 PM	Water	USEPA	2540-D	Volatile Suspended Solids	Total	1.00	mg/L	J	0.20	5.00			09/12/2018	
DRWW	Suburban Labs		14-2	GV-02	0.5	ft	Bull Creek			Non-IEPA		02/02/2018	10:35:00 AM	02/02/2018	2:18:00 PM		02/15/2018	11:56:28 AM	Water	APHA	4500-CL(-E)	Chloride	Total	178.00	mg/L		20.00	20.00			02/15/2018	
DRWW	Suburban Labs		14-2	GV-02	0.5	ft	Bull Creek			Non-IEPA		02/02/2018	10:35:00 AM	02/02/2018	2:18:00 PM		02/15/2018	11:56:28 AM	Water	YSI	EPA 120.1	Conductivity	Total	1120.00	µmhos/cm					02/15/2018		
DRWW	Suburban Labs		14-2	GV-02	0.5	ft	Bull Creek			Non-IEPA		02/02/2018	10:35:00 AM	02/02/2018	2:18:00 PM		02/02/2018	3:43:05 PM	Water	USEPA	E. COLI MPN	E. Coli	Total	34.50	MPN/100mL		1.00	1.00			02/15/2018	
DRWW	Suburban Labs		14-2	GV-02	0.5	ft	Bull Creek			Non-IEPA		02/02/2018	10:35:00 AM	02/02/2018	2:18:00 PM		02/06/2018	7:17:34 PM	Water	USEPA	200.7	pH, Field	Total	8.00	S.U.					02/15/2018		
DRWW	Suburban Labs		14-2	GV-02	0.5	ft	Bull Creek			Non-IEPA		02/02/2018	10:35:00 AM	02/02/2018	2:18:00 PM		02/06/2018	7:17:34 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.06	mg/L		0.05	0.14			02/15/2018	
DRWW	Suburban Labs		14-2	GV-02	0.5	ft	Bull Creek			Non-IEPA		02/02/2018	10:35:00 AM	02/02/2018	2:18:00 PM				Water	USEPA	SM 2550B	Temperature	Total	0.00	°C					02/15/2018		
DRWW	Suburban Labs		14-2	GV-02	0.5	ft	Bull Creek			Non-IEPA		02/02/2018	10:35:00 AM	02/02/2018	2:18:00 PM		02/05/2018	5:17:00 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.36	mg/L		0.10	0.22			02/15/2018	
DRWW	Suburban Labs		14-2	GV-02	0.5	ft	Bull Creek			Non-IEPA		02/02/2018	10:35:00 AM	02/02/2018	2:18:00 PM		02/02/2018	4:30:00 PM	Water	Lab	2130-B	Turbidity	Total	5.40	NTU		0.10	0.20			02/15/2018	
DRWW	Suburban Labs		14-2	GV-02	0.5	ft	Bull Creek			Non-IEPA		05/17/2018	10:31:00 AM	05/17/2018	4:15:57 PM		05/21/2018	6:05:16 PM	Water	APHA	4500-CL(-E)	Chloride	Total	170.00	mg/L		20.00	20.00			02/15/2018	
DRWW	Suburban Labs		14-2	GV-02	0.5	ft	Bull Creek			Non-IEPA		05/17/2018	10:31:00 AM	05/17/2018	4:15:57 PM				Water	YSI	EPA 120.1	Conductivity	Total	983.00	µmhos/cm					05/29/2018		
DRWW	Suburban Labs		14-2	GV-02	0.5	ft	Bull Creek			Non-IEPA		05/17/2018	10:31:00 AM	05/17/2018	4:15:57 PM		05/17/2018	5:25:51 PM	Water	USEPA	E. COLI MPN	E. Coli	Total	67.00	MPN/100mL		1.00	1.00			05/29/2018	
DRWW	Suburban Labs		14-2	GV-02	0.5	ft	Bull Creek			Non-IEPA		05/17/2018	10:31:00 AM	05/17/2018	4:15:57 PM				Water	USEPA	365.2	pH, Field	Total	8.10	S.U.					05/29/2018		
DRWW	Suburban Labs		14-2	GV-02	0.5	ft	Bull Creek			Non-IEPA		05/17/2018	10:31:00 AM	05/17/2018	4:15:57 PM	05/18/2018	4:32:33 PM	05/21/2018	6:48:41 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.05	mg/L	J	0.05	0.14			05/29/2018
DRWW	Suburban Labs		14-2	GV-02	0.5	ft	Bull Creek			Non-IEPA		05/17/2018	10:31:00 AM	05/17/2018	4:15:57 PM		05/18/2018	2:34:00 AM	Water	Lab	2510B	Specific Conductivity	Total	1010.00	µmhos/cm		1.00	1.00			05/29/2018	
DRWW	Suburban Labs		14-2	GV-02	0.5	ft	Bull Creek			Non-IEPA		05/17/2018	10:31:00 AM	05/17/2018	4:15:57 PM				Water	USEPA	SM 2550B	Temperature	Total	18.70	°C					05/29/2018		
DRWW	Suburban Labs		14-2	GV-02	0.5	ft	Bull Creek			Non-IEPA		05/17/2018	10:31:00 AM	05/17/2018	4:15:57 PM		05/25/2018	6:40:05 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22			05/29/2018	
DRWW	Suburban Labs		14-2	GV-02	0.5	ft	Bull Creek			Non-IEPA		05/17/2018	10:31:00 AM	05/17/2018	4:15:57 PM		05/17/2018	5:30:00 PM	Water	Lab	2130-B	Turbidity	Total	6.20	NTU		0.10	0.20			05/29/2018	
DRWW	Suburban Labs		14-2	GV-02	0.5	ft	Bull Creek			Non-IEPA		07/25/2018	1:49:00 PM	07/25/2018	4:20:00 PM		07/30/2018	5:30:55 PM	Water	APHA	4500-CL(-E)	Chloride	Total	305.00	mg/L		40.00	40.00			08/03/2018	
DRWW	Suburban Labs		14-2	GV-02	0.5	ft	Bull Creek			Non-IEPA		07/25/2018	1:49:00 PM	07/25/2018	4:20:00 PM				Water	YSI	EPA 120.1	Conductivity	Total	1231.00	µmhos/cm					08/03/2018		
DRWW	Suburban Labs		14-2	GV-02	0.5	ft	Bull Creek			Non-IEPA		07/25/2018	1:49:00 PM	07/25/2018	4:20:00 PM		07/25/2018	6:15:00 PM	Water	USEPA	E. COLI MPN	E. Coli	Total	44.30	MPN/100mL		1.00	1.00			08/03/2018	
DRWW	Suburban Labs		14-2	GV-02	0.5	ft	Bull Creek			Non-IEPA		07/25/2018	1:49:00 PM	07/25/2018	4:20:00 PM		08/01/2018	6:33:45 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	0.13	mg/L	J	0.10	0.30			08/03/2018	
DRWW	Suburban Labs		14-2	GV-02	0.5	ft	Bull Creek			Non-IEPA		07/25/2018	1:49:00 PM	07/25/2018	4:20:00 PM	07/30/2018	11:53:28 AM	07/31/2018	4:22:41 PM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	2.07	mg/L	J	1.19	3.78			08/03/2018
DRWW	Suburban Labs		14-2	GV-02	0.5	ft	Bull Creek			Non-IEPA		07/25/2018	1:49:00 PM	07/25/2018	4:20:00 PM		07/26/2018	3:18:22 PM	07/27/2018	4:47:00 PM	Water	USEPA	200.7	pH, Field	Total	8.00	S.U.					08/03/2018
DRWW	Suburban Labs		14-2	GV-02	0.5	ft	Bull Creek			Non-IEPA		07/25/2018	1:49:00 PM	07/25/2018	4:20:00 PM	07/26/2018	3:18:22 PM	07/27/2018	4:47:00 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.07	mg/L	J	0.05	0.14			08/03/2018
DRWW	Suburban Labs		14-2	GV-02	0.5	ft	Bull Creek			Non-IEPA		07/25/2018	1:49:00 PM	07/25/2018	4:20:00 PM		07/31/2018	1:12:20 PM	Water	Lab	2510B	Specific Conductivity	Total	1550.00	µmhos/cm		1.00	1.00			08/03/2018	
DRWW	Suburban Labs		14-2	GV-02	0.5	ft	Bull Creek			Non-IEPA		07/25/2018	1:49:00 PM	07/25/2018	4:20:00 PM				Water	USEPA	SM 2550B	Temperature	Total	22.40	°C					08/03/2018		
DRWW	Suburban Labs		14-2	GV-02	0.5	ft	Bull Creek			Non-IEPA		07/25/2018	1:49:00 PM	07/25/2018	4:20:00 PM		07/30/2018	5:16:26 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.19	mg/L	J	0.10	0.22			08/03/2018	
DRWW	Suburban Labs		14-2	GV-02	0.5	ft	Bull Creek			Non-IEPA		07/25/2018	1:49:00 PM	07/25/2018	4:20:00 PM		07/26/2018	1:46:18 PM	Water	USEPA	2540-D	Total Suspended Solids	Total	21.20	mg/L		0.20	5.00			08/03/2018	
DRWW	Suburban Labs		14-2	GV-02	0.5	ft	Bull Creek			Non-IEPA		07/25/2018	1:49:00 PM	07/25/2018	4:20:00 PM		07/26/2018	3:16:23 PM	Water	Lab	2130-B	Turbidity	Total	7.52	NTU		0.10	0.20			08/03/2018	
DRWW	Suburban Labs		14-2	GV-02	0.5	ft	Bull Creek			Non-IEPA		07/25/2018	1:49:00 PM	07/25/2018	4:20:00 PM		07/26/2018	1:46:18 PM	Water	USEPA	2540-D	Volatile Suspended Solids	Total	4.00	mg/L	J	0.20	5.00			08/03/2018	
DRWW	Suburban Labs		14-2	GV-02	0.5	ft	Bull Creek			Non-IEPA		08/30/2018	2:40:00 PM	08/30/2018	2:51:42 PM		09/03/2018	12:30:07 PM	Water	APHA	4500-CL(-E)	Chloride	Total	150.00	mg/L		20.00	20.00			09/12/2018	
DRWW	Suburban Labs		14-2	GV-02	0.5	ft	Bull Creek			Non-IEPA		08/30/2018	2:40:00 PM	08/30/2018	2:51:42 PM				Water	YSI	EPA 120.1	Conductivity	Total	971.00	µmhos/cm					09/12/2018		
DRWW	Suburban Labs		14-2	GV-02	0.5	ft	Bull Creek			Non-IEPA		08/30/2018	2:40:00 PM	08/30/2018	2:51:42 PM		08/30/2018	4:50:43 PM	Water	USEPA	E. COLI MPN	E. Coli	Total	129.60	MPN/100mL		1.00	1.00			09/12/2018	
DRWW	Suburban Labs		14-2	GV-02	0.5	ft	Bull Creek			Non-IEPA		08/30/2018	2:40:00 PM	08/30/2018	2:51:42 PM		09/05/2018	5:53:48 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total									

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code-IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released	
DRWW	Suburban Labs		14-3	GVA-02	0.5	ft	Bull Creek			Non-IEPA		08/30/2018	2:25:00 PM	08/30/2018	2:49:46 PM			08/31/2018	9:34:39 AM	Water	USEPA	2540-D	Total Suspended Solids	Total	14.90	mg/L		0.29	7.15			09/12/2018	
DRWW	Suburban Labs		14-3	GVA-02	0.5	ft	Bull Creek			Non-IEPA		08/30/2018	2:25:00 PM	08/30/2018	2:49:46 PM			08/31/2018	4:09:00 PM	Water	Lab	2130-B	Turbidity	Total	14.90	NTU		0.10	0.20			09/12/2018	
DRWW	Suburban Labs		14-3	GVA-02	0.5	ft	Bull Creek			Non-IEPA		08/30/2018	2:25:00 PM	08/30/2018	2:49:46 PM			08/31/2018	9:34:39 AM	Water	USEPA	2540-D	Volatile Suspended Solids	Total	3.72	mg/L	J	0.29	7.15			09/12/2018	
DRWW	Suburban Labs		14-3	GVA-02	0.5	ft	Bull Creek			Non-IEPA		10/25/2018	11:10:00 AM	10/25/2018	4:25:00 PM			10/29/2018		Water	APHA	4500-CL(-E)	Chloride	Total	120.00	mg/L		20.0	20.0			11/05/2018	
DRWW	Suburban Labs		14-3	GVA-02	0.5	ft	Bull Creek			Non-IEPA		10/25/2018	11:10:00 AM	10/25/2018	4:25:00 PM			10/25/2018	3:52:19 PM	Water	YSI	EPA 120.1	Conductivity	Total	895.00	umhos/cm						11/05/2018	
DRWW	Suburban Labs		14-3	GVA-02	0.5	ft	Bull Creek			Non-IEPA		10/25/2018	11:10:00 AM	10/25/2018	4:25:00 PM			10/25/2018		Water	USEPA	E. COLI_MPN	E. Coli	Total	60.20	MPN/100mL		1.0	1.0			11/05/2018	
DRWW	Suburban Labs		14-3	GVA-02	0.5	ft	Bull Creek			Non-IEPA		10/25/2018	11:10:00 AM	10/25/2018	4:25:00 PM				12:08:51 PM	Water	USEPA	365.2	pH, Field	Total	8.00	S.U.						11/05/2018	
DRWW	Suburban Labs		14-3	GVA-02	0.5	ft	Bull Creek			Non-IEPA		10/25/2018	11:10:00 AM	10/25/2018	4:25:00 PM		10/26/2018	10:59:47 AM	10/29/2018	2:24:17 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	ND	mg/L		0.0500	0.135			11/05/2018
DRWW	Suburban Labs		14-3	GVA-02	0.5	ft	Bull Creek			Non-IEPA		10/25/2018	11:10:00 AM	10/25/2018	4:25:00 PM			10/30/2018		Water	Lab	2510B	Specific Conductivity	Total	911.00	umhos/cm		1.00	1.00			11/05/2018	
DRWW	Suburban Labs		14-3	GVA-02	0.5	ft	Bull Creek			Non-IEPA		10/25/2018	11:10:00 AM	10/25/2018	4:25:00 PM				12:49:35 PM	Water	USEPA	SM 2550B	Temperature	Total	7.00	deg C						11/05/2018	
DRWW	Suburban Labs		14-3	GVA-02	0.5	ft	Bull Creek			Non-IEPA		10/25/2018	11:10:00 AM	10/25/2018	4:25:00 PM			11/01/2018	4:30:00 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.24	mg/L		0.100	0.224			11/05/2018	
DRWW	Suburban Labs		14-3	GVA-02	0.5	ft	Bull Creek			Non-IEPA		10/25/2018	11:10:00 AM	10/25/2018	4:25:00 PM			10/26/2018		Water	Lab	2130-B	Turbidity	Total	3.54	NTU		0.100	0.200			11/05/2018	
DRWW	Suburban Labs		14-4	GVA-03	0.5	ft	Bull Creek			Non-IEPA		02/02/2018	11:17:00 AM	02/02/2018	2:18:00 PM			02/15/2018	1:39:35 PM	Water	APHA	4500-CL(-E)	Chloride	Total	511.00	mg/L		80.00	80.00			02/15/2018	
DRWW	Suburban Labs		14-4	GVA-03	0.5	ft	Bull Creek			Non-IEPA		02/02/2018	11:17:00 AM	02/02/2018	2:18:00 PM			02/15/2018	1:39:35 PM	Water	YSI	EPA 120.1	Conductivity	Total	2190.00	umhos/cm						02/15/2018	
DRWW	Suburban Labs		14-4	GVA-03	0.5	ft	Bull Creek			Non-IEPA		02/02/2018	11:17:00 AM	02/02/2018	2:18:00 PM			02/02/2018	3:43:05 PM	Water	USEPA	E. COLI_MPN	E. Coli	Total	3.10	MPN/100mL		1.00	1.00			02/15/2018	
DRWW	Suburban Labs		14-4	GVA-03	0.5	ft	Bull Creek			Non-IEPA		02/02/2018	11:17:00 AM	02/02/2018	2:18:00 PM					Water	USEPA	365.2	pH, Field	Total	7.20	S.U.						02/15/2018	
DRWW	Suburban Labs		14-4	GVA-03	0.5	ft	Bull Creek			Non-IEPA		02/02/2018	11:17:00 AM	02/02/2018	2:18:00 PM			02/06/2018	7:27:22 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.08	mg/L		0.05	0.14			02/15/2018	
DRWW	Suburban Labs		14-4	GVA-03	0.5	ft	Bull Creek			Non-IEPA		02/02/2018	11:17:00 AM	02/02/2018	2:18:00 PM					Water	USEPA	SM 2550B	Temperature	Total	0.60	°C						02/15/2018	
DRWW	Suburban Labs		14-4	GVA-03	0.5	ft	Bull Creek			Non-IEPA		02/02/2018	11:17:00 AM	02/02/2018	2:18:00 PM			02/05/2018	5:31:00 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.64	mg/L		0.10	0.22			02/15/2018	
DRWW	Suburban Labs		14-4	GVA-03	0.5	ft	Bull Creek			Non-IEPA		02/02/2018	11:17:00 AM	02/02/2018	2:18:00 PM			02/02/2018	4:30:00 PM	Water	Lab	2130-B	Turbidity	Total	10.10	NTU		0.10	0.20			02/15/2018	
DRWW	Suburban Labs		14-4	GVA-03	0.5	ft	Bull Creek			Non-IEPA		05/17/2018	11:06:00 AM	05/17/2018	4:15:53 PM			05/21/2018	6:37:55 PM	Water	APHA	4500-CL(-E)	Chloride	Total	250.00	mg/L		40.00	40.00			05/29/2018	
DRWW	Suburban Labs		14-4	GVA-03	0.5	ft	Bull Creek			Non-IEPA		05/17/2018	11:06:00 AM	05/17/2018	4:15:53 PM					Water	YSI	EPA 120.1	Conductivity	Total	1168.00	umhos/cm						05/29/2018	
DRWW	Suburban Labs		14-4	GVA-03	0.5	ft	Bull Creek			Non-IEPA		05/17/2018	11:06:00 AM	05/17/2018	4:15:53 PM			05/17/2018	5:25:51 PM	Water	USEPA	E. COLI_MPN	E. Coli	Total	275.50	MPN/100mL		1.00	1.00			05/29/2018	
DRWW	Suburban Labs		14-4	GVA-03	0.5	ft	Bull Creek			Non-IEPA		05/17/2018	11:06:00 AM	05/17/2018	4:15:53 PM					Water	USEPA	365.2	pH, Field	Total	7.40	S.U.						05/29/2018	
DRWW	Suburban Labs		14-4	GVA-03	0.5	ft	Bull Creek			Non-IEPA		05/17/2018	11:06:00 AM	05/17/2018	4:15:53 PM	05/18/2018	4:32:33 PM	05/21/2018	6:55:09 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.12	mg/L	J	0.05	0.14			05/29/2018	
DRWW	Suburban Labs		14-4	GVA-03	0.5	ft	Bull Creek			Non-IEPA		05/17/2018	11:06:00 AM	05/17/2018	4:15:53 PM			05/18/2018	2:35:46 AM	Water	Lab	2510B	Specific Conductivity	Total	1180.00	umhos/cm		1.00	1.00			05/29/2018	
DRWW	Suburban Labs		14-4	GVA-03	0.5	ft	Bull Creek			Non-IEPA		05/17/2018	11:06:00 AM	05/17/2018	4:15:53 PM					Water	USEPA	SM 2550B	Temperature	Total	18.90	°C						05/29/2018	
DRWW	Suburban Labs		14-4	GVA-03	0.5	ft	Bull Creek			Non-IEPA		05/17/2018	11:06:00 AM	05/17/2018	4:15:53 PM			05/25/2018	6:43:43 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.39	mg/L		0.10	0.22			05/29/2018	
DRWW	Suburban Labs		14-4	GVA-03	0.5	ft	Bull Creek			Non-IEPA		05/17/2018	11:06:00 AM	05/17/2018	4:15:53 PM			05/17/2018	5:30:00 PM	Water	Lab	2130-B	Turbidity	Total	23.50	NTU		0.10	0.20			05/29/2018	
DRWW	Suburban Labs		14-4	GVA-03	0.5	ft	Bull Creek			Non-IEPA		07/26/2018	9:59:00 AM	07/26/2018	3:40:00 PM			07/30/2018	5:41:07 PM	Water	APHA	4500-CL(-E)	Chloride	Total	223.00	mg/L		40.00	40.00			08/06/2018	
DRWW	Suburban Labs		14-4	GVA-03	0.5	ft	Bull Creek			Non-IEPA		07/26/2018	9:59:00 AM	07/26/2018	3:40:00 PM					Water	YSI	EPA 120.1	Conductivity	Total	1009.00	umhos/cm						08/06/2018	
DRWW	Suburban Labs		14-4	GVA-03	0.5	ft	Bull Creek			Non-IEPA		07/26/2018	9:59:00 AM	07/26/2018	3:40:00 PM			07/26/2018	5:03:00 PM	Water	USEPA	E. COLI_MPN	E. Coli	Total	>2419.6	MPN/100mL		1.00	1.00			08/06/2018	
DRWW	Suburban Labs		14-4	GVA-03	0.5	ft	Bull Creek			Non-IEPA		07/26/2018	9:59:00 AM	07/26/2018	3:40:00 PM			08/01/2018	6:57:10 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	0.45	mg/L		0.10	0.30			08/06/2018	
DRWW	Suburban Labs		14-4	GVA-03	0.5	ft	Bull Creek			Non-IEPA		07/26/2018	9:59:00 AM	07/26/2018	3:40:00 PM	07/31/2018	12:02:13 PM	08/01/2018	11:32:10 AM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	ND	mg/L		1.19	3.78			08/06/2018	
DRWW	Suburban Labs		14-4	GVA-03	0.5	ft	Bull Creek			Non-IEPA		07/26/2018	9:59:00 AM	07/26/2018	3:40:00 PM					Water	USEPA	365.2	pH, Field	Total	7.70	S.U.						08/06/2018	
DRWW	Suburban Labs		14-4	GVA-03	0.5	ft	Bull Creek			Non-IEPA		07/26/2018	9:59:00 AM	07/26/2018	3:40:00 PM	07/27/2018	4:31:40 PM	07/30/2018	2:43:57 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.25	mg/L		0.05	0.14			08/06/2018	
DRWW	Suburban Labs		14-4	GVA-03	0.5	ft	Bull Creek			Non-IEPA		07/26/2018	9:59:00 AM	07/26/2018	3:40:00 PM			07/31/2018	1:26:35 PM	Water	Lab	2510B	Specific Conductivity	Total	1160.00	umhos/cm		1.00	1.00			08/06/2018	
DRWW	Suburban Labs		14-4	GVA-03	0.5	ft	Bull Creek			Non-IEPA		07/26/2018	9:59:00 AM	07/26/2018	3:40:00 PM					Water	USEPA	SM 2550B	Temperature	Total	21.70	°C						08/06/2018	
DRWW	Suburban Labs		14-4	GVA-03	0.5	ft	Bull Creek			Non-IEPA		07/26/2018	9:59:00 AM	07/26/2018	3:40:00 PM			07/28/2018	2:48:00 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.13	mg/L	J	0.10	0.22			08/06/2018	
DRWW	Suburban Labs		14-4	GVA-03	0.5	ft	Bull Creek			Non-IEPA																							

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code-IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs		14-5	GV-03	0.5	ft	Bull Creek			Non-IEPA		08/30/2018	1:24:00 PM	08/30/2018	1:35:17 PM	08/31/2018	4:10:36 PM	09/06/2018	5:36:00 PM	Water	USEPA Lab	200.7	Phosphorus, Total (as P)	Total	0.20	mg/L		0.05	0.14			09/12/2018
DRWW	Suburban Labs		14-5	GV-03	0.5	ft	Bull Creek			Non-IEPA		08/30/2018	1:24:00 PM	08/30/2018	1:35:17 PM			08/31/2018	5:06:26 PM	Water	Lab	2510B	Specific Conductivity	Total	543.00	umhos/cm		1.00	1.00			09/12/2018
DRWW	Suburban Labs		14-5	GV-03	0.5	ft	Bull Creek			Non-IEPA		08/30/2018	1:24:00 PM	08/30/2018	1:35:17 PM					Water	USEPA	SM 2550B	Temperature	Total	24.21	°C					09/12/2018	
DRWW	Suburban Labs		14-5	GV-03	0.5	ft	Bull Creek			Non-IEPA		08/30/2018	1:24:00 PM	08/30/2018	1:35:17 PM			09/05/2018	6:17:56 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22			09/12/2018
DRWW	Suburban Labs		14-5	GV-03	0.5	ft	Bull Creek			Non-IEPA		08/30/2018	1:24:00 PM	08/30/2018	1:35:17 PM			08/31/2018	9:34:39 AM	Water	USEPA	2540-D	Total Suspended Solids	Total	29.70	mg/L		0.29	7.15			09/12/2018
DRWW	Suburban Labs		14-5	GV-03	0.5	ft	Bull Creek			Non-IEPA		08/30/2018	1:24:00 PM	08/30/2018	1:35:17 PM			08/31/2018	4:09:00 PM	Water	Lab	2130-B	Turbidity	Total	36.50	NTU		0.10	0.20			09/12/2018
DRWW	Suburban Labs		14-5	GV-03	0.5	ft	Bull Creek			Non-IEPA		08/30/2018	1:24:00 PM	08/30/2018	1:35:17 PM			08/31/2018	9:34:39 AM	Water	USEPA	2540-D	Volatile Suspended Solids	Total	20.30	mg/L		0.29	7.15			09/12/2018
DRWW	Suburban Labs		14-5	GV-03	0.5	ft	Bull Creek			Non-IEPA		10/25/2018	11:53:00 AM	10/25/2018	4:25:00 PM			10/29/2018		Water	APHA	4500-CL(-E)	Chloride	Total	75.20	mg/L		20.0	20.0			11/05/2018
DRWW	Suburban Labs		14-5	GV-03	0.5	ft	Bull Creek			Non-IEPA		10/25/2018	11:53:00 AM	10/25/2018	4:25:00 PM				3:52:19 PM	Water	YSI	EPA 120.1	Conductivity	Total	602.00	umhos/cm						11/05/2018
DRWW	Suburban Labs		14-5	GV-03	0.5	ft	Bull Creek			Non-IEPA		10/25/2018	11:53:00 AM	10/25/2018	4:25:00 PM			10/25/2018		Water	USEPA	E COLI MPN	E. Coli	Total	39.30	MPN/100mL		1.0	1.0			11/05/2018
DRWW	Suburban Labs		14-5	GV-03	0.5	ft	Bull Creek			Non-IEPA		10/25/2018	11:53:00 AM	10/25/2018	4:25:00 PM				12:21:07 PM	Water	USEPA	365.2	pH, Field	Total	7.80	S.U.						11/05/2018
DRWW	Suburban Labs		14-5	GV-03	0.5	ft	Bull Creek			Non-IEPA		10/25/2018	11:53:00 AM	10/25/2018	4:25:00 PM	10/26/2018	10:59:47 AM	10/29/2018	2:26:18 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.06	mg/L	J	0.0500	0.135			11/05/2018
DRWW	Suburban Labs		14-5	GV-03	0.5	ft	Bull Creek			Non-IEPA		10/25/2018	11:53:00 AM	10/25/2018	4:25:00 PM			10/30/2018		Water	Lab	2510B	Specific Conductivity	Total	620.00	umhos/cm		1.00	1.00			11/05/2018
DRWW	Suburban Labs		14-5	GV-03	0.5	ft	Bull Creek			Non-IEPA		10/25/2018	11:53:00 AM	10/25/2018	4:25:00 PM				2:09:39 PM	Water	USEPA	SM 2550B	Temperature	Total	8.10	deg C						11/05/2018
DRWW	Suburban Labs		14-5	GV-03	0.5	ft	Bull Creek			Non-IEPA		10/25/2018	11:53:00 AM	10/25/2018	4:25:00 PM			11/01/2018	4:30:00 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.24	mg/L		0.100	0.224			11/05/2018
DRWW	Suburban Labs		14-5	GV-03	0.5	ft	Bull Creek			Non-IEPA		10/25/2018	11:53:00 AM	10/25/2018	4:25:00 PM			10/26/2018		Water	Lab	2130-B	Turbidity	Total	3.18	NTU		0.100	0.200			11/05/2018
DRWW	Suburban Labs		14-6	GV-04	0.5	ft	Bull Creek			Non-IEPA		02/02/2018	12:05:00 PM	02/02/2018	2:18:00 PM			02/15/2018	11:59:06 AM	Water	APHA	4500-CL(-E)	Chloride	Total	156.00	mg/L		20.00	20.00			02/15/2018
DRWW	Suburban Labs		14-6	GV-04	0.5	ft	Bull Creek			Non-IEPA		02/02/2018	12:05:00 PM	02/02/2018	2:18:00 PM			02/15/2018	11:59:06 AM	Water	YSI	EPA 120.1	Conductivity	Total	1220.00	umhos/cm						02/15/2018
DRWW	Suburban Labs		14-6	GV-04	0.5	ft	Bull Creek			Non-IEPA		02/02/2018	12:05:00 PM	02/02/2018	2:18:00 PM			02/02/2018	3:43:05 PM	Water	USEPA	E COLI MPN	E. Coli	Total	80.50	MPN/100mL		1.00	1.00			02/15/2018
DRWW	Suburban Labs		14-6	GV-04	0.5	ft	Bull Creek			Non-IEPA		02/02/2018	12:05:00 PM	02/02/2018	2:18:00 PM					Water	USEPA	365.2	pH, Field	Total	7.00	S.U.						02/15/2018
DRWW	Suburban Labs		14-6	GV-04	0.5	ft	Bull Creek			Non-IEPA		02/02/2018	12:05:00 PM	02/02/2018	2:18:00 PM			02/06/2018	7:33:53 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.24	mg/L		0.05	0.14			02/15/2018
DRWW	Suburban Labs		14-6	GV-04	0.5	ft	Bull Creek			Non-IEPA		02/02/2018	12:05:00 PM	02/02/2018	2:18:00 PM					Water	USEPA	SM 2550B	Temperature	Total	0.00	°C						02/15/2018
DRWW	Suburban Labs		14-6	GV-04	0.5	ft	Bull Creek			Non-IEPA		02/02/2018	12:05:00 PM	02/02/2018	2:18:00 PM			02/05/2018	5:38:00 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.14	mg/L		0.10	0.22			02/15/2018
DRWW	Suburban Labs		14-6	GV-04	0.5	ft	Bull Creek			Non-IEPA		02/02/2018	12:05:00 PM	02/02/2018	2:18:00 PM			02/02/2018	4:30:00 PM	Water	Lab	2130-B	Turbidity	Total	17.90	NTU		0.10	0.20			02/15/2018
DRWW	Suburban Labs		14-6	GV-04	0.5	ft	Bull Creek			Non-IEPA		05/17/2018	11:46:00 AM	05/17/2018	4:15:45 PM			05/21/2018	6:13:56 PM	Water	APHA	4500-CL(-E)	Chloride	Total	104.00	umhos/cm		20.00	20.00			05/29/2018
DRWW	Suburban Labs		14-6	GV-04	0.5	ft	Bull Creek			Non-IEPA		05/17/2018	11:46:00 AM	05/17/2018	4:15:45 PM					Water	YSI	EPA 120.1	Conductivity	Total	837.00	umhos/cm						05/29/2018
DRWW	Suburban Labs		14-6	GV-04	0.5	ft	Bull Creek			Non-IEPA		05/17/2018	11:46:00 AM	05/17/2018	4:15:45 PM			05/17/2018	5:25:51 PM	Water	USEPA	E COLI MPN	E. Coli	Total	108.10	MPN/100mL		1.00	1.00			05/29/2018
DRWW	Suburban Labs		14-6	GV-04	0.5	ft	Bull Creek			Non-IEPA		05/17/2018	11:46:00 AM	05/17/2018	4:15:45 PM					Water	USEPA	365.2	pH, Field	Total	7.40	S.U.						05/29/2018
DRWW	Suburban Labs		14-6	GV-04	0.5	ft	Bull Creek			Non-IEPA		05/17/2018	11:46:00 AM	05/17/2018	4:15:45 PM	05/18/2018	4:32:33 PM	05/21/2018	7:23:52 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.20	mg/L		0.05	0.14			05/29/2018
DRWW	Suburban Labs		14-6	GV-04	0.5	ft	Bull Creek			Non-IEPA		05/17/2018	11:46:00 AM	05/17/2018	4:15:45 PM			05/18/2018	2:40:50 AM	Water	Lab	2510B	Specific Conductivity	Total	848.00	umhos/cm		1.00	1.00			05/29/2018
DRWW	Suburban Labs		14-6	GV-04	0.5	ft	Bull Creek			Non-IEPA		05/17/2018	11:46:00 AM	05/17/2018	4:15:45 PM					Water	USEPA	SM 2550B	Temperature	Total	19.90	°C						05/29/2018
DRWW	Suburban Labs		14-6	GV-04	0.5	ft	Bull Creek			Non-IEPA		05/17/2018	11:46:00 AM	05/17/2018	4:15:45 PM			05/25/2018	7:12:50 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22			05/29/2018
DRWW	Suburban Labs		14-6	GV-04	0.5	ft	Bull Creek			Non-IEPA		05/17/2018	11:46:00 AM	05/17/2018	4:15:45 PM			05/17/2018	5:30:00 PM	Water	Lab	2130-B	Turbidity	Total	5.21	NTU		0.10	0.20			05/29/2018
DRWW	Suburban Labs		14-6	GV-04	0.5	ft	Bull Creek			Non-IEPA		07/26/2018	10:40:00 AM	07/26/2018	3:40:00 PM			07/30/2018	5:05:52 PM	Water	APHA	4500-CL(-E)	Chloride	Total	75.20	mg/L		20.00	20.00			08/06/2018
DRWW	Suburban Labs		14-6	GV-04	0.5	ft	Bull Creek			Non-IEPA		07/26/2018	10:40:00 AM	07/26/2018	3:40:00 PM					Water	YSI	EPA 120.1	Conductivity	Total	799.00	umhos/cm						08/06/2018
DRWW	Suburban Labs		14-6	GV-04	0.5	ft	Bull Creek			Non-IEPA		07/26/2018	10:40:00 AM	07/26/2018	3:40:00 PM			07/26/2018	5:03:00 PM	Water	USEPA	E COLI MPN	E. Coli	Total	488.40	MPN/100mL		1.00	1.00			08/06/2018
DRWW	Suburban Labs		14-6	GV-04	0.5	ft	Bull Creek			Non-IEPA		07/26/2018	10:40:00 AM	07/26/2018	3:40:00 PM			08/01/2018	7:01:28 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	0.58	mg/L		0.10	0.30			08/06/2018
DRWW	Suburban Labs		14-6	GV-04	0.5	ft	Bull Creek			Non-IEPA		07/26/2018	10:40:00 AM	07/26/2018	3:40:00 PM	07/31/2018	12:02:13 PM	08/01/2018	11:34:54 AM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	1.91	mg/L		1.19	3.78			08/06/2018
DRWW	Suburban Labs		14-6	GV-04	0.5	ft	Bull Creek			Non-IEPA		07/26/2018	10:40:00 AM	07/26/2018	3:40:00 PM					Water	USEPA	365.2	pH, Field	Total	7.70	S.U.						08/06/2018
DRWW	Suburban Labs		14-6	GV-04	0.5	ft	Bull Creek			Non-IEPA		07/26/2018	10:																			

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code-IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		07/26/2018	11:17:00 AM	07/26/2018	3:40:00 PM			07/31/2018	1:28:45 PM	Water	Lab	2510B	Specific Conductivity	Total	1250.00	µmhos/cm		1.00	1.00			08/06/2018
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		07/26/2018	11:17:00 AM	07/26/2018	3:40:00 PM					Water	USEPA	SM 2550B	Temperature	Total	23.90	°C					08/06/2018	
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		07/26/2018	11:17:00 AM	07/26/2018	3:40:00 PM			07/27/2018	7:56:00 PM	Water	USEPA	353.2	Total Nitrate (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22			08/06/2018
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		07/26/2018	11:17:00 AM	07/26/2018	3:40:00 PM			07/30/2018	2:27:36 PM	Water	USEPA	2540-D	Total Suspended Solids	Total	2.20	mg/L	J	0.20	5.00			08/06/2018
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		07/26/2018	11:17:00 AM	07/26/2018	3:40:00 PM			07/26/2018	6:30:00 PM	Water	Lab	2130-B	Turbidity	Total	2.07	NTU		0.10	0.20			08/06/2018
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		07/26/2018	11:17:00 AM	07/26/2018	3:40:00 PM			07/30/2018	2:27:36 PM	Water	USEPA	2540-D	Volatile Suspended Solids	Total	1.40	mg/L	J	0.20	5.00			08/06/2018
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		08/30/2018	12:30:00 PM	08/30/2018	12:48:55 PM			09/03/2018	12:34:52 PM	Water	APHA	4500-CL(-E)	Chloride	Total	112.00	mg/L	S	20.00	20.00			09/12/2018
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		08/30/2018	12:30:00 PM	08/30/2018	12:48:55 PM					Water	YSI	EPA 120.1	Conductivity	Total	824.00	µmhos/cm					09/12/2018	
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		08/30/2018	12:30:00 PM	08/30/2018	12:48:55 PM			08/30/2018	4:50:43 PM	Water	USEPA	E. COLI_MPN	E. Coli	Total	866.40	MPN/100mL		1.00	1.00			09/12/2018
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		08/30/2018	12:30:00 PM	08/30/2018	12:48:55 PM			09/05/2018	4:58:01 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30			09/12/2018
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		08/30/2018	12:30:00 PM	08/30/2018	12:48:55 PM	09/05/2018	11:47:55 AM	09/06/2018	11:41:13 AM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	ND	mg/L		1.19	3.78			09/12/2018
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		08/30/2018	12:30:00 PM	08/30/2018	12:48:55 PM					Water	USEPA	365.2	pH, Field	Total	8.00	S.U.						09/12/2018
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		08/30/2018	12:30:00 PM	08/30/2018	12:48:55 PM	08/31/2018	4:10:36 PM	09/06/2018	5:26:20 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.10	mg/L	J	0.05	0.14			09/12/2018
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		08/30/2018	12:30:00 PM	08/30/2018	12:48:55 PM			09/07/2018	3:23:11 PM	Water	Lab	2510B	Specific Conductivity	Total	730.00	µmhos/cm		1.00	1.00			09/12/2018
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		08/30/2018	12:30:00 PM	08/30/2018	12:48:55 PM					Water	USEPA	SM 2550B	Temperature	Total	21.85	°C						09/12/2018
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		08/30/2018	12:30:00 PM	08/30/2018	12:48:55 PM			09/05/2018	5:46:05 PM	Water	USEPA	353.2	Total Nitrate (Nitrate+Nitrite)	Total	0.19	mg/L	J	0.10	0.22			09/12/2018
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		08/30/2018	12:30:00 PM	08/30/2018	12:48:55 PM			08/31/2018	9:34:39 AM	Water	USEPA	2540-D	Total Suspended Solids	Total	15.20	mg/L		0.29	7.15			09/12/2018
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		08/30/2018	12:30:00 PM	08/30/2018	12:48:55 PM			08/31/2018	4:09:00 PM	Water	Lab	2130-B	Turbidity	Total	14.70	NTU		0.10	0.20			09/12/2018
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		08/30/2018	12:30:00 PM	08/30/2018	12:48:55 PM			08/31/2018	9:34:39 AM	Water	USEPA	2540-D	Volatile Suspended Solids	Total	4.86	mg/L	J	0.29	7.15			09/12/2018
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		10/25/2018	12:56:00 PM	10/25/2018	4:25:00 PM			10/29/2018		Water	APHA	4500-CL(-E)	Chloride	Total	128.00	mg/L		20.0	20.0			11/05/2018
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		10/25/2018	12:56:00 PM	10/25/2018	4:25:00 PM				3:52:19 PM	Water	YSI	EPA 120.1	Conductivity	Total	972.00	µmhos/cm						11/05/2018
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		10/25/2018	12:56:00 PM	10/25/2018	4:25:00 PM			10/25/2018		Water	USEPA	E. COLI_MPN	E. Coli	Total	24.30	MPN/100mL		1.0	1.0			11/05/2018
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		10/25/2018	12:56:00 PM	10/25/2018	4:25:00 PM			10/26/2018		Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30			11/05/2018
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		10/25/2018	12:56:00 PM	10/25/2018	4:25:00 PM	10/30/2018	10:59:52 AM	10/31/2018	2:26:17 PM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	ND	mg/L		1.19	3.78			11/05/2018
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		10/25/2018	12:56:00 PM	10/25/2018	4:25:00 PM			10/30/2018	12:25:19 PM	Water	USEPA	365.2	pH, Field	Total	7.80	S.U.						11/05/2018
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		10/25/2018	12:56:00 PM	10/25/2018	4:25:00 PM	10/26/2018	10:59:47 AM	10/29/2018	2:30:44 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	ND	mg/L		0.0500	0.135			11/05/2018
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		10/25/2018	12:56:00 PM	10/25/2018	4:25:00 PM			10/30/2018		Water	Lab	2510B	Specific Conductivity	Total	993.00	µmhos/cm		1.00	1.00			11/05/2018
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		10/25/2018	12:56:00 PM	10/25/2018	4:25:00 PM				12:56:13 PM	Water	USEPA	SM 2550B	Temperature	Total	7.60	deg C						11/05/2018
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		10/25/2018	12:56:00 PM	10/25/2018	4:25:00 PM			11/01/2018	4:30:00 PM	Water	USEPA	353.2	Total Nitrate (Nitrate+Nitrite)	Total	ND	mg/L		0.100	0.224			11/05/2018
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		10/25/2018	12:56:00 PM	10/25/2018	4:25:00 PM			10/26/2018		Water	USEPA	2540-D	Total Suspended Solids	Total	2.00	mg/L	J	0.200	5.00			11/05/2018
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		10/25/2018	12:56:00 PM	10/25/2018	4:25:00 PM			10/26/2018		Water	Lab	2130-B	Turbidity	Total	4.75	NTU		0.100	0.200			11/05/2018
DRWW	Suburban Labs		15-1	GU-09	0.5	ft	Indian Creek			Non-IEPA		10/25/2018	12:56:00 PM	10/25/2018	4:25:00 PM			10/26/2018		Water	USEPA	2540-D	Volatile Suspended Solids	Total	1.80	mg/L	J	0.200	5.00			11/05/2018
DRWW	Suburban Labs		15-1 Duplicate	GU-09	0.5	ft	Indian Creek			Non-IEPA		02/02/2018	12:42:00 PM	02/02/2018	2:18:00 PM			02/15/2018	1:01:13 PM	Water	APHA	4500-CL(-E)	Chloride	Total	207.00	mg/L		40.00	40.00			02/15/2018
DRWW	Suburban Labs		15-1 Duplicate	GU-09	0.5	ft	Indian Creek			Non-IEPA		02/02/2018	12:42:00 PM	02/02/2018	2:18:00 PM			02/15/2018	1:01:13 PM	Water	YSI	EPA 120.1	Conductivity	Total	1340.00	µmhos/cm						02/15/2018
DRWW	Suburban Labs		15-1 Duplicate	GU-09	0.5	ft	Indian Creek			Non-IEPA		02/02/2018	12:42:00 PM	02/02/2018	2:18:00 PM			02/02/2018	3:43:05 PM	Water	USEPA	E. COLI_MPN	E. Coli	Total	18.10	MPN/100mL		1.00	1.00			02/15/2018
DRWW	Suburban Labs		15-1 Duplicate	GU-09	0.5	ft	Indian Creek			Non-IEPA		02/02/2018	12:42:00 PM	02/02/2018	2:18:00 PM			02/03/2018	10:54:38 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30			02/15/2018
DRWW	Suburban Labs		15-1 Duplicate	GU-09	0.5	ft	Indian Creek			Non-IEPA		02/02/2018	12:42:00 PM	02/02/2018	2:18:00 PM			02/12/2018	11:17:54 AM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	ND	mg/L		1.19	3.78			02/15/2018
DRWW	Suburban Labs		15-1 Duplicate	GU-09	0.5	ft	Indian Creek			Non-IEPA		02/02/2018	12:42:00 PM	02/02/2018	2:18:00 PM					Water	USEPA	365.2	pH, Field	Total	8.30	S.U.						02/15/2018
DRWW	Suburban Labs		15-1 Duplicate	GU-09	0.5	ft	Indian Creek			Non-IEPA		02/02/2018	12:42:00 PM	02/02/2018	2:18:00 PM			02/06/2018	7:40:23 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.13	mg/L		0.05	0.14			02/15/2018
DRWW	Suburban Labs		15-1 Duplicate	GU-09	0.5	ft	Indian Creek			Non-IEPA		02/02/2018	12:42:00 PM	02/02/2018	2:18:00 PM					Water	USEPA	SM 2550B	Temperature	Total	0.00	°C						02/15/2018
DRWW	Suburban Labs		15-1 Duplicate	GU-09	0.5	ft	Indian Creek			Non-IEPA		02/02/2018	12:42:00 PM	02/02/2018	2:18:00 PM			02/05/2018	5:47:00 PM	Water	USEPA	353.2	Total Nitrate (Nitrate+Nitrite)	Total	0.01	mg/L		0.10	0.22			02/15/2018
DRWW	Suburban Labs		15-1 Duplicate	GU-09	0.5	ft	Indian Creek			Non-IEPA		02/02/2018	12:42:00 PM	02/02/2018	2:18:00 PM			02/06/2018	9:57:07 AM	Water	USEPA	2540-D	Total Suspended Solids	Total	6.00	mg/L		0.20	5.00			02/15/2018
DRWW	Suburban Labs		15-1 Duplicate	GU-09	0.5	ft	Indian Creek			Non-IEPA		02/02/2018	12:42:00 PM	02/02/2018	2:18:00 PM			02/02/2018	4:30:00 PM	Water	Lab	2130-B	Turbidity	Total	6.97	NTU		0.10	0.20			02/15/2018
DRWW	Suburban Labs		15-1 Duplicate	GU-09	0.5	ft	Indian Creek			Non-IEPA		02/02/2018	12:42:00 PM	02/02/2018	2:18:00 PM			02/06/2018	9:57:07 AM	Water	USEPA	2540-D	Volatile Suspended Solids	Total	2.80	mg/L		0.20	5.00			02/15/2018
DRWW	Suburban Labs		15-1 Duplicate	GU																												

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code-IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released		
DRWW	Suburban Labs		15-11	GUA-01	0.5	ft	Indian Creek			Non-IEPA		10/26/2018	9:59:00 AM	10/26/2018	3:20:00 PM	10/29/2018		10/30/2018	1:24:37 PM	Water	USEPA Lab	200.7	Phosphorus, Total (as P)	Total	0.06	mg/L	J	0.0500	0.135			11/05/2018		
DRWW	Suburban Labs		15-11	GUA-01	0.5	ft	Indian Creek			Non-IEPA		10/26/2018	9:59:00 AM	10/26/2018	3:20:00 PM			10/30/2018	3:52:15 PM	Water	Lab	2510B	Specific Conductivity	Total	995.00	umhos/cm		1.00	1.00			11/05/2018		
DRWW	Suburban Labs		15-11	GUA-01	0.5	ft	Indian Creek			Non-IEPA		10/26/2018	9:59:00 AM	10/26/2018	3:20:00 PM			10/30/2018	2:32:55 PM	Water	USEPA Lab	SM 2550B	Temperature	Total	8.00	deg C					11/05/2018			
DRWW	Suburban Labs		15-11	GUA-01	0.5	ft	Indian Creek			Non-IEPA		10/26/2018	9:59:00 AM	10/26/2018	3:20:00 PM			11/01/2018	10:25:29 AM	Water	USEPA Lab	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.22	mg/L	J	0.100	0.224			11/05/2018		
DRWW	Suburban Labs		15-12	GUZA-04	0.5	ft	Indian Creek			Non-IEPA		02/05/2018	10:12:00 AM	02/05/2018	2:45:00 PM			10/26/2018	12:17:47 PM	Water	APHA Lab	4500-CL(-E)	Turbidity	Total	2.28	NTU		0.100	0.200			11/05/2018		
DRWW	Suburban Labs		15-12	GUZA-04	0.5	ft	Indian Creek			Non-IEPA		02/05/2018	10:12:00 AM	02/05/2018	2:45:00 PM			02/15/2018	12:17:47 PM	Water	YSI Lab	EPA 120.1	Conductivity	Total	989.00	umhos/cm		20.00	20.00			02/15/2018		
DRWW	Suburban Labs		15-12	GUZA-04	0.5	ft	Indian Creek			Non-IEPA		02/05/2018	10:12:00 AM	02/05/2018	2:45:00 PM			02/05/2018	3:37:49 PM	Water	USEPA Lab	E_COLI_MPN	E. Coli	Total	26.50	MPN/100mL		1.00	1.00			02/15/2018		
DRWW	Suburban Labs		15-12	GUZA-04	0.5	ft	Indian Creek			Non-IEPA		02/05/2018	10:12:00 AM	02/05/2018	2:45:00 PM			02/05/2018	3:37:49 PM	Water	USEPA Lab	365.2	pH, Field	Total	8.20	S.U.						02/15/2018		
DRWW	Suburban Labs		15-12	GUZA-04	0.5	ft	Indian Creek			Non-IEPA		02/05/2018	10:12:00 AM	02/05/2018	2:45:00 PM			02/07/2018	1:53:40 PM	Water	USEPA Lab	200.7	Phosphorus, Total (as P)	Total	0.05	mg/L		0.05	0.14			02/15/2018		
DRWW	Suburban Labs		15-12	GUZA-04	0.5	ft	Indian Creek			Non-IEPA		02/05/2018	10:12:00 AM	02/05/2018	2:45:00 PM			02/06/2018	3:05:22 PM	Water	USEPA Lab	SM 2550B	Temperature	Total	2.60	°C						02/15/2018		
DRWW	Suburban Labs		15-12	GUZA-04	0.5	ft	Indian Creek			Non-IEPA		02/05/2018	10:12:00 AM	02/05/2018	2:45:00 PM			02/05/2018	4:30:00 PM	Water	USEPA Lab	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22			02/15/2018		
DRWW	Suburban Labs		15-12	GUZA-04	0.5	ft	Indian Creek			Non-IEPA		02/05/2018	10:12:00 AM	02/05/2018	2:45:00 PM			02/05/2018	4:30:00 PM	Water	Lab	2130-B	Turbidity	Total	6.05	NTU		0.10	0.20			02/15/2018		
DRWW	Suburban Labs		15-12	GUZA-04	0.5	ft	Indian Creek			Non-IEPA		05/17/2018	1:16:00 PM	05/17/2018	4:15:06 PM			05/21/2018	6:41:05 PM	Water	APHA Lab	4500-CL(-E)	Chloride	Total	288.00	mg/L		40.00	40.00			05/29/2018		
DRWW	Suburban Labs		15-12	GUZA-04	0.5	ft	Indian Creek			Non-IEPA		05/17/2018	1:16:00 PM	05/17/2018	4:15:06 PM			05/17/2018	4:15:06 PM	Water	YSI Lab	EPA 120.1	Conductivity	Total	1273.00	umhos/cm						05/29/2018		
DRWW	Suburban Labs		15-12	GUZA-04	0.5	ft	Indian Creek			Non-IEPA		05/17/2018	1:16:00 PM	05/17/2018	4:15:06 PM			05/17/2018	5:25:51 PM	Water	USEPA Lab	E_COLI_MPN	E. Coli	Total	45.00	MPN/100mL		1.00	1.00			05/29/2018		
DRWW	Suburban Labs		15-12	GUZA-04	0.5	ft	Indian Creek			Non-IEPA		05/17/2018	1:16:00 PM	05/17/2018	4:15:06 PM			05/17/2018	4:15:06 PM	Water	USEPA Lab	365.2	pH, Field	Total	8.60	S.U.						05/29/2018		
DRWW	Suburban Labs		15-12	GUZA-04	0.5	ft	Indian Creek			Non-IEPA		05/17/2018	1:16:00 PM	05/17/2018	4:15:06 PM			05/21/2018	11:48:55 AM	Water	USEPA Lab	200.7	Phosphorus, Total (as P)	Total	0.05	mg/L	J	0.05	0.14			05/29/2018		
DRWW	Suburban Labs		15-12	GUZA-04	0.5	ft	Indian Creek			Non-IEPA		05/17/2018	1:16:00 PM	05/17/2018	4:15:06 PM			05/18/2018	2:44:13 AM	Water	Lab	2510B	Specific Conductivity	Total	1260.00	umhos/cm		1.00	1.00			05/29/2018		
DRWW	Suburban Labs		15-12	GUZA-04	0.5	ft	Indian Creek			Non-IEPA		05/17/2018	1:16:00 PM	05/17/2018	4:15:06 PM			05/17/2018	4:15:06 PM	Water	USEPA Lab	SM 2550B	Temperature	Total	21.40	°C						05/29/2018		
DRWW	Suburban Labs		15-12	GUZA-04	0.5	ft	Indian Creek			Non-IEPA		05/17/2018	1:16:00 PM	05/17/2018	4:15:06 PM			05/25/2018	7:23:45 PM	Water	USEPA Lab	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22			05/29/2018		
DRWW	Suburban Labs		15-12	GUZA-04	0.5	ft	Indian Creek			Non-IEPA		05/17/2018	1:16:00 PM	05/17/2018	4:15:06 PM			05/17/2018	5:30:00 PM	Water	Lab	2130-B	Turbidity	Total	13.40	NTU		0.10	0.20			05/29/2018		
DRWW	Suburban Labs		15-12	GUZA-04	0.5	ft	Indian Creek			Non-IEPA		07/26/2018	12:22:00 PM	07/26/2018	3:40:00 PM			07/30/2018	5:41:45 PM	Water	APHA Lab	4500-CL(-E)	Chloride	Total	333.00	mg/L		40.00	40.00					08/03/2018
DRWW	Suburban Labs		15-12	GUZA-04	0.5	ft	Indian Creek			Non-IEPA		07/26/2018	12:22:00 PM	07/26/2018	3:40:00 PM			07/26/2018	5:03:00 PM	Water	YSI Lab	EPA 120.1	Conductivity	Total	1271.00	umhos/cm							08/03/2018	
DRWW	Suburban Labs		15-12	GUZA-04	0.5	ft	Indian Creek			Non-IEPA		07/26/2018	12:22:00 PM	07/26/2018	3:40:00 PM			07/26/2018	5:03:00 PM	Water	USEPA Lab	E_COLI_MPN	E. Coli	Total	37.90	MPN/100mL		1.00	1.00					08/03/2018
DRWW	Suburban Labs		15-12	GUZA-04	0.5	ft	Indian Creek			Non-IEPA		07/26/2018	12:22:00 PM	07/26/2018	3:40:00 PM			08/01/2018	7:12:04 PM	Water	USEPA Lab	350.3	Nitrogen, Ammonia (As N)	Total	0.27	mg/L	J	0.10	0.30					08/03/2018
DRWW	Suburban Labs		15-12	GUZA-04	0.5	ft	Indian Creek			Non-IEPA		07/26/2018	12:22:00 PM	07/26/2018	3:40:00 PM			07/31/2018	11:43:04 AM	Water	USEPA Lab	351.2	Nitrogen, Kjeldahl, Total	Total	1.62	mg/L	J	1.19	3.78					08/03/2018
DRWW	Suburban Labs		15-12	GUZA-04	0.5	ft	Indian Creek			Non-IEPA		07/26/2018	12:22:00 PM	07/26/2018	3:40:00 PM			07/26/2018	3:40:00 PM	Water	USEPA Lab	365.2	pH, Field	Total	8.90	S.U.							08/03/2018	
DRWW	Suburban Labs		15-12	GUZA-04	0.5	ft	Indian Creek			Non-IEPA		07/26/2018	12:22:00 PM	07/26/2018	3:40:00 PM			07/27/2018	4:31:40 PM	Water	USEPA Lab	200.7	Phosphorus, Total (as P)	Total	0.07	mg/L	J	0.05	0.14					08/03/2018
DRWW	Suburban Labs		15-12	GUZA-04	0.5	ft	Indian Creek			Non-IEPA		07/26/2018	12:22:00 PM	07/26/2018	3:40:00 PM			07/31/2018	1:31:06 PM	Water	Lab	2510B	Specific Conductivity	Total	1450.00	umhos/cm		1.00	1.00					08/03/2018
DRWW	Suburban Labs		15-12	GUZA-04	0.5	ft	Indian Creek			Non-IEPA		07/26/2018	12:22:00 PM	07/26/2018	3:40:00 PM			07/28/2018	2:42:00 PM	Water	USEPA Lab	SM 2550B	Temperature	Total	29.20	°C							08/03/2018	
DRWW	Suburban Labs		15-12	GUZA-04	0.5	ft	Indian Creek			Non-IEPA		07/26/2018	12:22:00 PM	07/26/2018	3:40:00 PM			07/28/2018	2:42:00 PM	Water	USEPA Lab	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22					08/03/2018
DRWW	Suburban Labs		15-12	GUZA-04	0.5	ft	Indian Creek			Non-IEPA		07/26/2018	12:22:00 PM	07/26/2018	3:40:00 PM			07/30/2018	2:27:36 PM	Water	USEPA Lab	2540-D	Total Suspended Solids	Total	6.80	mg/L		0.20	5.00					08/03/2018
DRWW	Suburban Labs		15-12	GUZA-04	0.5	ft	Indian Creek			Non-IEPA		07/26/2018	12:22:00 PM	07/26/2018	3:40:00 PM			07/26/2018	6:30:00 PM	Water	Lab	2130-B	Turbidity	Total	7.78	NTU		0.10	0.20					08/03/2018
DRWW	Suburban Labs		15-12	GUZA-04	0.5	ft	Indian Creek			Non-IEPA		07/26/2018	12:22:00 PM	07/26/2018	3:40:00 PM			07/30/2018	2:27:36 PM	Water	USEPA Lab	2540-D	Volatile Suspended Solids	Total	2.40	mg/L	J	0.20	5.00					08/03/2018
DRWW	Suburban Labs		15-12	GUZA-04	0.5	ft	Indian Creek			Non-IEPA		08/30/2018	11:30:00 AM	08/30/2018	11:36:05 AM			09/03/2018	12:21:17 PM	Water	APHA Lab	4500-CL(-E)	Chloride	Total	120.00	mg/L		20.00	20.00					09/12/2018
DRWW	Suburban Labs		15-12	GUZA-04	0.5	ft	Indian Creek			Non-IEPA		08/30/2018	11:30:00 AM	08/30/2018	11:36:05 AM			08/30/2018	11:36:05 AM	Water	YSI Lab	EPA 120.1	Conductivity	Total	754.00	umhos/cm							09/12/2018	
DRWW	Suburban Labs		15-12	GUZA-04	0.5	ft	Indian Creek			Non-IEPA		08/30/2018	11:30:00 AM	08/30/2018	11:36:05 AM			08/30/2018	4:50:43 PM	Water	USEPA Lab	E_COLI_MPN	E. Coli	Total	547.50	MPN/100mL		1.00	1.00					09/12/2018
DRWW	Suburban Labs		15-12	GUZA-04	0.5	ft	Indian Creek			Non-IEPA		08/30/2018	11:30:00 AM	08/30/2018	11:36:05 AM			09/05/2018	5:48:35 PM	Water	USEPA Lab	350.3	Nitrogen, Ammonia (As N)	Total	0.19	mg/L	J	0.10	0.30				</	

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code I EPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released	
DRWW	Suburban Labs		15-13	GUZA-02	0.5	ft	Indian Creek			Non-IEPA		10/26/2018	10:44:00 AM	10/26/2018	3:20:00 PM			10/29/2018		Water	APHA	4500-CL(-E)	Chloride	Total	111.00	mg/L		20.0	20.0			11/07/2018	
DRWW	Suburban Labs		15-13	GUZA-02	0.5	ft	Indian Creek			Non-IEPA		10/26/2018	10:44:00 AM	10/26/2018	3:20:00 PM				7:20:44 PM	Water	YSI	EPA 120.1	Conductivity		968.00	umhos/cm						11/07/2018	
DRWW	Suburban Labs		15-13	GUZA-02	0.5	ft	Indian Creek			Non-IEPA		10/26/2018	10:44:00 AM	10/26/2018	3:20:00 PM			10/26/2018		Water	USEPA	E COLI MPN	E. Coli	Total	53.70	MPN/100mL	1.0	1.0			11/07/2018		
DRWW	Suburban Labs		15-13	GUZA-02	0.5	ft	Indian Creek			Non-IEPA		10/26/2018	10:44:00 AM	10/26/2018	3:20:00 PM			10/25:29 AM		Water	USEPA	365.2	pH, Field		7.70	S.U.					11/07/2018		
DRWW	Suburban Labs		15-13	GUZA-02	0.5	ft	Indian Creek			Non-IEPA		10/26/2018	10:44:00 AM	10/26/2018	3:20:00 PM	10/29/2018	3:13:00 PM	10/30/2018	1:26:35 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.06	mg/L	J	0.0500	0.135			11/07/2018	
DRWW	Suburban Labs		15-13	GUZA-02	0.5	ft	Indian Creek			Non-IEPA		10/26/2018	10:44:00 AM	10/26/2018	3:20:00 PM			10/30/2018	3:47:53 PM	Water	Lab	2510B	Specific Conductivity	Total	996.00	umhos/cm		1.00	1.00			11/07/2018	
DRWW	Suburban Labs		15-13	GUZA-02	0.5	ft	Indian Creek			Non-IEPA		10/26/2018	10:44:00 AM	10/26/2018	3:20:00 PM				2:32:55 PM	Water	USEPA	SM 2550B	Temperature		8.00	deg C						11/07/2018	
DRWW	Suburban Labs		15-13	GUZA-02	0.5	ft	Indian Creek			Non-IEPA		10/26/2018	10:44:00 AM	10/26/2018	3:20:00 PM			11/02/2018	10:25:29 AM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.22	mg/L	J	0.100	0.224			11/07/2018	
DRWW	Suburban Labs		15-13	GUZA-02	0.5	ft	Indian Creek			Non-IEPA		10/26/2018	10:44:00 AM	10/26/2018	3:20:00 PM			10/26/2018		Water	Lab	2130-B	Turbidity		4.02	NTU		0.100	0.200			11/07/2018	
DRWW	Suburban Labs		15-13 Duplica	GUZA-02	0.5	ft	Indian Creek			Non-IEPA		05/17/2018	1:37:00 PM	05/17/2018	4:15:51 PM			05/25/2018	2:53:46 PM	Water	APHA	4500-CL(-E)	Chloride	Total	185.00	mg/L		20.00	20.00			05/29/2018	
DRWW	Suburban Labs		15-13 Duplica	GUZA-02	0.5	ft	Indian Creek			Non-IEPA		05/17/2018	1:37:00 PM	05/17/2018	4:15:51 PM					Water	YSI	EPA 120.1	Conductivity		1128.00	umhos/cm							05/29/2018
DRWW	Suburban Labs		15-13 Duplica	GUZA-02	0.5	ft	Indian Creek			Non-IEPA		05/17/2018	1:37:00 PM	05/17/2018	4:15:51 PM			05/17/2018	5:25:51 PM	Water	USEPA	E COLI MPN	E. Coli	Total	127.40	MPN/100mL	1.00	1.00					05/29/2018
DRWW	Suburban Labs		15-13 Duplica	GUZA-02	0.5	ft	Indian Creek			Non-IEPA		05/17/2018	1:37:00 PM	05/17/2018	4:15:51 PM					Water	USEPA	365.2	pH, Field		8.10	S.U.							05/29/2018
DRWW	Suburban Labs		15-13 Duplica	GUZA-02	0.5	ft	Indian Creek			Non-IEPA		05/17/2018	1:37:00 PM	05/17/2018	4:15:51 PM	05/21/2018	11:48:55 AM	05/22/2018	2:37:45 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.14	mg/L		0.05	0.14			05/29/2018	
DRWW	Suburban Labs		15-13 Duplica	GUZA-02	0.5	ft	Indian Creek			Non-IEPA		05/17/2018	1:37:00 PM	05/17/2018	4:15:51 PM			05/18/2018	2:45:47 AM	Water	Lab	2510B	Specific Conductivity	Total	1130.00	umhos/cm		1.00	1.00			05/29/2018	
DRWW	Suburban Labs		15-13 Duplica	GUZA-02	0.5	ft	Indian Creek			Non-IEPA		05/17/2018	1:37:00 PM	05/17/2018	4:15:51 PM					Water	USEPA	SM 2550B	Temperature		21.90	°C							05/29/2018
DRWW	Suburban Labs		15-13 Duplica	GUZA-02	0.5	ft	Indian Creek			Non-IEPA		05/17/2018	1:37:00 PM	05/17/2018	4:15:51 PM			05/25/2018	7:38:19 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22			05/29/2018	
DRWW	Suburban Labs		15-13 Duplica	GUZA-02	0.5	ft	Indian Creek			Non-IEPA		05/17/2018	1:37:00 PM	05/17/2018	4:15:51 PM			05/17/2018	5:30:00 PM	Water	Lab	2130-B	Turbidity		38.80	NTU		0.10	0.20			05/29/2018	
DRWW	Suburban Labs		15-13 Field B	GUZA-02	0.5	ft	Indian Creek			Non-IEPA		05/17/2018	1:48:00 PM	05/17/2018	4:15:01 PM			05/25/2018	2:54:26 PM	Water	APHA	4500-CL(-E)	Chloride	Total	ND	mg/L		20.00	20.00			05/29/2018	
DRWW	Suburban Labs		15-13 Field B	GUZA-02	0.5	ft	Indian Creek			Non-IEPA		05/17/2018	1:48:00 PM	05/17/2018	4:15:01 PM					Water	YSI	EPA 120.1	Conductivity		0.00	umhos/cm							05/29/2018
DRWW	Suburban Labs		15-13 Field B	GUZA-02	0.5	ft	Indian Creek			Non-IEPA		05/17/2018	1:48:00 PM	05/17/2018	4:15:01 PM			05/17/2018	5:25:51 PM	Water	USEPA	E COLI MPN	E. Coli	Total	1.00	MPN/100mL	1.00	1.00					05/29/2018
DRWW	Suburban Labs		15-13 Field B	GUZA-02	0.5	ft	Indian Creek			Non-IEPA		05/17/2018	1:48:00 PM	05/17/2018	4:15:01 PM					Water	USEPA	365.2	pH, Field		7.40	S.U.							05/29/2018
DRWW	Suburban Labs		15-13 Field B	GUZA-02	0.5	ft	Indian Creek			Non-IEPA		05/17/2018	1:48:00 PM	05/17/2018	4:15:01 PM	05/21/2018	11:48:55 AM	05/22/2018	2:40:59 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	ND	mg/L		0.05	0.14			05/29/2018	
DRWW	Suburban Labs		15-13 Field B	GUZA-02	0.5	ft	Indian Creek			Non-IEPA		05/17/2018	1:48:00 PM	05/17/2018	4:15:01 PM			05/18/2018	3:08:53 AM	Water	Lab	2510B	Specific Conductivity	Total	1.05	umhos/cm		1.00	1.00			05/29/2018	
DRWW	Suburban Labs		15-13 Field B	GUZA-02	0.5	ft	Indian Creek			Non-IEPA		05/17/2018	1:48:00 PM	05/17/2018	4:15:01 PM					Water	USEPA	SM 2550B	Temperature		22.30	°C							05/29/2018
DRWW	Suburban Labs		15-13 Field B	GUZA-02	0.5	ft	Indian Creek			Non-IEPA		05/17/2018	1:48:00 PM	05/17/2018	4:15:01 PM			05/25/2018	7:40:07 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22			05/29/2018	
DRWW	Suburban Labs		15-13 Field B	GUZA-02	0.5	ft	Indian Creek			Non-IEPA		05/17/2018	1:48:00 PM	05/17/2018	4:15:01 PM			05/17/2018	5:30:00 PM	Water	Lab	2130-B	Turbidity		0.31	NTU		0.10	0.20			05/29/2018	
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		02/05/2018	10:54:00 AM	02/05/2018	2:45:00 PM			02/15/2018	4:02:29 PM	Water	APHA	4500-CL(-E)	Chloride	Total	253.00	mg/L		40.00	40.00			02/16/2018	
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		02/05/2018	10:54:00 AM	02/05/2018	2:45:00 PM			02/15/2018	4:02:29 PM	Water	YSI	EPA 120.1	Conductivity		1540.00	umhos/cm							02/16/2018
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		02/05/2018	10:54:00 AM	02/05/2018	2:45:00 PM			02/05/2018	3:37:49 PM	Water	USEPA	E COLI MPN	E. Coli	Total	12.10	MPN/100mL	1.00	1.00					02/16/2018
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		02/05/2018	10:54:00 AM	02/05/2018	2:45:00 PM			02/07/2018	12:45:03 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	0.10	mg/L		0.10	0.30			02/16/2018	
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		02/05/2018	10:54:00 AM	02/05/2018	2:45:00 PM			02/12/2018	11:22:52 AM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	ND	mg/L		1.19	3.78			02/16/2018	
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		02/05/2018	10:54:00 AM	02/05/2018	2:45:00 PM					Water	USEPA	365.2	pH, Field		7.90	S.U.							02/16/2018
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		02/05/2018	10:54:00 AM	02/05/2018	2:45:00 PM			02/07/2018	1:59:53 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.05	mg/L		0.05	0.14			02/16/2018	
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		02/05/2018	10:54:00 AM	02/05/2018	2:45:00 PM					Water	USEPA	SM 2550B	Temperature		-0.10	°C							02/16/2018
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		02/05/2018	10:54:00 AM	02/05/2018	2:45:00 PM			02/06/2018	3:14:18 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.36	mg/L		0.10	0.22			02/16/2018	
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		02/05/2018	10:54:00 AM	02/05/2018	2:45:00 PM			02/06/2018	9:57:07 AM	Water	USEPA	2540-D	Total Suspended Solids	Total	9.40	mg/L		0.20	5.00			02/16/2018	
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		02/05/2018	10:54:00 AM	02/05/2018	2:45:00 PM			02/05/2018	4:30:00 PM	Water	Lab	2130-B	Turbidity		8.67	NTU		0.10	0.20			02/16/2018	
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		02/05/2018	10:54:00 AM	02/05/2018	2:45:00 PM			02/06/2018	9:57:07 AM	Water	USEPA	2540-D	Volatile Suspended Solids	Total	3.80	mg/L		0.20	5.00			02/16/2018	
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		05/18/2018	9:34:00 AM	05/18/2018	4:35:57 PM			05/25/2018	2:55:06 PM	Water	APHA	4500-CL(-E)	Chloride	Total	182.00	mg/L		20.00	20.00			05/31/2018	
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		05/18/2018	9:34:00 AM	05/18/2018	4:35:57 PM					Water	YSI	EPA 120.1	Conductivity		1126.00	umhos/cm							05/31/2018
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		05/18/2018	9:34:00 AM	05/18/2018	4:35:57 PM			05/18/2018	5:14:13 PM	Water	USEPA	E COLI MPN	E. Coli	Total	98.80	MPN/100mL	1.00	1.00					05/31/2018
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		05/18/2018	9:34:00 AM	05/18/2018	4:35:57 PM			05/24/2018	12:57:42 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30			05/31/2018	
DRWW	Suburban Labs		15-2	GU-06	0.5	ft	Indian Creek			Non-IEPA		05/18/2018	9:34:00 AM	05/18/2018	4:35:57 PM	05/30/2018	3:43:15 PM	05/31/2018	12:21:06 PM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	3.57	mg/L	J						

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code I EPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released		
DRWW	Suburban Labs		15-2 Duplicate	GU-06	0.5	ft	Indian Creek			Non-IEPA		07/26/2018	1:12:00 PM	07/26/2018	3:40:00 PM					Water	USEPA	SM 2550B	Temperature		24.50	°C						08/06/2018		
DRWW	Suburban Labs		15-2 Duplicate	GU-06	0.5	ft	Indian Creek			Non-IEPA		07/26/2018	1:12:00 PM	07/26/2018	3:40:00 PM			07/28/2018	2:26:00 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22				08/06/2018	
DRWW	Suburban Labs		15-2 Duplicate	GU-06	0.5	ft	Indian Creek			Non-IEPA		07/26/2018	1:12:00 PM	07/26/2018	3:40:00 PM			07/30/2018	2:27:36 PM	Water	USEPA	2540-D	Total Suspended Solids	Total	2.20	mg/L	J	0.20	5.00				08/06/2018	
DRWW	Suburban Labs		15-2 Duplicate	GU-06	0.5	ft	Indian Creek			Non-IEPA		07/26/2018	1:12:00 PM	07/26/2018	3:40:00 PM			07/26/2018	6:30:00 PM	Water	Lab	2130-B	Turbidity		3.30	NTU		0.10	0.20				08/06/2018	
DRWW	Suburban Labs		15-2 Duplicate	GU-06	0.5	ft	Indian Creek			Non-IEPA		07/26/2018	1:12:00 PM	07/26/2018	3:40:00 PM			07/30/2018	2:27:36 PM	Water	USEPA	2540-D	Volatile Suspended Solids	Total	0.40	mg/L	J	0.20	5.00				08/06/2018	
DRWW	Suburban Labs		15-2 Field Bl	GU-06	0.5	ft	Indian Creek			Non-IEPA		07/26/2018	1:18:00 PM	07/26/2018	3:40:00 PM			07/30/2018	5:05:13 PM	Water	APHA	4500-CL-(E)	Chloride	Total	ND	mg/L		20.00	20.00				08/06/2018	
DRWW	Suburban Labs		15-2 Field Bl	GU-06	0.5	ft	Indian Creek			Non-IEPA		07/26/2018	1:18:00 PM	07/26/2018	3:40:00 PM					Water	YSI	EPA 120.1	Conductivity		0.00	umhos/cm							08/06/2018	
DRWW	Suburban Labs		15-2 Field Bl	GU-06	0.5	ft	Indian Creek			Non-IEPA		07/26/2018	1:18:00 PM	07/26/2018	3:40:00 PM			07/26/2018	5:03:00 PM	Water	USEPA	E_COLI_MPN	E. Coli	Total	<1	MPN/100mL		1.00	1.00				08/06/2018	
DRWW	Suburban Labs		15-2 Field Bl	GU-06	0.5	ft	Indian Creek			Non-IEPA		07/26/2018	1:18:00 PM	07/26/2018	3:40:00 PM			08/01/2018	7:29:05 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	0.11	mg/L	J	0.10	0.30				08/06/2018	
DRWW	Suburban Labs		15-2 Field Bl	GU-06	0.5	ft	Indian Creek			Non-IEPA		07/26/2018	1:18:00 PM	07/26/2018	3:40:00 PM	08/01/2018	12:58:27 PM	08/03/2018	11:58:44 AM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	ND	mg/L		1.19	3.78				08/06/2018	
DRWW	Suburban Labs		15-2 Field Bl	GU-06	0.5	ft	Indian Creek			Non-IEPA		07/26/2018	1:18:00 PM	07/26/2018	3:40:00 PM					Water	USEPA	365.2	pH, Field		7.50	S.U.							08/06/2018	
DRWW	Suburban Labs		15-2 Field Bl	GU-06	0.5	ft	Indian Creek			Non-IEPA		07/26/2018	1:18:00 PM	07/26/2018	3:40:00 PM	07/27/2018	4:31:40 PM	07/31/2018	3:33:09 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	ND	mg/L		0.05	0.14				08/06/2018	
DRWW	Suburban Labs		15-2 Field Bl	GU-06	0.5	ft	Indian Creek			Non-IEPA		07/26/2018	1:18:00 PM	07/26/2018	3:40:00 PM					Water	Lab	2510B	Specific Conductivity	Total	1.31	umhos/cm		1.00	1.00				08/06/2018	
DRWW	Suburban Labs		15-2 Field Bl	GU-06	0.5	ft	Indian Creek			Non-IEPA		07/26/2018	1:18:00 PM	07/26/2018	3:40:00 PM					Water	USEPA	SM 2550B	Temperature		23.00	°C							08/06/2018	
DRWW	Suburban Labs		15-2 Field Bl	GU-06	0.5	ft	Indian Creek			Non-IEPA		07/26/2018	1:18:00 PM	07/26/2018	3:40:00 PM			07/28/2018	2:19:00 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22				08/06/2018	
DRWW	Suburban Labs		15-2 Field Bl	GU-06	0.5	ft	Indian Creek			Non-IEPA		07/26/2018	1:18:00 PM	07/26/2018	3:40:00 PM			07/30/2018	2:27:36 PM	Water	USEPA	2540-D	Total Suspended Solids	Total	ND	mg/L		0.20	5.00				08/06/2018	
DRWW	Suburban Labs		15-2 Field Bl	GU-06	0.5	ft	Indian Creek			Non-IEPA		07/26/2018	1:18:00 PM	07/26/2018	3:40:00 PM			07/26/2018	6:30:00 PM	Water	Lab	2130-B	Turbidity		ND	NTU		0.10	0.20				08/06/2018	
DRWW	Suburban Labs		15-2 Field Bl	GU-06	0.5	ft	Indian Creek			Non-IEPA		07/26/2018	1:18:00 PM	07/26/2018	3:40:00 PM			07/30/2018	2:27:36 PM	Water	USEPA	2540-D	Volatile Suspended Solids	Total	1.00	mg/L	J	0.20	5.00				08/06/2018	
DRWW	Suburban Labs		15-3	GUB-03	0.5	ft	Indian Creek			Non-IEPA		02/05/2018	11:28:00 AM	02/05/2018	2:45:00 PM			02/15/2018	1:47:50 PM	Water	APHA	4500-CL-(E)	Chloride	Total	477.00	mg/L		80.00	80.00				02/15/2018	
DRWW	Suburban Labs		15-3	GUB-03	0.5	ft	Indian Creek			Non-IEPA		02/05/2018	11:28:00 AM	02/05/2018	2:45:00 PM			02/15/2018	1:47:50 PM	Water	YSI	EPA 120.1	Conductivity		2350.00	umhos/cm							02/15/2018	
DRWW	Suburban Labs		15-3	GUB-03	0.5	ft	Indian Creek			Non-IEPA		02/05/2018	11:28:00 AM	02/05/2018	2:45:00 PM			02/05/2018	3:37:49 PM	Water	USEPA	E_COLI_MPN	E. Coli	Total	123.40	MPN/100mL		1.00	1.00				02/15/2018	
DRWW	Suburban Labs		15-3	GUB-03	0.5	ft	Indian Creek			Non-IEPA		02/05/2018	11:28:00 AM	02/05/2018	2:45:00 PM					Water	USEPA	365.2	pH, Field		7.60	S.U.							02/15/2018	
DRWW	Suburban Labs		15-3	GUB-03	0.5	ft	Indian Creek			Non-IEPA		02/05/2018	11:28:00 AM	02/05/2018	2:45:00 PM			02/07/2018	2:02:59 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	1.13	mg/L		0.05	0.14				02/15/2018	
DRWW	Suburban Labs		15-3	GUB-03	0.5	ft	Indian Creek			Non-IEPA		02/05/2018	11:28:00 AM	02/05/2018	2:45:00 PM					Water	USEPA	SM 2550B	Temperature		-0.10	°C								02/15/2018
DRWW	Suburban Labs		15-3	GUB-03	0.5	ft	Indian Creek			Non-IEPA		02/05/2018	11:28:00 AM	02/05/2018	2:45:00 PM			02/06/2018	3:15:26 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.46	mg/L		0.10	0.22				02/15/2018	
DRWW	Suburban Labs		15-3	GUB-03	0.5	ft	Indian Creek			Non-IEPA		02/05/2018	11:28:00 AM	02/05/2018	2:45:00 PM			02/05/2018	4:30:00 PM	Water	Lab	2130-B	Turbidity		409.00	NTU		0.10	0.20				02/15/2018	
DRWW	Suburban Labs		15-3	GUB-03	0.5	ft	Indian Creek			Non-IEPA		05/18/2018	10:00:00 AM	05/18/2018	4:35:50 PM			05/25/2018	2:55:45 PM	Water	APHA	4500-CL-(E)	Chloride	Total	175.00	mg/L		20.00	20.00				02/15/2018	
DRWW	Suburban Labs		15-3	GUB-03	0.5	ft	Indian Creek			Non-IEPA		05/18/2018	10:00:00 AM	05/18/2018	4:35:50 PM					Water	YSI	EPA 120.1	Conductivity		1113.00	umhos/cm							05/29/2018	
DRWW	Suburban Labs		15-3	GUB-03	0.5	ft	Indian Creek			Non-IEPA		05/18/2018	10:00:00 AM	05/18/2018	4:35:50 PM			05/18/2018	5:14:13 PM	Water	USEPA	E_COLI_MPN	E. Coli	Total	172.30	MPN/100mL		1.00	1.00				05/29/2018	
DRWW	Suburban Labs		15-3	GUB-03	0.5	ft	Indian Creek			Non-IEPA		05/18/2018	10:00:00 AM	05/18/2018	4:35:50 PM					Water	USEPA	365.2	pH, Field		7.90	S.U.							05/29/2018	
DRWW	Suburban Labs		15-3	GUB-03	0.5	ft	Indian Creek			Non-IEPA		05/18/2018	10:00:00 AM	05/18/2018	4:35:50 PM	05/21/2018	11:48:55 AM	05/22/2018	2:47:23 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.06	mg/L	J	0.05	0.14				05/29/2018	
DRWW	Suburban Labs		15-3	GUB-03	0.5	ft	Indian Creek			Non-IEPA		05/18/2018	10:00:00 AM	05/18/2018	4:35:50 PM			05/22/2018	4:01:00 PM	Water	Lab	2510B	Specific Conductivity	Total	1160.00	umhos/cm		1.00	1.00				05/29/2018	
DRWW	Suburban Labs		15-3	GUB-03	0.5	ft	Indian Creek			Non-IEPA		05/18/2018	10:00:00 AM	05/18/2018	4:35:50 PM					Water	USEPA	SM 2550B	Temperature		14.40	°C							05/29/2018	
DRWW	Suburban Labs		15-3	GUB-03	0.5	ft	Indian Creek			Non-IEPA		05/18/2018	10:00:00 AM	05/18/2018	4:35:50 PM			05/25/2018	7:43:45 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22				05/29/2018	
DRWW	Suburban Labs		15-3	GUB-03	0.5	ft	Indian Creek			Non-IEPA		05/18/2018	10:00:00 AM	05/18/2018	4:35:50 PM			05/18/2018	5:00:00 PM	Water	Lab	2130-B	Turbidity		9.70	NTU		0.10	0.20				05/29/2018	
DRWW	Suburban Labs		15-3	GUB-03	0.5	ft	Indian Creek			Non-IEPA		07/26/2018	1:48:00 PM	07/26/2018	3:40:00 PM			08/02/2018	3:57:00 PM	Water	APHA	4500-CL-(E)	Chloride	Total	157.00	mg/L		20.00	20.00				08/06/2018	
DRWW	Suburban Labs		15-3	GUB-03	0.5	ft	Indian Creek			Non-IEPA		07/26/2018	1:48:00 PM	07/26/2018	3:40:00 PM					Water	YSI	EPA 120.1	Conductivity		1051.00	umhos/cm							08/06/2018	
DRWW	Suburban Labs		15-3	GUB-03	0.5	ft	Indian Creek			Non-IEPA		07/26/2018	1:48:00 PM	07/26/2018	3:40:00 PM			07/26/2018	5:03:00 PM	Water	USEPA	E_COLI_MPN	E. Coli	Total	>2419.6	MPN/100mL		1.00	1.00				08/06/2018	
DRWW	Suburban Labs		15-3	GUB-03	0.5	ft	Indian Creek			Non-IEPA		07/26/2018	1:48:00 PM	07/26/2018	3:40:00 PM			08/01/2018	7:31:14 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	0.15	mg/L	J	0.10	0.30				08/06/2018	
DRWW	Suburban Labs		15-3	GUB-03	0.5	ft	Indian Creek			Non-IEPA		07/26/2018	1:48:00 PM	07/26/2018	3:40:00 PM			08/01/2018	12:00:06 PM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	ND	mg/L		1.19	3.78				08/06/2018	
DRWW	Suburban Labs		15-3	GUB-03	0.5	ft	Indian Creek			Non-IEPA		07/26/2018	1:48:00 PM	07/26/2018	3:40:00 PM			08/01/2018	12:58:27 PM	Water	USEPA	365.2	pH, Field		8.00	S.U.							08/06/2018	
DRWW	Suburban Labs		15-3	GUB-03	0.5	ft	Indian Creek			Non-IEPA		07/26/2018	1:48:00 PM	07/26/2018	3:40:00 PM	07/27/2018	4:31:40 PM	07/30/2018	3:39:32 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	ND	mg/L		0.05	0.14				08/06/2018	
DRWW	Suburban Labs		15-3	GUB-03	0.5	ft	Indian Creek			Non-IEPA		07/26/2018	1:48:00 PM	07/26/2018	3:40:00 PM			07/31/2018	1:36:05 PM	Water	Lab	2510B	Specific Conductivity	Total	1120.00	umhos/cm		1.00	1.00				08/06/2018	
DRWW	Suburban Labs		15-3	GUB-03	0.5	ft	Indian Creek			Non-IEPA		07/26/2018	1:48:00 PM	07/26/2018	3:40:00 PM					Water	USEPA	SM 2550B	Temperature		23.50	°C								

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code-IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released	
DRWW	Suburban Labs		15-4	GUZA-01	0.5	ft	Indian Creek			Non-IEPA		08/30/2018	9:32:00 AM	08/30/2018	10:41:33 AM			09/03/2018	12:21:58 PM	Water	APHA	4500-CL-(E)	Chloride	Total	106.00	mg/L		20.00	20.00			09/12/2018	
DRWW	Suburban Labs		15-4	GUZA-01	0.5	ft	Indian Creek			Non-IEPA		08/30/2018	9:32:00 AM	08/30/2018	10:41:33 AM					Water	YSI	EPA 120.1	Conductivity		970.00	umhos/cm						09/12/2018	
DRWW	Suburban Labs		15-4	GUZA-01	0.5	ft	Indian Creek			Non-IEPA		08/30/2018	9:32:00 AM	08/30/2018	10:41:33 AM			08/30/2018	4:50:43 PM	Water	USEPA	E COLI MPN	E. Coli	Total	886.70	MPN/100mL		1.00	1.00			09/12/2018	
DRWW	Suburban Labs		15-4	GUZA-01	0.5	ft	Indian Creek			Non-IEPA		08/30/2018	9:32:00 AM	08/30/2018	10:41:33 AM			09/05/2018	6:04:16 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	0.19	mg/L	J	0.10	0.30			09/12/2018	
DRWW	Suburban Labs		15-4	GUZA-01	0.5	ft	Indian Creek			Non-IEPA		08/30/2018	9:32:00 AM	08/30/2018	10:41:33 AM	09/04/2018	10:30:14 AM	09/05/2018	10:07:00 AM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	3.03	mg/L	J	1.19	3.78			09/12/2018	
DRWW	Suburban Labs		15-4	GUZA-01	0.5	ft	Indian Creek			Non-IEPA		08/30/2018	9:32:00 AM	08/30/2018	10:41:33 AM			09/12/2018		Water	USEPA	365.2	pH, Field	Total	7.73	S.U.						09/12/2018	
DRWW	Suburban Labs		15-4	GUZA-01	0.5	ft	Indian Creek			Non-IEPA		08/30/2018	9:32:00 AM	08/30/2018	10:41:33 AM	08/31/2018	4:10:36 PM	09/06/2018	4:50:28 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.11	mg/L	J	0.05	0.14			09/12/2018	
DRWW	Suburban Labs		15-4	GUZA-01	0.5	ft	Indian Creek			Non-IEPA		08/30/2018	9:32:00 AM	08/30/2018	10:41:33 AM			08/31/2018	4:49:21 PM	Water	Lab	2510B	Specific Conductivity	Total	910.00	umhos/cm		1.00	1.00			09/12/2018	
DRWW	Suburban Labs		15-4	GUZA-01	0.5	ft	Indian Creek			Non-IEPA		08/30/2018	9:32:00 AM	08/30/2018	10:41:33 AM			09/05/2018	2:15:57 PM	Water	USEPA	SM 2550B	Temperature	Total	20.28	°C						09/12/2018	
DRWW	Suburban Labs		15-4	GUZA-01	0.5	ft	Indian Creek			Non-IEPA		08/30/2018	9:32:00 AM	08/30/2018	10:41:33 AM			08/31/2018	9:34:39 AM	Water	USEPA	2540-D	Total Suspended Solids	Total	61.60	mg/L		0.77	19.30			09/12/2018	
DRWW	Suburban Labs		15-4	GUZA-01	0.5	ft	Indian Creek			Non-IEPA		08/30/2018	9:32:00 AM	08/30/2018	10:41:33 AM			08/31/2018	4:09:00 PM	Water	Lab	2130-B	Turbidity	Total	50.40	NTU		0.10	0.20			09/12/2018	
DRWW	Suburban Labs		15-4	GUZA-01	0.5	ft	Indian Creek			Non-IEPA		08/30/2018	9:32:00 AM	08/30/2018	10:41:33 AM			08/31/2018	9:34:39 AM	Water	USEPA	2540-D	Volatile Suspended Solids	Total	11.60	mg/L	J	0.77	19.30			09/12/2018	
DRWW	Suburban Labs		15-4	GUZA-01	0.5	ft	Indian Creek			Non-IEPA		10/26/2018	12:02:00 PM	10/26/2018	3:20:00 PM			10/29/2018		Water	APHA	4500-CL-(E)	Chloride	Total	112.00	mg/L		20.00	20.00			11/07/2018	
DRWW	Suburban Labs		15-4	GUZA-01	0.5	ft	Indian Creek			Non-IEPA		10/26/2018	12:02:00 PM	10/26/2018	3:20:00 PM			10/26/2018		Water	YSI	EPA 120.1	Conductivity	Total	992.00	umhos/cm							11/07/2018
DRWW	Suburban Labs		15-4	GUZA-01	0.5	ft	Indian Creek			Non-IEPA		10/26/2018	12:02:00 PM	10/26/2018	3:20:00 PM			10/26/2018		Water	USEPA	E COLI MPN	E. Coli	Total	185.00	MPN/100mL		1.0	1.0			11/07/2018	
DRWW	Suburban Labs		15-4	GUZA-01	0.5	ft	Indian Creek			Non-IEPA		10/26/2018	12:02:00 PM	10/26/2018	3:20:00 PM			10/25/2018		Water	USEPA	365.2	pH, Field	Total	7.90	S.U.							11/07/2018
DRWW	Suburban Labs		15-4	GUZA-01	0.5	ft	Indian Creek			Non-IEPA		10/26/2018	12:02:00 PM	10/26/2018	3:20:00 PM	10/29/2018	3:13:00 PM	10/30/2018	1:31:37 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.10	mg/L	J	0.0500	0.135			11/07/2018	
DRWW	Suburban Labs		15-4	GUZA-01	0.5	ft	Indian Creek			Non-IEPA		10/26/2018	12:02:00 PM	10/26/2018	3:20:00 PM			10/30/2018	2:44:10 PM	Water	Lab	2510B	Specific Conductivity	Total	1020.00	umhos/cm		1.00	1.00			11/07/2018	
DRWW	Suburban Labs		15-4	GUZA-01	0.5	ft	Indian Creek			Non-IEPA		10/26/2018	12:02:00 PM	10/26/2018	3:20:00 PM				2:32:55 PM	Water	USEPA	SM 2550B	Temperature	Total	9.20	deg C							11/07/2018
DRWW	Suburban Labs		15-4	GUZA-01	0.5	ft	Indian Creek			Non-IEPA		10/26/2018	12:02:00 PM	10/26/2018	3:20:00 PM			11/02/2018	10:25:29 AM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.14	mg/L	J	0.100	0.224			11/07/2018	
DRWW	Suburban Labs		15-4	GUZA-01	0.5	ft	Indian Creek			Non-IEPA		10/26/2018	12:02:00 PM	10/26/2018	3:20:00 PM			10/26/2018		Water	Lab	2130-B	Turbidity	Total	33.00	NTU		0.100	0.200			11/07/2018	
DRWW	Suburban Labs		15-5	GU-08	0.5	ft	Indian Creek			Non-IEPA		02/05/2018	12:30:00 PM	02/05/2018	2:45:00 PM			02/15/2018	12:23:15 PM	Water	APHA	4500-CL-(E)	Chloride	Total	178.00	mg/L		20.00	20.00			02/15/2018	
DRWW	Suburban Labs		15-5	GU-08	0.5	ft	Indian Creek			Non-IEPA		02/05/2018	12:30:00 PM	02/05/2018	2:45:00 PM			02/15/2018	12:23:15 PM	Water	YSI	EPA 120.1	Conductivity	Total	1230.00	umhos/cm							02/15/2018
DRWW	Suburban Labs		15-5	GU-08	0.5	ft	Indian Creek			Non-IEPA		02/05/2018	12:30:00 PM	02/05/2018	2:45:00 PM			02/05/2018	3:37:49 PM	Water	USEPA	E COLI MPN	E. Coli	Total	13.20	MPN/100mL		1.00	1.00			02/15/2018	
DRWW	Suburban Labs		15-5	GU-08	0.5	ft	Indian Creek			Non-IEPA		02/05/2018	12:30:00 PM	02/05/2018	2:45:00 PM					Water	USEPA	365.2	pH, Field	Total	7.80	S.U.							02/15/2018
DRWW	Suburban Labs		15-5	GU-08	0.5	ft	Indian Creek			Non-IEPA		02/05/2018	12:30:00 PM	02/05/2018	2:45:00 PM			02/07/2018	2:12:36 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.05	mg/L		0.05	0.14			02/15/2018	
DRWW	Suburban Labs		15-5	GU-08	0.5	ft	Indian Creek			Non-IEPA		02/05/2018	12:30:00 PM	02/05/2018	2:45:00 PM					Water	USEPA	SM 2550B	Temperature	Total	0.00	°C							02/15/2018
DRWW	Suburban Labs		15-5	GU-08	0.5	ft	Indian Creek			Non-IEPA		02/05/2018	12:30:00 PM	02/05/2018	2:45:00 PM			02/06/2018	3:19:12 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.75	mg/L		0.10	0.22			02/15/2018	
DRWW	Suburban Labs		15-5	GU-08	0.5	ft	Indian Creek			Non-IEPA		02/05/2018	12:30:00 PM	02/05/2018	2:45:00 PM			02/05/2018	4:30:00 PM	Water	Lab	2130-B	Turbidity	Total	8.55	NTU		0.10	0.20			02/15/2018	
DRWW	Suburban Labs		15-5	GU-08	0.5	ft	Indian Creek			Non-IEPA		05/18/2018	10:50:00 AM	05/18/2018	4:35:12 PM			05/25/2018	2:56:25 PM	Water	APHA	4500-CL-(E)	Chloride	Total	143.00	mg/L		20.00	20.00			05/29/2018	
DRWW	Suburban Labs		15-5	GU-08	0.5	ft	Indian Creek			Non-IEPA		05/18/2018	10:50:00 AM	05/18/2018	4:35:12 PM					Water	YSI	EPA 120.1	Conductivity	Total	912.00	umhos/cm							05/29/2018
DRWW	Suburban Labs		15-5	GU-08	0.5	ft	Indian Creek			Non-IEPA		05/18/2018	10:50:00 AM	05/18/2018	4:35:12 PM			05/18/2018	5:14:13 PM	Water	USEPA	E COLI MPN	E. Coli	Total	63.10	MPN/100mL		1.00	1.00			05/29/2018	
DRWW	Suburban Labs		15-5	GU-08	0.5	ft	Indian Creek			Non-IEPA		05/18/2018	10:50:00 AM	05/18/2018	4:35:12 PM					Water	USEPA	365.2	pH, Field	Total	7.80	S.U.							05/29/2018
DRWW	Suburban Labs		15-5	GU-08	0.5	ft	Indian Creek			Non-IEPA		05/18/2018	10:50:00 AM	05/18/2018	4:35:12 PM	05/21/2018	11:48:55 AM	05/22/2018	3:06:29 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.07	mg/L	J	0.05	0.14			05/29/2018	
DRWW	Suburban Labs		15-5	GU-08	0.5	ft	Indian Creek			Non-IEPA		05/18/2018	10:50:00 AM	05/18/2018	4:35:12 PM			05/22/2018	4:05:03 PM	Water	Lab	2510B	Specific Conductivity	Total	948.00	umhos/cm		1.00	1.00			05/29/2018	
DRWW	Suburban Labs		15-5	GU-08	0.5	ft	Indian Creek			Non-IEPA		05/18/2018	10:50:00 AM	05/18/2018	4:35:12 PM					Water	USEPA	SM 2550B	Temperature	Total	16.10	°C							05/29/2018
DRWW	Suburban Labs		15-5	GU-08	0.5	ft	Indian Creek			Non-IEPA		05/18/2018	10:50:00 AM	05/18/2018	4:35:12 PM			05/25/2018	7:47:22 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22			05/29/2018	
DRWW	Suburban Labs		15-5	GU-08	0.5	ft	Indian Creek			Non-IEPA		05/18/2018	10:50:00 AM	05/18/2018	4:35:12 PM			05/18/2018	5:00:00 AM	Water	Lab	2130-B	Turbidity	Total	13.00	NTU		0.10	0.20			05/29/2018	
DRWW	Suburban Labs		15-5	GU-08	0.5	ft	Indian Creek			Non-IEPA		07/27/2018	9:51:00 AM	07/27/2018	3:50:00 PM			07/30/2018	5:37:19 PM	Water	APHA	4500-CL-(E)	Chloride	Total	202.00	mg/L	S	40.00	40.00			08/07/2018	
DRWW	Suburban Labs		15-5	GU-08	0.5	ft	Indian Creek			Non-IEPA		07/27/2018	9:51:00 AM	07/27/2018	3:50:00 PM					Water	YSI	EPA 120.1	Conductivity	Total	1190.00	umhos/cm							08/07/2018
DRWW	Suburban Labs		15-5	GU-08	0.5	ft	Indian Creek			Non-IEPA		07/27/2018	9:51:00 AM	07/27/2018	3:50:00 PM			07/27/2018	5:00:00 PM	Water	USEPA	E COLI MPN	E. Coli	Total	52.80	MPN/100mL		1.00	1.00			08/07/2018	
DRWW	Suburban Labs		15-5	GU-08	0.5	ft	Indian Creek			Non-IEPA		07/27/2018	9:51:00 AM	07/27/2018	3:50:00 PM			08/06/2018	2:06:58 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30			08/07/2018	
DRWW	Suburban Labs		15-5	GU-08	0.5	ft	Indian Creek			Non-IEPA		07/27/2018	9:51:00 AM	07/27/2018	3:50:00 PM	08/01/2018	12:58:27 PM	08/03/2018	12:08:17 PM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	ND	mg/L		1.19	3.78			08/07/2018	
DRWW	Suburban Labs		15-5	GU-08	0.5	ft	Indian Creek			Non-IEPA		07/27/2018	9:51:00 AM	07/27/2018	3:50:00 PM					Water	USEPA	365.2	pH, Field	Total	7.90	S.U.							08/07/2018

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code-IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs		15-5 Field Bl	GU-08	0.5	ft	Indian Creek			Non-IEPA		02/05/2018	12:50:00 PM	02/05/2018	2:45:00 PM					Water	USEPA	SM 2550B	Temperature		2.70	°C						02/15/2018
DRWW	Suburban Labs		15-5 Field Bl	GU-08	0.5	ft	Indian Creek			Non-IEPA		02/05/2018	12:50:00 PM	02/05/2018	2:45:00 PM			02/06/2018	3:21:04 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22			02/15/2018
DRWW	Suburban Labs		15-5 Field Bl	GU-08	0.5	ft	Indian Creek			Non-IEPA		02/05/2018	12:50:00 PM	02/05/2018	2:45:00 PM			02/05/2018	4:30:00 PM	Water	Lab	2130-B	Turbidity		ND	NTU		0.10	0.20			02/15/2018
DRWW	Suburban Labs		15-5 Field Bl	GU-08	0.5	ft	Indian Creek			Non-IEPA		08/30/2018	9:03:00 AM	08/30/2018	11:17:00 AM			09/03/2018	12:22:38 PM	Water	APHA	4500-CL-(E)	Chloride	Total	ND	mg/L		20.00	20.00			09/12/2018
DRWW	Suburban Labs		15-5 Field Bl	GU-08	0.5	ft	Indian Creek			Non-IEPA		08/30/2018	9:03:00 AM	08/30/2018	11:17:00 AM					Water	YSI	EPA 120.1	Conductivity		2.00	umhos/cm						09/12/2018
DRWW	Suburban Labs		15-5 Field Bl	GU-08	0.5	ft	Indian Creek			Non-IEPA		08/30/2018	9:03:00 AM	08/30/2018	11:17:00 AM			08/30/2018	4:50:43 PM	Water	USEPA	E. COLI MPN	E. Coli	Total	<1	MPN/100mL		1.00	1.00			09/12/2018
DRWW	Suburban Labs		15-5 Field Bl	GU-08	0.5	ft	Indian Creek			Non-IEPA		08/30/2018	9:03:00 AM	08/30/2018	11:17:00 AM			09/05/2018	5:31:06 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	0.15	mg/L	J	0.10	0.30			09/12/2018
DRWW	Suburban Labs		15-5 Field Bl	GU-08	0.5	ft	Indian Creek			Non-IEPA		08/30/2018	9:03:00 AM	08/30/2018	11:17:00 AM	09/05/2018	11:47:55 AM	09/06/2018	11:30:26 AM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	ND	mg/L		1.19	3.78			09/12/2018
DRWW	Suburban Labs		15-5 Field Bl	GU-08	0.5	ft	Indian Creek			Non-IEPA		08/30/2018	9:03:00 AM	08/30/2018	11:17:00 AM					Deionized Water	USEPA	365.2	pH, Field		8.60	S.U.						09/12/2018
DRWW	Suburban Labs		15-5 Field Bl	GU-08	0.5	ft	Indian Creek			Non-IEPA		08/30/2018	9:03:00 AM	08/30/2018	11:17:00 AM	08/31/2018	4:10:36 PM	09/06/2018	5:03:39 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	ND	mg/L		0.05	0.14			09/12/2018
DRWW	Suburban Labs		15-5 Field Bl	GU-08	0.5	ft	Indian Creek			Non-IEPA		08/30/2018	9:03:00 AM	08/30/2018	11:17:00 AM			09/10/2018	5:32:17 PM	Water	Lab	2510B	Specific Conductivity	Total	1.52	umhos/cm		1.00	1.00			09/12/2018
DRWW	Suburban Labs		15-5 Field Bl	GU-08	0.5	ft	Indian Creek			Non-IEPA		08/30/2018	9:03:00 AM	08/30/2018	11:17:00 AM					Deionized Water	USEPA	SM 2550B	Temperature		23.72	°C						09/12/2018
DRWW	Suburban Labs		15-5 Field Bl	GU-08	0.5	ft	Indian Creek			Non-IEPA		08/30/2018	9:03:00 AM	08/30/2018	11:17:00 AM			09/05/2018	6:18:52 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22			09/12/2018
DRWW	Suburban Labs		15-5 Field Bl	GU-08	0.5	ft	Indian Creek			Non-IEPA		08/30/2018	9:03:00 AM	08/30/2018	11:17:00 AM			08/31/2018	9:34:39 AM	Deionized Water	USEPA	2540-D	Total Suspended Solids	Total	0.20	mg/L	J	0.20	5.00			09/12/2018
DRWW	Suburban Labs		15-5 Field Bl	GU-08	0.5	ft	Indian Creek			Non-IEPA		08/30/2018	9:03:00 AM	08/30/2018	11:17:00 AM			08/31/2018	4:09:00 PM	Water	Lab	2130-B	Turbidity		0.16	NTU	J	0.10	0.20			09/12/2018
DRWW	Suburban Labs		15-5 Field Bl	GU-08	0.5	ft	Indian Creek			Non-IEPA		08/30/2018	9:03:00 AM	08/30/2018	11:17:00 AM			08/31/2018	9:34:39 AM	Water	USEPA	2540-D	Volatile Suspended Solids	Total	0.80	mg/L	J	0.20	5.00			09/12/2018
DRWW	Suburban Labs		15-6	GU-03	0.5	ft	Indian Creek			Non-IEPA		02/06/2018	10:05:00 AM	02/06/2018	2:45:00 PM			02/15/2018	12:28:01 PM	Water	APHA	4500-CL-(E)	Chloride	Total	78.80	mg/L		20.00	20.00			02/15/2018
DRWW	Suburban Labs		15-6	GU-03	0.5	ft	Indian Creek			Non-IEPA		02/06/2018	10:05:00 AM	02/06/2018	2:45:00 PM			02/15/2018	12:28:01 PM	Water	YSI	EPA 120.1	Conductivity		753.00	umhos/cm						02/15/2018
DRWW	Suburban Labs		15-6	GU-03	0.5	ft	Indian Creek			Non-IEPA		02/06/2018	10:05:00 AM	02/06/2018	2:45:00 PM			02/06/2018	4:37:27 PM	Water	USEPA	E. COLI MPN	E. Coli	Total	3.00	MPN/100mL		1.00	1.00			02/15/2018
DRWW	Suburban Labs		15-6	GU-03	0.5	ft	Indian Creek			Non-IEPA		02/06/2018	10:05:00 AM	02/06/2018	2:45:00 PM					Water	USEPA	365.2	pH, Field		8.30	S.U.						02/15/2018
DRWW	Suburban Labs		15-6	GU-03	0.5	ft	Indian Creek			Non-IEPA		02/06/2018	10:05:00 AM	02/06/2018	2:45:00 PM			02/08/2018	2:15:27 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	ND	mg/L		0.05	0.14			02/15/2018
DRWW	Suburban Labs		15-6	GU-03	0.5	ft	Indian Creek			Non-IEPA		02/06/2018	10:05:00 AM	02/06/2018	2:45:00 PM					Water	USEPA	SM 2550B	Temperature		0.00	°C						02/15/2018
DRWW	Suburban Labs		15-6	GU-03	0.5	ft	Indian Creek			Non-IEPA		02/06/2018	10:05:00 AM	02/06/2018	2:45:00 PM			02/12/2018	1:04:17 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.14	mg/L		0.10	0.22			02/15/2018
DRWW	Suburban Labs		15-6	GU-03	0.5	ft	Indian Creek			Non-IEPA		02/06/2018	10:05:00 AM	02/06/2018	2:45:00 PM			02/06/2018	6:04:01 PM	Water	Lab	2130-B	Turbidity		2.49	NTU		0.10	0.20			02/15/2018
DRWW	Suburban Labs		15-6	GU-03	0.5	ft	Indian Creek			Non-IEPA		05/18/2018	11:15:00 AM	05/18/2018	4:35:21 PM			05/25/2018	2:57:04 PM	Water	APHA	4500-CL-(E)	Chloride	Total	110.00	umhos/cm		20.00	20.00			05/30/2018
DRWW	Suburban Labs		15-6	GU-03	0.5	ft	Indian Creek			Non-IEPA		05/18/2018	11:15:00 AM	05/18/2018	4:35:21 PM					Water	YSI	EPA 120.1	Conductivity		701.00	umhos/cm						05/30/2018
DRWW	Suburban Labs		15-6	GU-03	0.5	ft	Indian Creek			Non-IEPA		05/18/2018	11:15:00 AM	05/18/2018	4:35:21 PM			05/18/2018	5:14:13 PM	Water	USEPA	E. COLI MPN	E. Coli	Total	13.40	MPN/100mL		1.00	1.00			05/30/2018
DRWW	Suburban Labs		15-6	GU-03	0.5	ft	Indian Creek			Non-IEPA		05/18/2018	11:15:00 AM	05/18/2018	4:35:21 PM					Water	USEPA	365.2	pH, Field		7.50	S.U.						05/30/2018
DRWW	Suburban Labs		15-6	GU-03	0.5	ft	Indian Creek			Non-IEPA		05/18/2018	11:15:00 AM	05/18/2018	4:35:21 PM	05/21/2018	11:48:55 AM	05/22/2018	3:12:57 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.11	mg/L	J	0.05	0.14			05/30/2018
DRWW	Suburban Labs		15-6	GU-03	0.5	ft	Indian Creek			Non-IEPA		05/18/2018	11:15:00 AM	05/18/2018	4:35:21 PM			05/22/2018	4:05:51 PM	Water	Lab	2510B	Specific Conductivity	Total	732.00	umhos/cm		1.00	1.00			05/30/2018
DRWW	Suburban Labs		15-6	GU-03	0.5	ft	Indian Creek			Non-IEPA		05/18/2018	11:15:00 AM	05/18/2018	4:35:21 PM					Water	USEPA	SM 2550B	Temperature		18.20	°C						05/30/2018
DRWW	Suburban Labs		15-6	GU-03	0.5	ft	Indian Creek			Non-IEPA		05/18/2018	11:15:00 AM	05/18/2018	4:35:21 PM			05/29/2018	2:34:38 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22			05/30/2018
DRWW	Suburban Labs		15-6	GU-03	0.5	ft	Indian Creek			Non-IEPA		05/18/2018	11:15:00 AM	05/18/2018	4:35:21 PM			05/18/2018	5:00:00 PM	Water	Lab	2130-B	Turbidity		4.00	NTU		0.10	0.20			05/30/2018
DRWW	Suburban Labs		15-6	GU-03	0.5	ft	Indian Creek			Non-IEPA		07/27/2018	10:14:00 AM	07/27/2018	3:50:00 PM			07/30/2018	5:13:50 PM	Water	APHA	4500-CL-(E)	Chloride	Total	93.90	mg/L		20.00	20.00			08/07/2018
DRWW	Suburban Labs		15-6	GU-03	0.5	ft	Indian Creek			Non-IEPA		07/27/2018	10:14:00 AM	07/27/2018	3:50:00 PM					Water	YSI	EPA 120.1	Conductivity		925.00	umhos/cm						08/07/2018
DRWW	Suburban Labs		15-6	GU-03	0.5	ft	Indian Creek			Non-IEPA		07/27/2018	10:14:00 AM	07/27/2018	3:50:00 PM			07/27/2018	5:00:00 PM	Water	USEPA	E. COLI MPN	E. Coli	Total	1119.90	MPN/100mL		1.00	1.00			08/07/2018
DRWW	Suburban Labs		15-6	GU-03	0.5	ft	Indian Creek			Non-IEPA		07/27/2018	10:14:00 AM	07/27/2018	3:50:00 PM			08/06/2018	2:15:36 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30			08/07/2018
DRWW	Suburban Labs		15-6	GU-03	0.5	ft	Indian Creek			Non-IEPA		07/27/2018	10:14:00 AM	07/27/2018	3:50:00 PM	08/01/2018	12:58:27 PM	08/03/2018	12:09:42 PM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	1.57	mg/L	J	1.19	3.78			08/07/2018
DRWW	Suburban Labs		15-6	GU-03	0.5	ft	Indian Creek			Non-IEPA		07/27/2018	10:14:00 AM	07/27/2018	3:50:00 PM					Water	USEPA	365.2	pH, Field		7.80	S.U.						08/07/2018
DRWW	Suburban Labs		15-6	GU-03	0.5	ft	Indian Creek			Non-IEPA		07/27/2018	10:14:00 AM	07/27/2018	3:50:00 PM	07/30/2018	10:05:20 AM	07/31/2018	1:38:44 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.22	mg/L		0.05	0.14			08/07/2018
DRWW	Suburban Labs		15-6	GU-03	0.5	ft	Indian Creek			Non-IEPA		07/27/2018	10:14:00 AM	07/27/2018	3:50:00 PM			07/31/2018	1:38:40 PM	Water	Lab	2510B	Specific Conductivity	Total	902.00	umhos/cm		1.00	1.00			08/07/2018
DRWW	Suburban Labs		15-6	GU-03	0.5	ft	Indian Creek			Non-IEPA		07/27/2018	10:14:00 AM	07/27/2018	3:50:00 PM					Water	USEPA	SM 2550B	Temperature		18.30	°C						08/07/2018
DRWW	Suburban Labs		15-6	GU-03	0.5	ft	Indian Creek			Non-IEPA		07/27/2018	10:14:00 AM	07/27/2018	3:50:00 PM			08/02/2018	11:39:00 AM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.79	mg/L		0.10	0.22			08/07/2018
DRWW	Suburban Labs		15-6	GU-03	0.5	ft	Indian Creek			Non-IEPA		07/27/2018	10:14:00 AM	07/27/2018	3:50:00 PM			07/31/2018	1:17:58 PM	Water	USEPA	2540-D	Total Suspended Solids	Total	5.20	mg/L		0.20	5.00			08/07/2018
DRWW	Suburban Labs		15-6	GU-03	0.5	ft	Indian Creek			Non-IEPA																						

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code-IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released						
DRWW	Suburban Labs		15-7	GUZA-03	0.5	ft	Indian Creek			Non-IEPA		05/18/2018	11:36:00 AM	05/18/2018	4:35:52 PM					Water	USEPA	SM 2550B	Temperature		19.60	°C						05/30/2018						
DRWW	Suburban Labs		15-7	GUZA-03	0.5	ft	Indian Creek			Non-IEPA		05/18/2018	11:36:00 AM	05/18/2018	4:35:52 PM			05/29/2018	3:52:35 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22			05/30/2018						
DRWW	Suburban Labs		15-7	GUZA-03	0.5	ft	Indian Creek			Non-IEPA		05/18/2018	11:36:00 AM	05/18/2018	4:35:52 PM			05/18/2018	5:00:00 PM	Water	Lab	2130-B	Turbidity	Total	32.60	NTU		0.10	0.20			05/30/2018						
DRWW	Suburban Labs		15-7	GUZA-03	0.5	ft	Indian Creek			Non-IEPA		07/27/2018	10:39:00 AM	07/27/2018	3:50:00 PM			07/30/2018	5:42:23 PM	Water	APHA	4500-CL(-E)	Chloride	Total	270.00	mg/L		40.00	40.00			08/07/2018						
DRWW	Suburban Labs		15-7	GUZA-03	0.5	ft	Indian Creek			Non-IEPA		07/27/2018	10:39:00 AM	07/27/2018	3:50:00 PM					Water	YSI	EPA 120.1	Conductivity	Total	1201.00	umhos/cm						08/07/2018						
DRWW	Suburban Labs		15-7	GUZA-03	0.5	ft	Indian Creek			Non-IEPA		07/27/2018	10:39:00 AM	07/27/2018	3:50:00 PM			07/27/2018	5:00:00 PM	Water	USEPA	E. COLI MPN	E. Coli	Total	114.50	MPN/100mL		1.00	1.00			08/07/2018						
DRWW	Suburban Labs		15-7	GUZA-03	0.5	ft	Indian Creek			Non-IEPA		07/27/2018	10:39:00 AM	07/27/2018	3:50:00 PM			08/06/2018	2:17:22 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	0.20	mg/L	J	0.10	0.30			08/07/2018						
DRWW	Suburban Labs		15-7	GUZA-03	0.5	ft	Indian Creek			Non-IEPA		07/27/2018	10:39:00 AM	07/27/2018	3:50:00 PM	08/01/2018	12:58:27 PM	08/03/2018	12:11:03 PM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	1.79	mg/L	J	1.19	3.78			08/07/2018						
DRWW	Suburban Labs		15-7	GUZA-03	0.5	ft	Indian Creek			Non-IEPA		07/27/2018	10:39:00 AM	07/27/2018	3:50:00 PM					Water	USEPA	365.2	pH, Field	Total	7.80	S.U.						08/07/2018						
DRWW	Suburban Labs		15-7	GUZA-03	0.5	ft	Indian Creek			Non-IEPA		07/27/2018	10:39:00 AM	07/27/2018	3:50:00 PM	07/30/2018	10:05:20 AM	07/31/2018	1:41:57 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.22	mg/L	J	0.05	0.14			08/07/2018						
DRWW	Suburban Labs		15-7	GUZA-03	0.5	ft	Indian Creek			Non-IEPA		07/27/2018	10:39:00 AM	07/27/2018	3:50:00 PM			07/31/2018	1:39:20 PM	Water	Lab	2510B	Specific Conductivity	Total	1370.00	umhos/cm		1.00	1.00			08/07/2018						
DRWW	Suburban Labs		15-7	GUZA-03	0.5	ft	Indian Creek			Non-IEPA		07/27/2018	10:39:00 AM	07/27/2018	3:50:00 PM					Water	USEPA	SM 2550B	Temperature	Total	20.10	°C						08/07/2018						
DRWW	Suburban Labs		15-7	GUZA-03	0.5	ft	Indian Creek			Non-IEPA		07/27/2018	10:39:00 AM	07/27/2018	3:50:00 PM			08/02/2018	11:59:00 AM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22			08/07/2018						
DRWW	Suburban Labs		15-7	GUZA-03	0.5	ft	Indian Creek			Non-IEPA		07/27/2018	10:39:00 AM	07/27/2018	3:50:00 PM			07/31/2018	1:17:58 PM	Water	USEPA	2540-D	Total Suspended Solids	Total	20.40	mg/L		0.40	10.00			08/07/2018						
DRWW	Suburban Labs		15-7	GUZA-03	0.5	ft	Indian Creek			Non-IEPA		07/27/2018	10:39:00 AM	07/27/2018	3:50:00 PM			07/27/2018	4:46:14 PM	Water	Lab	2130-B	Turbidity	Total	17.50	NTU		0.10	0.20			08/07/2018						
DRWW	Suburban Labs		15-7	GUZA-03	0.5	ft	Indian Creek			Non-IEPA		07/27/2018	10:39:00 AM	07/27/2018	3:50:00 PM			07/31/2018	1:17:58 PM	Water	USEPA	2540-D	Volatile Suspended Solids	Total	7.20	mg/L	J	0.40	10.00			08/07/2018						
DRWW	Suburban Labs		15-7	GUZA-03	0.5	ft	Indian Creek			Non-IEPA		08/28/2018								Water	APHA	4500-CL(-E)	Chloride	Total	No flow													
DRWW	Suburban Labs		15-7	GUZA-03	0.5	ft	Indian Creek			Non-IEPA		08/28/2018								Water	YSI	EPA 120.1	Conductivity	Total	No flow													
DRWW	Suburban Labs		15-7	GUZA-03	0.5	ft	Indian Creek			Non-IEPA		08/28/2018								Water	USEPA	E. COLI MPN	E. Coli	Total	No flow													
DRWW	Suburban Labs		15-7	GUZA-03	0.5	ft	Indian Creek			Non-IEPA		08/28/2018								Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	No flow													
DRWW	Suburban Labs		15-7	GUZA-03	0.5	ft	Indian Creek			Non-IEPA		08/28/2018								Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	No flow													
DRWW	Suburban Labs		15-7	GUZA-03	0.5	ft	Indian Creek			Non-IEPA		08/28/2018								Water	USEPA	365.2	pH, Field	Total	No flow	S.U.												
DRWW	Suburban Labs		15-7	GUZA-03	0.5	ft	Indian Creek			Non-IEPA		08/28/2018								Water	USEPA	200.7	Phosphorus, Total (as P)	Total	No flow	mg/L												
DRWW	Suburban Labs		15-7	GUZA-03	0.5	ft	Indian Creek			Non-IEPA		08/28/2018								Water	Lab	2510B	Specific Conductivity	Total	No flow	umhos/cm												
DRWW	Suburban Labs		15-7	GUZA-03	0.5	ft	Indian Creek			Non-IEPA		08/28/2018								Water	USEPA	SM 2550B	Temperature	Total	No flow	°C												
DRWW	Suburban Labs		15-7	GUZA-03	0.5	ft	Indian Creek			Non-IEPA		08/28/2018								Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	No flow	mg/L												
DRWW	Suburban Labs		15-7	GUZA-03	0.5	ft	Indian Creek			Non-IEPA		08/28/2018								Water	USEPA	2540-D	Total Suspended Solids	Total	No flow													
DRWW	Suburban Labs		15-7	GUZA-03	0.5	ft	Indian Creek			Non-IEPA		08/28/2018								Water	Lab	2130-B	Turbidity	Total	No flow													
DRWW	Suburban Labs		15-7	GUZA-03	0.5	ft	Indian Creek			Non-IEPA		08/28/2018								Water	USEPA	2540-D	Volatile Suspended Solids	Total	No flow	mg/L												
DRWW	Suburban Labs		15-7	GUZA-03	0.5	ft	Indian Creek			Non-IEPA		10/23/2018	1:43:00 PM	10/23/2018	3:00:00 PM			10/29/2018		Water	APHA	4500-CL(-E)	Chloride	Total	116.00	mg/L		20.0	20.0						10/31/2018			
DRWW	Suburban Labs		15-7	GUZA-03	0.5	ft	Indian Creek			Non-IEPA		10/23/2018	1:43:00 PM	10/23/2018	3:00:00 PM					Water	YSI	EPA 120.1	Conductivity	Total	1240.00	umhos/cm										10/31/2018		
DRWW	Suburban Labs		15-7	GUZA-03	0.5	ft	Indian Creek			Non-IEPA		10/23/2018	1:43:00 PM	10/23/2018	3:00:00 PM			10/23/2018	10:06:10 AM	Water	USEPA	E. COLI MPN	E. Coli	Total	2.00	MPN/100mL		1.0	1.0							10/31/2018		
DRWW	Suburban Labs		15-7	GUZA-03	0.5	ft	Indian Creek			Non-IEPA		10/23/2018	1:43:00 PM	10/23/2018	3:00:00 PM					Water	USEPA	365.2	pH, Field	Total	7.77	S.U.										10/31/2018		
DRWW	Suburban Labs		15-7	GUZA-03	0.5	ft	Indian Creek			Non-IEPA		10/23/2018	1:43:00 PM	10/23/2018	3:00:00 PM	10/24/2018	11:02:16 AM	10/26/2018	2:03:16 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.07	mg/L	J	0.0500	0.135							10/31/2018		
DRWW	Suburban Labs		15-7	GUZA-03	0.5	ft	Indian Creek			Non-IEPA		10/23/2018	1:43:00 PM	10/23/2018	3:00:00 PM			10/25/2018		Water	Lab	2510B	Specific Conductivity	Total	920.00	umhos/cm		1.00	1.00							10/31/2018		
DRWW	Suburban Labs		15-7	GUZA-03	0.5	ft	Indian Creek			Non-IEPA		10/23/2018	1:43:00 PM	10/23/2018	3:00:00 PM					Water	USEPA	SM 2550B	Temperature	Total	8.00	deg C										10/31/2018		
DRWW	Suburban Labs		15-7	GUZA-03	0.5	ft	Indian Creek			Non-IEPA		10/23/2018	1:43:00 PM	10/23/2018	3:00:00 PM			10/26/2018	2:32:55 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.100	0.224							10/31/2018		
DRWW	Suburban Labs		15-7	GUZA-03	0.5	ft	Indian Creek			Non-IEPA		10/23/2018	1:43:00 PM	10/23/2018	3:00:00 PM			10/23/2018		Water	Lab	2130-B	Turbidity	Total	6.72	NTU		0.100	0.200							10/31/2018		
DRWW	Suburban Labs		15-8	GUB-02	0.5	ft	Indian Creek			Non-IEPA		02/06/2018	11:05:00 AM	02/06/2018	2:45:00 PM			02/15/2018	4:04:33 PM	Water	APHA	4500-CL(-E)	Chloride	Total	285.00	mg/L		40.00	40.00							02/16/2018		
DRWW	Suburban Labs		15-8	GUB-02	0.5	ft	Indian Creek			Non-IEPA		02/06/2018	11:05:00 AM	02/06/2018	2:45:00 PM			02/15/2018	4:04:33 PM	Water	YSI	EPA 120.1	Conductivity	Total	1540.00	umhos/cm											02/16/2018	
DRWW	Suburban Labs		15-8	GUB-02	0.5	ft	Indian Creek			Non-IEPA		02/06/2018	11:05:00 AM	02/06/2018	2:45:00 PM			02/06/2018	4:37:27 PM	Water	USEPA	E. COLI MPN	E. Coli	Total	62.00	MPN/100mL		1.00	1.00								02/16/2018	
DRWW	Suburban Labs		15-8	GUB-02	0.5	ft	Indian Creek			Non-IEPA		02/06/2018	11:05:00 AM	02/06/2018	2:45:00 PM					Water	USEPA	365.2	pH, Field	Total	7.90	S.U.											02/16/2018	
DRWW	Suburban Labs		15-8	GUB-02	0.5	ft	Indian Creek			Non-IEPA		02/06/2018	11:05:00 AM	02/06/2018	2:45:00 PM			02/08/2018	2:21:38 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.09	mg/L	J	0.05	0.14									02/16/2018
DRWW	Suburban Labs		15-8	GUB-02	0.5	ft	Indian Creek			Non-IEPA		02/06/2018	11:05:00 AM	02/06/2018	2:45:00 PM					Water	USEPA	SM 2550B	Temperature	Total	0.00	°C												02/16/2018
DRWW	Suburban Labs		15-8	GUB-02	0.5	ft	Indian Creek			Non-IEPA		02/06/2018	11:05:00 AM	02/06/2018	2:45:00 PM			02/12/2018	1:06:28 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22									02/16/2018
DRWW	Suburban Labs		15-8	GUB-02	0.5	ft	Indian Creek			Non-IEPA		02/06/2018	11:05:00 AM	02/06/2018	2:45:00 PM			02/06/2018	6:04:01 PM	Water	Lab	2130-B	Turbidity	Total	9.13	NTU		0.										

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code-IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released							
DRWW	Suburban Labs		15-9	GU-SD-A1	0.5	ft	Indian Creek			Non-IEPA		05/18/2018	12:31:00 PM	05/18/2018	4:35:06 PM			05/18/2018	5:14:13 PM	Water	USEPA	E_COLI_MPN	E. Coli	Total	83.60	MPN/100mL		1.00	1.00			05/30/2018							
DRWW	Suburban Labs		15-9	GU-SD-A1	0.5	ft	Indian Creek			Non-IEPA		05/18/2018	12:31:00 PM	05/18/2018	4:35:06 PM					Water	USEPA	365.2	pH, Field		8.70	S.U.						05/30/2018							
DRWW	Suburban Labs		15-9	GU-SD-A1	0.5	ft	Indian Creek			Non-IEPA		05/18/2018	12:31:00 PM	05/18/2018	4:35:06 PM	05/21/2018	11:52:18 AM	05/22/2018	3:41:49 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	ND	mg/L		0.05	0.14			05/30/2018							
DRWW	Suburban Labs		15-9	GU-SD-A1	0.5	ft	Indian Creek			Non-IEPA		05/18/2018	12:31:00 PM	05/18/2018	4:35:06 PM			05/22/2018	4:11:51 PM	Water	Lab	2510B	Specific Conductivity	Total	647.00	umhos/cm		1.00	1.00			05/30/2018							
DRWW	Suburban Labs		15-9	GU-SD-A1	0.5	ft	Indian Creek			Non-IEPA		05/18/2018	12:31:00 PM	05/18/2018	4:35:06 PM			05/29/2018	3:57:13 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22			05/30/2018							
DRWW	Suburban Labs		15-9	GU-SD-A1	0.5	ft	Indian Creek			Non-IEPA		05/18/2018	12:31:00 PM	05/18/2018	4:35:06 PM			05/18/2018	5:00:00 PM	Water	Lab	2130-B	Turbidity	Total	4.70	NTU		0.10	0.20			05/30/2018							
DRWW	Suburban Labs		15-9	GU-SD-A1	0.5	ft	Indian Creek			Non-IEPA		07/27/2018	11:46:00 AM	07/27/2018	3:50:00 PM			07/30/2018	5:35:15 PM	Water	APHA	4500-CL(-E)	Chloride	Total	234.00	mg/L		40.00	40.00			08/07/2018							
DRWW	Suburban Labs		15-9	GU-SD-A1	0.5	ft	Indian Creek			Non-IEPA		07/27/2018	11:46:00 AM	07/27/2018	3:50:00 PM			07/27/2018	5:00:00 PM	Water	YSI	EPA 120.1	Conductivity		1173.00	umhos/cm						08/07/2018							
DRWW	Suburban Labs		15-9	GU-SD-A1	0.5	ft	Indian Creek			Non-IEPA		07/27/2018	11:46:00 AM	07/27/2018	3:50:00 PM			08/06/2018	2:22:35 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	4.19	mg/L		0.10	0.30			08/07/2018							
DRWW	Suburban Labs		15-9	GU-SD-A1	0.5	ft	Indian Creek			Non-IEPA		07/27/2018	11:46:00 AM	07/27/2018	3:50:00 PM	08/01/2018	12:58:27 PM	08/03/2018	12:16:28 PM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	15.90	mg/L		1.19	3.78			08/07/2018							
DRWW	Suburban Labs		15-9	GU-SD-A1	0.5	ft	Indian Creek			Non-IEPA		07/27/2018	11:46:00 AM	07/27/2018	3:50:00 PM					Water	USEPA	365.2	pH, Field		7.70	S.U.						08/07/2018							
DRWW	Suburban Labs		15-9	GU-SD-A1	0.5	ft	Indian Creek			Non-IEPA		07/27/2018	11:46:00 AM	07/27/2018	3:50:00 PM	07/30/2018	10:05:20 AM	07/31/2018	2:04:03 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.19	mg/L		0.05	0.14			08/07/2018							
DRWW	Suburban Labs		15-9	GU-SD-A1	0.5	ft	Indian Creek			Non-IEPA		07/27/2018	11:46:00 AM	07/27/2018	3:50:00 PM			07/31/2018	1:40:41 PM	Water	Lab	2510B	Specific Conductivity	Total	1220.00	umhos/cm		1.00	1.00			08/07/2018							
DRWW	Suburban Labs		15-9	GU-SD-A1	0.5	ft	Indian Creek			Non-IEPA		07/27/2018	11:46:00 AM	07/27/2018	3:50:00 PM					Water	USEPA	SM 2550B	Temperature		19.30	°C						08/07/2018							
DRWW	Suburban Labs		15-9	GU-SD-A1	0.5	ft	Indian Creek			Non-IEPA		07/27/2018	11:46:00 AM	07/27/2018	3:50:00 PM			08/02/2018	12:01:00 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22			08/07/2018							
DRWW	Suburban Labs		15-9	GU-SD-A1	0.5	ft	Indian Creek			Non-IEPA		07/27/2018	11:46:00 AM	07/27/2018	3:50:00 PM			07/31/2018	1:17:58 PM	Water	USEPA	2540-D	Total Suspended Solids	Total	17.00	mg/L		0.20	5.00			08/07/2018							
DRWW	Suburban Labs		15-9	GU-SD-A1	0.5	ft	Indian Creek			Non-IEPA		07/27/2018	11:46:00 AM	07/27/2018	3:50:00 PM			07/27/2018	4:46:14 PM	Water	Lab	2130-B	Turbidity	Total	12.20	NTU		0.10	0.20			08/07/2018							
DRWW	Suburban Labs		15-9	GU-SD-A1	0.5	ft	Indian Creek			Non-IEPA		07/27/2018	11:46:00 AM	07/27/2018	3:50:00 PM			07/31/2018	1:17:58 PM	Water	USEPA	2540-D	Volatile Suspended Solids	Total	3.80	mg/L	J	0.20	5.00			08/07/2018							
DRWW	Suburban Labs		15-9	GU-SD-A1	0.5	ft	Indian Creek			Non-IEPA		08/28/2018								Water	APHA	4500-CL(-E)	Chloride	Total	No flow														
DRWW	Suburban Labs		15-9	GU-SD-A1	0.5	ft	Indian Creek			Non-IEPA		08/28/2018								Water	YSI	EPA 120.1	Conductivity		No flow														
DRWW	Suburban Labs		15-9	GU-SD-A1	0.5	ft	Indian Creek			Non-IEPA		08/28/2018								Water	USEPA	E_COLI_MPN	E. Coli	Total	No flow	MPN/100mL		1.00	1.00										
DRWW	Suburban Labs		15-9	GU-SD-A1	0.5	ft	Indian Creek			Non-IEPA		08/28/2018								Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	No flow														
DRWW	Suburban Labs		15-9	GU-SD-A1	0.5	ft	Indian Creek			Non-IEPA		08/28/2018								Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	No flow														
DRWW	Suburban Labs		15-9	GU-SD-A1	0.5	ft	Indian Creek			Non-IEPA		08/28/2018								Water	USEPA	365.2	pH, Field		No flow	S.U.													
DRWW	Suburban Labs		15-9	GU-SD-A1	0.5	ft	Indian Creek			Non-IEPA		08/28/2018								Water	USEPA	200.7	Phosphorus, Total (as P)	Total	No flow														
DRWW	Suburban Labs		15-9	GU-SD-A1	0.5	ft	Indian Creek			Non-IEPA		08/28/2018								Water	Lab	2510B	Specific Conductivity	Total	No flow	umhos/cm													
DRWW	Suburban Labs		15-9	GU-SD-A1	0.5	ft	Indian Creek			Non-IEPA		08/28/2018								Water	USEPA	SM 2550B	Temperature		No flow														
DRWW	Suburban Labs		15-9	GU-SD-A1	0.5	ft	Indian Creek			Non-IEPA		08/28/2018								Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	No flow	mg/L													
DRWW	Suburban Labs		15-9	GU-SD-A1	0.5	ft	Indian Creek			Non-IEPA		08/28/2018								Water	USEPA	2540-D	Total Suspended Solids	Total	No flow														
DRWW	Suburban Labs		15-9	GU-SD-A1	0.5	ft	Indian Creek			Non-IEPA		08/28/2018								Water	Lab	2130-B	Turbidity	Total	No flow														
DRWW	Suburban Labs		15-9	GU-SD-A1	0.5	ft	Indian Creek			Non-IEPA		10/23/2018	12:48:00 PM	10/23/2018	3:00:00 PM			10/29/2018		Water	USEPA	2540-D	Volatile Suspended Solids	Total	No flow	mg/L													
DRWW	Suburban Labs		15-9	GU-SD-A1	0.5	ft	Indian Creek			Non-IEPA		10/23/2018	12:48:00 PM	10/23/2018	3:00:00 PM				4:49:53 PM	Water	YSI	EPA 120.1	Conductivity		788.00	umhos/cm										10/31/2018			
DRWW	Suburban Labs		15-9	GU-SD-A1	0.5	ft	Indian Creek			Non-IEPA		10/23/2018	12:48:00 PM	10/23/2018	3:00:00 PM			10/23/2018	11:51:07 AM	Water	USEPA	E_COLI_MPN	E. Coli	Total	76.70	MPN/100mL		1.0	1.0							10/31/2018			
DRWW	Suburban Labs		15-9	GU-SD-A1	0.5	ft	Indian Creek			Non-IEPA		10/23/2018	12:48:00 PM	10/23/2018	3:00:00 PM				3:26:28 PM	Water	USEPA	365.2	pH, Field		7.99	S.U.											10/31/2018		
DRWW	Suburban Labs		15-9	GU-SD-A1	0.5	ft	Indian Creek			Non-IEPA		10/23/2018	12:48:00 PM	10/23/2018	3:00:00 PM	10/24/2018	11:02:16 AM	10/26/2018	2:00:50 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	ND	mg/L		0.0500	0.135									10/31/2018	
DRWW	Suburban Labs		15-9	GU-SD-A1	0.5	ft	Indian Creek			Non-IEPA		10/23/2018	12:48:00 PM	10/23/2018	3:00:00 PM			10/25/2018		Water	Lab	2510B	Specific Conductivity	Total	592.00	umhos/cm		1.00	1.00								10/31/2018		
DRWW	Suburban Labs		15-9	GU-SD-A1	0.5	ft	Indian Creek			Non-IEPA		10/23/2018	12:48:00 PM	10/23/2018	3:00:00 PM				7:22:03 PM	Water	USEPA	SM 2550B	Temperature		9.59	deg C											10/31/2018		
DRWW	Suburban Labs		15-9	GU-SD-A1	0.5	ft	Indian Creek			Non-IEPA		10/23/2018	12:48:00 PM	10/23/2018	3:00:00 PM			10/26/2018	2:32:55 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.14	mg/L	J	0.100	0.224									10/31/2018	
DRWW	Suburban Labs		15-9	GU-SD-A1	0.5	ft	Indian Creek			Non-IEPA		10/23/2018	12:48:00 PM	10/23/2018	3:00:00 PM			10/23/2018		Water	Lab	2130-B	Turbidity	Total	3.83	NTU		0.100	0.200									10/31/2018	
DRWW	Suburban Labs		15-9 Duplicate	GU-SD-A1	0.5	ft	Indian Creek			Non-IEPA		05/18/2018	12:31:00 PM	05/18/2018	4:35:40 PM			05/25/2018	3:01:05 PM	Water	APHA	4500-CL(-E)	Chloride	Total	100.00	mg/L		20.00	20.00							05/30/2018			
DRWW	Suburban Labs		15-9 Duplicate	GU-SD-A1	0.5	ft	Indian Creek			Non-IEPA		05/18/2018	12:31:00 PM	05/18/2018	4:35:40 PM					Water	YSI	EPA 120.1	Conductivity		616.00	umhos/cm										05/30/2018			
DRWW	Suburban Labs		15-9 Duplicate	GU-SD-A1	0.5	ft	Indian Creek			Non-IEPA		05/18/2018	12:31:00 PM	05/18/2018	4:35:40 PM			05/18/2018	5:14:13 PM	Water	USEPA	E_COLI_MPN	E. Coli	Total	78.00	MPN/100mL		1.00	1.00								05/30/2018		
DRWW	Suburban Labs		15-9 Duplicate	GU-SD-A1	0.5	ft	Indian Creek			Non-IEPA		05/18/2018	12:31:00 PM	05/18/2018	4:35:40 PM					Water	USEPA	365.2	pH, Field		8.60	S.U.											05/30/2018		
DRWW	Suburban Labs		15-9 Duplicate	GU-SD-A1	0.5	ft	Indian Creek			Non-IEPA		05/18/2018	12:31:00 PM	05/18/2018	4:35:40 PM	05/21/2018	11:52:18 AM	05/22/2018	3:57:42 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	ND	mg/L		0.05	0.14										05/30/2018
DRWW	Suburban Labs		15-9 Duplicate	GU-SD-A1	0.5	ft	Indian Creek			Non-IEPA		05/18/2018	12:31:00 PM	05/18/2018	4:35:40 PM			05/22/2018	4:10:53 PM	Water	Lab	2510B	Specific Conductivity	Total	648.00	umhos/cm		1.00	1.00									05/30/2018	
DRWW	Suburban Labs		15-9 Duplicate	GU-SD-A1	0.5	ft	Indian Creek			Non-IEPA		05/18/2018	12:31:00 PM	05/18/2018	4:35:40 PM			</																					

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code-IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		05/18/2018	1:34:00 PM	05/18/2018	4:35:04 PM			05/24/2018	1:06:23 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	0.16	mg/L	J	0.10	0.30		05/31/2018	
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		05/18/2018	1:34:00 PM	05/18/2018	4:35:04 PM	05/30/2018	3:43:15 PM	05/31/2018	12:22:30 PM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	3.95	mg/L		1.19	3.78		05/31/2018	
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		05/18/2018	1:34:00 PM	05/18/2018	4:35:04 PM			05/18/2018	4:35:04 PM	Water	USEPA	365.2	pH, Field	Total	7.60	S.U.					05/31/2018	
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		05/18/2018	1:34:00 PM	05/18/2018	4:35:04 PM	05/21/2018	11:52:18 AM	05/22/2018	4:04:06 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.18	mg/L		0.05	0.14		05/31/2018	
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		05/18/2018	1:34:00 PM	05/18/2018	4:35:04 PM			05/22/2018	4:16:11 PM	Water	Lab	2510B	Specific Conductivity	Total	781.00	umhos/cm	1.00	1.00			05/31/2018	
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		05/18/2018	1:34:00 PM	05/18/2018	4:35:04 PM			05/22/2018	9:59:23 AM	Water	USEPA	SM 2550B	Temperature	Total	17.90	°C					05/31/2018	
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		05/18/2018	1:34:00 PM	05/18/2018	4:35:04 PM			05/29/2018	4:01:37 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	1.76	mg/L		0.10	0.22		05/31/2018	
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		05/18/2018	1:34:00 PM	05/18/2018	4:35:04 PM			05/22/2018	9:59:23 AM	Water	USEPA	2540-D	Total Suspended Solids	Total	16.20	mg/L		0.20	5.00		05/31/2018	
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		05/18/2018	1:34:00 PM	05/18/2018	4:35:04 PM			05/18/2018	5:00:00 PM	Water	Lab	2130-B	Turbidity	Total	28.80	NTU		0.10	0.20		05/31/2018	
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		05/18/2018	1:34:00 PM	05/18/2018	4:35:04 PM			05/22/2018	9:59:23 AM	Water	USEPA	2540-D	Volatile Suspended Solids	Total	2.60	mg/L	J	0.20	5.00		05/31/2018	
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		07/27/2018	12:50:00 PM	07/27/2018	3:50:00 PM			07/30/2018	4:56:35 PM	Water	APHA	4500-CL-(E)	Chloride	Total	185.00	mg/L		20.00	20.00			08/09/2018
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		07/27/2018	12:50:00 PM	07/27/2018	3:50:00 PM	07/27/2018	6:06:57 PM	08/06/2018	6:49:14 PM	Water	USEPA	SM A10200H	Chlorophyll a	Total	ND	mg/L		4.00	4.00			08/09/2018
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		07/27/2018	12:50:00 PM	07/27/2018	3:50:00 PM			07/27/2018	5:00:00 PM	Water	USEPA	E COLI MPN	E. Coli	Total	37.30	MPN/100mL		1.00	1.00			08/09/2018
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		07/27/2018	12:50:00 PM	07/27/2018	3:50:00 PM			08/06/2018	2:27:45 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30			08/09/2018
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		07/27/2018	12:50:00 PM	07/27/2018	3:50:00 PM	08/02/2018	11:00:10 AM	08/03/2018	12:32:49 PM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	ND	mg/L		1.19	3.78			08/09/2018
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		07/27/2018	12:50:00 PM	07/27/2018	3:50:00 PM			07/27/2018	5:00:00 PM	Water	USEPA	365.2	pH, Field	Total	8.00	S.U.					08/09/2018	
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		07/27/2018	12:50:00 PM	07/27/2018	3:50:00 PM	07/30/2018	10:05:20 AM	07/31/2018	2:13:39 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.39	mg/L		0.05	0.14			08/09/2018
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		07/27/2018	12:50:00 PM	07/27/2018	3:50:00 PM			07/31/2018	1:42:09 PM	Water	Lab	2510B	Specific Conductivity	Total	1110.00	umhos/cm	1.00	1.00			08/09/2018	
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		07/27/2018	12:50:00 PM	07/27/2018	3:50:00 PM			07/27/2018	1:17:58 PM	Water	USEPA	SM 2550B	Temperature	Total	24.40	°C					08/09/2018	
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		07/27/2018	12:50:00 PM	07/27/2018	3:50:00 PM			08/02/2018	12:46:00 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	8.25	mg/L		0.10	0.22			08/09/2018
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		07/27/2018	12:50:00 PM	07/27/2018	3:50:00 PM			07/31/2018	1:17:58 PM	Water	USEPA	2540-D	Total Suspended Solids	Total	1.80	mg/L	J	0.20	5.00			08/09/2018
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		07/27/2018	12:50:00 PM	07/27/2018	3:50:00 PM			07/27/2018	4:46:14 PM	Water	Lab	2130-B	Turbidity	Total	1.76	NTU		0.10	0.20			08/09/2018
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		07/27/2018	12:50:00 PM	07/27/2018	3:50:00 PM			07/31/2018	1:17:58 PM	Water	USEPA	2540-D	Volatile Suspended Solids	Total	0.80	mg/L	J	0.20	5.00			08/09/2018
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		08/28/2018	1:42:00 PM	08/28/2018	4:35:00 PM			08/29/2018	12:48:38 PM	Water	APHA	4500-CL-(E)	Chloride	Total	126.00	mg/L		20.00	20.00			09/12/2018
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		08/28/2018	1:42:00 PM	08/28/2018	4:35:00 PM	08/28/2018	6:15:27 PM	09/06/2018	6:43:34 PM	Water	USEPA	SM A10200H	Chlorophyll a	Total	6.30	mg/L		4.00	4.00			09/12/2018
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		08/28/2018	1:42:00 PM	08/28/2018	4:35:00 PM			08/28/2018	5:10:00 PM	Water	USEPA	E COLI MPN	E. Coli	Total	>2419.6	MPN/100mL		1.00	1.00			09/12/2018
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		08/28/2018	1:42:00 PM	08/28/2018	4:35:00 PM			08/29/2018	3:52:00 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30			09/12/2018
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		08/28/2018	1:42:00 PM	08/28/2018	4:35:00 PM	09/04/2018	10:30:14 AM	09/05/2018	9:50:34 AM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	1.31	mg/L	J	1.19	3.78			09/12/2018
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		08/28/2018	1:42:00 PM	08/28/2018	4:35:00 PM			08/28/2018	1:42:00 PM	Water	USEPA	365.2	pH, Field	Total	7.98	S.U.					09/12/2018	
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		08/28/2018	1:42:00 PM	08/28/2018	4:35:00 PM	08/29/2018	9:23:29 AM	08/30/2018	6:17:20 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.29	mg/L		0.05	0.14			09/12/2018
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		08/28/2018	1:42:00 PM	08/28/2018	4:35:00 PM			09/10/2018	5:52:54 PM	Water	Lab	2510B	Specific Conductivity	Total	781.00	umhos/cm	1.00	1.00			09/12/2018	
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		08/28/2018	1:42:00 PM	08/28/2018	4:35:00 PM			09/12/2018		Water	USEPA	SM 2550B	Temperature	Total	26.37	°C					09/12/2018	
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		08/28/2018	1:42:00 PM	08/28/2018	4:35:00 PM			08/30/2018	8:46:04 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	4.58	mg/L		0.10	0.22			09/12/2018
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		08/28/2018	1:42:00 PM	08/28/2018	4:35:00 PM			08/29/2018	11:08:49 AM	Water	USEPA	2540-D	Total Suspended Solids	Total	7.75	mg/L		0.20	5.10			09/12/2018
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		08/28/2018	1:42:00 PM	08/28/2018	4:35:00 PM			08/28/2018	5:46:41 PM	Water	Lab	2130-B	Turbidity	Total	9.54	NTU		0.10	0.20			09/12/2018
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		08/28/2018	1:42:00 PM	08/28/2018	4:35:00 PM			08/29/2018	11:08:49 AM	Water	USEPA	2540-D	Volatile Suspended Solids	Total	2.24	mg/L	J	0.20	5.10			09/12/2018
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2018	11:30:00 AM	10/23/2018	3:00:00 PM			10/29/2018		Water	APHA	4500-CL-(E)	Chloride	Total	96.20	mg/L		20.0	20.0			10/31/2018
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2018	11:30:00 AM	10/23/2018	3:00:00 PM	10/23/2018	5:01:03 PM	10/26/2018	4:36:06 PM	Water	USEPA	SM A10200H	Chlorophyll a	Total	ND	mg/L		4.0	4.0			10/31/2018
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2018	11:30:00 AM	10/23/2018	3:00:00 PM			10/23/2018	4:49:53 PM	Water	YSI	EPA 120.1	Conductivity	Total	1160.00	umhos/cm					10/31/2018	
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2018	11:30:00 AM	10/23/2018	3:00:00 PM			10/23/2018	10:18:26 AM	Water	USEPA	E COLI MPN	E. Coli	Total	32.70	MPN/100mL		1.0	1.0			10/31/2018
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2018	11:30:00 AM	10/23/2018	3:00:00 PM			10/26/2018		Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	0.27	mg/L	J	0.10	0.30			10/31/2018
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2018	11:30:00 AM	10/23/2018	3:00:00 PM	10/29/2018	10:21:13 AM	10/31/2018		Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	1.39	mg/L	J	1.19	3.78			10/31/2018
DRWW	Suburban Labs		16-1	G-13	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2018	11:30:00 AM	10/23/2018	3:00:00 PM			10/26/2018	2:55:35 PM	Water	USEPA	365.2	pH, Field	Total	7.92	S.U.					10/31/2018	
DRWW	Suburban Labs																															

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code I EPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs		16-10	GZG-01	0.5	ft	Lower Des Plaines River			Non-IEPA		07/27/2018	1:29:00 PM	07/27/2018	3:50:00 PM			08/06/2018	2:32:56 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30		08/07/2018	
DRWW	Suburban Labs		16-10	GZG-01	0.5	ft	Lower Des Plaines River			Non-IEPA		07/27/2018	1:29:00 PM	07/27/2018	3:50:00 PM	08/02/2018	11:00:10 AM	08/03/2018	12:34:10 PM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	ND	mg/L		1.19	3.78		08/07/2018	
DRWW	Suburban Labs		16-10	GZG-01	0.5	ft	Lower Des Plaines River			Non-IEPA		07/27/2018	1:29:00 PM	07/27/2018	3:50:00 PM			07/31/2018	1:42:55 PM	Water	USEPA	365.2	pH, Field	Total	7.90	S.U.					08/07/2018	
DRWW	Suburban Labs		16-10	GZG-01	0.5	ft	Lower Des Plaines River			Non-IEPA		07/27/2018	1:29:00 PM	07/27/2018	3:50:00 PM	07/30/2018	10:05:20 AM	07/31/2018	2:16:52 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.11	mg/L	J	0.05	0.14		08/07/2018	
DRWW	Suburban Labs		16-10	GZG-01	0.5	ft	Lower Des Plaines River			Non-IEPA		07/27/2018	1:29:00 PM	07/27/2018	3:50:00 PM			07/31/2018	1:42:55 PM	Water	Lab	2510B	Specific Conductivity	Total	1240.00	umhos/cm		1.00	1.00		08/07/2018	
DRWW	Suburban Labs		16-10	GZG-01	0.5	ft	Lower Des Plaines River			Non-IEPA		07/27/2018	1:29:00 PM	07/27/2018	3:50:00 PM			08/02/2018	12:39:00 PM	Water	USEPA	353.2	Temperature	Total	19.40	°C					08/07/2018	
DRWW	Suburban Labs		16-10	GZG-01	0.5	ft	Lower Des Plaines River			Non-IEPA		07/27/2018	1:29:00 PM	07/27/2018	3:50:00 PM			08/02/2018	12:39:00 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.39	mg/L		0.10	0.22		08/07/2018	
DRWW	Suburban Labs		16-10	GZG-01	0.5	ft	Lower Des Plaines River			Non-IEPA		07/27/2018	1:29:00 PM	07/27/2018	3:50:00 PM			07/31/2018	1:17:58 PM	Water	USEPA	2540-D	Total Suspended Solids	Total	5.40	mg/L		0.20	5.00		08/07/2018	
DRWW	Suburban Labs		16-10	GZG-01	0.5	ft	Lower Des Plaines River			Non-IEPA		07/27/2018	1:29:00 PM	07/27/2018	3:50:00 PM			07/27/2018	4:46:14 PM	Water	Lab	2130-B	Turbidity	Total	6.23	NTU		0.10	0.20		08/07/2018	
DRWW	Suburban Labs		16-10	GZG-01	0.5	ft	Lower Des Plaines River			Non-IEPA		07/27/2018	1:29:00 PM	07/27/2018	3:50:00 PM			07/31/2018	1:17:58 PM	Water	USEPA	2540-D	Volatile Suspended Solids	Total	2.00	mg/L	J	0.20	5.00		08/07/2018	
DRWW	Suburban Labs		16-10	GZG-01	0.5	ft	Lower Des Plaines River			Non-IEPA		08/28/2018	1:10:00 PM	08/28/2018	4:35:00 PM			08/29/2018	1:04:28 PM	Water	APHA	4500-CL(-E)	Chloride	Total	386.00	mg/L		40.00	40.00		09/12/2018	
DRWW	Suburban Labs		16-10	GZG-01	0.5	ft	Lower Des Plaines River			Non-IEPA		08/28/2018	1:10:00 PM	08/28/2018	4:35:00 PM			08/29/2018	4:06:00 PM	Water	YSI	EPA 120.1	Conductivity	Total	1689.00	umhos/cm					09/12/2018	
DRWW	Suburban Labs		16-10	GZG-01	0.5	ft	Lower Des Plaines River			Non-IEPA		08/28/2018	1:10:00 PM	08/28/2018	4:35:00 PM			08/28/2018	5:10:00 PM	Water	USEPA	E. COLI MPN	E. Coli	Total	866.40	MPN/100mL		1.00	1.00		09/12/2018	
DRWW	Suburban Labs		16-10	GZG-01	0.5	ft	Lower Des Plaines River			Non-IEPA		08/28/2018	1:10:00 PM	08/28/2018	4:35:00 PM			08/29/2018	4:06:00 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30		09/12/2018	
DRWW	Suburban Labs		16-10	GZG-01	0.5	ft	Lower Des Plaines River			Non-IEPA		08/28/2018	1:10:00 PM	08/28/2018	4:35:00 PM	09/04/2018	10:30:14 AM	09/05/2018	9:49:12 AM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	ND	mg/L		1.19	3.78		09/12/2018	
DRWW	Suburban Labs		16-10	GZG-01	0.5	ft	Lower Des Plaines River			Non-IEPA		08/28/2018	1:10:00 PM	08/28/2018	4:35:00 PM			08/28/2018	4:35:00 PM	Water	USEPA	365.2	pH, Field	Total	7.89	S.U.					09/12/2018	
DRWW	Suburban Labs		16-10	GZG-01	0.5	ft	Lower Des Plaines River			Non-IEPA		08/28/2018	1:10:00 PM	08/28/2018	4:35:00 PM	08/29/2018	9:19:50 AM	08/30/2018	8:10:50 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.08	mg/L	J	0.05	0.14		09/12/2018	
DRWW	Suburban Labs		16-10	GZG-01	0.5	ft	Lower Des Plaines River			Non-IEPA		08/28/2018	1:10:00 PM	08/28/2018	4:35:00 PM			09/10/2018	5:19:31 PM	Water	Lab	2510B	Specific Conductivity	Total	1590.00	umhos/cm		1.00	1.00		09/12/2018	
DRWW	Suburban Labs		16-10	GZG-01	0.5	ft	Lower Des Plaines River			Non-IEPA		08/28/2018	1:10:00 PM	08/28/2018	4:35:00 PM			08/28/2018	4:35:00 PM	Water	USEPA	SM 2550B	Temperature	Total	25.29	°C					09/12/2018	
DRWW	Suburban Labs		16-10	GZG-01	0.5	ft	Lower Des Plaines River			Non-IEPA		08/28/2018	1:10:00 PM	08/28/2018	4:35:00 PM			08/30/2018	9:32:14 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22		09/12/2018	
DRWW	Suburban Labs		16-10	GZG-01	0.5	ft	Lower Des Plaines River			Non-IEPA		08/28/2018	1:10:00 PM	08/28/2018	4:35:00 PM			08/29/2018	11:08:49 AM	Water	USEPA	2540-D	Total Suspended Solids	Total	5.20	mg/L		0.20	5.00		09/12/2018	
DRWW	Suburban Labs		16-10	GZG-01	0.5	ft	Lower Des Plaines River			Non-IEPA		08/28/2018	1:10:00 PM	08/28/2018	4:35:00 PM			08/28/2018	5:46:41 PM	Water	Lab	2130-B	Turbidity	Total	6.38	NTU		0.10	0.20		09/12/2018	
DRWW	Suburban Labs		16-10	GZG-01	0.5	ft	Lower Des Plaines River			Non-IEPA		08/28/2018	1:10:00 PM	08/28/2018	4:35:00 PM			08/29/2018	11:08:49 AM	Water	USEPA	2540-D	Volatile Suspended Solids	Total	2.40	mg/L	J	0.20	5.00		09/12/2018	
DRWW	Suburban Labs		16-10	GZG-01	0.5	ft	Lower Des Plaines River			Non-IEPA		10/22/2018	2:20:00 PM	10/22/2018	4:00:00 PM			10/23/2018		Water	APHA	4500-CL(-E)	Chloride	Total	213.00	mg/L		40.0	40.0		10/29/2018	
DRWW	Suburban Labs		16-10	GZG-01	0.5	ft	Lower Des Plaines River			Non-IEPA		10/22/2018	2:20:00 PM	10/22/2018	4:00:00 PM			10/22/2018	4:36:06 PM	Water	YSI	EPA 120.1	Conductivity	Total	1085.00	umhos/cm					10/29/2018	
DRWW	Suburban Labs		16-10	GZG-01	0.5	ft	Lower Des Plaines River			Non-IEPA		10/22/2018	2:20:00 PM	10/22/2018	4:00:00 PM			10/22/2018	7:13:45 PM	Water	USEPA	E. COLI MPN	E. Coli	Total	35.00	MPN/100mL		1.0	1.0		10/29/2018	
DRWW	Suburban Labs		16-10	GZG-01	0.5	ft	Lower Des Plaines River			Non-IEPA		10/22/2018	2:20:00 PM	10/22/2018	4:00:00 PM			10/22/2018	2:17:47 PM	Water	USEPA	365.2	pH, Field	Total	7.95	S.U.					10/29/2018	
DRWW	Suburban Labs		16-10	GZG-01	0.5	ft	Lower Des Plaines River			Non-IEPA		10/22/2018	2:20:00 PM	10/22/2018	4:00:00 PM	10/23/2018	11:51:54 AM	10/25/2018	10:25:29 AM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.10	mg/L	J	0.0500	0.135		10/29/2018	
DRWW	Suburban Labs		16-10	GZG-01	0.5	ft	Lower Des Plaines River			Non-IEPA		10/22/2018	2:20:00 PM	10/22/2018	4:00:00 PM			10/23/2018		Water	Lab	2510B	Specific Conductivity	Total	1050.00	umhos/cm		1.00	1.00		10/29/2018	
DRWW	Suburban Labs		16-10	GZG-01	0.5	ft	Lower Des Plaines River			Non-IEPA		10/22/2018	2:20:00 PM	10/22/2018	4:00:00 PM				4:32:20 PM	Water	USEPA	SM 2550B	Temperature	Total	10.07	deg C					10/29/2018	
DRWW	Suburban Labs		16-10	GZG-01	0.5	ft	Lower Des Plaines River			Non-IEPA		10/22/2018	2:20:00 PM	10/22/2018	4:00:00 PM			10/23/2018	2:32:55 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.100	0.224		10/29/2018	
DRWW	Suburban Labs		16-10	GZG-01	0.5	ft	Lower Des Plaines River			Non-IEPA		10/22/2018	2:20:00 PM	10/22/2018	4:00:00 PM			10/23/2018	10:25:29 AM	Water	Lab	2130-B	Turbidity	Total	7.58	NTU		0.100	0.200		10/29/2018	
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		02/06/2018	12:21:00 PM	02/06/2018	2:45:00 PM			02/15/2018	4:05:12 PM	Water	APHA	4500-CL(-E)	Chloride	Total	314.00	mg/L		40.00	40.00		02/16/2018	
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		02/06/2018	12:21:00 PM	02/06/2018	2:45:00 PM			02/15/2018	4:05:12 PM	Water	YSI	EPA 120.1	Conductivity	Total	1810.00	umhos/cm					02/16/2018	
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		02/06/2018	12:21:00 PM	02/06/2018	2:45:00 PM			02/06/2018	4:37:27 PM	Water	USEPA	E. COLI MPN	E. Coli	Total	1299.70	MPN/100mL		1.00	1.00		02/16/2018	
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		02/06/2018	12:21:00 PM	02/06/2018	2:45:00 PM			02/06/2018	4:37:27 PM	Water	USEPA	365.2	pH, Field	Total	8.00	S.U.					02/16/2018	
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		02/06/2018	12:21:00 PM	02/06/2018	2:45:00 PM			02/08/2018	2:43:28 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.44	mg/L		0.05	0.14		02/16/2018	
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		02/06/2018	12:21:00 PM	02/06/2018	2:45:00 PM			02/06/2018	2:45:00 PM	Water	USEPA	SM 2550B	Temperature	Total	0.00	°C					02/16/2018	
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		02/06/2018	12:21:00 PM	02/06/2018	2:45:00 PM			02/12/2018	1:12:59 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	7.53	mg/L		0.10	0.22		02/16/2018	
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		02/06/2018	12:21:00 PM	02/06/2018	2:45:00 PM			02/06/2018	6:04:01 PM	Water	Lab	2130-B	Turbidity	Total	30.30	NTU		0.10	0.20		02/16/2018	
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		05/18/2018	1:57:00 PM	05/18/2018	4:35:57 PM			05/25/2018	3:03:04 PM	Water	APHA	4500-CL(-E)	Chloride	Total	107.00	mg/L		20.00	20.00		03/30/2018	
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		05/18/2018	1:57:00 PM	05/18/2018	4:35:57 PM			05/18/2018	4:35:57 PM	Water	YSI	EPA 120.1	Conductivity	Total	731.00	umhos/cm					05/30/2018	
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		05/18/2018	1:57:00 PM	05/18/2018	4:35:57 PM			05/18/2018	5:14:13 PM	Water	USEPA	E. COLI MPN	E. Coli	Total	93.40	MPN/100mL		1.00	1.00		05/30/2018	
DRWW	Suburban Labs		16-2	G-10	0.5	ft	Lower Des Plaines River			Non-IEPA		05/18/2018	1:57:00 PM	05/1																		

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code I EPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs		16-3	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		05/21/2018	9:33:00 AM	05/21/2018	10:18:38 AM			05/21/2018	4:42:13 PM	Water	YSI	EPA 120.1	Conductivity		695.00	umhos/cm						05/31/2018
DRWW	Suburban Labs		16-3	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		05/21/2018	9:33:00 AM	05/21/2018	10:18:38 AM			05/21/2018		Water	USEPA	E. COLI MPN	E. Coli	Total	290.90	MPN/100mL	1.00	1.00				05/31/2018
DRWW	Suburban Labs		16-3	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		05/21/2018	9:33:00 AM	05/21/2018	10:18:38 AM			05/21/2018		Water	USEPA	365.2	pH, Field		7.60	S.U.						05/31/2018
DRWW	Suburban Labs		16-3	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		05/21/2018	9:33:00 AM	05/21/2018	10:18:38 AM	05/22/2018	3:30:32 PM	05/23/2018	5:03:06 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.17	mg/L	0.05	0.14				05/31/2018
DRWW	Suburban Labs		16-3	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		05/21/2018	9:33:00 AM	05/21/2018	10:18:38 AM			05/22/2018	4:24:00 PM	Water	Lab	2510B	Specific Conductivity	Total	729.00	umhos/cm	1.00	1.00				05/31/2018
DRWW	Suburban Labs		16-3	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		05/21/2018	9:33:00 AM	05/21/2018	10:18:38 AM			05/22/2018	4:45:00 PM	Water	USEPA	SM 2550B	Temperature		14.50	°C						05/31/2018
DRWW	Suburban Labs		16-3	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		05/21/2018	9:33:00 AM	05/21/2018	10:18:38 AM			05/30/2018	6:05:46 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	1.70	mg/L	0.10	0.22				05/31/2018
DRWW	Suburban Labs		16-3	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		05/21/2018	9:33:00 AM	05/21/2018	10:18:38 AM			05/22/2018	4:45:00 PM	Water	Lab	2130-B	Turbidity	Total	33.50	NTU	0.10	0.20				05/31/2018
DRWW	Suburban Labs		16-3	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		07/30/2018	9:41:00 AM	07/30/2018	10:31:10 AM			08/02/2018	3:57:00 PM	Water	APHA	4500-CL(-E)	Chloride	Total	175.00	mg/L	20.00	20.00				08/09/2018
DRWW	Suburban Labs		16-3	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		07/30/2018	9:41:00 AM	07/30/2018	10:31:10 AM	07/30/2018	5:18:39 PM	08/06/2018	6:49:14 PM	Water	USEPA	SM A10200H	Chlorophyll a	Total	ND	mg/L	4.00	4.00				08/09/2018
DRWW	Suburban Labs		16-3	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		07/30/2018	9:41:00 AM	07/30/2018	10:31:10 AM			07/30/2018	4:48:00 PM	Water	YSI	EPA 120.1	Conductivity	Total	921.00	umhos/cm						08/09/2018
DRWW	Suburban Labs		16-3	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		07/30/2018	9:41:00 AM	07/30/2018	10:31:10 AM			07/30/2018		Water	USEPA	E. COLI MPN	E. Coli	Total	32.80	MPN/100mL	1.00	1.00				08/09/2018
DRWW	Suburban Labs		16-3	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		07/30/2018	9:41:00 AM	07/30/2018	10:31:10 AM			07/30/2018		Water	USEPA	365.2	pH, Field		8.00	S.U.						08/09/2018
DRWW	Suburban Labs		16-3	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		07/30/2018	9:41:00 AM	07/30/2018	10:31:10 AM	07/31/2018	2:24:12 PM	08/01/2018	5:48:03 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.44	mg/L	0.05	0.14				08/09/2018
DRWW	Suburban Labs		16-3	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		07/30/2018	9:41:00 AM	07/30/2018	10:31:10 AM			07/31/2018	1:45:58 PM	Water	Lab	2510B	Specific Conductivity	Total	1080.00	umhos/cm	1.00	1.00				08/09/2018
DRWW	Suburban Labs		16-3	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		07/30/2018	9:41:00 AM	07/30/2018	10:31:10 AM					Water	USEPA	SM 2550B	Temperature		22.50	°C						08/09/2018
DRWW	Suburban Labs		16-3	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		07/30/2018	9:41:00 AM	07/30/2018	10:31:10 AM			08/02/2018	12:23:00 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	11.00	mg/L	0.10	0.22				08/09/2018
DRWW	Suburban Labs		16-3	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		07/30/2018	9:41:00 AM	07/30/2018	10:31:10 AM			07/31/2018	5:20:08 PM	Water	Lab	2130-B	Turbidity	Total	2.64	NTU	0.10	0.20				08/09/2018
DRWW	Suburban Labs		16-3	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		08/28/2018	11:35:00 AM	08/28/2018	4:35:00 PM			08/29/2018	12:46:44 PM	Water	APHA	4500-CL(-E)	Chloride	Total	154.00	mg/L	20.00	20.00				09/12/2018
DRWW	Suburban Labs		16-3	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		08/28/2018	11:35:00 AM	08/28/2018	4:35:00 PM	08/28/2018	6:15:27 PM	09/06/2018	6:43:34 PM	Water	USEPA	SM A10200H	Chlorophyll a	Total	ND	mg/L	4.00	4.00				09/12/2018
DRWW	Suburban Labs		16-3	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		08/28/2018	11:35:00 AM	08/28/2018	4:35:00 PM					Water	YSI	EPA 120.1	Conductivity		1059.00	umhos/cm						09/12/2018
DRWW	Suburban Labs		16-3	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		08/28/2018	11:35:00 AM	08/28/2018	4:35:00 PM			08/28/2018	5:10:00 PM	Water	USEPA	E. COLI MPN	E. Coli	Total	325.50	MPN/100mL	1.00	1.00				09/12/2018
DRWW	Suburban Labs		16-3	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		08/28/2018	11:35:00 AM	08/28/2018	4:35:00 PM					Water	USEPA	365.2	pH, Field		7.95	S.U.						09/12/2018
DRWW	Suburban Labs		16-3	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		08/28/2018	11:35:00 AM	08/28/2018	4:35:00 PM	08/29/2018	9:19:50 AM	08/30/2018	8:04:11 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.53	mg/L	0.05	0.14				09/12/2018
DRWW	Suburban Labs		16-3	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		08/28/2018	11:35:00 AM	08/28/2018	4:35:00 PM			09/10/2018	5:18:18 PM	Water	Lab	2510B	Specific Conductivity	Total	990.00	umhos/cm	1.00	1.00				09/12/2018
DRWW	Suburban Labs		16-3	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		08/28/2018	11:35:00 AM	08/28/2018	4:35:00 PM					Water	USEPA	SM 2550B	Temperature		25.94	°C						09/12/2018
DRWW	Suburban Labs		16-3	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		08/28/2018	11:35:00 AM	08/28/2018	4:35:00 PM			08/30/2018	9:20:42 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	10.40	mg/L	0.10	0.22				09/12/2018
DRWW	Suburban Labs		16-3	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		08/28/2018	11:35:00 AM	08/28/2018	4:35:00 PM			08/28/2018	5:46:41 PM	Water	Lab	2130-B	Turbidity	Total	6.84	NTU	0.10	0.20				09/12/2018
DRWW	Suburban Labs		16-3	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2018	10:45:00 AM	10/23/2018	3:00:00 PM			10/29/2018		Water	APHA	4500-CL(-E)	Chloride	Total	90.90	mg/L	20.00	20.00				10/31/2018
DRWW	Suburban Labs		16-3	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2018	10:45:00 AM	10/23/2018	3:00:00 PM	10/23/2018	5:01:03 PM	10/26/2018	4:36:06 PM	Water	USEPA	SM A10200H	Chlorophyll a	Total	ND	mg/L	4.00	4.00				10/31/2018
DRWW	Suburban Labs		16-3	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2018	10:45:00 AM	10/23/2018	3:00:00 PM					Water	YSI	EPA 120.1	Conductivity	Total	1127.00	umhos/cm						10/31/2018
DRWW	Suburban Labs		16-3	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2018	10:45:00 AM	10/23/2018	3:00:00 PM			10/23/2018	11:59:06 AM	Water	USEPA	E. COLI MPN	E. Coli	Total	44.10	MPN/100mL	1.00	1.00				10/31/2018
DRWW	Suburban Labs		16-3	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2018	10:45:00 AM	10/23/2018	3:00:00 PM					Water	USEPA	365.2	pH, Field		7.83	S.U.						10/31/2018
DRWW	Suburban Labs		16-3	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2018	10:45:00 AM	10/23/2018	3:00:00 PM	10/24/2018	11:02:16 AM	10/26/2018	1:47:18 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.22	mg/L	0.0500	0.135				10/31/2018
DRWW	Suburban Labs		16-3	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2018	10:45:00 AM	10/23/2018	3:00:00 PM			10/25/2018		Water	Lab	2510B	Specific Conductivity	Total	842.00	umhos/cm	1.00	1.00				10/31/2018
DRWW	Suburban Labs		16-3	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2018	10:45:00 AM	10/23/2018	3:00:00 PM					Water	USEPA	SM 2550B	Temperature		9.47	deg C						10/31/2018
DRWW	Suburban Labs		16-3	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2018	10:45:00 AM	10/23/2018	3:00:00 PM			10/26/2018	4:30:00 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	3.41	mg/L	0.100	0.224				10/31/2018
DRWW	Suburban Labs		16-3	G-06	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2018	10:45:00 AM	10/23/2018	3:00:00 PM			10/23/2018		Water	Lab	2130-B	Turbidity	Total	4.70	NTU	0.100	0.200				10/31/2018
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		02/06/2018	1:16:00 PM	02/06/2018	2:45:00 PM			02/15/2018	12:32:01 PM	Water	APHA	4500-CL(-E)	Chloride	Total	198.00	mg/L						

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code-IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2018	10:20:00 AM					3:42:53 PM		Water	USEPA	SM 2550B	Temperature		9.27	deg C						10/31/2018
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2018	10:20:00 AM	10/23/2018	3:00:00 PM			10/26/2018	4:30:00 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	3.41	mg/L		0.100	0.224			10/31/2018
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2018	10:20:00 AM	10/23/2018	3:00:00 PM			10/24/2018		Water	USEPA	2540-D	Total Suspended Solids	Total	3.40	mg/L	J	0.200	5.00			10/31/2018
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2018	10:20:00 AM	10/23/2018	3:00:00 PM			10/23/2018		Water	Lab	2130-B	Turbidity	Total	6.72	NTU		0.100	0.200			10/31/2018
DRWW	Suburban Labs		16-4	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		10/23/2018	10:20:00 AM	10/23/2018	3:00:00 PM			10/24/2018		Water	USEPA	2540-D	Volatile Suspended Solids	Total	1.20	mg/L	J	0.200	5.00			10/31/2018
DRWW	Suburban Labs		16-4 Duplicate	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		02/06/2018	1:16:00 PM	02/06/2018	2:45:00 PM			02/15/2018	12:33:20 PM	Water	APHA	4500-CL-(E)	Chloride	Total	192.00	umhos/cm		20.00	20.00			02/15/2018
DRWW	Suburban Labs		16-4 Duplicate	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		02/06/2018	1:16:00 PM	02/06/2018	2:45:00 PM			02/15/2018	12:33:20 PM	Water	YSI	EPA 120.1	Conductivity	Total	1340.00	umhos/cm						02/15/2018
DRWW	Suburban Labs		16-4 Duplicate	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		02/06/2018	1:16:00 PM	02/06/2018	2:45:00 PM			02/06/2018	4:37:27 PM	Water	USEPA	E_COLI_MPN	E. Coli	Total	547.50	MPN/100mL		1.00	1.00			02/15/2018
DRWW	Suburban Labs		16-4 Duplicate	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		02/06/2018	1:16:00 PM	02/06/2018	2:45:00 PM			02/07/2018	1:16:01 PM	Water	USEPA	351.2	Nitrogen, Ammonia (As N)	Total	0.13	mg/L		0.10	0.30			02/15/2018
DRWW	Suburban Labs		16-4 Duplicate	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		02/06/2018	1:16:00 PM	02/06/2018	2:45:00 PM			02/13/2018	12:52:07 PM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	ND	mg/L		1.19	3.78			02/15/2018
DRWW	Suburban Labs		16-4 Duplicate	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		02/06/2018	1:16:00 PM	02/06/2018	2:45:00 PM			02/08/2018	2:55:52 PM	Water	USEPA	365.2	pH, Field	Total	8.10	S.U.						02/15/2018
DRWW	Suburban Labs		16-4 Duplicate	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		02/06/2018	1:16:00 PM	02/06/2018	2:45:00 PM			02/08/2018	2:55:52 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.35	mg/L		0.05	0.14			02/15/2018
DRWW	Suburban Labs		16-4 Duplicate	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		02/06/2018	1:16:00 PM	02/06/2018	2:45:00 PM			02/08/2018	2:55:52 PM	Water	USEPA	SM 2550B	Temperature	Total	0.00	°C						02/15/2018
DRWW	Suburban Labs		16-4 Duplicate	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		02/06/2018	1:16:00 PM	02/06/2018	2:45:00 PM			02/12/2018	3:03:59 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	8.46	mg/L		0.10	0.22			02/15/2018
DRWW	Suburban Labs		16-4 Duplicate	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		02/06/2018	1:16:00 PM	02/06/2018	2:45:00 PM			02/12/2018	10:36:28 AM	Water	USEPA	2540-D	Total Suspended Solids	Total	12.00	mg/L		0.20	5.00			02/15/2018
DRWW	Suburban Labs		16-4 Duplicate	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		02/06/2018	1:16:00 PM	02/06/2018	2:45:00 PM			02/06/2018	6:04:01 PM	Water	Lab	2130-B	Turbidity	Total	9.27	NTU		0.100	0.200			02/15/2018
DRWW	Suburban Labs		16-4 Duplicate	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		02/06/2018	1:16:00 PM	02/06/2018	2:45:00 PM			02/12/2018	10:36:28 AM	Water	USEPA	2540-D	Volatile Suspended Solids	Total	3.00	mg/L		0.20	5.00			02/15/2018
DRWW	Suburban Labs		16-4 Field Blg	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		02/06/2018	1:29:00 PM	02/06/2018	2:45:00 PM			02/15/2018	12:32:41 PM	Water	APHA	4500-CL-(E)	Chloride	Total	ND	mg/L		20.0	20.0			02/15/2018
DRWW	Suburban Labs		16-4 Field Blg	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		02/06/2018	1:29:00 PM	02/06/2018	2:45:00 PM			02/15/2018	12:32:41 PM	Water	YSI	EPA 120.1	Conductivity	Total	0.00	umhos/cm						02/15/2018
DRWW	Suburban Labs		16-4 Field Blg	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		02/06/2018	1:29:00 PM	02/06/2018	2:45:00 PM			02/06/2018	4:37:27 PM	Water	USEPA	E_COLI_MPN	E. Coli	Total	2.00	MPN/100mL		1.00	1.00			02/15/2018
DRWW	Suburban Labs		16-4 Field Blg	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		02/06/2018	1:29:00 PM	02/06/2018	2:45:00 PM			02/07/2018	1:14:24 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30			02/15/2018
DRWW	Suburban Labs		16-4 Field Blg	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		02/06/2018	1:29:00 PM	02/06/2018	2:45:00 PM			02/13/2018	12:50:45 PM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	ND	mg/L		1.19	3.78			02/15/2018
DRWW	Suburban Labs		16-4 Field Blg	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		02/06/2018	1:29:00 PM	02/06/2018	2:45:00 PM			02/08/2018	2:52:45 PM	Water	USEPA	365.2	pH, Field	Total	7.90	S.U.						02/15/2018
DRWW	Suburban Labs		16-4 Field Blg	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		02/06/2018	1:29:00 PM	02/06/2018	2:45:00 PM			02/08/2018	2:52:45 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	ND	mg/L		0.05	0.14			02/15/2018
DRWW	Suburban Labs		16-4 Field Blg	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		02/06/2018	1:29:00 PM	02/06/2018	2:45:00 PM			02/12/2018	2:52:52 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22			02/15/2018
DRWW	Suburban Labs		16-4 Field Blg	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		02/06/2018	1:29:00 PM	02/06/2018	2:45:00 PM			02/12/2018	10:36:28 AM	Water	USEPA	2540-D	Total Suspended Solids	Total	0.20	mg/L		0.20	5.00			02/15/2018
DRWW	Suburban Labs		16-4 Field Blg	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		02/06/2018	1:29:00 PM	02/06/2018	2:45:00 PM			02/06/2018	6:04:01 PM	Water	Lab	2130-B	Turbidity	Total	0.30	NTU		0.10	0.20			02/15/2018
DRWW	Suburban Labs		16-4 Field Blg	G-92	0.5	ft	Lower Des Plaines River			Non-IEPA		02/06/2018	1:29:00 PM	02/06/2018	2:45:00 PM			02/12/2018	10:36:28 AM	Water	USEPA	2540-D	Volatile Suspended Solids	Total	0.20	mg/L		0.20	5.00			02/15/2018
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		01/29/2018	11:38:00 AM	01/29/2018	3:00:00 PM			02/05/2018	6:31:39 PM	Water	APHA	4500-CL-(E)	Chloride	Total	199.00	mg/L		20.00	20.00			02/09/2018
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		01/29/2018	11:38:00 AM	01/29/2018	3:00:00 PM			02/05/2018	6:31:39 PM	Water	YSI	EPA 120.1	Conductivity	Total	1170.00	umhos/cm						02/09/2018
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		01/29/2018	11:38:00 AM	01/29/2018	3:00:00 PM			01/29/2018	3:26:23 PM	Water	USEPA	E_COLI_MPN	E. Coli	Total	240.00	MPN/100mL		1.00	1.00			02/09/2018
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		01/29/2018	11:38:00 AM	01/29/2018	3:00:00 PM			01/29/2018	9:22:05 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30			02/09/2018
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		01/29/2018	11:38:00 AM	01/29/2018	3:00:00 PM			02/08/2018	7:08:28 PM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	1.94	mg/L		1.19	3.78			02/09/2018
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		01/29/2018	11:38:00 AM	01/29/2018	3:00:00 PM			01/29/2018	8:48:52 PM	Water	USEPA	365.2	pH, Field	Total	5.28	S.U.						02/09/2018
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		01/29/2018	11:38:00 AM	01/29/2018	3:00:00 PM			01/31/2018	6:48:52 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.24	mg/L		0.05	0.14			02/09/2018
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		01/29/2018	11:38:00 AM	01/29/2018	3:00:00 PM			02/04/2018	1:14:11 AM	Water	USEPA	SM 2550B	Temperature	Total	1.80	°C						02/09/2018
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		01/29/2018	11:38:00 AM	01/29/2018	3:00:00 PM			02/04/2018	1:14:11 AM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	4.53	mg/L		0.10	0.22			02/09/2018
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		01/29/2018	11:38:00 AM	01/29/2018	3:00:00 PM			02/01/2018	10:25:03 AM	Water	USEPA	2540-D	Total Suspended Solids	Total	16.60	mg/L		0.20	5.00			02/09/2018
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		01/29/2018	11:38:00 AM	01/29/2018	3:00:00 PM			01/29/2018	4:51:00 PM	Water	Lab	2130-B	Turbidity	Total	19.00	NTU		0.10	0.20			02/09/2018
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		01/29/2018	11:38:00 AM	01/29/2018	3:00:00 PM			02/01/2018	10:25:03 AM	Water	USEPA	2540-D	Volatile Suspended Solids	Total	3.40	mg/L		0.20	5.00			02/09/2018
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		05/21/2018	10:24:00 AM	05/21/2018	4:20:00 PM			05/25/2018	3:07:05 PM	Water	APHA	4500-CL-(E)	Chloride	Total	164.00	mg/L		20.00	20.00			05/31/2018
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		05/21/2018	10:24:00 AM	05/21/2018	4:20:00 PM			05/25/2018	3:07:05 PM	Water	YSI	EPA 120.1	Conductivity	Total	1264.00	umhos/cm						05/31/2018
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		05/21/2018	10:24:00 AM	05/21/2018	4:20:00 PM			05/21/2018	4:42:13 PM	Water	USEPA	E_COLI_MPN	E. Coli	Total	101.40	MPN/100mL		1.00	1.00			05/31/2018
DRWW	Suburban Labs		16-5	G-20	0.5	ft	Lower Des Plaines River			Non-IEPA		05/21/2018																				

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code-IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		01/29/2018	12:29:00 PM	01/29/2018	3:00:00 PM			02/08/2018	7:09:52 PM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	1.98	mg/L		1.19	3.78			02/22/2018
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		01/29/2018	12:29:00 PM	01/29/2018	3:00:00 PM					Water	USEPA	365.2	pH, Field	Total	8.03	S.U.						02/22/2018
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		01/29/2018	12:29:00 PM	01/29/2018	3:00:00 PM			01/31/2018	6:58:17 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.20	mg/L	0.05	0.14			02/22/2018	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		01/29/2018	12:29:00 PM	01/29/2018	3:00:00 PM					Water	USEPA	SM 2550B	Temperature	Total	1.08	°C						02/22/2018
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		01/29/2018	12:29:00 PM	01/29/2018	3:00:00 PM			02/04/2018	1:16:22 AM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	3.78	mg/L	0.10	0.22			02/22/2018	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		01/29/2018	12:29:00 PM	01/29/2018	3:00:00 PM			02/01/2018	10:25:03 AM	Water	USEPA	2540-D	Total Suspended Solids	Total	17.20	mg/L	0.20	5.00			02/22/2018	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		01/29/2018	12:29:00 PM	01/29/2018	3:00:00 PM			01/29/2018	4:51:00 PM	Water	Lab	2130-B	Turbidity	Total	19.40	NTU	0.10	0.20			02/22/2018	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		01/29/2018	12:29:00 PM	01/29/2018	3:00:00 PM			02/01/2018	10:25:03 AM	Water	USEPA	2540-D	Volatile Suspended Solids	Total	3.20	mg/L	0.20	5.00			02/22/2018	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		05/21/2018	10:44:00 AM	05/21/2018	11:49:22 AM			05/25/2018	3:07:45 PM	Water	APHA	4500-CL(-E)	Chloride	Total	97.50	mg/L	20.00	20.00			05/31/2018	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		05/21/2018	10:44:00 AM	05/21/2018	11:49:22 AM					Water	YSI	EPA 120.1	Conductivity	Total	716.00	umhos/cm						05/31/2018
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		05/21/2018	10:44:00 AM	05/21/2018	11:49:22 AM			05/21/2018	4:42:13 PM	Water	USEPA	E COLI MPN	E. Coli	Total	228.20	MPN/100mL	1.00	1.00			05/31/2018	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		05/21/2018	10:44:00 AM	05/21/2018	11:49:22 AM			05/24/2018	1:37:35 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L	0.10	0.30			05/31/2018	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		05/21/2018	10:44:00 AM	05/21/2018	11:49:22 AM	05/30/2018	3:43:15 PM	05/31/2018	12:26:27 PM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	2.57	mg/L	J	1.19	3.78			05/31/2018
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		05/21/2018	10:44:00 AM	05/21/2018	11:49:22 AM					Water	USEPA	365.2	pH, Field	Total	7.60	S.U.					05/31/2018	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		05/21/2018	10:44:00 AM	05/21/2018	11:49:22 AM	05/22/2018	3:30:32 PM	05/23/2018	5:28:45 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.16	mg/L	0.05	0.14			05/31/2018	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		05/21/2018	10:44:00 AM	05/21/2018	11:49:22 AM			05/22/2018	4:30:22 PM	Water	Lab	2510B	Specific Conductivity	Total	743.00	umhos/cm	1.00	1.00			05/31/2018	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		05/21/2018	10:44:00 AM	05/21/2018	11:49:22 AM					Water	USEPA	SM 2550B	Temperature	Total	14.50	°C					05/31/2018	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		05/21/2018	10:44:00 AM	05/21/2018	11:49:22 AM			05/30/2018	6:21:05 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	1.91	mg/L	0.10	0.22			05/31/2018	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		05/21/2018	10:44:00 AM	05/21/2018	11:49:22 AM			05/22/2018	9:59:23 AM	Water	USEPA	2540-D	Total Suspended Solids	Total	9.40	mg/L	0.20	5.00			05/31/2018	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		05/21/2018	10:44:00 AM	05/21/2018	11:49:22 AM			05/22/2018	4:45:00 PM	Water	Lab	2130-B	Turbidity	Total	25.90	NTU	0.10	0.20			05/31/2018	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		05/21/2018	10:44:00 AM	05/21/2018	11:49:22 AM			05/22/2018	9:59:23 AM	Water	USEPA	2540-D	Volatile Suspended Solids	Total	1.80	mg/L	J	0.20	5.00			05/31/2018
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		07/30/2018	10:58:00 AM	07/30/2018	11:26:31 AM			08/02/2018	3:56:00 PM	Water	APHA	4500-CL(-E)	Chloride	Total	173.00	mg/L	20.00	20.00			08/09/2018	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		07/30/2018	10:58:00 AM	07/30/2018	11:26:31 AM	07/30/2018	5:18:39 PM	08/06/2018	6:49:14 PM	Water	USEPA	SM A10200H	Chlorophyll a	Total	ND	mg/L	4.00	4.00			08/09/2018	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		07/30/2018	10:58:00 AM	07/30/2018	11:26:31 AM					Water	YSI	EPA 120.1	Conductivity	Total	1032.00	umhos/cm					08/09/2018	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		07/30/2018	10:58:00 AM	07/30/2018	11:26:31 AM			07/30/2018	4:48:00 PM	Water	USEPA	E COLI MPN	E. Coli	Total	57.30	MPN/100mL	1.00	1.00			08/09/2018	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		07/30/2018	10:58:00 AM	07/30/2018	11:26:31 AM			08/06/2018	2:43:22 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L	0.10	0.30			08/09/2018	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		07/30/2018	10:58:00 AM	07/30/2018	11:26:31 AM	08/02/2018	11:00:10 AM	08/03/2018	12:44:59 PM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	ND	mg/L	1.19	3.78			08/09/2018	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		07/30/2018	10:58:00 AM	07/30/2018	11:26:31 AM					Water	USEPA	365.2	pH, Field	Total	7.80	S.U.					08/09/2018	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		07/30/2018	10:58:00 AM	07/30/2018	11:26:31 AM	07/31/2018	2:27:06 PM	08/01/2018	6:29:51 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.32	mg/L	0.05	0.14			08/09/2018	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		07/30/2018	10:58:00 AM	07/30/2018	11:26:31 AM			07/31/2018	1:49:38 PM	Water	Lab	2510B	Specific Conductivity	Total	1090.00	umhos/cm	1.00	1.00			08/09/2018	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		07/30/2018	10:58:00 AM	07/30/2018	11:26:31 AM					Water	USEPA	SM 2550B	Temperature	Total	22.80	°C					08/09/2018	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		07/30/2018	10:58:00 AM	07/30/2018	11:26:31 AM			08/02/2018	12:49:00 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	13.80	mg/L	0.10	0.22			08/09/2018	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		07/30/2018	10:58:00 AM	07/30/2018	11:26:31 AM			08/01/2018	12:33:16 PM	Water	USEPA	2540-D	Total Suspended Solids	Total	3.40	mg/L	J	0.20	5.00			08/09/2018
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		07/30/2018	10:58:00 AM	07/30/2018	11:26:31 AM			07/31/2018	5:20:08 PM	Water	Lab	2130-B	Turbidity	Total	4.26	NTU	0.10	0.20			08/09/2018	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		07/30/2018	10:58:00 AM	07/30/2018	11:26:31 AM			08/01/2018	12:33:16 PM	Water	USEPA	2540-D	Volatile Suspended Solids	Total	1.20	mg/L	J	0.20	5.00			08/09/2018
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		08/28/2018	10:20:00 AM	08/28/2018	4:35:00 PM			08/29/2018	12:43:28 PM	Water	APHA	4500-CL(-E)	Chloride	Total	146.00	mg/L	20.00	20.00			09/12/2018	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		08/28/2018	10:20:00 AM	08/28/2018	4:35:00 PM	08/28/2018	6:15:27 PM	09/06/2018	6:43:34 PM	Water	USEPA	SM A10200H	Chlorophyll a	Total	ND	mg/L	4.00	4.00			09/12/2018	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		08/28/2018	10:20:00 AM	08/28/2018	4:35:00 PM					Water	YSI	EPA 120.1	Conductivity	Total	1043.00	umhos/cm					09/12/2018	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		08/28/2018	10:20:00 AM	08/28/2018	4:35:00 PM			08/28/2018	5:10:00 PM	Water	USEPA	E COLI MPN	E. Coli	Total	770.10	MPN/100mL	1.00	1.00			09/12/2018	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		08/28/2018	10:20:00 AM	08/28/2018	4:35:00 PM			09/05/2018	4:26:51 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	0.53	mg/L	0.10	0.30			09/12/2018	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		08/28/2018	10:20:00 AM	08/28/2018	4:35:00 PM	08/30/2018	12:16:20 PM	08/31/2018	1:07:01 PM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	2.54	mg/L	J	1.19	3.78			09/12/2018
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		08/28/2018	10:20:00 AM	08/28/2018	4:35:00 PM					Water	USEPA	365.2	pH, Field	Total	7.81	S.U.					09/12/2018	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		08/28/2018	10:20:00 AM	08/28/2018	4:35:00 PM	08/29/2018	9:19:50 AM	08/30/2018	7:54:19 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.40	mg/L	0.05	0.14			09/12/2018	
DRWW	Suburban Labs		16-6	G-94	0.5	ft	Lower Des Plaines River			Non-IEPA		08/28/2018	10:20:00 AM	08/28/2018	4:35:00 PM			09/10/2018	5:15:41 PM	Water	Lab	2510B	Specific Conductivity	Total	991.00	umhos/cm	1.00	1.00	</			

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code-IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs		16-7	G-49	0.5	ft	Lower Des Plaines River			Non-IEPA		08/28/2018	10:00:00 AM	08/28/2018	4:35:00 PM			08/30/2018	7:35:06 PM	Water	USEPA	365.2	pH, Field		7.77	S.U.						09/12/2018
DRWW	Suburban Labs		16-7	G-49	0.5	ft	Lower Des Plaines River			Non-IEPA		08/28/2018	10:00:00 AM	08/28/2018	4:35:00 PM	08/29/2018	9:19:50 AM	08/30/2018	7:35:06 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.58	mg/L		0.05	0.14			09/12/2018
DRWW	Suburban Labs		16-7	G-49	0.5	ft	Lower Des Plaines River			Non-IEPA		08/28/2018	10:00:00 AM	08/28/2018	4:35:00 PM			09/10/2018	5:13:27 PM	Water	Lab	2510B	Specific Conductivity	Total	979.00	umhos/cm		1.00	1.00			09/12/2018
DRWW	Suburban Labs		16-7	G-49	0.5	ft	Lower Des Plaines River			Non-IEPA		08/28/2018	10:00:00 AM	08/28/2018	4:35:00 PM			08/30/2018	5:57:37 PM	Water	USEPA	SM 2550B	Temperature	Total	24.05	°C					09/12/2018	
DRWW	Suburban Labs		16-7	G-49	0.5	ft	Lower Des Plaines River			Non-IEPA		08/28/2018	10:00:00 AM	08/28/2018	4:35:00 PM			08/28/2018	5:46:41 PM	Water	Lab	2130-B	Turbidity	Total	11.60	mg/L		0.10	0.22			09/12/2018
DRWW	Suburban Labs		16-7	G-49	0.5	ft	Lower Des Plaines River			Non-IEPA		10/22/2018	2:00:00 PM	10/22/2018	4:00:00 PM			10/23/2018		Water	APHA	4500-CL(-E)	Chloride	Total	95.10	mg/L		20.0	20.0			10/31/2018
DRWW	Suburban Labs		16-7	G-49	0.5	ft	Lower Des Plaines River			Non-IEPA		10/22/2018	2:00:00 PM	10/22/2018	4:00:00 PM			10/22/2018	4:36:06 PM	Water	YSI	EPA 120.1	Conductivity	Total	846.00	umhos/cm					10/31/2018	
DRWW	Suburban Labs		16-7	G-49	0.5	ft	Lower Des Plaines River			Non-IEPA		10/22/2018	2:00:00 PM	10/22/2018	4:00:00 PM			10/22/2018	7:17:15 PM	Water	USEPA	E. COLI_MPN	E. Coli	Total	52.00	MPN/100mL		1.0	1.0			10/31/2018
DRWW	Suburban Labs		16-7	G-49	0.5	ft	Lower Des Plaines River			Non-IEPA		10/22/2018	2:00:00 PM	10/22/2018	4:00:00 PM	10/29/2018	10:21:13 AM	10/31/2018		Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L	J	0.10	0.30			10/31/2018
DRWW	Suburban Labs		16-7	G-49	0.5	ft	Lower Des Plaines River			Non-IEPA		10/22/2018	2:00:00 PM	10/22/2018	4:00:00 PM			10/31/2018		Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	1.94	mg/L	J	1.19	3.78			10/31/2018
DRWW	Suburban Labs		16-7	G-49	0.5	ft	Lower Des Plaines River			Non-IEPA		10/22/2018	2:00:00 PM	10/22/2018	4:00:00 PM			10/25/2018	2:15:35 PM	Water	USEPA	365.2	pH, Field	Total	7.86	S.U.					10/31/2018	
DRWW	Suburban Labs		16-7	G-49	0.5	ft	Lower Des Plaines River			Non-IEPA		10/22/2018	2:00:00 PM	10/22/2018	4:00:00 PM	10/23/2018	11:51:54 AM	10/25/2018	10:25:29 AM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.24	mg/L		0.0500	0.135			10/31/2018
DRWW	Suburban Labs		16-7	G-49	0.5	ft	Lower Des Plaines River			Non-IEPA		10/22/2018	2:00:00 PM	10/22/2018	4:00:00 PM			10/23/2018		Water	Lab	2510B	Specific Conductivity	Total	815.00	umhos/cm		1.00	1.00			10/31/2018
DRWW	Suburban Labs		16-7	G-49	0.5	ft	Lower Des Plaines River			Non-IEPA		10/22/2018	2:00:00 PM	10/22/2018	4:00:00 PM			10/23/2018	3:56:38 PM	Water	USEPA	SM 2550B	Temperature	Total	12.92	deg C					10/31/2018	
DRWW	Suburban Labs		16-7	G-49	0.5	ft	Lower Des Plaines River			Non-IEPA		10/22/2018	2:00:00 PM	10/22/2018	4:00:00 PM			10/23/2018	2:32:55 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	3.31	mg/L		0.100	0.224			10/31/2018
DRWW	Suburban Labs		16-7	G-49	0.5	ft	Lower Des Plaines River			Non-IEPA		10/22/2018	2:00:00 PM	10/22/2018	4:00:00 PM			10/24/2018	1:23:39 PM	Water	USEPA	2540-D	Total Suspended Solids	Total	11.40	mg/L		0.200	5.00			10/31/2018
DRWW	Suburban Labs		16-7	G-49	0.5	ft	Lower Des Plaines River			Non-IEPA		10/22/2018	2:00:00 PM	10/22/2018	4:00:00 PM			10/23/2018	10:25:29 AM	Water	Lab	2130-B	Turbidity	Total	10.60	NTU		0.100	0.200			10/31/2018
DRWW	Suburban Labs		16-7	G-49	0.5	ft	Lower Des Plaines River			Non-IEPA		10/22/2018	2:00:00 PM	10/22/2018	4:00:00 PM			10/24/2018		Water	USEPA	2540-D	Volatile Suspended Solids	Total	2.60	mg/L	J	0.200	5.00			10/31/2018
DRWW	Suburban Labs		16-7 Duplicat	G-49	0.5	ft	Lower Des Plaines River			Non-IEPA		07/30/2018	11:31:00 AM	07/30/2018	12:05:33 PM			08/02/2018	3:59:00 PM	Water	APHA	4500-CL(-E)	Chloride	Total	166.00	umhos/cm		20.00	20.00			08/03/2018
DRWW	Suburban Labs		16-7 Duplicat	G-49	0.5	ft	Lower Des Plaines River			Non-IEPA		07/30/2018	11:31:00 AM	07/30/2018	12:05:33 PM			07/30/2018		Water	YSI	EPA 120.1	Conductivity	Total	986.00	umhos/cm						08/03/2018
DRWW	Suburban Labs		16-7 Duplicat	G-49	0.5	ft	Lower Des Plaines River			Non-IEPA		07/30/2018	11:31:00 AM	07/30/2018	12:05:33 PM			07/30/2018	4:48:00 PM	Water	USEPA	E. COLI_MPN	E. Coli	Total	214.30	MPN/100mL		1.00	1.00			08/03/2018
DRWW	Suburban Labs		16-7 Duplicat	G-49	0.5	ft	Lower Des Plaines River			Non-IEPA		07/30/2018	11:31:00 AM	07/30/2018	12:05:33 PM	07/31/2018	2:27:06 PM	08/01/2018	6:39:47 PM	Water	USEPA	365.2	pH, Field	Total	7.90	S.U.					08/03/2018	
DRWW	Suburban Labs		16-7 Duplicat	G-49	0.5	ft	Lower Des Plaines River			Non-IEPA		07/30/2018	11:31:00 AM	07/30/2018	12:05:33 PM			07/31/2018	1:52:25 PM	Water	Lab	2510B	Specific Conductivity	Total	1090.00	umhos/cm		1.00	1.00			08/03/2018
DRWW	Suburban Labs		16-7 Duplicat	G-49	0.5	ft	Lower Des Plaines River			Non-IEPA		07/30/2018	11:31:00 AM	07/30/2018	12:05:33 PM			07/30/2018		Water	USEPA	SM 2550B	Temperature	Total	23.70	°C					08/03/2018	
DRWW	Suburban Labs		16-7 Duplicat	G-49	0.5	ft	Lower Des Plaines River			Non-IEPA		07/30/2018	11:31:00 AM	07/30/2018	12:05:33 PM			08/02/2018	12:12:00 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	13.80	mg/L		0.10	0.22			08/03/2018
DRWW	Suburban Labs		16-7 Duplicat	G-49	0.5	ft	Lower Des Plaines River			Non-IEPA		07/30/2018	11:31:00 AM	07/30/2018	12:05:33 PM			07/31/2018	5:20:08 PM	Water	Lab	2130-B	Turbidity	Total	2.49	NTU		0.10	0.20			08/03/2018
DRWW	Suburban Labs		16-7 Field Blg	G-49	0.5	ft	Lower Des Plaines River			Non-IEPA		07/30/2018	11:41:00 AM	07/30/2018	12:13:24 PM			08/02/2018	4:04:00 PM	Water	APHA	4500-CL(-E)	Chloride	Total	ND	mg/L		20.00	20.00			08/03/2018
DRWW	Suburban Labs		16-7 Field Blg	G-49	0.5	ft	Lower Des Plaines River			Non-IEPA		07/30/2018	11:41:00 AM	07/30/2018	12:13:24 PM			07/30/2018		Water	YSI	EPA 120.1	Conductivity	Total	0.00	umhos/cm						08/03/2018
DRWW	Suburban Labs		16-7 Field Blg	G-49	0.5	ft	Lower Des Plaines River			Non-IEPA		07/30/2018	11:41:00 AM	07/30/2018	12:13:24 PM			07/30/2018	4:48:00 PM	Water	USEPA	E. COLI_MPN	E. Coli	Total	<1	MPN/100mL		1.00	1.00			08/03/2018
DRWW	Suburban Labs		16-7 Field Blg	G-49	0.5	ft	Lower Des Plaines River			Non-IEPA		07/30/2018	11:41:00 AM	07/30/2018	12:13:24 PM			07/30/2018		Water	USEPA	365.2	pH, Field	Total	6.80	S.U.					08/03/2018	
DRWW	Suburban Labs		16-7 Field Blg	G-49	0.5	ft	Lower Des Plaines River			Non-IEPA		07/30/2018	11:41:00 AM	07/30/2018	12:13:24 PM	07/31/2018	2:27:06 PM	08/01/2018	6:43:06 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	ND	mg/L		0.05	0.14			08/03/2018
DRWW	Suburban Labs		16-7 Field Blg	G-49	0.5	ft	Lower Des Plaines River			Non-IEPA		07/30/2018	11:41:00 AM	07/30/2018	12:13:24 PM			07/31/2018	2:08:30 PM	Water	Lab	2510B	Specific Conductivity	Total	1.08	umhos/cm		1.00	1.00			08/03/2018
DRWW	Suburban Labs		16-7 Field Blg	G-49	0.5	ft	Lower Des Plaines River			Non-IEPA		07/30/2018	11:41:00 AM	07/30/2018	12:13:24 PM			07/30/2018		Water	USEPA	SM 2550B	Temperature	Total	21.60	°C					08/03/2018	
DRWW	Suburban Labs		16-7 Field Blg	G-49	0.5	ft	Lower Des Plaines River			Non-IEPA		07/30/2018	11:41:00 AM	07/30/2018	12:13:24 PM			08/02/2018	12:34:00 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22			08/03/2018
DRWW	Suburban Labs		16-7 Field Blg	G-49	0.5	ft	Lower Des Plaines River			Non-IEPA		07/30/2018	11:41:00 AM	07/30/2018	12:13:24 PM			07/31/2018	5:20:08 PM	Water	Lab	2130-B	Turbidity	Total	ND	NTU		0.10	0.20			08/03/2018
DRWW	Suburban Labs		16-8	G-48	0.5	ft	Lower Des Plaines River			Non-IEPA		01/30/2018	10:00:00 AM	01/30/2018	2:40:00 PM			02/05/2018	6:35:36 PM	Water	APHA	4500-CL(-E)	Chloride	Total	193.00	mg/L		20.00	20.00			02/09/2018
DRWW	Suburban Labs		16-8	G-48	0.5	ft	Lower Des Plaines River			Non-IEPA		01/30/2018	10:00:00 AM	01/30/2018	2:40:00 PM			02/05/2018	6:35:36 PM	Water	YSI	EPA 120.1	Conductivity	Total	1130.00	umhos/cm						02/09/2018
DRWW	Suburban Labs		16-8	G-48	0.5	ft	Lower Des Plaines River			Non-IEPA		01/30/2018	10:00:00 AM	01/30/2018	2:40:00 PM			01/30/2018	3:11:52 PM	Water	USEPA	E. COLI_MPN	E. Coli	Total	178.50	MPN/100mL		1.00	1.00			02/09/2018
DRWW	Suburban Labs		16-8	G-48	0.5	ft	Lower Des Plaines River			Non-IEPA		01/30/2018	10:00:00 AM	01/30/2018	2:40:00 PM			01/30/2018		Water	USEPA	365.2	pH, Field	Total	7.42	S.U.					02/09/2018	
DRWW	Suburban Labs		16-8	G-48	0.5	ft	Lower Des Plaines River			Non-IEPA		01/30/2018	10:00:00 AM	01/30/2018	2:40:00 PM			02/02/2018	3:06:54 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.23	mg/L		0.05	0.14			02/09/2018
DRWW	Suburban Labs		16-8	G-48	0.5	ft	Lower Des Plaines River			Non-IEPA		01/30/2018	10:00:00 AM	01/30/2018	2:40:00 PM			01/30/2018		Water	USEPA	SM 2550B	Temperature	Total	0.11	°C					02/09/2018	
DRWW	Suburban Labs		16-8	G-48	0.5	ft	Lower Des Plaines River			Non-IEPA		01/30/2018	10:00:00 AM	01/30/2018	2:40:00 PM			02/04/2018	1:38:14 AM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	4.59	mg/L		0.10	0.22			02/09/2018
DRWW	Suburban Labs		16-8	G-48	0.5	ft	Lower Des Plaines River			Non-IEPA		01/30/2018	10:00:00 AM	01/30/2018	2:40:00 PM			01/30/2018	4:40:00 PM	Water	Lab	2130-B	Turbidity	Total	19.30	NTU		0.10	0.20			02/09/2018
DRWW	Suburban Labs		16-8	G-48	0.5	ft	Lower Des Plaines River			Non-IEPA		05/21/2018	11:43:00 AM	05/21/2018	4:20:00 PM			05/25/2														

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code-IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs		16-9	GZF-01	0.5	ft	Buffalo Creek			Non-IEPA		07/30/2018	12:56:00 PM	07/30/2018	1:15:48 PM			07/30/2018	4:48:00 PM	Water	USEPA	E COLI_MPN	E. Coli	Total	156.50	MPN/100mL		1.00	1.00			08/03/2018
DRWW	Suburban Labs		16-9	GZF-01	0.5	ft	Buffalo Creek			Non-IEPA		07/30/2018	12:56:00 PM	07/30/2018	1:15:48 PM					Water	USEPA	365.2	pH, Field	Total	8.10	S.U.						08/03/2018
DRWW	Suburban Labs		16-9	GZF-01	0.5	ft	Buffalo Creek			Non-IEPA		07/30/2018	12:56:00 PM	07/30/2018	1:15:48 PM	07/31/2018	2:27:06 PM	08/01/2018	7:08:34 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.06	mg/L	J	0.05	0.14			08/03/2018
DRWW	Suburban Labs		16-9	GZF-01	0.5	ft	Buffalo Creek			Non-IEPA		07/30/2018	12:56:00 PM	07/30/2018	1:15:48 PM			07/31/2018	1:56:23 PM	Water	Lab	2510B	Specific Conductivity	Total	833.00	umhos/cm		1.00	1.00			08/03/2018
DRWW	Suburban Labs		16-9	GZF-01	0.5	ft	Buffalo Creek			Non-IEPA		07/30/2018	12:56:00 PM	07/30/2018	1:15:48 PM			08/02/2018	12:10:00 PM	Water	USEPA	SM 2550B	Temperature	Total	18.80	°C						08/03/2018
DRWW	Suburban Labs		16-9	GZF-01	0.5	ft	Buffalo Creek			Non-IEPA		07/30/2018	12:56:00 PM	07/30/2018	1:15:48 PM			08/02/2018	12:10:00 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.17	mg/L	J	0.10	0.22			08/03/2018
DRWW	Suburban Labs		16-9	GZF-01	0.5	ft	Buffalo Creek			Non-IEPA		07/30/2018	12:56:00 PM	07/30/2018	1:15:48 PM			07/31/2018	5:20:08 PM	Water	Lab	2130-B	Turbidity	Total	4.11	NTU		0.10	0.20			08/03/2018
DRWW	Suburban Labs		16-9	GZF-01	0.5	ft	Buffalo Creek			Non-IEPA		08/27/2018	1:40:00 PM	08/27/2018	3:25:00 PM			08/28/2018	5:45:00 PM	Water	APHA	4500-CL(-E)	Chloride	Total	93.50	mg/L		20.00	20.00			09/06/2018
DRWW	Suburban Labs		16-9	GZF-01	0.5	ft	Buffalo Creek			Non-IEPA		08/27/2018	1:40:00 PM	08/27/2018	3:25:00 PM			08/27/2018	3:25:00 PM	Water	YSI	EPA 120.1	Conductivity	Total	747.00	umhos/cm						09/06/2018
DRWW	Suburban Labs		16-9	GZF-01	0.5	ft	Buffalo Creek			Non-IEPA		08/27/2018	1:40:00 PM	08/27/2018	3:25:00 PM			08/27/2018	3:54:32 PM	Water	USEPA	E COLI_MPN	E. Coli	Total	488.40	MPN/100mL		1.00	1.00			09/06/2018
DRWW	Suburban Labs		16-9	GZF-01	0.5	ft	Buffalo Creek			Non-IEPA		08/27/2018	1:40:00 PM	08/27/2018	3:25:00 PM			08/29/2018	9:19:50 AM	Water	USEPA	365.2	pH, Field	Total	8.34	S.U.						09/06/2018
DRWW	Suburban Labs		16-9	GZF-01	0.5	ft	Buffalo Creek			Non-IEPA		08/27/2018	1:40:00 PM	08/27/2018	3:25:00 PM	08/28/2018	9:19:50 AM	08/30/2018	7:31:53 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.07	mg/L	J	0.05	0.14			09/06/2018
DRWW	Suburban Labs		16-9	GZF-01	0.5	ft	Buffalo Creek			Non-IEPA		08/27/2018	1:40:00 PM	08/27/2018	3:25:00 PM			08/28/2018	3:25:43 PM	Water	Lab	2510B	Specific Conductivity	Total	745.00	umhos/cm		1.00	1.00			09/06/2018
DRWW	Suburban Labs		16-9	GZF-01	0.5	ft	Buffalo Creek			Non-IEPA		08/27/2018	1:40:00 PM	08/27/2018	3:25:00 PM			08/30/2018	8:50:43 PM	Water	USEPA	SM 2550B	Temperature	Total	26.20	°C						09/06/2018
DRWW	Suburban Labs		16-9	GZF-01	0.5	ft	Buffalo Creek			Non-IEPA		08/27/2018	1:40:00 PM	08/27/2018	3:25:00 PM			08/30/2018	8:50:43 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22			09/06/2018
DRWW	Suburban Labs		16-9	GZF-01	0.5	ft	Buffalo Creek			Non-IEPA		08/27/2018	1:40:00 PM	08/27/2018	3:25:00 PM			08/28/2018	5:46:41 PM	Water	Lab	2130-B	Turbidity	Total	14.10	NTU		0.10	0.20			09/06/2018
DRWW	Suburban Labs		16-9	GZF-01	0.5	ft	Buffalo Creek			Non-IEPA		10/22/2018	1:10:00 PM	10/22/2018	4:00:00 PM			10/23/2018		Water	APHA	4500-CL(-E)	Chloride	Total	95.20	mg/L		20.0	20.0			10/30/2018
DRWW	Suburban Labs		16-9	GZF-01	0.5	ft	Buffalo Creek			Non-IEPA		10/22/2018	1:10:00 PM	10/22/2018	4:00:00 PM			10/22/2018	4:36:06 PM	Water	YSI	EPA 120.1	Conductivity	Total	943.00	umhos/cm						10/30/2018
DRWW	Suburban Labs		16-9	GZF-01	0.5	ft	Buffalo Creek			Non-IEPA		10/22/2018	1:10:00 PM	10/22/2018	4:00:00 PM			10/22/2018	7:55:34 PM	Water	USEPA	E COLI_MPN	E. Coli	Total	307.60	MPN/100mL		1.0	1.0			10/30/2018
DRWW	Suburban Labs		16-9	GZF-01	0.5	ft	Buffalo Creek			Non-IEPA		10/22/2018	1:10:00 PM	10/22/2018	4:00:00 PM			10/22/2018	1:48:23 PM	Water	USEPA	365.2	pH, Field	Total	7.89	S.U.						10/30/2018
DRWW	Suburban Labs		16-9	GZF-01	0.5	ft	Buffalo Creek			Non-IEPA		10/22/2018	1:10:00 PM	10/22/2018	4:00:00 PM	10/23/2018	11:49:51 AM	10/26/2018	2:00:00 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.08	mg/L	J	0.0500	0.135			10/30/2018
DRWW	Suburban Labs		16-9	GZF-01	0.5	ft	Buffalo Creek			Non-IEPA		10/22/2018	1:10:00 PM	10/22/2018	4:00:00 PM			10/23/2018		Water	Lab	2510B	Specific Conductivity	Total	917.00	umhos/cm		1.00	1.00			10/30/2018
DRWW	Suburban Labs		16-9	GZF-01	0.5	ft	Buffalo Creek			Non-IEPA		10/22/2018	1:10:00 PM	10/22/2018	4:00:00 PM				4:20:47 PM	Water	USEPA	SM 2550B	Temperature	Total	7.85	deg C						10/30/2018
DRWW	Suburban Labs		16-9	GZF-01	0.5	ft	Buffalo Creek			Non-IEPA		10/22/2018	1:10:00 PM	10/22/2018	4:00:00 PM			10/23/2018	2:32:55 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.100	0.224			10/30/2018
DRWW	Suburban Labs		16-9	GZF-01	0.5	ft	Buffalo Creek			Non-IEPA		10/22/2018	1:10:00 PM	10/22/2018	4:00:00 PM			10/23/2018	2:00:00 PM	Water	Lab	2130-B	Turbidity	Total	7.33	NTU		0.100	0.200			10/30/2018
DRWW	Suburban Labs		17-1	GS-01	0.5	ft	Buffalo Creek			Non-IEPA		01/30/2018	12:15:00 PM	01/30/2018	2:40:00 PM			02/05/2018	7:46:47 PM	Water	APHA	4500-CL(-E)	Chloride	Total	474.00	mg/L		80.00	80.00			02/09/2018
DRWW	Suburban Labs		17-1	GS-01	0.5	ft	Buffalo Creek			Non-IEPA		01/30/2018	12:15:00 PM	01/30/2018	2:40:00 PM			02/05/2018	7:46:47 PM	Water	YSI	EPA 120.1	Conductivity	Total	2020.00	umhos/cm						02/09/2018
DRWW	Suburban Labs		17-1	GS-01	0.5	ft	Buffalo Creek			Non-IEPA		01/30/2018	12:15:00 PM	01/30/2018	2:40:00 PM			01/30/2018	3:11:52 PM	Water	USEPA	E COLI_MPN	E. Coli	Total	81.60	MPN/100mL		1.00	1.00			02/09/2018
DRWW	Suburban Labs		17-1	GS-01	0.5	ft	Buffalo Creek			Non-IEPA		01/30/2018	12:15:00 PM	01/30/2018	2:40:00 PM			01/31/2018	10:13:00 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	0.88	mg/L		0.10	0.30			02/09/2018
DRWW	Suburban Labs		17-1	GS-01	0.5	ft	Buffalo Creek			Non-IEPA		01/30/2018	12:15:00 PM	01/30/2018	2:40:00 PM			02/08/2018	7:15:16 PM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	ND	mg/L		1.19	3.78			02/09/2018
DRWW	Suburban Labs		17-1	GS-01	0.5	ft	Buffalo Creek			Non-IEPA		01/30/2018	12:15:00 PM	01/30/2018	2:40:00 PM					Water	USEPA	365.2	pH, Field	Total	7.75	S.U.						02/09/2018
DRWW	Suburban Labs		17-1	GS-01	0.5	ft	Buffalo Creek			Non-IEPA		01/30/2018	12:15:00 PM	01/30/2018	2:40:00 PM			02/02/2018	3:34:41 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.07	mg/L		0.05	0.14			02/09/2018
DRWW	Suburban Labs		17-1	GS-01	0.5	ft	Buffalo Creek			Non-IEPA		01/30/2018	12:15:00 PM	01/30/2018	2:40:00 PM					Water	USEPA	SM 2550B	Temperature	Total	1.65	°C						02/09/2018
DRWW	Suburban Labs		17-1	GS-01	0.5	ft	Buffalo Creek			Non-IEPA		01/30/2018	12:15:00 PM	01/30/2018	2:40:00 PM			02/04/2018	1:51:22 AM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.56	mg/L		0.10	0.22			02/09/2018
DRWW	Suburban Labs		17-1	GS-01	0.5	ft	Buffalo Creek			Non-IEPA		01/30/2018	12:15:00 PM	01/30/2018	2:40:00 PM			02/01/2018	10:25:03 AM	Water	USEPA	2540-D	Total Suspended Solids	Total	9.00	mg/L		0.20	5.00			02/09/2018
DRWW	Suburban Labs		17-1	GS-01	0.5	ft	Buffalo Creek			Non-IEPA		01/30/2018	12:15:00 PM	01/30/2018	2:40:00 PM			01/30/2018	4:40:00 PM	Water	Lab	2130-B	Turbidity	Total	11.10	NTU		0.10	0.20			02/09/2018
DRWW	Suburban Labs		17-1	GS-01	0.5	ft	Buffalo Creek			Non-IEPA		01/30/2018	12:15:00 PM	01/30/2018	2:40:00 PM			02/01/2018	10:25:03 AM	Water	USEPA	2540-D	Volatile Suspended Solids	Total	3.40	mg/L		0.20	5.00			02/09/2018
DRWW	Suburban Labs		17-1	GS-01	0.5	ft	Buffalo Creek			Non-IEPA		05/21/2018	12:35:00 PM	05/21/2018	4:20:00 PM			05/25/2018	3:10:25 PM	Water	APHA	4500-CL(-E)	Chloride	Total	72.30	mg/L		20.00	20.00			05/31/2018
DRWW	Suburban Labs		17-1	GS-01	0.5	ft	Buffalo Creek			Non-IEPA		05/21/2018	12:35:00 PM	05/21/2018	4:20:00 PM					Water	YSI	EPA 120.1	Conductivity	Total	418.00	umhos/cm						05/31/2018
DRWW	Suburban Labs		17-1	GS-01	0.5	ft	Buffalo Creek			Non-IEPA		05/21/2018	12:35:00 PM	05/21/2018	4:20:00 PM			05/21/2018	4:42:13 PM	Water	USEPA	E COLI_MPN	E. Coli	Total	2419.60	MPN/100mL		1.00	1.00			05/31/2018
DRWW	Suburban Labs		17-1	GS-01	0.5	ft	Buffalo Creek			Non-IEPA		05/21/2018	12:35:00 PM	05/21/2018	4:20:00 PM			05/24/2018	1:41:05 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	0.37	mg/L		0.10	0.30			05/31/2018
DRWW	Suburban Labs		17-1	GS-01	0.5	ft	Buffalo Creek			Non-IEPA		05/21/2018	12:35:00 PM	05/21/2018	4:20:00 PM	05/30/2018	3:43:15 PM	05/31/2018	12:28:56 PM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	4.43	mg/L		1.19	3.78			05/31/2018
DRWW	Suburban Labs		17-1	GS-01	0.5	ft	Buffalo Creek			Non-IEPA		05/21/2018	12:35:00 PM	05/21/2018	4:20:00 PM					Water	USEPA	365.2	pH, Field	Total	7.60	S.U.						05/31/2018
DRWW	Suburban Labs		17-1	GS-01	0.5	ft	Buffalo Creek			Non-IEPA		05/21/2018	12:35:00 PM	05/21/2018	4:20:00 PM	05/22/2018	3:30:32 PM	05/23/2018	5:41:40 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.17							

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs		17-2	GST-02	0.5	ft	Buffalo Creek			Non-IEPA		05/21/2018	1:02:00 PM	05/21/2018	4:20:00 PM					Water	USEPA	365.2	pH, Field		7.70	S.U.					05/31/2018	
DRWW	Suburban Labs		17-2	GST-02	0.5	ft	Buffalo Creek			Non-IEPA		05/21/2018	1:02:00 PM	05/21/2018	4:20:00 PM	05/22/2018	3:30:32 PM	05/23/2018	6:29:22 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.16	mg/L		0.05	0.14		05/31/2018	
DRWW	Suburban Labs		17-2	GST-02	0.5	ft	Buffalo Creek			Non-IEPA		05/21/2018	1:02:00 PM	05/21/2018	4:20:00 PM			05/22/2018	4:42:59 PM	Water	Lab	2510B	Specific Conductivity	Total	724.00	umhos/cm		1.00	1.00		05/31/2018	
DRWW	Suburban Labs		17-2	GST-02	0.5	ft	Buffalo Creek			Non-IEPA		05/21/2018	1:02:00 PM	05/21/2018	4:20:00 PM					Water	USEPA	SM 2550B	Temperature		13.50	°C					05/31/2018	
DRWW	Suburban Labs		17-2	GST-02	0.5	ft	Buffalo Creek			Non-IEPA		05/21/2018	1:02:00 PM	05/21/2018	4:20:00 PM			05/30/2018	8:02:23 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.14	mg/L	J	0.10	0.22		05/31/2018	
DRWW	Suburban Labs		17-2	GST-02	0.5	ft	Buffalo Creek			Non-IEPA		05/21/2018	1:02:00 PM	05/21/2018	4:20:00 PM			05/22/2018	4:45:00 PM	Water	Lab	2130-B	Turbidity		47.90	NTU		0.10	0.20		05/31/2018	
DRWW	Suburban Labs		17-2	GST-02	0.5	ft	Buffalo Creek			Non-IEPA		07/30/2018	1:52:00 PM	07/30/2018	2:18:25 PM			08/02/2018	4:42:00 PM	Water	APHA	4500-CL(-E)	Chloride	Total	232.00	mg/L		40.00	40.00		08/03/2018	
DRWW	Suburban Labs		17-2	GST-02	0.5	ft	Buffalo Creek			Non-IEPA		07/30/2018	1:52:00 PM	07/30/2018	2:18:25 PM					Water	YSI	EPA 120.1	Conductivity		1040.00	umhos/cm					08/03/2018	
DRWW	Suburban Labs		17-2	GST-02	0.5	ft	Buffalo Creek			Non-IEPA		07/30/2018	1:52:00 PM	07/30/2018	2:18:25 PM			07/30/2018	4:48:00 PM	Water	USEPA	E. COLI MPN	E. Coli	Total	191.80	MPN/100mL		1.00	1.00		08/03/2018	
DRWW	Suburban Labs		17-2	GST-02	0.5	ft	Buffalo Creek			Non-IEPA		07/30/2018	1:52:00 PM	07/30/2018	2:18:25 PM					Water	USEPA	365.2	pH, Field		8.20	S.U.					08/03/2018	
DRWW	Suburban Labs		17-2	GST-02	0.5	ft	Buffalo Creek			Non-IEPA		07/30/2018	1:52:00 PM	07/30/2018	2:18:25 PM	07/31/2018	2:27:06 PM	08/01/2018	7:15:02 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.08	mg/L	J	0.05	0.14		08/03/2018	
DRWW	Suburban Labs		17-2	GST-02	0.5	ft	Buffalo Creek			Non-IEPA		07/30/2018	1:52:00 PM	07/30/2018	2:18:25 PM			07/31/2018	1:57:50 PM	Water	Lab	2510B	Specific Conductivity	Total	1200.00	umhos/cm		1.00	1.00		08/03/2018	
DRWW	Suburban Labs		17-2	GST-02	0.5	ft	Buffalo Creek			Non-IEPA		07/30/2018	1:52:00 PM	07/30/2018	2:18:25 PM					Water	USEPA	SM 2550B	Temperature		25.20	°C					08/03/2018	
DRWW	Suburban Labs		17-2	GST-02	0.5	ft	Buffalo Creek			Non-IEPA		07/30/2018	1:52:00 PM	07/30/2018	2:18:25 PM			08/02/2018	12:21:00 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.14	mg/L	J	0.10	0.22		08/03/2018	
DRWW	Suburban Labs		17-2	GST-02	0.5	ft	Buffalo Creek			Non-IEPA		07/30/2018	1:52:00 PM	07/30/2018	2:18:25 PM			08/02/2018	5:20:08 PM	Water	Lab	2130-B	Turbidity		2.22	NTU		0.10	0.20		08/03/2018	
DRWW	Suburban Labs		17-2	GST-02	0.5	ft	Buffalo Creek			Non-IEPA		08/27/2018	12:50:00 PM	08/27/2018	3:25:00 PM			08/28/2018	5:41:00 PM	Water	APHA	4500-CL(-E)	Chloride	Total	178.00	mg/L		20.00	20.00		09/06/2018	
DRWW	Suburban Labs		17-2	GST-02	0.5	ft	Buffalo Creek			Non-IEPA		08/27/2018	12:50:00 PM	08/27/2018	3:25:00 PM					Water	YSI	EPA 120.1	Conductivity		1025.00	umhos/cm					09/06/2018	
DRWW	Suburban Labs		17-2	GST-02	0.5	ft	Buffalo Creek			Non-IEPA		08/27/2018	12:50:00 PM	08/27/2018	3:25:00 PM			08/27/2018	3:54:32 PM	Water	USEPA	E. COLI MPN	E. Coli	Total	152.90	MPN/100mL		1.00	1.00		09/06/2018	
DRWW	Suburban Labs		17-2	GST-02	0.5	ft	Buffalo Creek			Non-IEPA		08/27/2018	12:50:00 PM	08/27/2018	3:25:00 PM					Water	USEPA	365.2	pH, Field		8.10	S.U.					09/06/2018	
DRWW	Suburban Labs		17-2	GST-02	0.5	ft	Buffalo Creek			Non-IEPA		08/27/2018	12:50:00 PM	08/27/2018	3:25:00 PM	08/29/2018	9:19:50 AM	08/30/2018	7:22:02 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.07	mg/L	J	0.05	0.14		09/06/2018	
DRWW	Suburban Labs		17-2	GST-02	0.5	ft	Buffalo Creek			Non-IEPA		08/27/2018	12:50:00 PM	08/27/2018	3:25:00 PM			08/28/2018	3:24:22 PM	Water	Lab	2510B	Specific Conductivity	Total	914.00	umhos/cm		1.00	1.00		09/06/2018	
DRWW	Suburban Labs		17-2	GST-02	0.5	ft	Buffalo Creek			Non-IEPA		08/27/2018	12:50:00 PM	08/27/2018	3:25:00 PM					Water	USEPA	SM 2550B	Temperature		27.14	°C					09/06/2018	
DRWW	Suburban Labs		17-2	GST-02	0.5	ft	Buffalo Creek			Non-IEPA		08/27/2018	12:50:00 PM	08/27/2018	3:25:00 PM			08/30/2018	9:02:13 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22		09/06/2018	
DRWW	Suburban Labs		17-2	GST-02	0.5	ft	Buffalo Creek			Non-IEPA		08/27/2018	12:50:00 PM	08/27/2018	3:25:00 PM			08/28/2018	5:46:41 PM	Water	Lab	2130-B	Turbidity		9.12	NTU		0.10	0.20		09/06/2018	
DRWW	Suburban Labs		17-2	GST-02	0.5	ft	Buffalo Creek			Non-IEPA		10/22/2018	12:14:00 PM	10/22/2018	4:00:00 PM			10/23/2018		Water	APHA	4500-CL(-E)	Chloride	Total	159.00	umhos/cm		20.0	20.0		10/30/2018	
DRWW	Suburban Labs		17-2	GST-02	0.5	ft	Buffalo Creek			Non-IEPA		10/22/2018	12:14:00 PM	10/22/2018	4:00:00 PM					Water	YSI	EPA 120.1	Conductivity		1096.00	umhos/cm					10/30/2018	
DRWW	Suburban Labs		17-2	GST-02	0.5	ft	Buffalo Creek			Non-IEPA		10/22/2018	12:14:00 PM	10/22/2018	4:00:00 PM			10/22/2018	8:06:08 PM	Water	USEPA	E. COLI MPN	E. Coli	Total	39.90	MPN/100mL		1.0	1.0		10/30/2018	
DRWW	Suburban Labs		17-2	GST-02	0.5	ft	Buffalo Creek			Non-IEPA		10/22/2018	12:14:00 PM	10/22/2018	4:00:00 PM					Water	USEPA	365.2	pH, Field		8.16	S.U.					10/30/2018	
DRWW	Suburban Labs		17-2	GST-02	0.5	ft	Buffalo Creek			Non-IEPA		10/22/2018	12:14:00 PM	10/22/2018	4:00:00 PM	10/23/2018	11:49:51 AM	10/26/2018	2:00:00 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.07	mg/L	J	0.0500	0.135		10/30/2018	
DRWW	Suburban Labs		17-2	GST-02	0.5	ft	Buffalo Creek			Non-IEPA		10/22/2018	12:14:00 PM	10/22/2018	4:00:00 PM			10/23/2018		Water	Lab	2510B	Specific Conductivity	Total	1080.00	umhos/cm		1.00	1.00		10/30/2018	
DRWW	Suburban Labs		17-2	GST-02	0.5	ft	Buffalo Creek			Non-IEPA		10/22/2018	12:14:00 PM	10/22/2018	4:00:00 PM					Water	USEPA	SM 2550B	Temperature		9.12	deg C					10/30/2018	
DRWW	Suburban Labs		17-2	GST-02	0.5	ft	Buffalo Creek			Non-IEPA		10/22/2018	12:14:00 PM	10/22/2018	4:00:00 PM			10/23/2018	2:32:55 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.15	mg/L	J	0.100	0.224		10/30/2018	
DRWW	Suburban Labs		17-2	GST-02	0.5	ft	Buffalo Creek			Non-IEPA		10/22/2018	12:14:00 PM	10/22/2018	4:00:00 PM			10/23/2018	2:00:00 PM	Water	Lab	2130-B	Turbidity		20.70	NTU		0.100	0.200		10/30/2018	
DRWW	Suburban Labs		17-3	GST-03	0.5	ft	Buffalo Creek			Non-IEPA		02/01/2018	9:35:00 AM	02/01/2018	2:35:00 PM			02/05/2018	7:27:28 PM	Water	APHA	4500-CL(-E)	Chloride	Total	263.00	mg/L		40.00	40.00		02/12/2018	
DRWW	Suburban Labs		17-3	GST-03	0.5	ft	Buffalo Creek			Non-IEPA		02/01/2018	9:35:00 AM	02/01/2018	2:35:00 PM			02/05/2018	7:27:28 PM	Water	YSI	EPA 120.1	Conductivity		1520.00	umhos/cm					02/12/2018	
DRWW	Suburban Labs		17-3	GST-03	0.5	ft	Buffalo Creek			Non-IEPA		02/01/2018	9:35:00 AM	02/01/2018	2:35:00 PM			02/01/2018	3:50:54 PM	Water	USEPA	E. COLI MPN	E. Coli	Total	6.30	MPN/100mL		1.00	1.00		02/12/2018	
DRWW	Suburban Labs		17-3	GST-03	0.5	ft	Buffalo Creek			Non-IEPA		02/01/2018	9:35:00 AM	02/01/2018	2:35:00 PM					Water	USEPA	365.2	pH, Field		8.76	S.U.					02/12/2018	
DRWW	Suburban Labs		17-3	GST-03	0.5	ft	Buffalo Creek			Non-IEPA		02/01/2018	9:35:00 AM	02/01/2018	2:35:00 PM			02/05/2018	4:39:19 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.05	mg/L		0.05	0.14		02/12/2018	
DRWW	Suburban Labs		17-3	GST-03	0.5	ft	Buffalo Creek			Non-IEPA		02/01/2018	9:35:00 AM	02/01/2018	2:35:00 PM					Water	USEPA	SM 2550B	Temperature		-0.08	°C					02/12/2018	
DRWW	Suburban Labs		17-3	GST-03	0.5	ft	Buffalo Creek			Non-IEPA		02/01/2018	9:35:00 AM	02/01/2018	2:35:00 PM			02/04/2018	2:41:42 AM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.47	mg/L		0.10	0.22		02/12/2018	
DRWW	Suburban Labs		17-3	GST-03	0.5	ft	Buffalo Creek			Non-IEPA		02/01/2018	9:35:00 AM	02/01/2018	2:35:00 PM			02/01/2018	5:01:00 PM	Water	Lab	2130-B	Turbidity		6.82	NTU		0.10	0.20		02/12/2018	
DRWW	Suburban Labs		17-3	GST-03	0.5	ft	Buffalo Creek			Non-IEPA		05/21/2018	1:19:00 PM	05/21/2018	4:20:00 PM			05/25/2018	3:15:51 PM	Water	APHA	4500-CL(-E)	Chloride	Total	91.70	mg/L		20.00	20.00		05/31/2018	
DRWW	Suburban Labs		17-3	GST-03	0.5	ft	Buffalo Creek			Non-IEPA		05/21/2018	1:19:00 PM	05/21/2018	4:20:00 PM					Water	YSI	EPA 120.1	Conductivity		612.00	umhos/cm					05/31/2018	
DRWW	Suburban Labs		17-3	GST-03	0.5	ft	Buffalo Creek			Non-IEPA		05/21/2018	1:19:00 PM	05/21/2018	4:20:00 PM			05/21/2018	4:42:13 PM	Water	USEPA	E. COLI MPN	E. Coli	Total	2419.60	MPN/100mL		1.00	1.00		05/31/2018	
DRWW	Suburban Labs		17-3	GST-03	0.5	ft	Buffalo Creek			Non-IEPA		05/21/2018	1:19:00 PM	05/21/2018	4:20:00 PM					Water	USEPA	365.2	pH, Field		7.70	S.U.					05/31/2018	
DRWW	Suburban Labs		17-3	GST-03	0.5	ft	Buffalo Creek			Non-IEPA		05/21/2018	1:19:00 PM																			

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code-IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs		17-4	GSTZA-01	0.5	ft	Buffalo Creek			Non-IEPA		05/21/2018	1:42:00 PM	05/21/2018	4:20:00 PM			05/22/2018	4:45:00 PM	Water	Lab	2130-B	Turbidity		54.30	NTU		0.10	0.20			05/31/2018
DRWW	Suburban Labs		17-4	GSTZA-01	0.5	ft	Buffalo Creek			Non-IEPA		05/21/2018	1:42:00 PM	05/21/2018	4:20:00 PM			05/22/2018	9:59:23 AM	Water	USEPA	2540-D	Volatiles Suspended Solids	Total	8.40	mg/L	J	0.40	10.00			05/31/2018
DRWW	Suburban Labs		17-4	GSTZA-01	0.5	ft	Buffalo Creek			Non-IEPA		07/30/2018	12:55:00 PM	07/30/2018	1:09:00 PM			08/02/2018	4:06:00 PM	Water	APHA	4500-CL-(E)	Chloride	Total	153.00	mg/L		20.00	20.00			08/07/2018
DRWW	Suburban Labs		17-4	GSTZA-01	0.5	ft	Buffalo Creek			Non-IEPA		07/30/2018	12:55:00 PM	07/30/2018	1:09:00 PM			07/30/2018	4:48:00 PM	Water	USEPA	E. COLI MPN	E. Coli	Total	344.80	MPN/100mL		1.00	1.00			08/07/2018
DRWW	Suburban Labs		17-4	GSTZA-01	0.5	ft	Buffalo Creek			Non-IEPA		07/30/2018	12:55:00 PM	07/30/2018	1:09:00 PM			08/06/2018	2:58:59 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30			08/07/2018
DRWW	Suburban Labs		17-4	GSTZA-01	0.5	ft	Buffalo Creek			Non-IEPA		07/30/2018	12:55:00 PM	07/30/2018	1:09:00 PM	08/02/2018	11:00:10 AM	08/03/2018	12:47:27 PM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	1.47	mg/L	J	1.19	3.78			08/07/2018
DRWW	Suburban Labs		17-4	GSTZA-01	0.5	ft	Buffalo Creek			Non-IEPA		07/30/2018	12:55:00 PM	07/30/2018	1:09:00 PM			07/30/2018	1:09:00 PM	Water	USEPA	365.2	pH, Field	Total	7.95	S.U.						08/07/2018
DRWW	Suburban Labs		17-4	GSTZA-01	0.5	ft	Buffalo Creek			Non-IEPA		07/30/2018	12:55:00 PM	07/30/2018	1:09:00 PM	07/31/2018	2:27:06 PM	08/01/2018	7:21:40 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.06	mg/L	J	0.05	0.14			08/07/2018
DRWW	Suburban Labs		17-4	GSTZA-01	0.5	ft	Buffalo Creek			Non-IEPA		07/30/2018	12:55:00 PM	07/30/2018	1:09:00 PM			07/31/2018	1:59:17 PM	Water	Lab	2510B	Specific Conductivity	Total	1080.00	umhos/cm		1.00	1.00			08/07/2018
DRWW	Suburban Labs		17-4	GSTZA-01	0.5	ft	Buffalo Creek			Non-IEPA		07/30/2018	12:55:00 PM	07/30/2018	1:09:00 PM			08/02/2018	12:52:00 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.24	mg/L		0.10	0.22			08/07/2018
DRWW	Suburban Labs		17-4	GSTZA-01	0.5	ft	Buffalo Creek			Non-IEPA		07/30/2018	12:55:00 PM	07/30/2018	1:09:00 PM			08/01/2018	12:33:16 PM	Water	USEPA	2540-D	Total Suspended Solids	Total	6.00	mg/L		0.20	5.00			08/07/2018
DRWW	Suburban Labs		17-4	GSTZA-01	0.5	ft	Buffalo Creek			Non-IEPA		07/30/2018	12:55:00 PM	07/30/2018	1:09:00 PM			07/31/2018	5:20:08 PM	Water	Lab	2130-B	Turbidity	Total	9.72	NTU		0.10	0.20			08/07/2018
DRWW	Suburban Labs		17-4	GSTZA-01	0.5	ft	Buffalo Creek			Non-IEPA		07/30/2018	12:55:00 PM	07/30/2018	1:09:00 PM			08/01/2018	12:33:16 PM	Water	USEPA	2540-D	Volatiles Suspended Solids	Total	1.40	mg/L	J	0.20	5.00			08/07/2018
DRWW	Suburban Labs		17-4	GSTZA-01	0.5	ft	Buffalo Creek			Non-IEPA		08/27/2018	11:57:00 AM	08/27/2018	3:25:00 PM			08/28/2018	5:42:00 PM	Water	APHA	4500-CL-(E)	Chloride	Total	170.00	mg/L		20.00	20.00			09/07/2018
DRWW	Suburban Labs		17-4	GSTZA-01	0.5	ft	Buffalo Creek			Non-IEPA		08/27/2018	11:57:00 AM	08/27/2018	3:25:00 PM			08/27/2018	3:25:00 PM	Water	YSI	EPA 120.1	Conductivity	Total	971.00	umhos/cm						09/07/2018
DRWW	Suburban Labs		17-4	GSTZA-01	0.5	ft	Buffalo Creek			Non-IEPA		08/27/2018	11:57:00 AM	08/27/2018	3:25:00 PM			08/27/2018	3:54:32 PM	Water	USEPA	E. COLI MPN	E. Coli	Total	195.60	MPN/100mL		1.00	1.00			09/07/2018
DRWW	Suburban Labs		17-4	GSTZA-01	0.5	ft	Buffalo Creek			Non-IEPA		08/27/2018	11:57:00 AM	08/27/2018	3:25:00 PM			09/05/2018	4:14:40 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30			09/07/2018
DRWW	Suburban Labs		17-4	GSTZA-01	0.5	ft	Buffalo Creek			Non-IEPA		08/27/2018	11:57:00 AM	08/27/2018	3:25:00 PM	08/30/2018	12:16:20 PM	08/31/2018	1:01:27 PM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	1.33	mg/L	J	1.19	3.78			09/07/2018
DRWW	Suburban Labs		17-4	GSTZA-01	0.5	ft	Buffalo Creek			Non-IEPA		08/27/2018	11:57:00 AM	08/27/2018	3:25:00 PM			08/27/2018	3:25:00 PM	Water	USEPA	365.2	pH, Field	Total	8.09	S.U.						09/07/2018
DRWW	Suburban Labs		17-4	GSTZA-01	0.5	ft	Buffalo Creek			Non-IEPA		08/27/2018	11:57:00 AM	08/27/2018	3:25:00 PM	08/29/2018	9:19:50 AM	08/30/2018	7:15:23 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.08	mg/L	J	0.05	0.14			09/07/2018
DRWW	Suburban Labs		17-4	GSTZA-01	0.5	ft	Buffalo Creek			Non-IEPA		08/27/2018	11:57:00 AM	08/27/2018	3:25:00 PM			08/28/2018	3:22:20 PM	Water	Lab	2510B	Specific Conductivity	Total	940.00	umhos/cm		1.00	1.00			09/07/2018
DRWW	Suburban Labs		17-4	GSTZA-01	0.5	ft	Buffalo Creek			Non-IEPA		08/27/2018	11:57:00 AM	08/27/2018	3:25:00 PM			08/27/2018	3:25:00 PM	Water	USEPA	SM 2550B	Temperature	Total	26.04	°C						09/07/2018
DRWW	Suburban Labs		17-4	GSTZA-01	0.5	ft	Buffalo Creek			Non-IEPA		08/27/2018	11:57:00 AM	08/27/2018	3:25:00 PM			08/30/2018	8:39:10 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22			09/07/2018
DRWW	Suburban Labs		17-4	GSTZA-01	0.5	ft	Buffalo Creek			Non-IEPA		08/27/2018	11:57:00 AM	08/27/2018	3:25:00 PM			08/29/2018	11:08:49 AM	Water	USEPA	2540-D	Total Suspended Solids	Total	6.60	mg/L		0.20	5.00			09/07/2018
DRWW	Suburban Labs		17-4	GSTZA-01	0.5	ft	Buffalo Creek			Non-IEPA		08/27/2018	11:57:00 AM	08/27/2018	3:25:00 PM			08/28/2018	5:46:41 PM	Water	Lab	2130-B	Turbidity	Total	8.92	NTU		0.10	0.20			09/07/2018
DRWW	Suburban Labs		17-4	GSTZA-01	0.5	ft	Buffalo Creek			Non-IEPA		08/27/2018	11:57:00 AM	08/27/2018	3:25:00 PM			08/29/2018	11:08:49 AM	Water	USEPA	2540-D	Volatiles Suspended Solids	Total	3.80	mg/L	J	0.20	5.00			09/07/2018
DRWW	Suburban Labs		17-4	GSTZA-01	0.5	ft	Buffalo Creek			Non-IEPA		10/22/2018	11:35:00 AM	10/22/2018	4:00:00 PM			10/23/2018		Water	APHA	4500-CL-(E)	Chloride	Total	179.00	mg/L		20.0	20.0			10/30/2018
DRWW	Suburban Labs		17-4	GSTZA-01	0.5	ft	Buffalo Creek			Non-IEPA		10/22/2018	11:35:00 AM	10/22/2018	4:00:00 PM			10/22/2018	4:49:53 PM	Water	YSI	EPA 120.1	Conductivity	Total	1062.00	umhos/cm						10/30/2018
DRWW	Suburban Labs		17-4	GSTZA-01	0.5	ft	Buffalo Creek			Non-IEPA		10/22/2018	11:35:00 AM	10/22/2018	4:00:00 PM			10/22/2018	9:59:23 AM	Water	USEPA	E. COLI MPN	E. Coli	Total	66.30	MPN/100mL		1.0	1.0			10/30/2018
DRWW	Suburban Labs		17-4	GSTZA-01	0.5	ft	Buffalo Creek			Non-IEPA		10/22/2018	11:35:00 AM	10/22/2018	4:00:00 PM			10/24/2018		Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30			10/30/2018
DRWW	Suburban Labs		17-4	GSTZA-01	0.5	ft	Buffalo Creek			Non-IEPA		10/22/2018	11:35:00 AM	10/22/2018	4:00:00 PM	10/24/2018	11:21:33 AM	10/26/2018		Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	2.03	mg/L	J	1.19	3.78			10/30/2018
DRWW	Suburban Labs		17-4	GSTZA-01	0.5	ft	Buffalo Creek			Non-IEPA		10/22/2018	11:35:00 AM	10/22/2018	4:00:00 PM			10/22/2018	2:59:48 PM	Water	USEPA	365.2	pH, Field	Total	7.77	S.U.						10/30/2018
DRWW	Suburban Labs		17-4	GSTZA-01	0.5	ft	Buffalo Creek			Non-IEPA		10/22/2018	11:35:00 AM	10/22/2018	4:00:00 PM	10/23/2018	11:49:51 AM	10/26/2018	2:19:51 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.08	mg/L	J	0.0500	0.135			10/30/2018
DRWW	Suburban Labs		17-4	GSTZA-01	0.5	ft	Buffalo Creek			Non-IEPA		10/22/2018	11:35:00 AM	10/22/2018	4:00:00 PM			10/23/2018		Water	Lab	2510B	Specific Conductivity	Total	1040.00	umhos/cm		1.00	1.00			10/30/2018
DRWW	Suburban Labs		17-4	GSTZA-01	0.5	ft	Buffalo Creek			Non-IEPA		10/22/2018	11:35:00 AM	10/22/2018	4:00:00 PM			10/23/2018	7:04:31 PM	Water	USEPA	SM 2550B	Temperature	Total	9.44	deg C						10/30/2018
DRWW	Suburban Labs		17-4	GSTZA-01	0.5	ft	Buffalo Creek			Non-IEPA		10/22/2018	11:35:00 AM	10/22/2018	4:00:00 PM			10/23/2018	2:32:55 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.32	mg/L		0.100	0.224			10/30/2018
DRWW	Suburban Labs		17-4	GSTZA-01	0.5	ft	Buffalo Creek			Non-IEPA		10/22/2018	11:35:00 AM	10/22/2018	4:00:00 PM			10/24/2018	1:50:12 PM	Water	USEPA	2540-D	Total Suspended Solids	Total	10.60	mg/L		0.286	7.15			10/30/2018
DRWW	Suburban Labs		17-4	GSTZA-01	0.5	ft	Buffalo Creek			Non-IEPA		10/22/2018	11:35:00 AM	10/22/2018	4:00:00 PM			10/23/2018		Water	Lab	2130-B	Turbidity	Total	12.10	NTU		0.100	0.200			10/30/2018
DRWW	Suburban Labs		17-4	GSTZA-01	0.5	ft	Buffalo Creek			Non-IEPA		10/22/2018	11:35:00 AM	10/22/2018	4:00:00 PM			10/24/2018		Water	USEPA	2540-D	Volatiles Suspended Solids	Total	4.29	mg/L	J	0.286	7.15			10/30/2018
DRWW	Suburban Labs		17-4 Duplicat	GSTZA-01	0.5	ft	Buffalo Creek			Non-IEPA		05/21/2018	1:42:00 PM	05/21/2018	4:20:00 PM			05/25/2018	3:17:12 PM	Water	APHA	4500-CL-(E)	Chloride	Total	191.00	mg/L		20.00	20.00			05/31/2018
DRWW	Suburban Labs		17-4 Duplicat	GSTZA-01	0.5	ft	Buffalo Creek			Non-IEPA		05/21/2018	1:42:00 PM	05/21/2018	4:20:00 PM			05/21/2018	4:42:13 PM	Water	YSI	EPA 120.1	Conductivity	Total	961.00	umhos/cm						05/31/2018
DRWW	Suburban Labs		17-4 Duplicat	GSTZA-01	0.5	ft	Buffalo Creek			Non-IEPA		05/21/2018	1:42:00 PM	05/21/2018	4:20:00 PM			05/21/2018	4:42:13 PM	Water	USEPA	E. COLI MPN	E. Coli	Total	2419.60	MPN/100mL		1.00	1.00			05/31/2018
DRWW	Suburban Labs		17-4 Duplicat	GSTZA-01	0.5	ft	Buffalo Creek			Non-IEPA		05/21/2018	1:42:00 PM	05/21/2018	4:20:00 PM			05/24/2018	1:46:15 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	0.21	mg/L	J	0.10	0.30		</	

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code-IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs		17-5	GST-LZS-C-3	0.5	ft	Buffalo Creek			Non-IEPA		08/27/2018	11:20:00 AM	08/27/2018	3:25:00 PM			08/30/2018	9:37:36 PM	Water	USEPA Lab	353.2 2130-B	Total Nitrates (Nitrate+Nitrite)	Total	0.34	mg/L		0.10	0.22		09/06/2018	
DRWW	Suburban Labs		17-5	GST-LZS-C-3	0.5	ft	Buffalo Creek			Non-IEPA		08/27/2018	11:20:00 AM	08/27/2018	3:25:00 PM			08/28/2018	5:46:41 PM	Water	Lab	2130-B	Turbidity	Total	7.50	NTU		0.10	0.20		09/06/2018	
DRWW	Suburban Labs		17-5	GST-LZS-C-3	0.5	ft	Buffalo Creek			Non-IEPA		10/22/2018	11:05:00 AM	10/22/2018	4:00:00 PM			10/23/2018		Water	APHA	4500-CL-(E)	Chloride	Total	136.00	mg/L		20.0	20.0		10/30/2018	
DRWW	Suburban Labs		17-5	GST-LZS-C-3	0.5	ft	Buffalo Creek			Non-IEPA		10/22/2018	11:05:00 AM	10/22/2018	4:00:00 PM			10/23/2018	4:49:53 PM	Water	YSI	EPA 120.1	Conductivity	Total	1100.00	umhos/cm					10/30/2018	
DRWW	Suburban Labs		17-5	GST-LZS-C-3	0.5	ft	Buffalo Creek			Non-IEPA		10/22/2018	11:05:00 AM	10/22/2018	4:00:00 PM			10/22/2018	10:44:23 AM	Water	USEPA	E. COLI MPN	E. Coli	Total	131.40	MPN/100mL		1.0	1.0		10/30/2018	
DRWW	Suburban Labs		17-5	GST-LZS-C-3	0.5	ft	Buffalo Creek			Non-IEPA		10/22/2018	11:05:00 AM	10/22/2018	4:00:00 PM			10/22/2018	3:22:16 PM	Water	USEPA	365.2	pH, Field	Total	7.82	S.U.					10/30/2018	
DRWW	Suburban Labs		17-5	GST-LZS-C-3	0.5	ft	Buffalo Creek			Non-IEPA		10/22/2018	11:05:00 AM	10/22/2018	4:00:00 PM	10/23/2018	11:49:51 AM	10/26/2018	2:17:00 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.07	mg/L	J	0.0500	0.135		10/30/2018	
DRWW	Suburban Labs		17-5	GST-LZS-C-3	0.5	ft	Buffalo Creek			Non-IEPA		10/22/2018	11:05:00 AM	10/22/2018	4:00:00 PM			10/23/2018		Water	Lab	2510B	Specific Conductivity	Total	1070.00	umhos/cm		1.00	1.00		10/30/2018	
DRWW	Suburban Labs		17-5	GST-LZS-C-3	0.5	ft	Buffalo Creek			Non-IEPA		10/22/2018	11:05:00 AM	10/22/2018	4:00:00 PM			10/23/2018	7:24:14 PM	Water	USEPA	SM 2550B	Temperature	Total	8.34	deg C					10/30/2018	
DRWW	Suburban Labs		17-5	GST-LZS-C-3	0.5	ft	Buffalo Creek			Non-IEPA		10/22/2018	11:05:00 AM	10/22/2018	4:00:00 PM			10/23/2018	2:32:55 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.42	mg/L		0.100	0.224		10/30/2018	
DRWW	Suburban Labs		17-5	GST-LZS-C-3	0.5	ft	Buffalo Creek			Non-IEPA		10/22/2018	11:05:00 AM	10/22/2018	4:00:00 PM			10/23/2018		Water	Lab	2130-B	Turbidity	Total	8.91	NTU		0.100	0.200		10/30/2018	
DRWW	Suburban Labs		18-1	GZC-03	0.5	ft	Aptakisic Creek			Non-IEPA		02/01/2018	11:08:00 AM	02/01/2018	2:35:00 PM			02/09/2018	10:29:34 AM	Water	APHA	4500-CL-(E)	Chloride	Total	335.00	mg/L		40.00	40.00		02/12/2018	
DRWW	Suburban Labs		18-1	GZC-03	0.5	ft	Aptakisic Creek			Non-IEPA		02/01/2018	11:08:00 AM	02/01/2018	2:35:00 PM			02/09/2018	10:29:34 AM	Water	YSI	EPA 120.1	Conductivity	Total	1790.00	umhos/cm					02/12/2018	
DRWW	Suburban Labs		18-1	GZC-03	0.5	ft	Aptakisic Creek			Non-IEPA		02/01/2018	11:08:00 AM	02/01/2018	2:35:00 PM			02/01/2018	3:50:54 PM	Water	USEPA	E. COLI MPN	E. Coli	Total	>2419.6	MPN/100mL		1.00	1.00		02/12/2018	
DRWW	Suburban Labs		18-1	GZC-03	0.5	ft	Aptakisic Creek			Non-IEPA		02/01/2018	11:08:00 AM	02/01/2018	2:35:00 PM			02/03/2018	10:11:12 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30		02/12/2018	
DRWW	Suburban Labs		18-1	GZC-03	0.5	ft	Aptakisic Creek			Non-IEPA		02/01/2018	11:08:00 AM	02/01/2018	2:35:00 PM			02/08/2018	11:39:41 PM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	1.22	mg/L		1.19	3.78		02/12/2018	
DRWW	Suburban Labs		18-1	GZC-03	0.5	ft	Aptakisic Creek			Non-IEPA		02/01/2018	11:08:00 AM	02/01/2018	2:35:00 PM			02/01/2018		Water	USEPA	365.2	pH, Field	Total	7.95	S.U.					02/12/2018	
DRWW	Suburban Labs		18-1	GZC-03	0.5	ft	Aptakisic Creek			Non-IEPA		02/01/2018	11:08:00 AM	02/01/2018	2:35:00 PM			02/05/2018	4:16:45 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	1.58	mg/L		0.05	0.14		02/12/2018	
DRWW	Suburban Labs		18-1	GZC-03	0.5	ft	Aptakisic Creek			Non-IEPA		02/01/2018	11:08:00 AM	02/01/2018	2:35:00 PM			02/04/2018	2:35:09 AM	Water	USEPA	SM 2550B	Temperature	Total	8.38	°C					02/12/2018	
DRWW	Suburban Labs		18-1	GZC-03	0.5	ft	Aptakisic Creek			Non-IEPA		02/01/2018	11:08:00 AM	02/01/2018	2:35:00 PM			02/06/2018	9:57:07 AM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	11.40	mg/L		0.10	0.22		02/12/2018	
DRWW	Suburban Labs		18-1	GZC-03	0.5	ft	Aptakisic Creek			Non-IEPA		02/01/2018	11:08:00 AM	02/01/2018	2:35:00 PM			02/06/2018	9:57:07 AM	Water	USEPA	2540-D	Total Suspended Solids	Total	5.20	mg/L		0.20	5.00		02/12/2018	
DRWW	Suburban Labs		18-1	GZC-03	0.5	ft	Aptakisic Creek			Non-IEPA		02/01/2018	11:08:00 AM	02/01/2018	2:35:00 PM			02/01/2018	5:01:00 PM	Water	Lab	2130-B	Turbidity	Total	4.95	NTU		0.10	0.20		02/12/2018	
DRWW	Suburban Labs		18-1	GZC-03	0.5	ft	Aptakisic Creek			Non-IEPA		02/01/2018	11:08:00 AM	02/01/2018	2:35:00 PM			02/06/2018	9:57:07 AM	Water	USEPA	2540-D	Volatile Suspended Solids	Total	1.60	mg/L		0.20	5.00		02/12/2018	
DRWW	Suburban Labs		18-1	GZC-03	0.5	ft	Aptakisic Creek			Non-IEPA		05/21/2018	11:00:00 AM	05/21/2018	4:00:00 PM			05/25/2018	3:13:06 PM	Water	APHA	4500-CL-(E)	Chloride	Total	197.00	mg/L		20.00	20.00		05/31/2018	
DRWW	Suburban Labs		18-1	GZC-03	0.5	ft	Aptakisic Creek			Non-IEPA		05/21/2018	11:00:00 AM	05/21/2018	4:00:00 PM			05/21/2018	4:42:13 PM	Water	USEPA	E. COLI MPN	E. Coli	Total	2419.60	MPN/100mL		1.00	1.00		05/31/2018	
DRWW	Suburban Labs		18-1	GZC-03	0.5	ft	Aptakisic Creek			Non-IEPA		05/21/2018	11:00:00 AM	05/21/2018	4:00:00 PM			05/24/2018	1:42:48 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30		05/31/2018	
DRWW	Suburban Labs		18-1	GZC-03	0.5	ft	Aptakisic Creek			Non-IEPA		05/21/2018	11:00:00 AM	05/21/2018	4:00:00 PM	05/30/2018	3:43:15 PM	05/31/2018	12:30:10 PM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	8.56	mg/L		1.19	3.78		05/31/2018	
DRWW	Suburban Labs		18-1	GZC-03	0.5	ft	Aptakisic Creek			Non-IEPA		05/21/2018	11:00:00 AM	05/21/2018	4:00:00 PM			05/21/2018		Water	USEPA	365.2	pH, Field	Total	7.45	S.U.					05/31/2018	
DRWW	Suburban Labs		18-1	GZC-03	0.5	ft	Aptakisic Creek			Non-IEPA		05/21/2018	11:00:00 AM	05/21/2018	4:00:00 PM	05/22/2018	3:30:32 PM	05/23/2018	6:10:04 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.24	mg/L		0.05	0.14		05/31/2018	
DRWW	Suburban Labs		18-1	GZC-03	0.5	ft	Aptakisic Creek			Non-IEPA		05/21/2018	11:00:00 AM	05/21/2018	4:00:00 PM			05/22/2018	4:31:12 PM	Water	Lab	2510B	Specific Conductivity	Total	1200.00	umhos/cm		1.00	1.00		05/31/2018	
DRWW	Suburban Labs		18-1	GZC-03	0.5	ft	Aptakisic Creek			Non-IEPA		05/21/2018	11:00:00 AM	05/21/2018	4:00:00 PM			05/22/2018		Water	USEPA	SM 2550B	Temperature	Total	13.92	°C					05/31/2018	
DRWW	Suburban Labs		18-1	GZC-03	0.5	ft	Aptakisic Creek			Non-IEPA		05/21/2018	11:00:00 AM	05/21/2018	4:00:00 PM			05/30/2018	6:38:34 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	4.80	mg/L		0.10	0.22		05/31/2018	
DRWW	Suburban Labs		18-1	GZC-03	0.5	ft	Aptakisic Creek			Non-IEPA		05/21/2018	11:00:00 AM	05/21/2018	4:00:00 PM			05/22/2018	9:59:23 AM	Water	USEPA	2540-D	Total Suspended Solids	Total	20.20	mg/L		0.20	5.00		05/31/2018	
DRWW	Suburban Labs		18-1	GZC-03	0.5	ft	Aptakisic Creek			Non-IEPA		05/21/2018	11:00:00 AM	05/21/2018	4:00:00 PM			05/22/2018	4:45:00 PM	Water	Lab	2130-B	Turbidity	Total	24.60	NTU		0.10	0.20		05/31/2018	
DRWW	Suburban Labs		18-1	GZC-03	0.5	ft	Aptakisic Creek			Non-IEPA		05/21/2018	11:00:00 AM	05/21/2018	4:00:00 PM			05/22/2018	9:59:23 AM	Water	USEPA	2540-D	Volatile Suspended Solids	Total	4.00	mg/L	J	0.20	5.00		05/31/2018	
DRWW	Suburban Labs		18-1	GZC-03	0.5	ft	Aptakisic Creek			Non-IEPA		07/30/2018	10:45:00 AM	07/30/2018	11:23:24 AM			08/02/2018	4:41:00 PM	Water	APHA	4500-CL-(E)	Chloride	Total	301.00	mg/L		40.00	40.00		08/07/2018	
DRWW	Suburban Labs		18-1	GZC-03	0.5	ft	Aptakisic Creek			Non-IEPA		07/30/2018	10:45:00 AM	07/30/2018	11:23:24 AM			07/30/2018		Water	YSI	EPA 120.1	Conductivity	Total	1570.00	umhos/cm					08/07/2018	
DRWW	Suburban Labs		18-1	GZC-03	0.5	ft	Aptakisic Creek			Non-IEPA		07/30/2018	10:45:00 AM	07/30/2018	11:23:24 AM			07/30/2018	4:48:00 PM	Water	USEPA	E. COLI MPN	E. Coli	Total	121.10	MPN/100mL		1.00	1.00		08/07/2018	
DRWW	Suburban Labs		18-1	GZC-03	0.5	ft	Aptakisic Creek			Non-IEPA		07/30/2018	10:45:00 AM	07/30/2018	11:23:24 AM			08/06/2018	2:41:39 PM	Water	USEPA	350.3	Nitrogen, Ammonia (As N)	Total	ND	mg/L		0.10	0.30		08/07/2018	
DRWW	Suburban Labs		18-1	GZC-03	0.5	ft	Aptakisic Creek			Non-IEPA		07/30/2018	10:45:00 AM	07/30/2018	11:23:24 AM	08/02/2018	11:00:10 AM	08/03/2018	12:43:44 PM	Water	USEPA	351.2	Nitrogen, Kjeldahl, Total	Total	ND	mg/L		1.19	3.78		08/07/2018	
DRWW	Suburban Labs		18-1	GZC-03	0.5	ft	Aptakisic Creek			Non-IEPA		07/30/2018	10:45:00 AM	07/30/2018	11:23:24 AM			07/30/2018		Water	USEPA	365.2	pH, Field	Total	7.70	S.U.					08/07/2018	
DRWW	Suburban Labs		18-1	GZC-03	0.5	ft	Aptakisic Creek			Non-IEPA		07/30/2018	10:45:00 AM	07/30/2018	11:23:24 AM	07/31/2018	2:27:06 PM	08/01/2018	6:26:32 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.58	mg/L		0.05	0.14		08/07/2018	
DRWW	Suburban Labs		18-1	GZC-03	0.5	ft	Aptakisic Creek			Non-IEPA		07/30/2018	10:45:00 AM	07/30/2018	11:23:24 AM			07/31/2018	1:48:53 PM	Water	Lab	2510B	Specific Conductivity	Total	1620.00	umhos/cm		1.00	1.00		08/07/2018	
DRWW	Suburban Labs		18-1	GZC-03	0.5	ft	Aptakisic Creek			Non-IEPA		07/30/2018	10:45:00 AM	07/30/2018	11:23:24 AM			07/30/2018</														

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code-IEPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs		18-2	GZC-02	0.5	ft	Aptakistic Creek			Non-IEPA		07/30/2018	10:30:00 AM	07/30/2018	10:48:10 AM			07/31/2018	5:20:08 PM	Water	Lab	2130-B	Turbidity		34.00	NTU		0.10	0.20			08/03/2018
DRWW	Suburban Labs		18-2	GZC-02	0.5	ft	Aptakistic Creek			Non-IEPA		08/27/2018	10:27:00 AM	08/27/2018	3:25:00 PM			08/28/2018	5:39:00 PM	Water	APHA	4500-CL-(E)	Chloride	Total	174.00	mg/L		20.00	20.00			09/06/2018
DRWW	Suburban Labs		18-2	GZC-02	0.5	ft	Aptakistic Creek			Non-IEPA		08/27/2018	10:27:00 AM	08/27/2018	3:25:00 PM			08/27/2018	3:25:00 PM	Water	YSI	EPA 120.1	Conductivity		1039.00	umhos/cm						09/06/2018
DRWW	Suburban Labs		18-2	GZC-02	0.5	ft	Aptakistic Creek			Non-IEPA		08/27/2018	10:27:00 AM	08/27/2018	3:25:00 PM			08/27/2018	3:54:32 PM	Water	USEPA	E COLI MPN	E. Coli	Total	272.30	MPN/100mL		1.00	1.00			09/06/2018
DRWW	Suburban Labs		18-2	GZC-02	0.5	ft	Aptakistic Creek			Non-IEPA		08/27/2018	10:27:00 AM	08/27/2018	3:25:00 PM			08/29/2018	9:19:50 AM	Water	USEPA	365.2	pH, Field		8.11	S.U.						09/06/2018
DRWW	Suburban Labs		18-2	GZC-02	0.5	ft	Aptakistic Creek			Non-IEPA		08/27/2018	10:27:00 AM	08/27/2018	3:25:00 PM			08/28/2018	3:14:05 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.09	mg/L	J	0.05	0.14			09/06/2018
DRWW	Suburban Labs		18-2	GZC-02	0.5	ft	Aptakistic Creek			Non-IEPA		08/27/2018	10:27:00 AM	08/27/2018	3:25:00 PM			08/28/2018	3:14:05 PM	Water	Lab	2510B	Specific Conductivity	Total	980.00	umhos/cm		1.00	1.00			09/06/2018
DRWW	Suburban Labs		18-2	GZC-02	0.5	ft	Aptakistic Creek			Non-IEPA		08/27/2018	10:27:00 AM	08/27/2018	3:25:00 PM			08/27/2018	25:57	Water	USEPA	SM 2550B	Temperature		25.57	°C						09/06/2018
DRWW	Suburban Labs		18-2	GZC-02	0.5	ft	Aptakistic Creek			Non-IEPA		08/27/2018	10:27:00 AM	08/27/2018	3:25:00 PM			08/30/2018	9:06:50 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.10	0.22			09/06/2018
DRWW	Suburban Labs		18-2	GZC-02	0.5	ft	Aptakistic Creek			Non-IEPA		08/27/2018	10:27:00 AM	08/27/2018	3:25:00 PM			08/28/2018	5:46:41 PM	Water	Lab	2130-B	Turbidity	Total	27.30	NTU		0.10	0.20			09/06/2018
DRWW	Suburban Labs		18-2	GZC-02	0.5	ft	Aptakistic Creek			Non-IEPA		10/22/2018	10:12:00 AM	10/22/2018	4:00:00 PM			10/23/2018		Water	APHA	4500-CL-(E)	Chloride	Total	151.00	mg/L		20.0	20.0			10/30/2018
DRWW	Suburban Labs		18-2	GZC-02	0.5	ft	Aptakistic Creek			Non-IEPA		10/22/2018	10:12:00 AM	10/22/2018	4:00:00 PM			10/22/2018	4:49:53 PM	Water	YSI	EPA 120.1	Conductivity		1024.00	umhos/cm						10/30/2018
DRWW	Suburban Labs		18-2	GZC-02	0.5	ft	Aptakistic Creek			Non-IEPA		10/22/2018	10:12:00 AM	10/22/2018	4:00:00 PM			10/22/2018	10:02:06 AM	Water	USEPA	E COLI MPN	E. Coli	Total	18.10	MPN/100mL		1.0	1.0			10/30/2018
DRWW	Suburban Labs		18-2	GZC-02	0.5	ft	Aptakistic Creek			Non-IEPA		10/22/2018	10:12:00 AM	10/22/2018	4:00:00 PM			10/22/2018	2:57:42 PM	Water	USEPA	365.2	pH, Field		7.98	S.U.						10/30/2018
DRWW	Suburban Labs		18-2	GZC-02	0.5	ft	Aptakistic Creek			Non-IEPA		10/22/2018	10:12:00 AM	10/22/2018	4:00:00 PM			10/23/2018	2:08:36 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	ND	mg/L		0.0500	0.135			10/30/2018
DRWW	Suburban Labs		18-2	GZC-02	0.5	ft	Aptakistic Creek			Non-IEPA		10/22/2018	10:12:00 AM	10/22/2018	4:00:00 PM			10/23/2018		Water	Lab	2510B	Specific Conductivity	Total	1000.00	umhos/cm		1.00	1.00			10/30/2018
DRWW	Suburban Labs		18-2	GZC-02	0.5	ft	Aptakistic Creek			Non-IEPA		10/22/2018	10:12:00 AM	10/22/2018	4:00:00 PM			10/22/2018	7:02:20 PM	Water	USEPA	SM 2550B	Temperature		7.89	deg C						10/30/2018
DRWW	Suburban Labs		18-2	GZC-02	0.5	ft	Aptakistic Creek			Non-IEPA		10/22/2018	10:12:00 AM	10/22/2018	4:00:00 PM			10/23/2018	2:32:55 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	ND	mg/L		0.100	0.224			10/30/2018
DRWW	Suburban Labs		18-2	GZC-02	0.5	ft	Aptakistic Creek			Non-IEPA		10/22/2018	10:12:00 AM	10/22/2018	4:00:00 PM			10/23/2018		Water	Lab	2130-B	Turbidity	Total	8.07	NTU		0.100	0.200			10/30/2018
DRWW	Suburban Labs		18-3	GZC-04	0.5	ft	Aptakistic Creek			Non-IEPA		02/02/2018	10:00:00 AM	02/02/2018	2:50:00 PM			02/15/2018	1:02:41 PM	Water	APHA	4500-CL-(E)	Chloride	Total	388.00	mg/L		40.00	40.00			02/15/2018
DRWW	Suburban Labs		18-3	GZC-04	0.5	ft	Aptakistic Creek			Non-IEPA		02/02/2018	10:00:00 AM	02/02/2018	2:50:00 PM			02/15/2018	1:02:41 PM	Water	YSI	EPA 120.1	Conductivity		2180.00	umhos/cm						02/15/2018
DRWW	Suburban Labs		18-3	GZC-04	0.5	ft	Aptakistic Creek			Non-IEPA		02/02/2018	10:00:00 AM	02/02/2018	2:50:00 PM			02/02/2018	3:43:05 PM	Water	USEPA	E COLI MPN	E. Coli	Total	72.30	MPN/100mL		1.00	1.00			02/15/2018
DRWW	Suburban Labs		18-3	GZC-04	0.5	ft	Aptakistic Creek			Non-IEPA		02/02/2018	10:00:00 AM	02/02/2018	2:50:00 PM			02/06/2018	8:12:29 PM	Water	USEPA	365.2	pH, Field		7.98	S.U.						02/15/2018
DRWW	Suburban Labs		18-3	GZC-04	0.5	ft	Aptakistic Creek			Non-IEPA		02/02/2018	10:00:00 AM	02/02/2018	2:50:00 PM			02/06/2018	8:12:29 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.57	mg/L		0.05	0.14			02/15/2018
DRWW	Suburban Labs		18-3	GZC-04	0.5	ft	Aptakistic Creek			Non-IEPA		02/02/2018	10:00:00 AM	02/02/2018	2:50:00 PM			02/02/2018	2:50:00 PM	Water	USEPA	SM 2550B	Temperature		0.23	°C						02/15/2018
DRWW	Suburban Labs		18-3	GZC-04	0.5	ft	Aptakistic Creek			Non-IEPA		02/02/2018	10:00:00 AM	02/02/2018	2:50:00 PM			02/05/2018	5:55:00 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.33	mg/L		0.10	0.22			02/15/2018
DRWW	Suburban Labs		18-3	GZC-04	0.5	ft	Aptakistic Creek			Non-IEPA		02/02/2018	10:00:00 AM	02/02/2018	2:50:00 PM			02/02/2018	4:30:00 PM	Water	Lab	2130-B	Turbidity	Total	303.00	NTU		0.10	0.20			02/15/2018
DRWW	Suburban Labs		18-3	GZC-04	0.5	ft	Aptakistic Creek			Non-IEPA		05/21/2018	11:50:00 AM	05/21/2018	4:00:00 PM			05/25/2018	3:19:15 PM	Water	APHA	4500-CL-(E)	Chloride	Total	44.60	mg/L		20.00	20.00			05/31/2018
DRWW	Suburban Labs		18-3	GZC-04	0.5	ft	Aptakistic Creek			Non-IEPA		05/21/2018	11:50:00 AM	05/21/2018	4:00:00 PM			05/21/2018	4:00:00 PM	Water	YSI	EPA 120.1	Conductivity		303.00	umhos/cm						05/31/2018
DRWW	Suburban Labs		18-3	GZC-04	0.5	ft	Aptakistic Creek			Non-IEPA		05/21/2018	11:50:00 AM	05/21/2018	4:00:00 PM			05/21/2018	4:42:13 PM	Water	USEPA	E COLI MPN	E. Coli	Total	2419.60	MPN/100mL		1.00	1.00			05/31/2018
DRWW	Suburban Labs		18-3	GZC-04	0.5	ft	Aptakistic Creek			Non-IEPA		05/21/2018	11:50:00 AM	05/21/2018	4:00:00 PM			05/21/2018	4:42:13 PM	Water	USEPA	365.2	pH, Field		7.66	S.U.						05/31/2018
DRWW	Suburban Labs		18-3	GZC-04	0.5	ft	Aptakistic Creek			Non-IEPA		05/21/2018	11:50:00 AM	05/21/2018	4:00:00 PM			05/22/2018	3:30:32 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.25	mg/L		0.05	0.14			05/31/2018
DRWW	Suburban Labs		18-3	GZC-04	0.5	ft	Aptakistic Creek			Non-IEPA		05/21/2018	11:50:00 AM	05/21/2018	4:00:00 PM			05/22/2018	4:35:25 PM	Water	Lab	2510B	Specific Conductivity	Total	331.00	umhos/cm		1.00	1.00			05/31/2018
DRWW	Suburban Labs		18-3	GZC-04	0.5	ft	Aptakistic Creek			Non-IEPA		05/21/2018	11:50:00 AM	05/21/2018	4:00:00 PM			05/21/2018	13:34	Water	USEPA	SM 2550B	Temperature		13.34	°C						05/31/2018
DRWW	Suburban Labs		18-3	GZC-04	0.5	ft	Aptakistic Creek			Non-IEPA		05/21/2018	11:50:00 AM	05/21/2018	4:00:00 PM			05/30/2018	8:03:19 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.26	mg/L		0.10	0.22			05/31/2018
DRWW	Suburban Labs		18-3	GZC-04	0.5	ft	Aptakistic Creek			Non-IEPA		05/21/2018	11:50:00 AM	05/21/2018	4:00:00 PM			05/22/2018	4:45:00 PM	Water	Lab	2130-B	Turbidity	Total	164.00	NTU		0.10	0.20			05/31/2018
DRWW	Suburban Labs		18-3	GZC-04	0.5	ft	Aptakistic Creek			Non-IEPA		07/30/2018	11:12:00 AM	07/30/2018	3:30:00 PM			08/02/2018	4:44:00 PM	Water	APHA	4500-CL-(E)	Chloride	Total	200.00	mg/L	S	40.00	40.00			08/03/2018
DRWW	Suburban Labs		18-3	GZC-04	0.5	ft	Aptakistic Creek			Non-IEPA		07/30/2018	11:12:00 AM	07/30/2018	3:30:00 PM			07/30/2018		Water	YSI	EPA 120.1	Conductivity		1204.00	umhos/cm						08/03/2018
DRWW	Suburban Labs		18-3	GZC-04	0.5	ft	Aptakistic Creek			Non-IEPA		07/30/2018	11:12:00 AM	07/30/2018	3:30:00 PM			07/30/2018	4:48:00 PM	Water	USEPA	E COLI MPN	E. Coli	Total	128.10	MPN/100mL		1.00	1.00			08/03/2018
DRWW	Suburban Labs		18-3	GZC-04	0.5	ft	Aptakistic Creek			Non-IEPA		07/30/2018	11:12:00 AM	07/30/2018	3:30:00 PM			07/30/2018	3:30:00 PM	Water	USEPA	365.2	pH, Field		7.71	S.U.						08/03/2018
DRWW	Suburban Labs		18-3	GZC-04	0.5	ft	Aptakistic Creek			Non-IEPA		07/30/2018	11:12:00 AM	07/30/2018	3:30:00 PM			07/31/2018	2:27:06 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.09	mg/L	J	0.05	0.14			08/03/2018
DRWW	Suburban Labs		18-3	GZC-04	0.5	ft	Aptakistic Creek			Non-IEPA		07/30/2018	11:12:00 AM	07/30/2018	3:30:00 PM			07/31/2018	2:00:53 PM	Water	Lab	2510B	Specific Conductivity	Total	1230.00	umhos/cm		1.00	1.00			08/03/2018
DRWW	Suburban Labs		18-3	GZC-04	0.5	ft	Aptakistic Creek			Non-IEPA		07/30/2018	11:12:00 AM	07/30/2018	3:30:00 PM			08/02/2018	12:14:00 PM	Water	USEPA	SM 2550B	Temperature		22.46	°C						08/03/2018
DRWW	Suburban Labs		18-3	GZC-04	0.5	ft	Aptakistic Creek			Non-IEPA		07/30/2018	11:12:00 AM	07/30/2018	3:30:00 PM			07/31/2018	5:2													

Submitting Source	Laboratory Name	Sample Group	DRWW Station Code	IL EPA Station Code	Sample Depth	Sample-Depth Units	Waterbody Name	Public Water Supply Intake	Monitoring Unit	Surface-Water Monitoring Program	QA/QC Field-Blank ID	Sample-Collection Date	Sample-Collection Time	Sample-Receipt Date	Sample-Receipt Time	Sample-Preparation Date	Sample-Preparation Time	Sample-Analysis Date	Sample-Analysis Time	Sample Medium	Method Source	Method Code I EPA	Analyte	Sample Fraction	Result	Result Units	Result Qualifier	Method Detection Limit	Minimum Practical Quantitation Limit	Maximum Practical Quantitation Limit	Weight Basis	Date Results Released
DRWW	Suburban Labs		18-4	GZC-05	0.5	ft	Aptakistic Creek			Non-IEPA		10/22/2018	9:36:00 AM	10/22/2018	4:00:00 PM			10/22/2018	10:11:41 AM	Water	USEPA	E_COLI_MPN	E. Coli	Total	83.90	MPN/100mL		1.0	1.0			10/30/2018
DRWW	Suburban Labs		18-4	GZC-05	0.5	ft	Aptakistic Creek			Non-IEPA		10/22/2018	9:36:00 AM	10/22/2018	4:00:00 PM			10/22/2018	2:49:18 PM	Water	USEPA	365.2	pH_Field	Total	7.37	S.U.					10/30/2018	
DRWW	Suburban Labs		18-4	GZC-05	0.5	ft	Aptakistic Creek			Non-IEPA		10/22/2018	9:36:00 AM	10/22/2018	4:00:00 PM	10/23/2018	11:49:51 AM	10/26/2018	2:06:49 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.07	mg/L	J	0.0500	0.135			10/30/2018
DRWW	Suburban Labs		18-4	GZC-05	0.5	ft	Aptakistic Creek			Non-IEPA		10/22/2018	9:36:00 AM	10/22/2018	4:00:00 PM			10/23/2018		Water	Lab	2510B	Specific Conductivity	Total	1140.00	umhos/cm		1.00	1.00			10/30/2018
DRWW	Suburban Labs		18-4	GZC-05	0.5	ft	Aptakistic Creek			Non-IEPA		10/22/2018	9:36:00 AM	10/22/2018	4:00:00 PM			10/23/2018	6:49:10 PM	Water	USEPA	SM 2550B	Temperature	Total	6.18	deg C					10/30/2018	
DRWW	Suburban Labs		18-4	GZC-05	0.5	ft	Aptakistic Creek			Non-IEPA		10/22/2018	9:36:00 AM	10/22/2018	4:00:00 PM			10/23/2018	2:32:55 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.11	mg/L	J	0.100	0.224			10/30/2018
DRWW	Suburban Labs		18-4	GZC-05	0.5	ft	Aptakistic Creek			Non-IEPA		10/22/2018	9:36:00 AM	10/22/2018	4:00:00 PM			10/23/2018		Water	Lab	2130-B	Turbidity	Total	16.10	NTU		0.100	0.200			10/30/2018
DRWW	Suburban Labs		18-5	GZCZA-01	0.5	ft	Aptakistic Creek			Non-IEPA		02/02/2018	11:05:00 AM	02/02/2018	2:50:00 PM			02/05/2018	7:51:13 PM	Water	APHA	4500-CL(-E)	Chloride	Total	413.00	mg/L		80.00	80.00			02/09/2018
DRWW	Suburban Labs		18-5	GZCZA-01	0.5	ft	Aptakistic Creek			Non-IEPA		02/02/2018	11:05:00 AM	02/02/2018	2:50:00 PM			02/05/2018	7:51:13 PM	Water	YSI	EPA 120.1	Conductivity	Total	2050.00	umhos/cm					02/09/2018	
DRWW	Suburban Labs		18-5	GZCZA-01	0.5	ft	Aptakistic Creek			Non-IEPA		02/02/2018	11:05:00 AM	02/02/2018	2:50:00 PM			02/02/2018	3:43:05 PM	Water	USEPA	E_COLI_MPN	E. Coli	Total	7.40	MPN/100mL		1.00	1.00			02/09/2018
DRWW	Suburban Labs		18-5	GZCZA-01	0.5	ft	Aptakistic Creek			Non-IEPA		02/02/2018	11:05:00 AM	02/02/2018	2:50:00 PM					Water	USEPA	365.2	pH_Field	Total	7.26	S.U.					02/09/2018	
DRWW	Suburban Labs		18-5	GZCZA-01	0.5	ft	Aptakistic Creek			Non-IEPA		02/02/2018	11:05:00 AM	02/02/2018	2:50:00 PM			02/06/2018	8:02:34 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.10	mg/L		0.05	0.14			02/09/2018
DRWW	Suburban Labs		18-5	GZCZA-01	0.5	ft	Aptakistic Creek			Non-IEPA		02/02/2018	11:05:00 AM	02/02/2018	2:50:00 PM					Water	USEPA	SM 2550B	Temperature	Total	-0.11	°C					02/09/2018	
DRWW	Suburban Labs		18-5	GZCZA-01	0.5	ft	Aptakistic Creek			Non-IEPA		02/02/2018	11:05:00 AM	02/02/2018	2:50:00 PM			02/05/2018	5:53:00 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.43	mg/L		0.10	0.22			02/09/2018
DRWW	Suburban Labs		18-5	GZCZA-01	0.5	ft	Aptakistic Creek			Non-IEPA		02/02/2018	11:05:00 AM	02/02/2018	2:50:00 PM			02/02/2018	4:30:00 PM	Water	Lab	2130-B	Turbidity	Total	20.90	NTU		0.10	0.20			02/09/2018
DRWW	Suburban Labs		18-5	GZCZA-01	0.5	ft	Aptakistic Creek			Non-IEPA		05/21/2018	12:30:00 PM	05/21/2018	4:00:00 PM			05/25/2018	3:11:05 PM	Water	APHA	4500-CL(-E)	Chloride	Total	82.40	mg/L		20.00	20.00			05/31/2018
DRWW	Suburban Labs		18-5	GZCZA-01	0.5	ft	Aptakistic Creek			Non-IEPA		05/21/2018	12:30:00 PM	05/21/2018	4:00:00 PM					Water	YSI	EPA 120.1	Conductivity	Total	547.00	umhos/cm					05/31/2018	
DRWW	Suburban Labs		18-5	GZCZA-01	0.5	ft	Aptakistic Creek			Non-IEPA		05/21/2018	12:30:00 PM	05/21/2018	4:00:00 PM			05/21/2018	4:42:13 PM	Water	USEPA	E_COLI_MPN	E. Coli	Total	2419.60	MPN/100mL		1.00	1.00			05/31/2018
DRWW	Suburban Labs		18-5	GZCZA-01	0.5	ft	Aptakistic Creek			Non-IEPA		05/21/2018	12:30:00 PM	05/21/2018	4:00:00 PM					Water	USEPA	365.2	pH_Field	Total	7.57	S.U.					05/31/2018	
DRWW	Suburban Labs		18-5	GZCZA-01	0.5	ft	Aptakistic Creek			Non-IEPA		05/21/2018	12:30:00 PM	05/21/2018	4:00:00 PM	05/22/2018	3:30:32 PM	05/23/2018	5:44:48 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.15	mg/L		0.05	0.14			05/31/2018
DRWW	Suburban Labs		18-5	GZCZA-01	0.5	ft	Aptakistic Creek			Non-IEPA		05/21/2018	12:30:00 PM	05/21/2018	4:00:00 PM			05/22/2018	4:41:15 PM	Water	Lab	2510B	Specific Conductivity	Total	597.00	umhos/cm		1.00	1.00			05/31/2018
DRWW	Suburban Labs		18-5	GZCZA-01	0.5	ft	Aptakistic Creek			Non-IEPA		05/21/2018	12:30:00 PM	05/21/2018	4:00:00 PM					Water	USEPA	SM 2550B	Temperature	Total	13.36	°C					05/31/2018	
DRWW	Suburban Labs		18-5	GZCZA-01	0.5	ft	Aptakistic Creek			Non-IEPA		05/21/2018	12:30:00 PM	05/21/2018	4:00:00 PM			05/30/2018	6:32:01 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.19	mg/L	J	0.10	0.22			05/31/2018
DRWW	Suburban Labs		18-5	GZCZA-01	0.5	ft	Aptakistic Creek			Non-IEPA		05/21/2018	12:30:00 PM	05/21/2018	4:00:00 PM			05/22/2018	4:45:00 PM	Water	Lab	2130-B	Turbidity	Total	45.80	NTU		0.10	0.20			05/31/2018
DRWW	Suburban Labs		18-5	GZCZA-01	0.5	ft	Aptakistic Creek			Non-IEPA		07/30/2018	11:56:00 AM	07/30/2018	12:26:57 PM			08/02/2018	4:07:00 PM	Water	APHA	4500-CL(-E)	Chloride	Total	172.00	umhos/cm		20.00	20.00			08/03/2018
DRWW	Suburban Labs		18-5	GZCZA-01	0.5	ft	Aptakistic Creek			Non-IEPA		07/30/2018	11:56:00 AM	07/30/2018	12:26:57 PM					Water	YSI	EPA 120.1	Conductivity	Total	1080.00	umhos/cm						08/03/2018
DRWW	Suburban Labs		18-5	GZCZA-01	0.5	ft	Aptakistic Creek			Non-IEPA		07/30/2018	11:56:00 AM	07/30/2018	12:26:57 PM			07/30/2018	4:48:00 PM	Water	USEPA	E_COLI_MPN	E. Coli	Total	78.90	MPN/100mL		1.00	1.00			08/03/2018
DRWW	Suburban Labs		18-5	GZCZA-01	0.5	ft	Aptakistic Creek			Non-IEPA		07/30/2018	11:56:00 AM	07/30/2018	12:26:57 PM					Water	USEPA	365.2	pH_Field	Total	7.83	S.U.					08/03/2018	
DRWW	Suburban Labs		18-5	GZCZA-01	0.5	ft	Aptakistic Creek			Non-IEPA		07/30/2018	11:56:00 AM	07/30/2018	12:26:57 PM	07/31/2018	2:27:06 PM	08/01/2018	7:01:57 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.30	mg/L		0.05	0.14			08/03/2018
DRWW	Suburban Labs		18-5	GZCZA-01	0.5	ft	Aptakistic Creek			Non-IEPA		07/30/2018	11:56:00 AM	07/30/2018	12:26:57 PM			07/31/2018	1:54:53 PM	Water	Lab	2510B	Specific Conductivity	Total	1100.00	umhos/cm		1.00	1.00			08/03/2018
DRWW	Suburban Labs		18-5	GZCZA-01	0.5	ft	Aptakistic Creek			Non-IEPA		07/30/2018	11:56:00 AM	07/30/2018	12:26:57 PM					Water	USEPA	SM 2550B	Temperature	Total	20.53	°C					08/03/2018	
DRWW	Suburban Labs		18-5	GZCZA-01	0.5	ft	Aptakistic Creek			Non-IEPA		07/30/2018	11:56:00 AM	07/30/2018	12:26:57 PM			08/02/2018	12:08:00 PM	Water	USEPA	353.2	Total Nitrates (Nitrate+Nitrite)	Total	0.31	mg/L		0.10	0.22			08/03/2018
DRWW	Suburban Labs		18-5	GZCZA-01	0.5	ft	Aptakistic Creek			Non-IEPA		07/30/2018	11:56:00 AM	07/30/2018	12:26:57 PM			07/31/2018	5:20:08 PM	Water	Lab	2130-B	Turbidity	Total	14.30	NTU		0.10	0.20			08/03/2018
DRWW	Suburban Labs		18-5	GZCZA-01	0.5	ft	Aptakistic Creek			Non-IEPA		08/27/2018	9:30:00 AM	08/27/2018	3:25:00 PM			08/28/2018	5:34:00 PM	Water	APHA	4500-CL(-E)	Chloride	Total	154.00	mg/L		20.00	20.00			09/06/2018
DRWW	Suburban Labs		18-5	GZCZA-01	0.5	ft	Aptakistic Creek			Non-IEPA		08/27/2018	9:30:00 AM	08/27/2018	3:25:00 PM					Water	YSI	EPA 120.1	Conductivity	Total	1140.00	umhos/cm					09/06/2018	
DRWW	Suburban Labs		18-5	GZCZA-01	0.5	ft	Aptakistic Creek			Non-IEPA		08/27/2018	9:30:00 AM	08/27/2018	3:25:00 PM			08/27/2018	3:54:32 PM	Water	USEPA	E_COLI_MPN	E. Coli	Total	228.20	MPN/100mL		1.00	1.00			09/06/2018
DRWW	Suburban Labs		18-5	GZCZA-01	0.5	ft	Aptakistic Creek			Non-IEPA		08/27/2018	9:30:00 AM	08/27/2018	3:25:00 PM					Water	USEPA	365.2	pH_Field	Total	7.76	S.U.					09/06/2018	
DRWW	Suburban Labs		18-5	GZCZA-01	0.5	ft	Aptakistic Creek			Non-IEPA		08/27/2018	9:30:00 AM	08/27/2018	3:25:00 PM	08/29/2018	9:19:50 AM	08/30/2018	6:42:55 PM	Water	USEPA	200.7	Phosphorus, Total (as P)	Total	0.15	mg/L		0.05	0.14			09/06/2018
DRWW	Suburban Labs		18-5	GZCZA-01	0.5	ft	Aptakistic Creek			Non-IEPA		08/27/2018	9:30:00 AM	08/27/2018	3:25:00 PM			08/28/2018	3:02:29 PM	Water	Lab	2510B	Specific Conductivity	Total	1010.00	umhos/cm		1.00	1.00			09/06/2018
DRWW																																