

| Submitting Source | Laboratory Name | Sample Group | DRWW Station Code | IL EPA Station Code | Sample Depth | Sample-Depth Units | Waterbody Name   | Public Water Supply Intake | Monitoring Unit | Surface-Water Monitoring Program | QA/QC Field-Blank ID | Sample-Collection Date | Sample-Collection Time | Sample-Receipt Date | Sample-Receipt Time | Sample-Preparation Date | Sample-Preparation Time | Sample-Analysis Date | Sample-Analysis Time | Sample Medium | Method Source | Method Code - IEPA | Analyte                          | Sample Fraction | Result   | Result Units | Result Qualifier | Method Detection Limit | Minimum Practical Quantitation Limit | Maximum Practical Quantitation Limit | Weight Basis | Date Results Released |
|-------------------|-----------------|--------------|-------------------|---------------------|--------------|--------------------|------------------|----------------------------|-----------------|----------------------------------|----------------------|------------------------|------------------------|---------------------|---------------------|-------------------------|-------------------------|----------------------|----------------------|---------------|---------------|--------------------|----------------------------------|-----------------|----------|--------------|------------------|------------------------|--------------------------------------|--------------------------------------|--------------|-----------------------|
| DRWW              | Suburban Labs   |              | 10-1              | GWA-02              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 05/23/2019             |                        | 05/23/2019          |                     |                         |                         | 05/25/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 65.60    | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-1              | GWA-02              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 05/23/2019             |                        | 05/23/2019          |                     |                         |                         | 05/30/2019           |                      | Water         | USEPA         | SM A102            | Chlorophyll a                    | Total           | ND       | mg/L         |                  | 4.0                    | 4.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-1              | GWA-02              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 05/23/2019             |                        | 05/23/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 647.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-1              | GWA-02              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 05/23/2019             |                        | 05/23/2019          |                     |                         |                         | 05/23/2019           |                      | Water         | USEPA         | E. COLI            | E. Coli                          | Total           | 98.40    | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-1              | GWA-02              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 05/23/2019             |                        | 05/23/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 7.90     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-1              | GWA-02              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 05/23/2019             |                        | 05/23/2019          |                     |                         |                         | 05/29/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.12     | mg/L         | J                | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-1              | GWA-02              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 05/23/2019             |                        | 05/23/2019          |                     |                         |                         | 05/30/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 646.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-1              | GWA-02              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 05/23/2019             |                        | 05/23/2019          |                     |                         |                         | 05/27/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.91     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-1              | GWA-02              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 05/23/2019             |                        | 05/23/2019          |                     |                         |                         | 05/24/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 40.20    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-1              | GWA-02              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 05/23/2019             |                        | 05/23/2019          |                     |                         |                         | 05/25/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 67.10    | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-1              | GWA-02              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 05/23/2019             |                        | 05/23/2019          |                     |                         |                         | 05/30/2019           |                      | Water         | USEPA         | SM A102            | Chlorophyll a                    | Total           | 4.50     | mg/L         |                  | 4.0                    | 4.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-1              | GWA-02              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 05/23/2019             |                        | 05/23/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 647.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-1              | GWA-02              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 05/23/2019             |                        | 05/23/2019          |                     |                         |                         | 05/23/2019           |                      | Water         | USEPA         | E. COLI            | E. Coli                          | Total           | 128.10   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-1              | GWA-02              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         | 07/29/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 42.60    | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-1              | GWA-02              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         | 07/24/2019           |                      | Water         | USEPA         | SM A102            | Chlorophyll a                    | Total           | ND       | mg/L         |                  | 4.0                    | 4.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-1              | GWA-02              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 626.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-1              | GWA-02              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         | 07/22/2019           |                      | Water         | USEPA         | E. COLI            | E. Coli                          | Total           | 396.80   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-1              | GWA-02              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         | 07/22/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | Complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-1              | GWA-02              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 92.40    | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-1              | GWA-02              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | SM A102            | Chlorophyll a                    | Total           | ND       | mg/L         |                  | 4.0                    | 4.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-1              | GWA-02              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 799.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-1              | GWA-02              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 08/26/2019           |                      | Water         | USEPA         | E. COLI            | E. Coli                          | Total           | >2419.6  | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-1              | GWA-02              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 08/26/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-1              | GWA-02              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 08/27/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         | S                | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-1              | GWA-02              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | 1.77     | mg/L         | J                | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-1              | GWA-02              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 08/27/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.11     | mg/L         |                  | 0.026                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-1              | GWA-02              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 8.10     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-1              | GWA-02              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.21     | mg/L         |                  | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-1              | GWA-02              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 757.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-1              | GWA-02              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 08/28/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 1.53     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-1              | GWA-02              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 08/27/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 76.00    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-1              | GWA-02              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 99.60    | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-1              | GWA-02              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | SM A102            | Chlorophyll a                    | Total           | 9.20     | mg/L         |                  | 4.0                    | 4.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-1              | GWA-02              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 816.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-1              | GWA-02              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 08/26/2019           |                      | Water         | USEPA         | E. COLI            | E. Coli                          | Total           | >2419.6  | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-1              | GWA-02              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 08/26/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-1              | GWA-02              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | CL_WW1             | Chloride                         | Total           | 45.80    | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-1              | GWA-02              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 11/04/2019           |                      | Water         | USEPA         | SM A102            | Chlorophyll a                    | Total           | ND       | mg/L         |                  | 4.0                    | 4.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-1              | GWA-02              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 671.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-1              | GWA-02              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 10/24/2019           |                      | Water         | USEPA         | E. COLI            | E. Coli                          | Total           | 98.50    | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-1              | GWA-02              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 10/24/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-1              | GWA-02              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 10/29/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | 0.11     | mg/L         | J                | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-1              | GWA-02              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 10/29/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | 1.31     | mg/L         | J                | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-1              | GWA-02              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 10/25/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.05     | mg/L         |                  | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-1              | GWA-02              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.60     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-1              | GWA-02              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 10/25/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.13     | mg/L         |                  | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-1              | GWA-02              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 11/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 665.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-1              | GWA-02              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 10/26/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.40     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-1              | GWA-02              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 10/25/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 12.50    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-1              | GWA-02              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | CL_WW1             | Chloride                         | Total           | 44.20    | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-1              | GWA-02              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 11/04/2019           |                      | Water         | USEPA         | SM A102            | Chlorophyll a                    | Total           | ND       | mg/L         |                  | 4.0                    | 4.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-1              | GWA-02              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 655.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-1              | GWA-02              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 10/24/                 |                        |                     |                     |                         |                         |                      |                      |               |               |                    |                                  |                 |          |              |                  |                        |                                      |                                      |              |                       |

| Submitting Source | Laboratory Name | Sample Group | DRWW Station Code | IL EPA Station Code | Sample Depth | Sample-Depth Units | Waterbody Name   | Public Water Supply Intake | Monitoring Unit | Surface-Water Monitoring Program | QA/QC Field-Blank ID | Sample-Collection Date | Sample-Collection Time | Sample-Receipt Date | Sample-Receipt Time | Sample-Preparation Date | Sample-Preparation Time | Sample-Analysis Date | Sample-Analysis Time | Sample Medium | Method Source | Method Code - IEPA               | Analyte | Sample Fraction | Result    | Result Units | Result Qualifier | Method Detection Limit | Minimum Practical Quantitation Limit | Maximum Practical Quantitation Limit | Weight Basis | Date Results Released |
|-------------------|-----------------|--------------|-------------------|---------------------|--------------|--------------------|------------------|----------------------------|-----------------|----------------------------------|----------------------|------------------------|------------------------|---------------------|---------------------|-------------------------|-------------------------|----------------------|----------------------|---------------|---------------|----------------------------------|---------|-----------------|-----------|--------------|------------------|------------------------|--------------------------------------|--------------------------------------|--------------|-----------------------|
| DRWW              | Suburban Labs   |              | 10-2              | GWA-03              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         | 10/25/2019              |                      | Water                | USEPA         | 365.2         | Orthophosphate (As P)            | Total   | 0.05            | mg/L      | J            | 0.020            | 0.050                  |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-2              | GWA-03              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         |                      | Water                | USEPA         | 365.2         | pH, Field                        | Total   | 7.60            | S.U.      |              |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-2              | GWA-03              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         | 10/25/2019              |                      | Water                | USEPA         | 200.7         | Phosphorus, Total (as P)         | Total   | 0.11            | mg/L      |              | 0.020            | 0.050                  |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-2              | GWA-03              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         | 11/04/2019              |                      | Water                | Lab           | 2510B         | Specific Conductivity            | Total   | 673.00          | umhos/cm  |              | 1.00             | 1.00                   |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-2              | GWA-03              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         | 10/26/2019              |                      | Water                | USEPA         | 353.2         | Total Nitrates (Nitrate+Nitrite) | Total   | 0.39            | mg/L      |              | 0.100            | 0.224                  |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-2              | GWA-03              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         | 10/25/2019              |                      | Water                | Lab           | 2130-B        | Turbidity                        | Total   | 11.10           | NTU       |              | 0.100            | 0.200                  |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-3              | GWA-01              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 05/23/2019             |                        | 05/23/2019          |                     |                         | 05/25/2019              |                      | Water                | APHA          | 4500-CL-      | Chloride                         | Total   | 43.00           | mg/L      |              | 20.0             | 20.0                   |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-3              | GWA-01              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 05/23/2019             |                        | 05/23/2019          |                     |                         | 05/30/2019              |                      | Water                | USEPA         | SM A102       | Chlorophyll a                    | Total   | 4.50            | mg/L      |              | 4.0              | 4.0                    |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-3              | GWA-01              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 05/23/2019             |                        | 05/23/2019          |                     |                         |                         |                      | Water                | YSI           | EPA 120.      | Conductivity                     |         | 569.00          | umhos/cm  |              |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-3              | GWA-01              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 05/23/2019             |                        | 05/23/2019          |                     |                         | 05/23/2019              |                      | Water                | USEPA         | E. COLI       | E. Coli                          | Total   | 95.90           | MPN/100mL |              | 1.0              | 1.0                    |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-3              | GWA-01              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 05/23/2019             |                        | 05/23/2019          |                     |                         | 05/27/2019              |                      | Water                | USEPA         | 350.3         | Nitrogen, Ammonia (As N)         | Total   | ND              | mg/L      |              | 0.10             | 0.30                   |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-3              | GWA-01              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 05/23/2019             |                        | 05/23/2019          |                     |                         | 05/30/2019              |                      | Water                | USEPA         | 351.2         | Nitrogen, Kjeldahl, Total        | Total   | 4.18            | mg/L      |              | 1.19             | 3.78                   |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-3              | GWA-01              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 05/23/2019             |                        | 05/23/2019          |                     |                         |                         |                      | Water                | USEPA         | 365.2         | pH, Field                        |         | 7.90            | S.U.      |              |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-3              | GWA-01              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 05/23/2019             |                        | 05/23/2019          |                     |                         | 05/29/2019              |                      | Water                | USEPA         | 200.7         | Phosphorus, Total (as P)         | Total   | 0.08            | mg/L      | J            | 0.0500           | 0.135                  |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-3              | GWA-01              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 05/23/2019             |                        | 05/23/2019          |                     |                         | 06/19/2019              |                      | Water                | Lab           | 2510B         | Specific Conductivity            | Total   | 573.00          | umhos/cm  |              | 1.00             | 1.00                   |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-3              | GWA-01              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 05/23/2019             |                        | 05/23/2019          |                     |                         | 05/31/2019              |                      | Water                | USEPA         | 353.2         | Total Nitrates (Nitrate+Nitrite) | Total   | 0.60            | mg/L      |              | 0.100            | 0.224                  |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-3              | GWA-01              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 05/23/2019             |                        | 05/23/2019          |                     |                         | 05/30/2019              |                      | Water                | USEPA         | 2540-D        | Total Suspended Solids           | Total   | 10.50           | mg/L      |              | 0.250            | 6.25                   |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-3              | GWA-01              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 05/23/2019             |                        | 05/23/2019          |                     |                         | 05/24/2019              |                      | Water                | Lab           | 2130-B        | Turbidity                        |         | 8.78            | NTU       |              | 0.100            | 0.200                  |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-3              | GWA-01              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 05/23/2019             |                        | 05/23/2019          |                     |                         | 05/30/2019              |                      | Water                | USEPA         | 2540-D        | Volatile Suspended Solids        | Total   | 2.75            | mg/L      | J            | 0.250            | 6.25                   |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-3              | GWA-01              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         | 07/29/2019              |                      | Water                | APHA          | 4500-CL-      | Chloride                         | Total   | 28.70           | mg/L      |              | 20.0             | 20.0                   |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-3              | GWA-01              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         | 07/24/2019              |                      | Water                | USEPA         | SM A102       | Chlorophyll a                    | Total   | ND              | mg/L      |              | 4.0              | 4.0                    |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-3              | GWA-01              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         |                      | Water                | YSI           | EPA 120.      | Conductivity                     |         | 707.00          |           |              |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-3              | GWA-01              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         | 07/22/2019              |                      | Water                | USEPA         | E. COLI       | E. Coli                          | Total   | 410.60          | MPN/100mL |              | 1.0              | 1.0                    |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-3              | GWA-01              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         | 07/22/2019              |                      | Water                | USEPA         | DISSOLV       | Filtered and Preserved           | Total   | complete        |           | V            | 0                | 0                      |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-3              | GWA-01              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         | 07/25/2019              |                      | Water                | USEPA         | 350.3         | Nitrogen, Ammonia (As N)         | Total   | ND              | mg/L      |              | 0.10             | 0.30                   |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-3              | GWA-01              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         | 07/26/2019              |                      | Water                | USEPA         | 351.2         | Nitrogen, Kjeldahl, Total        | Total   | 2.04            | mg/L      | J            | 1.19             | 3.78                   |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-3              | GWA-01              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         | 07/23/2019              |                      | Water                | USEPA         | 365.2         | Orthophosphate (As P)            | Total   | 0.12            | mg/L      |              | 0.026            | 0.050                  |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-3              | GWA-01              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         |                      | Water                | USEPA         | 365.2         | pH, Field                        |         | 7.60            |           |              |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-3              | GWA-01              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         | 07/25/2019              |                      | Water                | USEPA         | 200.7         | Phosphorus, Total (as P)         | Total   | 0.19            | mg/L      |              | 0.0500           | 0.135                  |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-3              | GWA-01              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         | 07/30/2019              |                      | Water                | Lab           | 2510B         | Specific Conductivity            | Total   | 597.00          | umhos/cm  |              | 1.00             | 1.00                   |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-3              | GWA-01              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         | 07/23/2019              |                      | Water                | USEPA         | 353.2         | Total Nitrates (Nitrate+Nitrite) | Total   | 0.96            | mg/L      |              | 0.100            | 0.224                  |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-3              | GWA-01              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         | 07/23/2019              |                      | Water                | USEPA         | 2540-D        | Total Suspended Solids           | Total   | 23.00           | mg/L      |              | 0.200            | 5.00                   |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-3              | GWA-01              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         | 07/23/2019              |                      | Water                | Lab           | 2130-B        | Turbidity                        |         | 18.90           | NTU       |              | 0.100            | 0.200                  |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-3              | GWA-01              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         | 07/23/2019              |                      | Water                | USEPA         | 2540-D        | Volatile Suspended Solids        | Total   | 3.20            | mg/L      | J            | 0.200            | 5.00                   |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-3              | GWA-01              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         | 08/30/2019              |                      | Water                | APHA          | 4500-CL-      | Chloride                         | Total   | 48.60           | mg/L      |              | 20.0             | 20.0                   |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-3              | GWA-01              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         | 08/29/2019              |                      | Water                | USEPA         | SM A102       | Chlorophyll a                    | Total   | 4.40            | mg/L      |              | 4.0              | 4.0                    |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-3              | GWA-01              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         |                      | Water                | YSI           | EPA 120.      | Conductivity                     |         | 654.00          |           |              |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-3              | GWA-01              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         | 08/26/2019              |                      | Water                | USEPA         | E. COLI       | E. Coli                          | Total   | >2419.6         | MPN/100mL |              | 1.0              | 1.0                    |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-3              | GWA-01              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         | 08/26/2019              |                      | Water                | USEPA         | DISSOLV       | Filtered and Preserved           | Total   | complete        |           | V            | 0                | 0                      |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-3              | GWA-01              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         | 08/29/2019              |                      | Water                | USEPA         | 200.7         | Hardness (As CaCO3)              | Total   | 258.00          | mg/L      |              | 0.0500           | 0.150                  |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-3              | GWA-01              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         | 08/29/2019              |                      | Water                | USEPA         | 200.7         | Magnesium                        | Total   | 27.80           | mg/L      |              | 0.0100           | 0.0300                 |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-3              | GWA-01              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         | 08/27/2019              |                      | Water                | USEPA         | 350.3         | Nitrogen, Ammonia (As N)         | Total   | ND              | mg/L      |              | 0.10             | 0.30                   |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-3              | GWA-01              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         | 09/04/2019              |                      | Water                | USEPA         | 351.2         | Nitrogen, Kjeldahl, Total        | Total   | 1.64            | mg/L      | J            | 1.19             | 3.78                   |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-3              | GWA-01              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         | 08/27/2019              |                      | Water                | USEPA         | 365.2         | Orthophosphate (As P)            | Total   | 0.08            | mg/L      |              | 0.026            | 0.050                  |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-3              | GWA-01              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         |                      | Water                | USEPA         | 365.2         | pH, Field                        |         | 7.70            |           |              |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-3              | GWA-01              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         | 08/29/2019              |                      | Water                | USEPA         | 200.7         | Phosphorus, Total (as P)         | Total   | 0.19            | mg/L      |              | 0.0147           | 0.0469                 |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-3              | GWA-01              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         | 09/04/2019              |                      | Water                | Lab           | 2510B         | Specific Conductivity            | Total   | 611.00          | umhos/cm  |              | 1.00             | 1.00                   |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-3              | GWA-01              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         | 08/28/2019              |                      | Water                | USEPA         | 353.2         | Total Nitrates (Nitrate+Nitrite) | Total   | 0.18            | mg/L      | J            | 0.100            | 0.224                  |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-3              | GWA-01              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         | 08/30/2019              |                      | Water                | USEPA         | 2540-D        | Total Suspended Solids           | Total   | 57.50           | mg/L      |              | 0.500            | 12.5                   |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-3              | GWA-01              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         | 08/27/2019              |                      | Water                | Lab           | 2130-B        | Turbidity                        |         | 46.30           | NTU       |              | 0.100            | 0.200                  |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-3              | GWA-01              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         | 08/30/2019              |                      | Water                | USEPA         | 2540-D        | Volatile Suspended Solids        | Total   | 7.00            | mg/L      | J            | 0.500            | 12.5                   |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-3              | GWA-01              | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         | 10/31/2019              |                      | Water                | USEPA         | 4500-CL-      | Chloride                         | Total   | 24.90           | mg/L      |              | 20.              |                        |                                      |                                      |              |                       |

| Submitting Source | Laboratory Name | Sample Group | DRWW Station Code | IL EPA Station Code | Sample Depth | Sample-Depth Units | Waterbody Name   | Public Water Supply Intake | Monitoring Unit | Surface-Water Monitoring Program | QA/QC Field-Blank ID | Sample-Collection Date | Sample-Collection Time | Sample-Receipt Date | Sample-Receipt Time | Sample-Preparation Date | Sample-Preparation Time | Sample-Analysis Date | Sample-Analysis Time | Sample Medium | Method Source | Method Code - IEPA | Analyte                          | Sample Fraction | Result   | Result Units | Result Qualifier | Method Detection Limit | Minimum Practical Quantitation Limit | Maximum Practical Quantitation Limit | Weight Basis | Date Results Released |
|-------------------|-----------------|--------------|-------------------|---------------------|--------------|--------------------|------------------|----------------------------|-----------------|----------------------------------|----------------------|------------------------|------------------------|---------------------|---------------------|-------------------------|-------------------------|----------------------|----------------------|---------------|---------------|--------------------|----------------------------------|-----------------|----------|--------------|------------------|------------------------|--------------------------------------|--------------------------------------|--------------|-----------------------|
| DRWW              | Suburban Labs   |              | 10-4              | GWAA-L-             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 05/23/2019             |                        | 05/23/2019          |                     |                         |                         | 05/24/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        |                 | 21.10    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-4              | GWAA-L-             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 05/23/2019             |                        | 05/23/2019          |                     |                         |                         | 05/30/2019           |                      | Water         | USEPA         | 2540-D             | Volatile Suspended Solids        | Total           | 2.65     | mg/L         | J                | 0.294                  | 7.35                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-4              | GWAA-L-             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         | 07/29/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 102.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-4              | GWAA-L-             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         | 07/24/2019           |                      | Water         | USEPA         | SM A1020           | Chlorophyll a                    | Total           | 8.90     | mg/L         |                  | 4.0                    | 4.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-4              | GWAA-L-             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         | 07/22/2019           |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 752.00   |              |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-4              | GWAA-L-             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         | 07/22/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 648.80   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-4              | GWAA-L-             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         | 07/22/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | Complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-4              | GWAA-L-             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         | 07/25/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-4              | GWAA-L-             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | 2.74     | mg/L         | J                | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-4              | GWAA-L-             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         | 07/23/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.11     | mg/L         |                  | 0.026                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-4              | GWAA-L-             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         | 07/22/2019           |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 7.00     |              |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-4              | GWAA-L-             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         | 07/25/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.18     | mg/L         |                  | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-4              | GWAA-L-             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         | 07/30/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 751.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-4              | GWAA-L-             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         | 07/23/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.61     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-4              | GWAA-L-             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         | 07/23/2019           |                      | Water         | USEPA         | 2540-D             | Total Suspended Solids           | Total           | 11.80    | mg/L         |                  | 0.200                  | 5.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-4              | GWAA-L-             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         | 07/23/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        |                 | 12.80    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-4              | GWAA-L-             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         | 07/23/2019           |                      | Water         | USEPA         | 2540-D             | Volatile Suspended Solids        | Total           | 1.80     | mg/L         | J                | 0.200                  | 5.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-4              | GWAA-L-             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 148.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-4              | GWAA-L-             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | SM A1020           | Chlorophyll a                    | Total           | 14.00    | mg/L         |                  | 4.0                    | 4.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-4              | GWAA-L-             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 08/26/2019           |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 920.00   |              |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-4              | GWAA-L-             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 08/26/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | >2419.6  | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-4              | GWAA-L-             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 08/26/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-4              | GWAA-L-             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | 200.7              | Hardness (As CaCO3)              | Total           | 217.00   | mg/L         |                  | 0.0500                 | 0.150                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-4              | GWAA-L-             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | 200.7              | Magnesium                        | Total           | 22.40    | mg/L         |                  | 0.0100                 | 0.0300                               |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-4              | GWAA-L-             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 08/27/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-4              | GWAA-L-             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | 7.62     | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-4              | GWAA-L-             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 08/27/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.28     | mg/L         |                  | 0.026                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-4              | GWAA-L-             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 08/26/2019           |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 7.40     |              |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-4              | GWAA-L-             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.54     | mg/L         |                  | 0.0147                 | 0.0469                               |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-4              | GWAA-L-             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 899.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-4              | GWAA-L-             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 08/28/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 2.72     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-4              | GWAA-L-             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | USEPA         | 2540-D             | Total Suspended Solids           | Total           | 64.00    | mg/L         |                  | 0.500                  | 12.5                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-4              | GWAA-L-             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 08/27/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        |                 | 53.00    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-4              | GWAA-L-             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | USEPA         | 2540-D             | Volatile Suspended Solids        | Total           | 12.00    | mg/L         | J                | 0.500                  | 12.5                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-4              | GWAA-L-             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | 4500-CL-           | Chloride                         | Total           | 113.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-4              | GWAA-L-             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 11/04/2019           |                      | Water         | USEPA         | SM A1020           | Chlorophyll a                    | Total           | ND       | mg/L         |                  | 4.0                    | 4.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-4              | GWAA-L-             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 10/24/2019           |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 837.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-4              | GWAA-L-             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 10/24/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 67.00    | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-4              | GWAA-L-             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 10/24/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-4              | GWAA-L-             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 10/29/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-4              | GWAA-L-             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 10/29/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | 1.82     | mg/L         | J                | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-4              | GWAA-L-             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 10/25/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.05     | mg/L         | J                | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-4              | GWAA-L-             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 10/24/2019           |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.40     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-4              | GWAA-L-             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 10/25/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.10     | mg/L         |                  | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-4              | GWAA-L-             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 11/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 846.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-4              | GWAA-L-             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 10/26/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.80     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-4              | GWAA-L-             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 10/29/2019           |                      | Water         | USEPA         | 2540-D             | Total Suspended Solids           | Total           | 4.20     | mg/L         | J                | 0.200                  | 5.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-4              | GWAA-L-             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 10/25/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 4.36     | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-4              | GWAA-L-             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 10/29/2019           |                      | Water         | USEPA         | 2540-D             | Volatile Suspended Solids        | Total           | 1.40     | mg/L         | J                | 0.200                  | 5.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-5              | GWAA-L-             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 05/23/2019             |                        | 05/23/2019          |                     |                         |                         | 05/25/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 174.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-5              | GWAA-L-             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 05/23/2019             |                        | 05/23/2019          |                     |                         |                         | 05/30/2019           |                      | Water         | USEPA         | SM A1020           | Chlorophyll a                    | Total           | 6.90     | mg/L         |                  | 4.0                    | 4.0                                  |                                      |              |                       |

| Submitting Source | Laboratory Name | Sample Group | DRWW Station Code | IL EPA Station Code | Sample Depth | Sample-Depth Units | Waterbody Name   | Public Water Supply Intake | Monitoring Unit | Surface-Water Monitoring Program | QA/QC Field-Blank ID | Sample-Collection Date | Sample-Collection Time | Sample-Receipt Date | Sample-Receipt Time | Sample-Preparation Date | Sample-Preparation Time | Sample-Analysis Date | Sample-Analysis Time | Sample Medium | Method Source | Method Code - IEPA | Analyte                          | Sample Fraction | Result   | Result Units | Result Qualifier | Method Detection Limit | Minimum Practical Quantitation Limit | Maximum Practical Quantitation Limit | Weight Basis | Date Results Released |
|-------------------|-----------------|--------------|-------------------|---------------------|--------------|--------------------|------------------|----------------------------|-----------------|----------------------------------|----------------------|------------------------|------------------------|---------------------|---------------------|-------------------------|-------------------------|----------------------|----------------------|---------------|---------------|--------------------|----------------------------------|-----------------|----------|--------------|------------------|------------------------|--------------------------------------|--------------------------------------|--------------|-----------------------|
| DRWW              | Suburban Labs   |              | 10-5              | GWAA-L-             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | ND       | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-5              | GWAA-L-             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 08/27/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.04     | mg/L         | J                | 0.026                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-5              | GWAA-L-             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 7.60     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-5              | GWAA-L-             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.12     | mg/L         | J                | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-5              | GWAA-L-             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 648.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-5              | GWAA-L-             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 08/28/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | ND       | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-5              | GWAA-L-             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 08/27/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 16.70    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-5              | GWAA-L-             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | 4500-CL-           | Chloride                         | Total           | 130.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-5              | GWAA-L-             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 11/04/2019           |                      | Water         | USEPA         | SM A1020           | Chlorophyll a                    | Total           | 7.40     | mg/L         |                  | 4.0                    | 4.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-5              | GWAA-L-             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 818.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-5              | GWAA-L-             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 10/24/2019           |                      | Water         | USEPA         | E_COLI 1           | E. Coli                          | Total           | 26.50    | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-5              | GWAA-L-             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 10/24/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-5              | GWAA-L-             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 10/29/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-5              | GWAA-L-             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 10/29/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | 1.21     | mg/L         | J                | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-5              | GWAA-L-             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 10/25/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | ND       | mg/L         |                  | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-5              | GWAA-L-             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.70     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-5              | GWAA-L-             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 10/25/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.05     | mg/L         |                  | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-5              | GWAA-L-             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 11/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 849.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-5              | GWAA-L-             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 10/26/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | ND       | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-5              | GWAA-L-             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 10/25/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 1.88     | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-6              | GWZAZ-Q             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 05/23/2019             |                        | 05/23/2019          |                     |                         |                         | 05/25/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 142.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-6              | GWZAZ-Q             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 05/23/2019             |                        | 05/23/2019          |                     |                         |                         | 05/30/2019           |                      | Water         | USEPA         | SM A1020           | Chlorophyll a                    | Total           | ND       | mg/L         |                  | 4.0                    | 4.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-6              | GWZAZ-Q             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 05/23/2019             |                        | 05/23/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 797.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-6              | GWZAZ-Q             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 05/23/2019             |                        | 05/23/2019          |                     |                         |                         | 05/23/2019           |                      | Water         | USEPA         | E_COLI 1           | E. Coli                          | Total           | 116.90   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-6              | GWZAZ-Q             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 05/23/2019             |                        | 05/23/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.90     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-6              | GWZAZ-Q             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 05/23/2019             |                        | 05/23/2019          |                     |                         |                         | 05/29/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.06     | mg/L         | J                | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-6              | GWZAZ-Q             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 05/23/2019             |                        | 05/23/2019          |                     |                         |                         | 05/30/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 797.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-6              | GWZAZ-Q             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 05/23/2019             |                        | 05/23/2019          |                     |                         |                         | 05/31/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | ND       | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-6              | GWZAZ-Q             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 05/23/2019             |                        | 05/23/2019          |                     |                         |                         | 05/24/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 51.80    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-6              | GWZAZ-Q             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         | 07/29/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 105.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-6              | GWZAZ-Q             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 701.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-6              | GWZAZ-Q             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         | 07/22/2019           |                      | Water         | USEPA         | E_COLI 1           | E. Coli                          | Total           | 285.10   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-6              | GWZAZ-Q             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         | 07/22/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | Complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-6              | GWZAZ-Q             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         | 07/25/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-6              | GWZAZ-Q             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | 1.81     | mg/L         | J                | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-6              | GWZAZ-Q             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         | 07/23/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.07     | mg/L         |                  | 0.026                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-6              | GWZAZ-Q             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.80     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-6              | GWZAZ-Q             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         | 07/25/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.14     | mg/L         |                  | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-6              | GWZAZ-Q             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         | 07/30/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 705.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-6              | GWZAZ-Q             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         | 07/23/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.41     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-6              | GWZAZ-Q             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         | 07/23/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 43.50    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-6              | GWZAZ-Q             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 87.80    | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-6              | GWZAZ-Q             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 629.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-6              | GWZAZ-Q             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 08/26/2019           |                      | Water         | USEPA         | E_COLI 1           | E. Coli                          | Total           | >2419.6  | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-6              | GWZAZ-Q             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 08/26/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-6              | GWZAZ-Q             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 08/27/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-6              | GWZAZ-Q             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | 1.94     | mg/L         | J                | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-6              | GWZAZ-Q             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 08/27/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | ND       | mg/L         |                  | 0.026                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-6              | GWZAZ-Q             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.70     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-6              | GWZAZ-Q             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.12     | mg/L         | J                | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-6              | GWZAZ-Q             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 606.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-6              | GWZAZ-Q             | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 08/28/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.36     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-6              | GW                  |              |                    |                  |                            |                 |                                  |                      |                        |                        |                     |                     |                         |                         |                      |                      |               |               |                    |                                  |                 |          |              |                  |                        |                                      |                                      |              |                       |

| Submitting Source | Laboratory Name | Sample Group | DRWW Station Code | IL EPA Station Code | Sample Depth | Sample-Depth Units | Waterbody Name   | Public Water Supply Intake | Monitoring Unit | Surface-Water Monitoring Program | QA/QC Field-Blank ID | Sample-Collection Date | Sample-Collection Time | Sample-Receipt Date | Sample-Receipt Time | Sample-Preparation Date | Sample-Preparation Time | Sample-Analysis Date | Sample-Analysis Time | Sample Medium | Method Source | Method Code - IEPA | Analyte                          | Sample Fraction | Result   | Result Units | Result Qualifier | Method Detection Limit | Minimum Practical Quantitation Limit | Maximum Practical Quantitation Limit | Weight Basis | Date Results Released |
|-------------------|-----------------|--------------|-------------------|---------------------|--------------|--------------------|------------------|----------------------------|-----------------|----------------------------------|----------------------|------------------------|------------------------|---------------------|---------------------|-------------------------|-------------------------|----------------------|----------------------|---------------|---------------|--------------------|----------------------------------|-----------------|----------|--------------|------------------|------------------------|--------------------------------------|--------------------------------------|--------------|-----------------------|
| DRWW              | Suburban Labs   |              | 10-7              |                     | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 07/24/2019             |                        | 07/24/2019          |                     |                         |                         | 07/31/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | 1.45     | mg/L         | J                | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-7              |                     | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 07/24/2019             |                        | 07/24/2019          |                     |                         |                         | 07/25/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.10     | mg/L         |                  | 0.026                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-7              |                     | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 07/24/2019             |                        | 07/24/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 7.70     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-7              |                     | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 07/24/2019             |                        | 07/24/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.18     | mg/L         |                  | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-7              |                     | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 07/24/2019             |                        | 07/24/2019          |                     |                         |                         | 07/30/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 632.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-7              |                     | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 07/24/2019             |                        | 07/24/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.65     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-7              |                     | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 07/24/2019             |                        | 07/24/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 14.70    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-7              |                     | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 33.50    | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-7              |                     | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 571.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-7              |                     | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 840.00   |              |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-7              |                     | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 08/26/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | >2419.6  | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-7              |                     | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 08/26/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-7              |                     | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 08/27/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-7              |                     | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | 2.68     | mg/L         | J                | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-7              |                     | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 08/27/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.08     | mg/L         |                  | 0.026                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-7              |                     | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 7.60     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-7              |                     | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 7.90     |              |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-7              |                     | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.34     | mg/L         |                  | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-7              |                     | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 638.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-7              |                     | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 08/28/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.27     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-7              |                     | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 08/27/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 104.00   | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-7              |                     | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | 4500-CL-           | Chloride                         | Total           | 25.10    | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-7              |                     | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 599.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-7              |                     | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 10/24/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 70.30    | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-7              |                     | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 10/24/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-7              |                     | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 10/29/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-7              |                     | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 10/29/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | 1.41     | mg/L         | J                | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-7              |                     | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 10/25/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.04     | mg/L         | J                | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-7              |                     | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.50     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-7              |                     | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 10/25/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.13     | mg/L         |                  | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-7              |                     | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 11/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 622.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-7              |                     | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 10/26/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | ND       | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 10-7              |                     | 0.5          | ft                 | North Mill Creek |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 10/25/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 22.50    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-1              | GW-02               | 0.5          | ft                 | Mill Creek       |                            |                 | Non-IEPA                         |                      | 05/23/2019             |                        | 05/23/2019          |                     |                         |                         | 05/25/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 123.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-1              | GW-02               | 0.5          | ft                 | Mill Creek       |                            |                 | Non-IEPA                         |                      | 05/23/2019             |                        | 05/23/2019          |                     |                         |                         | 05/30/2019           |                      | Water         | USEPA         | SM A102            | Chlorophyll a                    | Total           | ND       | mg/L         |                  | 4.0                    | 4.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-1              | GW-02               | 0.5          | ft                 | Mill Creek       |                            |                 | Non-IEPA                         |                      | 05/23/2019             |                        | 05/23/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 802.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-1              | GW-02               | 0.5          | ft                 | Mill Creek       |                            |                 | Non-IEPA                         |                      | 05/23/2019             |                        | 05/23/2019          |                     |                         |                         | 05/23/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 118.70   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-1              | GW-02               | 0.5          | ft                 | Mill Creek       |                            |                 | Non-IEPA                         |                      | 05/23/2019             |                        | 05/23/2019          |                     |                         |                         | 05/27/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-1              | GW-02               | 0.5          | ft                 | Mill Creek       |                            |                 | Non-IEPA                         |                      | 05/23/2019             |                        | 05/23/2019          |                     |                         |                         | 06/03/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | 1.42     | mg/L         | J                | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-1              | GW-02               | 0.5          | ft                 | Mill Creek       |                            |                 | Non-IEPA                         |                      | 05/23/2019             |                        | 05/23/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 7.90     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-1              | GW-02               | 0.5          | ft                 | Mill Creek       |                            |                 | Non-IEPA                         |                      | 05/23/2019             |                        | 05/23/2019          |                     |                         |                         | 05/29/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.10     | mg/L         | J                | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-1              | GW-02               | 0.5          | ft                 | Mill Creek       |                            |                 | Non-IEPA                         |                      | 05/23/2019             |                        | 05/23/2019          |                     |                         |                         | 05/30/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 802.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-1              | GW-02               | 0.5          | ft                 | Mill Creek       |                            |                 | Non-IEPA                         |                      | 05/23/2019             |                        | 05/23/2019          |                     |                         |                         | 05/31/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.72     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-1              | GW-02               | 0.5          | ft                 | Mill Creek       |                            |                 | Non-IEPA                         |                      | 05/23/2019             |                        | 05/23/2019          |                     |                         |                         | 05/30/2019           |                      | Water         | USEPA         | 2540-D             | Total Suspended Solids           | Total           | 58.50    | mg/L         |                  | 0.770                  | 19.3                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-1              | GW-02               | 0.5          | ft                 | Mill Creek       |                            |                 | Non-IEPA                         |                      | 05/23/2019             |                        | 05/23/2019          |                     |                         |                         | 05/24/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        |                 | 67.90    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-1              | GW-02               | 0.5          | ft                 | Mill Creek       |                            |                 | Non-IEPA                         |                      | 05/23/2019             |                        | 05/23/2019          |                     |                         |                         | 05/30/2019           |                      | Water         | USEPA         | 2540-D             | Volatile Suspended Solids        | Total           | 8.47     | mg/L         | JR               | 0.770                  | 19.3                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-1              | GW-02               | 0.5          | ft                 | Mill Creek       |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         | 07/29/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 72.30    | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-1              | GW-02               | 0.5          | ft                 | Mill Creek       |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         | 07/24/2019           |                      | Water         | USEPA         | SM A102            | Chlorophyll a                    | Total           | 9.70     | mg/L         |                  | 4.0                    | 4.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-1              | GW-02               | 0.5          | ft                 | Mill Creek       |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 659.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-1              | GW-02               | 0.5          | ft                 | Mill Creek       |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         | 07/22/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 613.10   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-1              | GW-02               | 0.5          | ft                 | Mill Creek       |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         | 07/22/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | Complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-1              | GW-02               | 0.5          | ft                 | Mill Creek       |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         | 07/25/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   |                                      |                                      |              |                       |

| Submitting Source | Laboratory Name | Sample Group | DRWW Station Code | IL EPA Station Code | Sample Depth | Sample-Depth Units | Waterbody Name | Public Water Supply Intake | Monitoring Unit | Surface-Water Monitoring Program | QA/QC Field-Blank ID | Sample-Collection Date | Sample-Collection Time | Sample-Receipt Date | Sample-Receipt Time | Sample-Preparation Date | Sample-Preparation Time | Sample-Analysis Date | Sample-Analysis Time | Sample Medium | Method Source | Method Code - IEPA | Analyte                          | Sample Fraction | Result   | Result Units | Result Qualifier | Method Detection Limit | Minimum Practical Quantitation Limit | Maximum Practical Quantitation Limit | Weight Basis | Date Results Released |
|-------------------|-----------------|--------------|-------------------|---------------------|--------------|--------------------|----------------|----------------------------|-----------------|----------------------------------|----------------------|------------------------|------------------------|---------------------|---------------------|-------------------------|-------------------------|----------------------|----------------------|---------------|---------------|--------------------|----------------------------------|-----------------|----------|--------------|------------------|------------------------|--------------------------------------|--------------------------------------|--------------|-----------------------|
| DRWW              | Suburban Labs   |              | 11-1              | GW-02               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.27     | mg/L         |                  | 0.0147                 | 0.0469                               |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-1              | GW-02               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | 200.7              | Sodium                           | Total           | 66.20    | mg/L         |                  | 0.100                  | 0.300                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-1              | GW-02               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 705.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-1              | GW-02               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 08/28/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 2.11     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-1              | GW-02               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | USEPA         | 2540-D             | Total Suspended Solids           | Total           | 148.00   | mg/L         |                  | 1.00                   | 25.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-1              | GW-02               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 08/27/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        |                 | 133.00   | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-1              | GW-02               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | USEPA         | 2540-D             | Volatile Suspended Solids        | Total           | 23.00    | mg/L         | J                | 1.00                   | 25.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-1              | GW-02               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | 200.7              | Zinc                             | Total           | 0.02     | mg/L         |                  | 0.00320                | 0.0101                               |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-1              | GW-02               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | 4500-CL            | Chloride                         | Total           | 75.90    | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-1              | GW-02               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 11/04/2019           |                      | Water         | USEPA         | SM A102            | Chlorophyll a                    | Total           | ND       | mg/L         |                  | 4.0                    | 4.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-1              | GW-02               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 744.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-1              | GW-02               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 10/24/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 1203.30  | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-1              | GW-02               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 10/24/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-1              | GW-02               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 10/29/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-1              | GW-02               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 10/29/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | 2.49     | mg/L         | J                | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-1              | GW-02               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 10/25/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.03     | mg/L         | J                | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-1              | GW-02               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.80     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-1              | GW-02               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 10/25/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.12     | mg/L         |                  | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-1              | GW-02               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 11/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 705.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-1              | GW-02               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 10/26/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.57     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-1              | GW-02               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 10/29/2019           |                      | Water         | USEPA         | 2540-D             | Total Suspended Solids           | Total           | 36.70    | mg/L         |                  | 0.334                  | 8.35                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-1              | GW-02               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 10/25/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 21.50    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-1              | GW-02               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 10/29/2019           |                      | Water         | USEPA         | 2540-D             | Volatile Suspended Solids        | Total           | 6.68     | mg/L         | J                | 0.334                  | 8.35                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-1 Field        | GW-02               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 09/06/2019           |                      | Water         | USEPA         | 1631               | Mercury                          | Total           | ND       | ng/L         |                  | 0.500                  | 0.500                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-2              | GW-05               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 05/23/2019             |                        | 05/23/2019          |                     |                         |                         | 05/25/2019           |                      | Water         | APHA          | 4500-CL            | Chloride                         | Total           | 124.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-2              | GW-05               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 05/23/2019             |                        | 05/23/2019          |                     |                         |                         | 05/30/2019           |                      | Water         | USEPA         | SM A102            | Chlorophyll a                    | Total           | ND       | mg/L         |                  | 4.0                    | 4.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-2              | GW-05               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 05/23/2019             |                        | 05/23/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 791.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-2              | GW-05               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 05/23/2019             |                        | 05/23/2019          |                     |                         |                         | 05/23/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 201.40   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-2              | GW-05               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 05/23/2019             |                        | 05/23/2019          |                     |                         |                         | 05/27/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-2              | GW-05               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 05/23/2019             |                        | 05/23/2019          |                     |                         |                         | 06/03/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | 1.20     | mg/L         | J                | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-2              | GW-05               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 05/23/2019             |                        | 05/23/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.90     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-2              | GW-05               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 05/23/2019             |                        | 05/23/2019          |                     |                         |                         | 05/29/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.11     | mg/L         | J                | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-2              | GW-05               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 05/23/2019             |                        | 05/23/2019          |                     |                         |                         | 05/30/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 787.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-2              | GW-05               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 05/23/2019             |                        | 05/23/2019          |                     |                         |                         | 05/31/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.62     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-2              | GW-05               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 05/23/2019             |                        | 05/23/2019          |                     |                         |                         | 05/30/2019           |                      | Water         | USEPA         | 2540-D             | Total Suspended Solids           | Total           | 52.50    | mg/L         |                  | 0.834                  | 20.9                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-2              | GW-05               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 05/23/2019             |                        | 05/23/2019          |                     |                         |                         | 05/24/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        |                 | 69.80    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-2              | GW-05               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 05/23/2019             |                        | 05/23/2019          |                     |                         |                         | 05/30/2019           |                      | Water         | USEPA         | 2540-D             | Volatile Suspended Solids        | Total           | 8.34     | mg/L         | J                | 0.834                  | 20.9                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-2              | GW-05               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         | 07/29/2019           |                      | Water         | APHA          | 4500-CL            | Chloride                         | Total           | 78.20    | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-2              | GW-05               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         | 07/24/2019           |                      | Water         | USEPA         | SM A102            | Chlorophyll a                    | Total           | 5.40     | mg/L         |                  | 4.0                    | 4.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-2              | GW-05               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 688.00   |              |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-2              | GW-05               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         | 07/22/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 579.40   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-2              | GW-05               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         | 07/22/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | Complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-2              | GW-05               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         | 07/25/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-2              | GW-05               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         | 07/30/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | 1.77     | mg/L         | J                | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-2              | GW-05               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         | 07/23/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.10     | mg/L         |                  | 0.026                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-2              | GW-05               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.70     |              |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-2              | GW-05               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         | 07/25/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.20     | mg/L         |                  | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-2              | GW-05               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         | 07/30/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 694.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-2              | GW-05               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         | 07/23/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 1.12     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-2              | GW-05               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         | 07/23/2019           |                      | Water         | USEPA         | 2540-D             | Total Suspended Solids           | Total           | 78.50    | mg/L         |                  | 0.500                  | 12.5                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-2              | GW-05               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         | 07/23/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        |                 | 85.60    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |

| Submitting Source | Laboratory Name | Sample Group | DRWW Station Code | IL EPA Station Code | Sample Depth | Sample-Depth Units | Waterbody Name | Public Water Supply Intake | Monitoring Unit | Surface-Water Monitoring Program | QA/QC Field-Blank ID | Sample-Collection Date | Sample-Collection Time | Sample-Receipt Date | Sample-Receipt Time | Sample-Preparation Date | Sample-Preparation Time | Sample-Analysis Date | Sample-Analysis Time | Sample Medium | Method Source | Method Code - IEPA | Analyte                          | Sample Fraction | Result   | Result Units | Result Qualifier | Method Detection Limit | Minimum Practical Quantitation Limit | Maximum Practical Quantitation Limit | Weight Basis | Date Results Released |
|-------------------|-----------------|--------------|-------------------|---------------------|--------------|--------------------|----------------|----------------------------|-----------------|----------------------------------|----------------------|------------------------|------------------------|---------------------|---------------------|-------------------------|-------------------------|----------------------|----------------------|---------------|---------------|--------------------|----------------------------------|-----------------|----------|--------------|------------------|------------------------|--------------------------------------|--------------------------------------|--------------|-----------------------|
| DRWW              | Suburban Labs   |              | 11-2              | GW-05               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 11/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 730.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-2              | GW-05               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 10/26/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.18     | mg/L         | J                | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-2              | GW-05               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 10/29/2019           |                      | Water         | USEPA         | 2540-D             | Total Suspended Solids           | Total           | 17.40    | mg/L         |                  | 0.200                  | 5.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-2              | GW-05               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 10/25/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 14.50    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-2              | GW-05               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 10/29/2019           |                      | Water         | USEPA         | 2540-D             | Volatile Suspended Solids        | Total           | 3.60     | mg/L         | J                | 0.200                  | 5.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-3              | GW-04               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 05/23/2019             |                        | 05/23/2019          |                     |                         |                         | 05/25/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 192.00   | mg/L         |                  | 40.0                   | 40.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-3              | GW-04               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 05/23/2019             |                        | 05/23/2019          |                     |                         |                         | 05/30/2019           |                      | Water         | USEPA         | SM A1020           | Chlorophyll a                    | Total           | ND       | mg/L         |                  | 4.0                    | 4.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-3              | GW-04               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 05/23/2019             |                        | 05/23/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 1004.00  | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-3              | GW-04               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 05/23/2019             |                        | 05/23/2019          |                     |                         |                         | 05/23/2019           |                      | Water         | USEPA         | E. COLI            | E. Coli                          | Total           | 88.00    | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-3              | GW-04               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 05/23/2019             |                        | 05/23/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 7.90     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-3              | GW-04               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 05/23/2019             |                        | 05/23/2019          |                     |                         |                         | 05/29/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | ND       | mg/L         |                  | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-3              | GW-04               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 05/23/2019             |                        | 05/23/2019          |                     |                         |                         | 05/30/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 998.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-3              | GW-04               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 05/23/2019             |                        | 05/23/2019          |                     |                         |                         | 05/31/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.13     | mg/L         | J                | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-3              | GW-04               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 05/23/2019             |                        | 05/23/2019          |                     |                         |                         | 05/24/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        |                 | 11.10    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-3              | GW-04               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         | 07/29/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 161.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-3              | GW-04               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         | 07/24/2019           |                      | Water         | USEPA         | SM A1020           | Chlorophyll a                    | Total           | 9.70     | mg/L         |                  | 4.0                    | 4.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-3              | GW-04               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 920.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-3              | GW-04               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         | 07/22/2019           |                      | Water         | USEPA         | E. COLI            | E. Coli                          | Total           | 461.10   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-3              | GW-04               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         | 07/22/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | Complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-3              | GW-04               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         | 07/25/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-3              | GW-04               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         | 07/30/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | 1.43     | mg/L         | J                | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-3              | GW-04               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         | 07/23/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.03     | mg/L         | J                | 0.026                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-3              | GW-04               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 7.70     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-3              | GW-04               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.11     | mg/L         | J                | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-3              | GW-04               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         | 07/30/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 924.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-3              | GW-04               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         | 07/23/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.18     | mg/L         | J                | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-3              | GW-04               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         | 07/23/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        |                 | 15.70    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-3              | GW-04               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 131.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-3              | GW-04               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | SM A1020           | Chlorophyll a                    | Total           | 12.00    | mg/L         |                  | 4.0                    | 4.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-3              | GW-04               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 725.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-3              | GW-04               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 08/26/2019           |                      | Water         | USEPA         | E. COLI            | E. Coli                          | Total           | >2419.6  | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-3              | GW-04               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 08/26/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-3              | GW-04               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 08/27/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | 0.27     | mg/L         | J                | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-3              | GW-04               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | 3.18     | mg/L         | J                | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-3              | GW-04               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 08/27/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.06     | mg/L         |                  | 0.026                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-3              | GW-04               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 7.70     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-3              | GW-04               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.11     | mg/L         | J                | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-3              | GW-04               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 701.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-3              | GW-04               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 08/28/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | ND       | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-3              | GW-04               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 08/27/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        |                 | 26.20    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-3              | GW-04               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | 4500-CL-           | Chloride                         | Total           | 113.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-3              | GW-04               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 11/04/2019           |                      | Water         | USEPA         | SM A1020           | Chlorophyll a                    | Total           | ND       | mg/L         |                  | 4.0                    | 4.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-3              | GW-04               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 794.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-3              | GW-04               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 10/24/2019           |                      | Water         | USEPA         | E. COLI            | E. Coli                          | Total           | 727.00   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-3              | GW-04               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 10/24/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-3              | GW-04               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 10/29/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-3              | GW-04               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 10/29/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | 4.81     | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-3              | GW-04               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 10/25/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | ND       | mg/L         |                  | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-3              | GW-04               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.90     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-3              | GW-04               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 10/25/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.04     | mg/L         | J                | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-3              | GW-04               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 11/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 822.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-3              | GW-04               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      |                        |                        |                     |                     |                         |                         |                      |                      |               |               |                    |                                  |                 |          |              |                  |                        |                                      |                                      |              |                       |

| Submitting Source | Laboratory Name | Sample Group | DRWW Station Code | IL EPA Station Code | Sample Depth | Sample-Depth Units | Waterbody Name | Public Water Supply Intake | Monitoring Unit | Surface-Water Monitoring Program | QA/QC Field-Blank ID | Sample-Collection Date | Sample-Collection Time | Sample-Receipt Date | Sample-Receipt Time | Sample-Preparation Date | Sample-Preparation Time | Sample-Analysis Date | Sample-Analysis Time | Sample Medium | Method Source | Method Code - IEPA | Analyte                          | Sample Fraction | Result   | Result Units | Result Qualifier | Method Detection Limit | Minimum Practical Quantitation Limit | Maximum Practical Quantitation Limit | Weight Basis | Date Results Released |  |  |
|-------------------|-----------------|--------------|-------------------|---------------------|--------------|--------------------|----------------|----------------------------|-----------------|----------------------------------|----------------------|------------------------|------------------------|---------------------|---------------------|-------------------------|-------------------------|----------------------|----------------------|---------------|---------------|--------------------|----------------------------------|-----------------|----------|--------------|------------------|------------------------|--------------------------------------|--------------------------------------|--------------|-----------------------|--|--|
| DRWW              | Suburban Labs   |              | 11-4              | GW-03               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 922.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 11-4              | GW-03               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         | 07/22/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 135.40   | MPN/100mL    | 1.0              | 1.0                    |                                      |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 11-4              | GW-03               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         | 07/22/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | Complete | V            | 0                | 0                      |                                      |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 11-4              | GW-03               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         | 07/25/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 11-4              | GW-03               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         | 07/30/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | 2.37     | mg/L         | J                | 1.19                   | 3.78                                 |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 11-4              | GW-03               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         | 07/23/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.03     | mg/L         | J                | 0.026                  | 0.050                                |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 11-4              | GW-03               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 7.60     | S.U.         |                  |                        |                                      |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 11-4              | GW-03               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         | 07/25/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | ND       | mg/L         |                  | 0.0500                 | 0.135                                |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 11-4              | GW-03               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         | 07/30/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 927.00   | umhos/cm     | 1.00             | 1.00                   |                                      |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 11-4              | GW-03               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         | 07/23/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.13     | mg/L         | J                | 0.100                  | 0.224                                |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 11-4              | GW-03               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         | 07/23/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        |                 | 9.62     | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 11-4              | GW-03               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 166.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 11-4              | GW-03               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | SM A1020           | Chlorophyll a                    | Total           | ND       | mg/L         |                  | 4.0                    | 4.0                                  |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 11-4              | GW-03               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 880.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 11-4              | GW-03               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 08/26/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 613.10   | MPN/100mL    | 1.0              | 1.0                    |                                      |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 11-4              | GW-03               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 08/26/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete | V            | 0                | 0                      |                                      |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 11-4              | GW-03               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 08/27/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 11-4              | GW-03               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | 1.21     | mg/L         | J                | 1.19                   | 3.78                                 |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 11-4              | GW-03               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 08/27/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | ND       | mg/L         |                  | 0.026                  | 0.050                                |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 11-4              | GW-03               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 7.40     | S.U.         |                  |                        |                                      |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 11-4              | GW-03               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.11     | mg/L         | J                | 0.0500                 | 0.135                                |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 11-4              | GW-03               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 838.00   | umhos/cm     | 1.00             | 1.00                   |                                      |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 11-4              | GW-03               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 08/28/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | ND       | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 11-4              | GW-03               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 08/26/2019             |                        | 08/26/2019          |                     |                         |                         | 08/27/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        |                 | 3.49     | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 11-4              | GW-03               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | 4500-CL-           | Chloride                         | Total           | 114.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 11-4              | GW-03               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 11/04/2019           |                      | Water         | USEPA         | SM A1020           | Chlorophyll a                    | Total           | ND       | mg/L         |                  | 4.0                    | 4.0                                  |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 11-4              | GW-03               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 795.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 11-4              | GW-03               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 10/24/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 13.40    | MPN/100mL    | 1.0              | 1.0                    |                                      |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 11-4              | GW-03               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 10/24/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete | V            | 0                | 0                      |                                      |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 11-4              | GW-03               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 10/29/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 11-4              | GW-03               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 10/29/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | 4.87     | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 11-4              | GW-03               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 10/25/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | ND       | mg/L         |                  | 0.020                  | 0.050                                |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 11-4              | GW-03               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.80     | S.U.         |                  |                        |                                      |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 11-4              | GW-03               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 10/25/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.04     | mg/L         | J                | 0.020                  | 0.050                                |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 11-4              | GW-03               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 11/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 815.00   | umhos/cm     | 1.00             | 1.00                   |                                      |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 11-4              | GW-03               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 10/26/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | ND       | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 11-4              | GW-03               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 10/24/2019             |                        | 10/24/2019          |                     |                         |                         | 10/25/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 2.40     | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 11-5              | GW-07               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 05/24/2019             |                        | 05/24/2019          |                     |                         |                         | 05/25/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 188.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 11-5              | GW-07               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 05/24/2019             |                        | 05/24/2019          |                     |                         |                         | 05/30/2019           |                      | Water         | USEPA         | SM A1020           | Chlorophyll a                    | Total           | 4.90     | mg/L         |                  | 4.0                    | 4.0                                  |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 11-5              | GW-07               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 05/24/2019             |                        | 05/24/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 1022.00  | umhos/cm     |                  |                        |                                      |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 11-5              | GW-07               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 05/24/2019             |                        | 05/24/2019          |                     |                         |                         | 05/24/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 143.90   | MPN/100mL    | 1.0              | 1.0                    |                                      |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 11-5              | GW-07               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 05/24/2019             |                        | 05/24/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 7.60     | S.U.         |                  |                        |                                      |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 11-5              | GW-07               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 05/24/2019             |                        | 05/24/2019          |                     |                         |                         | 05/30/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.08     | mg/L         | J                | 0.0500                 | 0.135                                |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 11-5              | GW-07               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 05/24/2019             |                        | 05/24/2019          |                     |                         |                         | 05/30/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 1030.00  | umhos/cm     | 1.00             | 1.00                   |                                      |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 11-5              | GW-07               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 05/24/2019             |                        | 05/24/2019          |                     |                         |                         | 05/27/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.35     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 11-5              | GW-07               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 05/24/2019             |                        | 05/24/2019          |                     |                         |                         | 05/24/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        |                 | 40.90    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 11-5              | GW-07               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         | 07/29/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 106.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 11-5              | GW-07               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         | 07/24/2019           |                      | Water         | USEPA         | SM A1020           | Chlorophyll a                    | Total           | 22.00    | mg/L         |                  | 4.0                    | 4.0                                  |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 11-5              | GW-07               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 755.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 11-5              | GW-07               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         | 07/22/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 866.40   | MPN/100mL    | 1.0              | 1.0                    |                                      |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 11-5              | GW-07               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         | 07/22/2019           |                      | Water         | USEPA         | DISS               |                                  |                 |          |              |                  |                        |                                      |                                      |              |                       |  |  |



| Submitting Source | Laboratory Name | Sample Group | DRWW Station Code | IL EPA Station Code | Sample Depth | Sample-Depth Units | Waterbody Name | Public Water Supply Intake | Monitoring Unit | Surface-Water Monitoring Program | QA/QC Field-Blank ID | Sample-Collection Date | Sample-Collection Time | Sample-Receipt Date | Sample-Receipt Time | Sample-Preparation Date | Sample-Preparation Time | Sample-Analysis Date | Sample-Analysis Time | Sample Medium | Method Source | Method Code - IEPA | Analyte                          | Sample Fraction | Result   | Result Units | Result Qualifier | Method Detection Limit | Minimum Practical Quantitation Limit | Maximum Practical Quantitation Limit | Weight Basis | Date Results Released |
|-------------------|-----------------|--------------|-------------------|---------------------|--------------|--------------------|----------------|----------------------------|-----------------|----------------------------------|----------------------|------------------------|------------------------|---------------------|---------------------|-------------------------|-------------------------|----------------------|----------------------|---------------|---------------|--------------------|----------------------------------|-----------------|----------|--------------|------------------|------------------------|--------------------------------------|--------------------------------------|--------------|-----------------------|
| DRWW              | Suburban Labs   |              | 11-5              | GW-07               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         | 10/29/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-5              | GW-07               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         | 10/29/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | 1.87     | mg/L         | J                | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-5              | GW-07               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         | 10/25/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | ND       | mg/L         |                  | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-5              | GW-07               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.70     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-5              | GW-07               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         | 10/28/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.10     | mg/L         |                  | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-5              | GW-07               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         | 11/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 867.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-5              | GW-07               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         | 10/26/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | ND       | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-5              | GW-07               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         | 10/25/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 12.00    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-6              | GW-08               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 05/24/2019             |                        | 05/24/2019          |                     |                         |                         | 05/25/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 117.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-6              | GW-08               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 05/24/2019             |                        | 05/24/2019          |                     |                         |                         | 05/30/2019           |                      | Water         | USEPA         | SM A1020           | Chlorophyll a                    | Total           | 4.90     | mg/L         |                  | 4.0                    | 4.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-6              | GW-08               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 05/24/2019             |                        | 05/24/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 762.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-6              | GW-08               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 05/24/2019             |                        | 05/24/2019          |                     |                         |                         | 05/24/2019           |                      | Water         | USEPA         | E_COLI_1           | E. Coli                          | Total           | 613.10   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-6              | GW-08               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 05/24/2019             |                        | 05/24/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.60     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-6              | GW-08               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 05/24/2019             |                        | 05/24/2019          |                     |                         |                         | 05/30/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.07     | mg/L         | J                | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-6              | GW-08               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 05/24/2019             |                        | 05/24/2019          |                     |                         |                         | 05/30/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 765.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-6              | GW-08               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 05/24/2019             |                        | 05/24/2019          |                     |                         |                         | 05/27/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.85     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-6              | GW-08               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 05/24/2019             |                        | 05/24/2019          |                     |                         |                         | 05/24/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 58.20    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-6              | GW-08               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         | 07/29/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 73.10    | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-6              | GW-08               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         | 07/24/2019           |                      | Water         | USEPA         | SM A1020           | Chlorophyll a                    | Total           | 13.00    | mg/L         |                  | 4.0                    | 4.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-6              | GW-08               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 689.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-6              | GW-08               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         | 07/22/2019           |                      | Water         | USEPA         | E_COLI_1           | E. Coli                          | Total           | 387.30   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-6              | GW-08               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         | 07/22/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | Complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-6              | GW-08               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         | 07/25/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | 0.23     | mg/L         | J                | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-6              | GW-08               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         | 07/30/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | 3.89     | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-6              | GW-08               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         | 07/23/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.06     | mg/L         |                  | 0.026                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-6              | GW-08               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.40     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-6              | GW-08               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         | 07/25/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.14     | mg/L         |                  | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-6              | GW-08               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         | 07/30/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 691.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-6              | GW-08               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         | 07/23/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.80     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-6              | GW-08               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 07/22/2019             |                        | 07/22/2019          |                     |                         |                         | 07/23/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 61.00    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-6              | GW-08               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 168.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-6              | GW-08               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | SM A1020           | Chlorophyll a                    | Total           | 8.90     | mg/L         |                  | 4.0                    | 4.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-6              | GW-08               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 1034.00  | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-6              | GW-08               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         | 08/27/2019           |                      | Water         | USEPA         | E_COLI_1           | E. Coli                          | Total           | 488.40   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-6              | GW-08               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         | 08/27/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | Complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-6              | GW-08               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | 0.14     | mg/L         | J                | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-6              | GW-08               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         | 09/05/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | 2.80     | mg/L         | J                | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-6              | GW-08               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         | 08/28/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.03     | mg/L         | J                | 0.026                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-6              | GW-08               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.40     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-6              | GW-08               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.11     | mg/L         | J                | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-6              | GW-08               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 1050.00  | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-6              | GW-08               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         | 08/28/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | ND       | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-6              | GW-08               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 14.70    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-6              | GW-08               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | 4500-CL-           | Chloride                         | Total           | 49.10    | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-6              | GW-08               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         | 11/04/2019           |                      | Water         | USEPA         | SM A1020           | Chlorophyll a                    | Total           | ND       | mg/L         |                  | 4.0                    | 4.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-6              | GW-08               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 643.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-6              | GW-08               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         | 10/25/2019           |                      | Water         | USEPA         | E_COLI_1           | E. Coli                          | Total           | 42.20    | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-6              | GW-08               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         | 10/25/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-6              | GW-08               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         | 10/29/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-6              | GW-08               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         | 10/29/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | 1.35     | mg/L         | J                | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-6              | GW-08               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         | 10/25/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | ND       | mg/L         |                  | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-6              | GW-08               | 0.5          | ft                 | Mill Creek     |                            |                 | Non-IEPA                         |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.70     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 11-6              | GW-08               | 0.5          | ft                 | Mill Creek     |                            |                 |                                  |                      |                        |                        |                     |                     |                         |                         |                      |                      |               |               |                    |                                  |                 |          |              |                  |                        |                                      |                                      |              |                       |

| Submitting Source | Laboratory Name | Sample Group | DRWW Station Code | IL EPA Station Code | Sample Depth | Sample-Depth Units | Waterbody Name         | Public Water Supply Intake | Monitoring Unit | Surface-Water Monitoring Program | QA/QC Field-Blank ID | Sample-Collection Date | Sample-Collection Time | Sample-Receipt Date | Sample-Receipt Time | Sample-Preparation Date | Sample-Preparation Time | Sample-Analysis Date | Sample-Analysis Time | Sample Medium | Method Source | Method Code - IEPA | Analyte                          | Sample Fraction | Result   | Result Units | Result Qualifier | Method Detection Limit | Minimum Practical Quantitation Limit | Maximum Practical Quantitation Limit | Weight Basis | Date Results Released |
|-------------------|-----------------|--------------|-------------------|---------------------|--------------|--------------------|------------------------|----------------------------|-----------------|----------------------------------|----------------------|------------------------|------------------------|---------------------|---------------------|-------------------------|-------------------------|----------------------|----------------------|---------------|---------------|--------------------|----------------------------------|-----------------|----------|--------------|------------------|------------------------|--------------------------------------|--------------------------------------|--------------|-----------------------|
| DRWW              | Suburban Labs   |              | 12-1              | GZB-99              | 0.5          | ft                 | Newport Drainage Ditch | Non-IEPA                   |                 |                                  |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/23/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        |                 | 12.10    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 12-1              | GZB-99              | 0.5          | ft                 | Newport Drainage Ditch | Non-IEPA                   |                 |                                  |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 97.10    | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 12-1              | GZB-99              | 0.5          | ft                 | Newport Drainage Ditch | Non-IEPA                   |                 |                                  |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | SM A102            | Chlorophyll a                    | Total           | 4.40     | mg/L         |                  | 4.0                    | 4.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 12-1              | GZB-99              | 0.5          | ft                 | Newport Drainage Ditch | Non-IEPA                   |                 |                                  |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 701.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 12-1              | GZB-99              | 0.5          | ft                 | Newport Drainage Ditch | Non-IEPA                   |                 |                                  |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         | 08/27/2019           |                      | Water         | USEPA         | E. COLI            | E. Coli                          | Total           | >2419.6  | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 12-1              | GZB-99              | 0.5          | ft                 | Newport Drainage Ditch | Non-IEPA                   |                 |                                  |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         | 08/27/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | Complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 12-1              | GZB-99              | 0.5          | ft                 | Newport Drainage Ditch | Non-IEPA                   |                 |                                  |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | 0.35     | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 12-1              | GZB-99              | 0.5          | ft                 | Newport Drainage Ditch | Non-IEPA                   |                 |                                  |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         | 09/05/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | ND       | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 12-1              | GZB-99              | 0.5          | ft                 | Newport Drainage Ditch | Non-IEPA                   |                 |                                  |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         | 08/28/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.07     | mg/L         |                  | 0.026                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 12-1              | GZB-99              | 0.5          | ft                 | Newport Drainage Ditch | Non-IEPA                   |                 |                                  |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 7.50     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 12-1              | GZB-99              | 0.5          | ft                 | Newport Drainage Ditch | Non-IEPA                   |                 |                                  |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.17     | mg/L         |                  | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 12-1              | GZB-99              | 0.5          | ft                 | Newport Drainage Ditch | Non-IEPA                   |                 |                                  |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 706.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 12-1              | GZB-99              | 0.5          | ft                 | Newport Drainage Ditch | Non-IEPA                   |                 |                                  |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         | 08/28/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.14     | mg/L         | J                | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 12-1              | GZB-99              | 0.5          | ft                 | Newport Drainage Ditch | Non-IEPA                   |                 |                                  |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        |                 | 20.80    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 12-1              | GZB-99              | 0.5          | ft                 | Newport Drainage Ditch | Non-IEPA                   |                 |                                  |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | 4500-CL-           | Chloride                         | Total           | 70.20    | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 12-1              | GZB-99              | 0.5          | ft                 | Newport Drainage Ditch | Non-IEPA                   |                 |                                  |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         | 11/04/2019           |                      | Water         | USEPA         | SM A102            | Chlorophyll a                    | Total           | ND       | mg/L         |                  | 4.0                    | 4.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 12-1              | GZB-99              | 0.5          | ft                 | Newport Drainage Ditch | Non-IEPA                   |                 |                                  |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 834.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 12-1              | GZB-99              | 0.5          | ft                 | Newport Drainage Ditch | Non-IEPA                   |                 |                                  |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         | 10/25/2019           |                      | Water         | USEPA         | E. COLI            | E. Coli                          | Total           | 261.30   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 12-1              | GZB-99              | 0.5          | ft                 | Newport Drainage Ditch | Non-IEPA                   |                 |                                  |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         | 10/25/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 12-1              | GZB-99              | 0.5          | ft                 | Newport Drainage Ditch | Non-IEPA                   |                 |                                  |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         | 10/29/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 12-1              | GZB-99              | 0.5          | ft                 | Newport Drainage Ditch | Non-IEPA                   |                 |                                  |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         | 10/30/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | ND       | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 12-1              | GZB-99              | 0.5          | ft                 | Newport Drainage Ditch | Non-IEPA                   |                 |                                  |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         | 10/25/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | ND       | mg/L         |                  | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 12-1              | GZB-99              | 0.5          | ft                 | Newport Drainage Ditch | Non-IEPA                   |                 |                                  |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.80     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 12-1              | GZB-99              | 0.5          | ft                 | Newport Drainage Ditch | Non-IEPA                   |                 |                                  |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         | 10/28/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.05     | mg/L         |                  | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 12-1              | GZB-99              | 0.5          | ft                 | Newport Drainage Ditch | Non-IEPA                   |                 |                                  |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         | 11/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 866.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 12-1              | GZB-99              | 0.5          | ft                 | Newport Drainage Ditch | Non-IEPA                   |                 |                                  |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         | 10/30/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | ND       | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 12-1              | GZB-99              | 0.5          | ft                 | Newport Drainage Ditch | Non-IEPA                   |                 |                                  |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         | 10/25/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 3.53     | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 12-2              | GZB-01              | 0.5          | ft                 | Newport Drainage Ditch | Non-IEPA                   |                 |                                  |                      | 05/24/2019             |                        | 05/24/2019          |                     |                         |                         | 05/25/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 111.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 12-2              | GZB-01              | 0.5          | ft                 | Newport Drainage Ditch | Non-IEPA                   |                 |                                  |                      | 05/24/2019             |                        | 05/24/2019          |                     |                         |                         | 05/30/2019           |                      | Water         | USEPA         | SM A102            | Chlorophyll a                    | Total           | ND       | mg/L         |                  | 4.0                    | 4.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 12-2              | GZB-01              | 0.5          | ft                 | Newport Drainage Ditch | Non-IEPA                   |                 |                                  |                      | 05/24/2019             |                        | 05/24/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 801.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 12-2              | GZB-01              | 0.5          | ft                 | Newport Drainage Ditch | Non-IEPA                   |                 |                                  |                      | 05/24/2019             |                        | 05/24/2019          |                     |                         |                         | 05/24/2019           |                      | Water         | USEPA         | E. COLI            | E. Coli                          | Total           | 816.40   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 12-2              | GZB-01              | 0.5          | ft                 | Newport Drainage Ditch | Non-IEPA                   |                 |                                  |                      | 05/24/2019             |                        | 05/24/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 7.60     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 12-2              | GZB-01              | 0.5          | ft                 | Newport Drainage Ditch | Non-IEPA                   |                 |                                  |                      | 05/24/2019             |                        | 05/24/2019          |                     |                         |                         | 05/30/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.10     | mg/L         | J                | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 12-2              | GZB-01              | 0.5          | ft                 | Newport Drainage Ditch | Non-IEPA                   |                 |                                  |                      | 05/24/2019             |                        | 05/24/2019          |                     |                         |                         | 05/30/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 801.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 12-2              | GZB-01              | 0.5          | ft                 | Newport Drainage Ditch | Non-IEPA                   |                 |                                  |                      | 05/24/2019             |                        | 05/24/2019          |                     |                         |                         | 05/31/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | ND       | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 12-2              | GZB-01              | 0.5          | ft                 | Newport Drainage Ditch | Non-IEPA                   |                 |                                  |                      | 05/24/2019             |                        | 05/24/2019          |                     |                         |                         | 05/24/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        |                 | 7.24     | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 12-2              | GZB-01              | 0.5          | ft                 | Newport Drainage Ditch | Non-IEPA                   |                 |                                  |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/29/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 88.90    | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 12-2              | GZB-01              | 0.5          | ft                 | Newport Drainage Ditch | Non-IEPA                   |                 |                                  |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/24/2019           |                      | Water         | USEPA         | SM A102            | Chlorophyll a                    | Total           | ND       | mg/L         |                  | 4.0                    | 4.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 12-2              | GZB-01              | 0.5          | ft                 | Newport Drainage Ditch | Non-IEPA                   |                 |                                  |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 751.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 12-2              | GZB-01              | 0.5          | ft                 | Newport Drainage Ditch | Non-IEPA                   |                 |                                  |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/23/2019           |                      | Water         | USEPA         | E. COLI            | E. Coli                          | Total           | 186.00   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 12-2              | GZB-01              | 0.5          | ft                 | Newport Drainage Ditch | Non-IEPA                   |                 |                                  |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/23/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | Complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 12-2              | GZB-01              | 0.5          | ft                 | Newport Drainage Ditch | Non-IEPA                   |                 |                                  |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/25/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 12-2              | GZB-01              | 0.5          | ft                 | Newport Drainage Ditch | Non-IEPA                   |                 |                                  |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/30/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | 2.28     | mg/L         | J                | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 12-2              | GZB-01              | 0.5          | ft                 | Newport Drainage Ditch | Non-IEPA                   |                 |                                  |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/24/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.09     | mg/L         |                  | 0.026                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 12-2              | GZB-01              | 0.5          | ft                 | Newport Drainage Ditch | Non-IEPA                   |                 |                                  |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 7.50     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 12-2              | GZB-01              | 0.5          | ft                 | Newport Drainage Ditch | Non-IEPA                   |                 |                                  |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/25/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.14     | mg/L         |                  | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 12-2              | GZB-01              | 0.5          | ft                 | Newport Drainage Ditch | Non-IEPA                   |                 |                                  |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/30/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 758.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 12-2              | GZB-01              | 0.5          | ft                 | Newport Drainage Ditch | Non-IEPA                   |                 |                                  |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | ND       | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 12-2              | GZB-01              | 0.5          | ft                 | Newport Drainage Ditch | Non-IEPA                   |                 |                                  |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/23/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        |                 | 3.25     | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 12-2              | GZB-01              | 0.5          | ft                 | Newport Drainage Ditch | Non-IEPA                   |                 |                                  |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 71.20    | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 12-2              | GZB-01              | 0.5          | ft                 | Newport Drainage Ditch | Non-IEPA                   |                 |                                  |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         | 08/29/2019           |                      | Water         |               |                    |                                  |                 |          |              |                  |                        |                                      |                                      |              |                       |

| Submitting Source | Laboratory Name | Sample Group | DRWW Station Code | IL EPA Station Code | Sample Depth | Sample-Depth Units | Waterbody Name          | Public Water Supply Intake | Monitoring Unit | Surface-Water Monitoring Program | QA/QC Field-Blank ID | Sample-Collection Date | Sample-Collection Time | Sample-Receipt Date | Sample-Receipt Time | Sample-Preparation Date | Sample-Preparation Time | Sample-Analysis Date | Sample-Analysis Time | Sample Medium | Method Source | Method Code - IEPA | Analyte                          | Sample Fraction | Result   | Result Units | Result Qualifier | Method Detection Limit | Minimum Practical Quantitation Limit | Maximum Practical Quantitation Limit | Weight Basis | Date Results Released |  |  |  |  |  |
|-------------------|-----------------|--------------|-------------------|---------------------|--------------|--------------------|-------------------------|----------------------------|-----------------|----------------------------------|----------------------|------------------------|------------------------|---------------------|---------------------|-------------------------|-------------------------|----------------------|----------------------|---------------|---------------|--------------------|----------------------------------|-----------------|----------|--------------|------------------|------------------------|--------------------------------------|--------------------------------------|--------------|-----------------------|--|--|--|--|--|
| DRWW              | Suburban Labs   |              | 12-2 FB           | GZB-01              | 0.5          | ft                 | Newport Drainage Ditch  |                            |                 | Non-IEPA                         |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 0.00     | umhos/cm     |                  |                        |                                      |                                      |              |                       |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 12-2 FB           | GZB-01              | 0.5          | ft                 | Newport Drainage Ditch  |                            |                 | Non-IEPA                         |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         | 08/27/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 2.00     | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 12-2 FB           | GZB-01              | 0.5          | ft                 | Newport Drainage Ditch  |                            |                 | Non-IEPA                         |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         | 08/27/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | Complete | V            | 0                | 0                      |                                      |                                      |              |                       |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 12-2 FB           | GZB-01              | 0.5          | ft                 | Newport Drainage Ditch  |                            |                 | Non-IEPA                         |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 12-2 FB           | GZB-01              | 0.5          | ft                 | Newport Drainage Ditch  |                            |                 | Non-IEPA                         |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         | 09/05/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | ND       | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 12-2 FB           | GZB-01              | 0.5          | ft                 | Newport Drainage Ditch  |                            |                 | Non-IEPA                         |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         | 08/28/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | ND       | mg/L         |                  | 0.026                  | 0.050                                |                                      |              |                       |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 12-2 FB           | GZB-01              | 0.5          | ft                 | Newport Drainage Ditch  |                            |                 | Non-IEPA                         |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 7.00     | S.U.         |                  |                        |                                      |                                      |              |                       |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 12-2 FB           | GZB-01              | 0.5          | ft                 | Newport Drainage Ditch  |                            |                 | Non-IEPA                         |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | ND       | mg/L         |                  | 0.0500                 | 0.135                                |                                      |              |                       |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 12-2 FB           | GZB-01              | 0.5          | ft                 | Newport Drainage Ditch  |                            |                 | Non-IEPA                         |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 1.53     | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 12-2 FB           | GZB-01              | 0.5          | ft                 | Newport Drainage Ditch  |                            |                 | Non-IEPA                         |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         | 08/28/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | ND       | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 12-2 FB           | GZB-01              | 0.5          | ft                 | Newport Drainage Ditch  |                            |                 | Non-IEPA                         |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        |                 | ND       | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 13-1              | G-07                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/24/2019             |                        | 05/24/2019          |                     |                         |                         | 05/25/2019           |                      | Water         | APHA          | 4500-CL            | Chloride                         | Total           | 141.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 13-1              | G-07                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/24/2019             |                        | 05/24/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 887.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 13-1              | G-07                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/24/2019             |                        | 05/24/2019          |                     |                         |                         | 05/24/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 461.10   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 13-1              | G-07                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/24/2019             |                        | 05/24/2019          |                     |                         |                         | 05/27/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 13-1              | G-07                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/24/2019             |                        | 05/24/2019          |                     |                         |                         | 06/03/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | ND       | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 13-1              | G-07                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/24/2019             |                        | 05/24/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 7.50     | S.U.         |                  |                        |                                      |                                      |              |                       |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 13-1              | G-07                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/24/2019             |                        | 05/24/2019          |                     |                         |                         | 05/30/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.28     | mg/L         |                  | 0.0500                 | 0.135                                |                                      |              |                       |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 13-1              | G-07                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/24/2019             |                        | 05/24/2019          |                     |                         |                         | 05/30/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 893.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 13-1              | G-07                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/24/2019             |                        | 05/24/2019          |                     |                         |                         | 05/31/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 2.40     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 13-1              | G-07                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/24/2019             |                        | 05/24/2019          |                     |                         |                         | 05/30/2019           |                      | Water         | USEPA         | 2540-D             | Total Suspended Solids           | Total           | 18.40    | mg/L         |                  | 0.384                  | 9.60                                 |                                      |              |                       |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 13-1              | G-07                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/24/2019             |                        | 05/24/2019          |                     |                         |                         | 05/24/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        |                 | 19.20    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 13-1              | G-07                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/24/2019             |                        | 05/24/2019          |                     |                         |                         | 05/30/2019           |                      | Water         | USEPA         | 2540-D             | Volatile Suspended Solids        | Total           | 4.61     | mg/L         | J                | 0.384                  | 9.60                                 |                                      |              |                       |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 13-1              | G-07                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/29/2019           |                      | Water         | APHA          | 4500-CL            | Chloride                         | Total           | 45.00    | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 13-1              | G-07                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 728.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 13-1              | G-07                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/23/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 178.50   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 13-1              | G-07                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/24/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | Complete | V            | 0                | 0                      |                                      |                                      |              |                       |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 13-1              | G-07                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/25/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 13-1              | G-07                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/31/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | 1.27     | mg/L         | J                | 1.19                   | 3.78                                 |                                      |              |                       |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 13-1              | G-07                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/25/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.08     | mg/L         |                  | 0.026                  | 0.050                                |                                      |              |                       |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 13-1              | G-07                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 7.50     | S.U.         |                  |                        |                                      |                                      |              |                       |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 13-1              | G-07                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/25/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.21     | mg/L         |                  | 0.0500                 | 0.135                                |                                      |              |                       |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 13-1              | G-07                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/30/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 676.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 13-1              | G-07                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 2.15     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 13-1              | G-07                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/25/2019           |                      | Water         | USEPA         | 2540-D             | Total Suspended Solids           | Total           | 13.60    | mg/L         |                  | 0.200                  | 5.00                                 |                                      |              |                       |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 13-1              | G-07                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/23/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        |                 | 18.20    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 13-1              | G-07                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/25/2019           |                      | Water         | USEPA         | 2540-D             | Volatile Suspended Solids        | Total           | 1.60     | mg/L         | J                | 0.200                  | 5.00                                 |                                      |              |                       |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 13-1              | G-07                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | 200.7              | Arsenic                          | Total           | ND       | mg/L         |                  | 0.00500                | 0.0150                               |                                      |              |                       |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 13-1              | G-07                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | APHA          | 4500-CL            | Chloride                         | Total           | 115.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 13-1              | G-07                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 842.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 13-1              | G-07                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | 200.7              | Copper                           | Total           | 0.00     | mg/L         | J                | 0.00130                | 0.00410                              |                                      |              |                       |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 13-1              | G-07                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         | 08/27/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 1553.10  | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 13-1              | G-07                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         | 08/27/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | Complete | V            | 0                | 0                      |                                      |                                      |              |                       |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 13-1              | G-07                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | 200.7              | Hardness (As CaCO3)              | Total           | 210.00   | mg/L         |                  | 0.0500                 | 0.150                                |                                      |              |                       |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 13-1              | G-07                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | 200.7              | Iron                             | Total           | 0.71     | mg/L         |                  | 0.00550                | 0.0175                               |                                      |              |                       |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 13-1              | G-07                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | 200.7              | Manganese                        | Total           | 0.09     | mg/L         |                  | 0.000600               | 0.00190                              |                                      |              |                       |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 13-1              | G-07                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         | 09/06/2019           |                      | Water         | USEPA         | 1631               | Mercury                          | Total           | 2.32     | ng/L         |                  | 0.500                  | 5.00                                 |                                      |              |                       |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 13-1              | G-07                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | 200.7              | Nickel                           | Total           | 0.00     | mg/L         | J                | 0.000700               | 0.00210                              |                                      |              |                       |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 13-1              | G-07                |              |                    |                         |                            |                 |                                  |                      |                        |                        |                     |                     |                         |                         |                      |                      |               |               |                    |                                  |                 |          |              |                  |                        |                                      |                                      |              |                       |  |  |  |  |  |

| Submitting Source | Laboratory Name | Sample Group | DRWW Station Code | IL EPA Station Code | Sample Depth | Sample-Depth Units | Waterbody Name          | Public Water Supply Intake | Monitoring Unit | Surface-Water Monitoring Program | QA/QC Field-Blank ID | Sample-Collection Date | Sample-Collection Time | Sample-Receipt Date | Sample-Receipt Time | Sample-Preparation Date | Sample-Preparation Time | Sample-Analysis Date | Sample-Analysis Time | Sample Medium | Method Source | Method Code - IEPA | Analyte                          | Sample Fraction | Result   | Result Units | Result Qualifier | Method Detection Limit | Minimum Practical Quantitation Limit | Maximum Practical Quantitation Limit | Weight Basis | Date Results Released |
|-------------------|-----------------|--------------|-------------------|---------------------|--------------|--------------------|-------------------------|----------------------------|-----------------|----------------------------------|----------------------|------------------------|------------------------|---------------------|---------------------|-------------------------|-------------------------|----------------------|----------------------|---------------|---------------|--------------------|----------------------------------|-----------------|----------|--------------|------------------|------------------------|--------------------------------------|--------------------------------------|--------------|-----------------------|
| DRWW              | Suburban Labs   |              | 13-1 DUP          | G-07                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         | 10/25/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete | V            | 0                | 0                      |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-1 DUP          | G-07                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         | 10/29/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-1 DUP          | G-07                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         | 10/30/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | 1.21     | mg/L         | J                | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-1 DUP          | G-07                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         | 10/25/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.07     | mg/L         |                  | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-1 DUP          | G-07                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.70     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-1 DUP          | G-07                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         | 10/28/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.14     | mg/L         |                  | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-1 DUP          | G-07                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         | 11/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 883.00   | µmhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-1 DUP          | G-07                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         | 10/30/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 3.64     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-1 DUP          | G-07                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | 2540-D             | Total Suspended Solids           | Total           | 13.60    | mg/L         |                  | 0.400                  | 10.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-1 DUP          | G-07                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         | 10/25/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 8.35     | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-1 DUP          | G-07                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | 2540-D             | Volatile Suspended Solids        | Total           | 3.60     | mg/L         | JR               | 0.400                  | 10.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-1 FB           | G-07                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | 4500-CL-           | Chloride                         | Total           | ND       | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-1 FB           | G-07                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 0.00     | µmhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-1 FB           | G-07                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         | 10/25/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | <1       | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-1 FB           | G-07                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         | 10/25/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete | V            | 0                | 0                      |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-1 FB           | G-07                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         | 10/29/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-1 FB           | G-07                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         | 10/30/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | ND       | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-1 FB           | G-07                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         | 10/25/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | ND       | mg/L         |                  | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-1 FB           | G-07                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.40     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-1 FB           | G-07                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         | 10/28/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | ND       | mg/L         |                  | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-1 FB           | G-07                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         | 11/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 1.58     | µmhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-1 FB           | G-07                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         | 10/30/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | ND       | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-1 FB           | G-07                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | 2540-D             | Total Suspended Solids           | Total           | ND       | mg/L         |                  | 0.200                  | 5.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-1 FB           | G-07                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         | 10/25/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 0.16     | NTU          | J                | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-1 FB           | G-07                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | 2540-D             | Volatile Suspended Solids        | Total           | ND       | mg/L         |                  | 0.200                  | 5.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-1 Field        | G-07                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         | 09/06/2019           |                      | Water         | USEPA         | 1631               | Mercury                          | Total           | ND       | ng/L         |                  | 0.500                  | 0.500                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-10             | GZL-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/24/2019             |                        | 05/24/2019          |                     |                         |                         | 05/25/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 135.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-10             | GZL-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/24/2019             |                        | 05/24/2019          |                     |                         |                         | 05/30/2019           |                      | Water         | USEPA         | SM A102            | Chlorophyll a                    | Total           | 5.60     | mg/L         |                  | 4.0                    | 4.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-10             | GZL-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/24/2019             |                        | 05/24/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 832.00   | µmhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-10             | GZL-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/24/2019             |                        | 05/24/2019          |                     |                         |                         | 05/24/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 1553.10  | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-10             | GZL-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/24/2019             |                        | 05/24/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.60     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-10             | GZL-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/24/2019             |                        | 05/24/2019          |                     |                         |                         | 05/30/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.07     | mg/L         | J                | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-10             | GZL-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/24/2019             |                        | 05/24/2019          |                     |                         |                         | 05/30/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 817.00   | µmhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-10             | GZL-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/24/2019             |                        | 05/24/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | SM 2550B           | Temperature                      | Total           | 0.00     | deg C        |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-10             | GZL-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/24/2019             |                        | 05/24/2019          |                     |                         |                         | 05/31/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | ND       | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-10             | GZL-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/24/2019             |                        | 05/24/2019          |                     |                         |                         | 05/24/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 11.80    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-10             | GZL-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/29/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 100.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-10             | GZL-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/24/2019           |                      | Water         | USEPA         | SM A102            | Chlorophyll a                    | Total           | 4.20     | mg/L         |                  | 4.0                    | 4.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-10             | GZL-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 826.00   | µmhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-10             | GZL-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/23/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 201.40   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-10             | GZL-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/23/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | Complete | V            | 0                | 0                      |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-10             | GZL-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/25/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-10             | GZL-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/30/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | 2.74     | mg/L         | J                | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-10             | GZL-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/24/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.05     | mg/L         | J                | 0.026                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-10             | GZL-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.50     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-10             | GZL-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/25/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.08     | mg/L         | J                | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-10             | GZL-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/30/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 829.00   | µmhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-10             | GZL-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | ND       | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-10             | GZL-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/23/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 3.84     | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-10             | GZL-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 101.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-10             | GZL-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | SM A102            | Chlorophyll a                    | Total           | 4.30     | mg/L         |                  | 4.0                    | 4.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-10             | GZL-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         |                      |                      |               |               |                    |                                  |                 |          |              |                  |                        |                                      |                                      |              |                       |

| Submitting Source | Laboratory Name | Sample Group | DRWW Station Code | IL EPA Station Code | Sample Depth | Sample-Depth Units | Waterbody Name          | Public Water Supply Intake | Monitoring Unit | Surface-Water Monitoring Program | QA/QC Field-Blank ID | Sample-Collection Date | Sample-Collection Time | Sample-Receipt Date | Sample-Receipt Time | Sample-Preparation Date | Sample-Preparation Time | Sample-Analysis Date | Sample-Analysis Time | Sample Medium | Method Source | Method Code - IEPA | Analyte                          | Sample Fraction | Result   | Result Units | Result Qualifier | Method Detection Limit | Minimum Practical Quantitation Limit | Maximum Practical Quantitation Limit | Weight Basis | Date Results Released |  |  |  |  |  |  |  |
|-------------------|-----------------|--------------|-------------------|---------------------|--------------|--------------------|-------------------------|----------------------------|-----------------|----------------------------------|----------------------|------------------------|------------------------|---------------------|---------------------|-------------------------|-------------------------|----------------------|----------------------|---------------|---------------|--------------------|----------------------------------|-----------------|----------|--------------|------------------|------------------------|--------------------------------------|--------------------------------------|--------------|-----------------------|--|--|--|--|--|--|--|
| DRWW              | Suburban Labs   |              | 13-11             | GZM-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/24/2019             |                        | 05/24/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 827.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |  |  |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 13-11             | GZM-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/24/2019             |                        | 05/24/2019          |                     |                         |                         | 05/24/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 920.80   | MPN/100mL    | 1.0              | 1.0                    |                                      |                                      |              |                       |  |  |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 13-11             | GZM-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/24/2019             |                        | 05/24/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 7.60     | S.U.         |                  |                        |                                      |                                      |              |                       |  |  |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 13-11             | GZM-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/24/2019             |                        | 05/24/2019          |                     |                         |                         | 05/30/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.11     | mg/L         | J                | 0.0500                 | 0.135                                |                                      |              |                       |  |  |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 13-11             | GZM-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/24/2019             |                        | 05/24/2019          |                     |                         |                         | 05/30/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 814.00   | umhos/cm     | 1.00             | 1.00                   |                                      |                                      |              |                       |  |  |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 13-11             | GZM-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/24/2019             |                        | 05/24/2019          |                     |                         |                         | 05/31/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.13     | mg/L         | J                | 0.100                  | 0.224                                |                                      |              |                       |  |  |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 13-11             | GZM-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/24/2019             |                        | 05/24/2019          |                     |                         |                         | 05/24/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 58.80    | NTU          | 0.100            | 0.200                  |                                      |                                      |              |                       |  |  |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 13-11             | GZM-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/29/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 78.90    | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |  |  |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 13-11             | GZM-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/24/2019           |                      | Water         | USEPA         | SM A102            | Chlorophyll a                    | Total           | ND       | mg/L         |                  | 4.0                    | 4.0                                  |                                      |              |                       |  |  |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 13-11             | GZM-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 745.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |  |  |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 13-11             | GZM-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/23/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 193.50   | MPN/100mL    | 1.0              | 1.0                    |                                      |                                      |              |                       |  |  |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 13-11             | GZM-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/23/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | Complete |              | V                | 0                      | 0                                    |                                      |              |                       |  |  |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 13-11             | GZM-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/25/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         | J                | 0.10                   | 0.30                                 |                                      |              |                       |  |  |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 13-11             | GZM-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/30/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | 1.99     | mg/L         | J                | 1.19                   | 3.78                                 |                                      |              |                       |  |  |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 13-11             | GZM-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/24/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.05     | mg/L         | J                | 0.026                  | 0.050                                |                                      |              |                       |  |  |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 13-11             | GZM-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 7.60     | S.U.         |                  |                        |                                      |                                      |              |                       |  |  |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 13-11             | GZM-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/25/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.10     | mg/L         | J                | 0.0500                 | 0.135                                |                                      |              |                       |  |  |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 13-11             | GZM-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/30/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 750.00   | umhos/cm     | 1.00             | 1.00                   |                                      |                                      |              |                       |  |  |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 13-11             | GZM-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.25     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |  |  |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 13-11             | GZM-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/23/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 14.10    | NTU          | 0.100            | 0.200                  |                                      |                                      |              |                       |  |  |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 13-11             | GZM-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 93.60    | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |  |  |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 13-11             | GZM-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | SM A102            | Chlorophyll a                    | Total           | 7.70     | mg/L         |                  | 4.0                    | 4.0                                  |                                      |              |                       |  |  |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 13-11             | GZM-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 736.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |  |  |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 13-11             | GZM-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         | 08/27/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 2419.60  | MPN/100mL    | 1.0              | 1.0                    |                                      |                                      |              |                       |  |  |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 13-11             | GZM-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         | 08/27/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | Complete |              | V                | 0                      | 0                                    |                                      |              |                       |  |  |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 13-11             | GZM-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | 0.10     | mg/L         | J                | 0.10                   | 0.30                                 |                                      |              |                       |  |  |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 13-11             | GZM-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         | 09/05/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | ND       | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |  |  |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 13-11             | GZM-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         | 08/28/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.04     | mg/L         | J                | 0.026                  | 0.050                                |                                      |              |                       |  |  |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 13-11             | GZM-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 7.60     | S.U.         |                  |                        |                                      |                                      |              |                       |  |  |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 13-11             | GZM-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.14     | mg/L         |                  | 0.0500                 | 0.135                                |                                      |              |                       |  |  |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 13-11             | GZM-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 683.00   | umhos/cm     | 1.00             | 1.00                   |                                      |                                      |              |                       |  |  |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 13-11             | GZM-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         | 08/28/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | ND       | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |  |  |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 13-11             | GZM-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 17.50    | NTU          | 0.100            | 0.200                  |                                      |                                      |              |                       |  |  |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 13-11             | GZM-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | 4500-CL-           | Chloride                         | Total           | 70.50    | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |  |  |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 13-11             | GZM-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         | 11/04/2019           |                      | Water         | USEPA         | SM A102            | Chlorophyll a                    | Total           | ND       | mg/L         |                  | 4.0                    | 4.0                                  |                                      |              |                       |  |  |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 13-11             | GZM-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 809.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |  |  |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 13-11             | GZM-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         | 10/25/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 20.10    | MPN/100mL    | 1.0              | 1.0                    |                                      |                                      |              |                       |  |  |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 13-11             | GZM-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         | 10/25/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                                    |                                      |              |                       |  |  |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 13-11             | GZM-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         | 10/29/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         | J                | 0.10                   | 0.30                                 |                                      |              |                       |  |  |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 13-11             | GZM-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         | 10/30/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | ND       | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |  |  |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 13-11             | GZM-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         | 10/25/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.07     | mg/L         |                  | 0.020                  | 0.050                                |                                      |              |                       |  |  |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 13-11             | GZM-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.80     | S.U.         |                  |                        |                                      |                                      |              |                       |  |  |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 13-11             | GZM-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         | 10/28/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.04     | mg/L         | J                | 0.020                  | 0.050                                |                                      |              |                       |  |  |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 13-11             | GZM-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         | 11/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 807.00   | umhos/cm     | 1.00             | 1.00                   |                                      |                                      |              |                       |  |  |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 13-11             | GZM-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         | 10/30/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.21     | mg/L         | J                | 0.100                  | 0.224                                |                                      |              |                       |  |  |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 13-11             | GZM-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         | 10/25/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 3.94     | NTU          | 0.100            | 0.200                  |                                      |                                      |              |                       |  |  |  |  |  |  |  |
| DRWW              | Suburban Labs   |              | 13-13             | GZK-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/24/2019             |                        | 05/24/2019          |                     |                         |                         | 05/25/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 206.00   | mg/L         |                  | 40.0                   | 40.0                                 |                                      |              |                       |  |  |  |  |  |  |  |
|                   |                 |              |                   |                     |              |                    |                         |                            |                 |                                  |                      |                        |                        |                     |                     |                         |                         |                      |                      |               |               |                    |                                  |                 |          |              |                  |                        |                                      |                                      |              |                       |  |  |  |  |  |  |  |

| Submitting Source | Laboratory Name | Sample Group | DRWW Station Code | IL EPA Station Code | Sample Depth | Sample-Depth Units | Waterbody Name          | Public Water Supply Intake | Monitoring Unit | Surface-Water Monitoring Program | QA/QC Field-Blank ID | Sample-Collection Date | Sample-Collection Time | Sample-Receipt Date | Sample-Receipt Time | Sample-Preparation Date | Sample-Preparation Time | Sample-Analysis Date | Sample-Analysis Time | Sample Medium | Method Source | Method Code - IEPA | Analyte                          | Sample Fraction | Result   | Result Units | Result Qualifier | Method Detection Limit | Minimum Practical Quantitation Limit | Maximum Practical Quantitation Limit | Weight Basis | Date Results Released |
|-------------------|-----------------|--------------|-------------------|---------------------|--------------|--------------------|-------------------------|----------------------------|-----------------|----------------------------------|----------------------|------------------------|------------------------|---------------------|---------------------|-------------------------|-------------------------|----------------------|----------------------|---------------|---------------|--------------------|----------------------------------|-----------------|----------|--------------|------------------|------------------------|--------------------------------------|--------------------------------------|--------------|-----------------------|
| DRWW              | Suburban Labs   |              | 13-13             | GZK-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        |                 | 79.00    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-13             | GZK-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | 4500-CL-           | Chloride                         | Total           | 266.00   | mg/L         |                  | 100                    | 100                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-13             | GZK-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 1248.00  | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-13             | GZK-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         | 10/25/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 416.00   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-13             | GZK-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         | 10/25/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-13             | GZK-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         | 10/29/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | 2.11     | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-13             | GZK-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         | 10/30/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | ND       | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-13             | GZK-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         | 10/25/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.02     | mg/L         | J                | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-13             | GZK-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.90     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-13             | GZK-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         | 10/29/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.05     | mg/L         | J                | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-13             | GZK-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         | 11/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 1560.00  | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-13             | GZK-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         | 10/30/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.15     | mg/L         | J                | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-13             | GZK-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         | 10/25/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 6.15     | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-14             | GZIA-01             | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/24/2019             |                        | 05/24/2019          |                     |                         |                         | 05/25/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 172.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-14             | GZIA-01             | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/24/2019             |                        | 05/24/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 891.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-14             | GZIA-01             | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/24/2019             |                        | 05/24/2019          |                     |                         |                         | 05/24/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | >2419.6  | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-14             | GZIA-01             | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/24/2019             |                        | 05/24/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.70     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-14             | GZIA-01             | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/24/2019             |                        | 05/24/2019          |                     |                         |                         | 05/30/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.09     | mg/L         | J                | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-14             | GZIA-01             | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/24/2019             |                        | 05/24/2019          |                     |                         |                         | 05/30/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 944.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-14             | GZIA-01             | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/24/2019             |                        | 05/24/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | SM 2550B           | Temperature                      | Total           | -0.10    | deg C        |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-14             | GZIA-01             | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/24/2019             |                        | 05/24/2019          |                     |                         |                         | 05/31/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.14     | mg/L         | J                | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-14             | GZIA-01             | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/24/2019             |                        | 05/24/2019          |                     |                         |                         | 05/24/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 45.10    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-14             | GZIA-01             | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/29/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 191.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-14             | GZIA-01             | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 981.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-14             | GZIA-01             | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/23/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 209.80   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-14             | GZIA-01             | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/23/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | Complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-14             | GZIA-01             | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/25/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-14             | GZIA-01             | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/30/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | 2.89     | mg/L         | J                | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-14             | GZIA-01             | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/24/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.08     | mg/L         |                  | 0.026                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-14             | GZIA-01             | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.70     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-14             | GZIA-01             | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/25/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.09     | mg/L         | J                | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-14             | GZIA-01             | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/30/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 1120.00  | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-14             | GZIA-01             | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.19     | mg/L         | J                | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-14             | GZIA-01             | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/23/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 8.35     | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-14             | GZIA-01             | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 220.00   | mg/L         |                  | 40.0                   | 40.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-14             | GZIA-01             | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 1049.00  | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-14             | GZIA-01             | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 08/28/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 1046.20  | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-14             | GZIA-01             | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 08/28/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-14             | GZIA-01             | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-14             | GZIA-01             | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 09/05/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | ND       | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-14             | GZIA-01             | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | ND       | mg/L         |                  | 0.026                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-14             | GZIA-01             | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.90     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-14             | GZIA-01             | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.08     | mg/L         | J                | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-14             | GZIA-01             | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 1140.00  | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-14             | GZIA-01             | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.16     | mg/L         | J                | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-14             | GZIA-01             | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 9.38     | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-14             | GZIA-01             | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | 4500-CL-           | Chloride                         | Total           | 177.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-14             | GZIA-01             | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 1012.00  | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-14             | GZIA-01             | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         | 10/25/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 35.00    | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-14             | GZIA-01             | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         | 10/25/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-14             | GZIA-01             | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         | 10/29/2019           |                      |               |               |                    |                                  |                 |          |              |                  |                        |                                      |                                      |              |                       |

| Submitting Source | Laboratory Name | Sample Group | DRWW Station Code | IL EPA Station Code | Sample Depth | Sample-Depth Units | Waterbody Name          | Public Water Supply Intake | Monitoring Unit | Surface-Water Monitoring Program | QA/QC Field-Blank ID | Sample-Collection Date | Sample-Collection Time | Sample-Receipt Date | Sample-Receipt Time | Sample-Preparation Date | Sample-Preparation Time | Sample-Analysis Date | Sample-Analysis Time | Sample Medium | Method Source | Method Code - IEPA | Analyte                          | Sample Fraction | Result   | Result Units | Result Qualifier | Method Detection Limit | Minimum Practical Quantitation Limit | Maximum Practical Quantitation Limit | Weight Basis | Date Results Released |
|-------------------|-----------------|--------------|-------------------|---------------------|--------------|--------------------|-------------------------|----------------------------|-----------------|----------------------------------|----------------------|------------------------|------------------------|---------------------|---------------------|-------------------------|-------------------------|----------------------|----------------------|---------------|---------------|--------------------|----------------------------------|-----------------|----------|--------------|------------------|------------------------|--------------------------------------|--------------------------------------|--------------|-----------------------|
| DRWW              | Suburban Labs   |              | 13-15             | GZH-02              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/23/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        |                 | 4.37     | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-15             | GZH-02              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 87.50    | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-15             | GZH-02              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 774.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-15             | GZH-02              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 08/28/2019           |                      | Water         | USEPA         | E. COLI            | E. Coli                          | Total           | 115.30   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-15             | GZH-02              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 08/28/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-15             | GZH-02              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-15             | GZH-02              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 09/05/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | 1.95     | mg/L         | J                | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-15             | GZH-02              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | ND       | mg/L         |                  | 0.026                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-15             | GZH-02              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 7.60     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-15             | GZH-02              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | ND       | mg/L         |                  | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-15             | GZH-02              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 773.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-15             | GZH-02              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | ND       | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-15             | GZH-02              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        |                 | 3.64     | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-15             | GZH-02              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | 4500-CL-           | Chloride                         | Total           | 88.80    | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-15             | GZH-02              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 776.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-15             | GZH-02              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         | 10/25/2019           |                      | Water         | USEPA         | E. COLI            | E. Coli                          | Total           | 103.90   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-15             | GZH-02              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         | 10/25/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-15             | GZH-02              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         | 10/29/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-15             | GZH-02              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         | 10/30/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | ND       | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-15             | GZH-02              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         | 10/25/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | ND       | mg/L         |                  | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-15             | GZH-02              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.70     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-15             | GZH-02              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         | 10/29/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.05     | mg/L         | J                | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-15             | GZH-02              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         | 11/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 780.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-15             | GZH-02              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         | 10/30/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | ND       | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-15             | GZH-02              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/25/2019             |                        | 10/25/2019          |                     |                         |                         | 10/25/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 3.38     | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-16             | G-09                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/28/2019             |                        | 05/28/2019          |                     |                         |                         | 06/04/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 108.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-16             | G-09                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/28/2019             |                        | 05/28/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 783.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-16             | G-09                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/28/2019             |                        | 05/28/2019          |                     |                         |                         | 05/28/2019           |                      | Water         | USEPA         | E. COLI            | E. Coli                          | Total           | 81.30    | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-16             | G-09                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/28/2019             |                        | 05/28/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 7.80     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-16             | G-09                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/28/2019             |                        | 05/28/2019          |                     |                         |                         | 05/30/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.19     | mg/L         |                  | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-16             | G-09                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/28/2019             |                        | 05/28/2019          |                     |                         |                         | 05/30/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 711.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-16             | G-09                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/28/2019             |                        | 05/28/2019          |                     |                         |                         | 05/31/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 2.15     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-16             | G-09                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/28/2019             |                        | 05/28/2019          |                     |                         |                         | 05/29/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        |                 | 17.30    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-16             | G-09                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/29/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 85.80    | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-16             | G-09                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 737.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-16             | G-09                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/23/2019           |                      | Water         | USEPA         | E. COLI            | E. Coli                          | Total           | 139.60   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-16             | G-09                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/23/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | Complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-16             | G-09                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/25/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-16             | G-09                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/30/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | 1.77     | mg/L         | J                | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-16             | G-09                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/24/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.06     | mg/L         |                  | 0.026                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-16             | G-09                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 7.60     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-16             | G-09                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/25/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.20     | mg/L         |                  | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-16             | G-09                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/30/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 736.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-16             | G-09                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 1.85     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-16             | G-09                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/23/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        |                 | 16.30    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-16             | G-09                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 125.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-16             | G-09                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 860.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-16             | G-09                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 08/28/2019           |                      | Water         | USEPA         | E. COLI            | E. Coli                          | Total           | 248.10   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-16             | G-09                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 08/28/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-16             | G-09                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | 0.16     | mg/L         | J                | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-16             | G-09                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 09/05/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | 1.4      |              |                  |                        |                                      |                                      |              |                       |

| Submitting Source | Laboratory Name | Sample Group | DRWW Station Code | IL EPA Station Code | Sample Depth | Sample-Depth Units | Waterbody Name          | Public Water Supply Intake | Monitoring Unit | Surface-Water Monitoring Program | QA/QC Field-Blank ID | Sample-Collection Date | Sample-Collection Time | Sample-Receipt Date | Sample-Receipt Time | Sample-Preparation Date | Sample-Preparation Time | Sample-Analysis Date | Sample-Analysis Time | Sample Medium | Method Source | Method Code - IEPA | Analyte                          | Sample Fraction | Result   | Result Units | Result Qualifier | Method Detection Limit | Minimum Practical Quantitation Limit | Maximum Practical Quantitation Limit | Weight Basis | Date Results Released |
|-------------------|-----------------|--------------|-------------------|---------------------|--------------|--------------------|-------------------------|----------------------------|-----------------|----------------------------------|----------------------|------------------------|------------------------|---------------------|---------------------|-------------------------|-------------------------|----------------------|----------------------|---------------|---------------|--------------------|----------------------------------|-----------------|----------|--------------|------------------|------------------------|--------------------------------------|--------------------------------------|--------------|-----------------------|
| DRWW              | Suburban Labs   |              | 13-17             | GZA-99              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/29/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 44.90    | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-17             | GZA-99              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 670.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-17             | GZA-99              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/23/2019           |                      | Water         | USEPA         | E. COLI            | E. Coli                          | Total           | 307.60   | MPN/100mL    | 1.0              | 1.0                    |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-17             | GZA-99              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/23/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | Complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-17             | GZA-99              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/25/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-17             | GZA-99              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/31/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | 1.60     | mg/L         | J                | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-17             | GZA-99              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/24/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.08     | mg/L         |                  | 0.026                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-17             | GZA-99              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.60     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-17             | GZA-99              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/25/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.12     | mg/L         | J                | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-17             | GZA-99              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/30/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 673.00   | umhos/cm     | 1.00             | 1.00                   |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-17             | GZA-99              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.56     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-17             | GZA-99              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/24/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 5.59     | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-17             | GZA-99              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 73.10    | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-17             | GZA-99              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 619.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-17             | GZA-99              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 08/28/2019           |                      | Water         | USEPA         | E. COLI            | E. Coli                          | Total           | 365.40   | MPN/100mL    | 1.0              | 1.0                    |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-17             | GZA-99              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 08/28/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-17             | GZA-99              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | 0.27     | mg/L         | J                | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-17             | GZA-99              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 09/06/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | 2.76     | mg/L         | J                | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-17             | GZA-99              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.04     | mg/L         | J                | 0.026                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-17             | GZA-99              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.80     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-17             | GZA-99              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.19     | mg/L         |                  | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-17             | GZA-99              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 607.00   | umhos/cm     | 1.00             | 1.00                   |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-17             | GZA-99              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.23     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-17             | GZA-99              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 10.40    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-17             | GZA-99              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | 4500-CL-           | Chloride                         | Total           | 34.20    | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-17             | GZA-99              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 581.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-17             | GZA-99              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 10/28/2019           |                      | Water         | USEPA         | E. COLI            | E. Coli                          | Total           | 1986.30  | MPN/100mL    | 1.0              | 1.0                    |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-17             | GZA-99              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 10/28/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | Complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-17             | GZA-99              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 10/29/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-17             | GZA-99              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 10/30/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | ND       | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-17             | GZA-99              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 10/29/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.06     | mg/L         |                  | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-17             | GZA-99              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.80     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-17             | GZA-99              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 10/29/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.11     | mg/L         |                  | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-17             | GZA-99              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 11/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 591.00   | umhos/cm     | 1.00             | 1.00                   |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-17             | GZA-99              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 10/30/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.51     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-17             | GZA-99              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 10/28/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 14.10    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-18             | GZL-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/28/2019             |                        | 05/28/2019          |                     |                         |                         | 06/04/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 87.20    | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-18             | GZL-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/28/2019             |                        | 05/28/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 699.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-18             | GZL-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/28/2019             |                        | 05/28/2019          |                     |                         |                         | 05/28/2019           |                      | Water         | USEPA         | E. COLI            | E. Coli                          | Total           | 142.10   | MPN/100mL    | 1.0              | 1.0                    |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-18             | GZL-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/28/2019             |                        | 05/28/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.60     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-18             | GZL-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/28/2019             |                        | 05/28/2019          |                     |                         |                         | 05/30/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.12     | mg/L         | J                | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-18             | GZL-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/28/2019             |                        | 05/28/2019          |                     |                         |                         | 05/30/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 693.00   | umhos/cm     | 1.00             | 1.00                   |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-18             | GZL-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/28/2019             |                        | 05/28/2019          |                     |                         |                         | 05/31/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.94     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-18             | GZL-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/28/2019             |                        | 05/28/2019          |                     |                         |                         | 05/29/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 20.50    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-18             | GZL-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/24/2019             |                        | 07/24/2019          |                     |                         |                         | 07/29/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 77.40    | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-18             | GZL-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/24/2019             |                        | 07/24/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 715.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-18             | GZL-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/24/2019             |                        | 07/24/2019          |                     |                         |                         | 07/24/2019           |                      | Water         | USEPA         | E. COLI            | E. Coli                          | Total           | 81.60    | MPN/100mL    | 1.0              | 1.0                    |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-18             | GZL-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/24/2019             |                        | 07/24/2019          |                     |                         |                         | 07/24/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | Complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-18             | GZL-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/24/2019             |                        | 07/24/2019          |                     |                         |                         | 07/25/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-18             | GZL-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/24/2019             |                        | 07/24/2019          |                     |                         |                         | 07/31/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | 1.65     | mg/L         | J                | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-18             | GZL-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/24/2019             |                        | 07/24/2019          |                     |                         |                         | 07/25/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.09     | mg/L         |                  | 0.026                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              |                   |                     |              |                    |                         |                            |                 |                                  |                      |                        |                        |                     |                     |                         |                         |                      |                      |               |               |                    |                                  |                 |          |              |                  |                        |                                      |                                      |              |                       |



| Submitting Source | Laboratory Name | Sample Group | DRWW Station Code | IL EPA Station Code | Sample Depth | Sample-Depth Units | Waterbody Name          | Public Water Supply Intake | Monitoring Unit | Surface-Water Monitoring Program | QA/QC Field-Blank ID | Sample-Collection Date | Sample-Collection Time | Sample-Receipt Date | Sample-Receipt Time | Sample-Preparation Date | Sample-Preparation Time | Sample-Analysis Date | Sample-Analysis Time | Sample Medium | Method Source | Method Code - IEPA | Analyte                          | Sample Fraction | Result   | Result Units | Result Qualifier | Method Detection Limit | Minimum Practical Quantitation Limit | Maximum Practical Quantitation Limit | Weight Basis | Date Results Released |
|-------------------|-----------------|--------------|-------------------|---------------------|--------------|--------------------|-------------------------|----------------------------|-----------------|----------------------------------|----------------------|------------------------|------------------------|---------------------|---------------------|-------------------------|-------------------------|----------------------|----------------------|---------------|---------------|--------------------|----------------------------------|-----------------|----------|--------------|------------------|------------------------|--------------------------------------|--------------------------------------|--------------|-----------------------|
| DRWW              | Suburban Labs   |              | 13-18             | GZL-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 11/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 514.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-18             | GZL-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 10/30/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.54     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-18             | GZL-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 10/28/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 40.90    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-2              | G-50                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/28/2019             |                        | 05/28/2019          |                     |                         |                         | 06/04/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 92.50    | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-2              | G-50                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/28/2019             |                        | 05/28/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 734.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-2              | G-50                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/28/2019             |                        | 05/28/2019          |                     |                         |                         | 05/28/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 72.70    | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-2              | G-50                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/28/2019             |                        | 05/28/2019          |                     |                         |                         | 05/30/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-2              | G-50                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/28/2019             |                        | 05/28/2019          |                     |                         |                         | 06/03/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | 1.22     | mg/L         | J                | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-2              | G-50                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/28/2019             |                        | 05/28/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 7.60     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-2              | G-50                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/28/2019             |                        | 05/28/2019          |                     |                         |                         | 05/30/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.19     | mg/L         |                  | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-2              | G-50                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/28/2019             |                        | 05/28/2019          |                     |                         |                         | 05/30/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 778.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-2              | G-50                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/28/2019             |                        | 05/28/2019          |                     |                         |                         | 05/31/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 1.54     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-2              | G-50                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/28/2019             |                        | 05/28/2019          |                     |                         |                         | 06/03/2019           |                      | Water         | USEPA         | 2540-D             | Total Suspended Solids           | Total           | 13.00    | mg/L         |                  | 0.250                  | 6.25                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-2              | G-50                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/28/2019             |                        | 05/28/2019          |                     |                         |                         | 05/29/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        |                 | 17.60    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-2              | G-50                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/28/2019             |                        | 05/28/2019          |                     |                         |                         | 06/03/2019           |                      | Water         | USEPA         | 2540-D             | Volatile Suspended Solids        | Total           | 1.75     | mg/L         | J                | 0.250                  | 6.25                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-2              | G-50                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/29/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 78.10    | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-2              | G-50                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 709.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-2              | G-50                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/23/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 137.60   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-2              | G-50                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/23/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | Complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-2              | G-50                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/25/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-2              | G-50                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/30/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | 1.22     | mg/L         | J                | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-2              | G-50                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/24/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.12     | mg/L         |                  | 0.026                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-2              | G-50                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 7.50     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-2              | G-50                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/25/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.18     | mg/L         |                  | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-2              | G-50                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/30/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 709.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-2              | G-50                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 1.37     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-2              | G-50                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/23/2019             |                        | 07/23/2019          |                     |                         |                         | 07/23/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        |                 | 18.40    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-2              | G-50                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | 200.7              | Arsenic                          | Total           | ND       | mg/L         |                  | 0.00500                | 0.0150                               |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-2              | G-50                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 112.00   | mg/L         | S                | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-2              | G-50                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 844.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-2              | G-50                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | 200.7              | Copper                           | Total           | 0.00     | mg/L         | J                | 0.00130                | 0.00410                              |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-2              | G-50                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         | 08/27/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 816.40   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-2              | G-50                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         | 08/27/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | Complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-2              | G-50                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | 200.7              | Hardness (As CaCO3)              | Total           | 226.00   | mg/L         |                  | 0.0500                 | 0.150                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-2              | G-50                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | 200.7              | Iron                             | Total           | 0.60     | mg/L         |                  | 0.00550                | 0.0175                               |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-2              | G-50                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | 200.7              | Manganese                        | Total           | 0.09     | mg/L         |                  | 0.000600               | 0.00190                              |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-2              | G-50                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         | 09/06/2019           |                      | Water         | USEPA         | 1631               | Mercury                          | Total           | 1.41     | ng/L         |                  | 0.500                  | 0.500                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-2              | G-50                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | 200.7              | Nickel                           | Total           | 0.00     | mg/L         | J                | 0.000700               | 0.00210                              |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-2              | G-50                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-2              | G-50                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         | 09/05/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | 1.93     | mg/L         | J                | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-2              | G-50                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         | 08/28/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.07     | mg/L         |                  | 0.026                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-2              | G-50                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 7.50     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-2              | G-50                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.16     | mg/L         |                  | 0.0147                 | 0.0469                               |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-2              | G-50                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | 200.7              | Sodium                           | Total           | 69.30    | mg/L         |                  | 0.100                  | 0.300                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-2              | G-50                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 782.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-2              | G-50                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         | 08/28/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 2.34     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-2              | G-50                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         | 09/03/2019           |                      | Water         | USEPA         | 2540-D             | Total Suspended Solids           | Total           | 15.50    | mg/L         | R                | 0.500                  | 12.5                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-2              | G-50                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        |                 | 18.70    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-2              | G-50                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         | 09/03/2019           |                      | Water         | USEPA         | 2540-D             | Volatile Suspended Solids        | Total           | 1.50     | mg/L         | JR               | 0.500                  | 12.5                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-2              | G-50                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/27/2019             |                        | 08/27/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | 200.7              | Zinc                             | Total           | 0.01     | mg/L         | J                | 0.00320                | 0.0101                               |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-2              | G-50                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 10/31/2019           |                      |               |               |                    |                                  |                 |          |              |                  |                        |                                      |                                      |              |                       |

| Submitting Source | Laboratory Name | Sample Group | DRWW Station Code | IL EPA Station Code | Sample Depth | Sample-Depth Units | Waterbody Name          | Public Water Supply Intake | Monitoring Unit | Surface-Water Monitoring Program | QA/QC Field-Blank ID | Sample-Collection Date | Sample-Collection Time | Sample-Receipt Date | Sample-Receipt Time | Sample-Preparation Date | Sample-Preparation Time | Sample-Analysis Date | Sample-Analysis Time | Sample Medium | Method Source | Method Code - IEPA | Analyte                          | Sample Fraction | Result   | Result Units | Result Qualifier | Method Detection Limit | Minimum Practical Quantitation Limit | Maximum Practical Quantitation Limit | Weight Basis | Date Results Released |
|-------------------|-----------------|--------------|-------------------|---------------------|--------------|--------------------|-------------------------|----------------------------|-----------------|----------------------------------|----------------------|------------------------|------------------------|---------------------|---------------------|-------------------------|-------------------------|----------------------|----------------------|---------------|---------------|--------------------|----------------------------------|-----------------|----------|--------------|------------------|------------------------|--------------------------------------|--------------------------------------|--------------|-----------------------|
| DRWW              | Suburban Labs   |              | 13-3              | G-51                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/24/2019             |                        | 07/24/2019          |                     |                         |                         | 07/29/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 76.60    | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-3              | G-51                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/24/2019             |                        | 07/24/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 719.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-3              | G-51                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/24/2019             |                        | 07/24/2019          |                     |                         |                         | 07/24/2019           |                      | Water         | USEPA         | E. COLI            | E. Coli                          | Total           | 77.10    | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-3              | G-51                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/24/2019             |                        | 07/24/2019          |                     |                         |                         | 07/24/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | Complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-3              | G-51                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/24/2019             |                        | 07/24/2019          |                     |                         |                         | 07/24/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | Complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-3              | G-51                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/24/2019             |                        | 07/24/2019          |                     |                         |                         | 07/25/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-3              | G-51                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/24/2019             |                        | 07/24/2019          |                     |                         |                         | 07/31/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | 2.50     | mg/L         | J                | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-3              | G-51                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/24/2019             |                        | 07/24/2019          |                     |                         |                         | 07/25/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.04     | mg/L         | J                | 0.026                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-3              | G-51                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/24/2019             |                        | 07/24/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.70     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-3              | G-51                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/24/2019             |                        | 07/24/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.14     | mg/L         |                  | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-3              | G-51                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/24/2019             |                        | 07/24/2019          |                     |                         |                         | 07/30/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 723.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-3              | G-51                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/24/2019             |                        | 07/24/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.73     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-3              | G-51                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/24/2019             |                        | 07/24/2019          |                     |                         |                         | 07/29/2019           |                      | Water         | USEPA         | 2540-D             | Total Suspended Solids           | Total           | 16.00    | mg/L         |                  | 0.400                  | 10.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-3              | G-51                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/24/2019             |                        | 07/24/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 15.50    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-3              | G-51                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/24/2019             |                        | 07/24/2019          |                     |                         |                         | 07/29/2019           |                      | Water         | USEPA         | 2540-D             | Volatile Suspended Solids        | Total           | 3.20     | mg/L         | J                | 0.400                  | 10.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-3              | G-51                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | USEPA         | 200.7              | Arsenic                          | Total           | ND       | mg/L         |                  | 0.00500                | 0.0150                               |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-3              | G-51                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 110.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-3              | G-51                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 795.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-3              | G-51                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | USEPA         | 200.7              | Copper                           | Total           | ND       | mg/L         |                  | 0.00130                | 0.00410                              |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-3              | G-51                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 08/28/2019           |                      | Water         | USEPA         | E. COLI            | E. Coli                          | Total           | 488.40   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-3              | G-51                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 08/28/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-3              | G-51                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | USEPA         | 200.7              | Hardness (As CaCO3)              | Total           | 218.00   | mg/L         |                  | 0.0500                 | 0.150                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-3              | G-51                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | USEPA         | 200.7              | Iron                             | Total           | 0.93     | mg/L         |                  | 0.00550                | 0.0175                               |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-3              | G-51                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | USEPA         | 200.7              | Manganese                        | Total           | 0.10     | mg/L         |                  | 0.000600               | 0.00190                              |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-3              | G-51                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 09/11/2019           |                      | Water         | USEPA         | 1631               | Mercury                          | Total           | 2.24     | ng/L         |                  | 0.500                  | 0.500                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-3              | G-51                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | USEPA         | 200.7              | Nickel                           | Total           | 0.00     | mg/L         | J                | 0.000700               | 0.00210                              |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-3              | G-51                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-3              | G-51                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 09/06/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | 1.97     | mg/L         | J                | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-3              | G-51                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | ND       | mg/L         |                  | 0.026                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-3              | G-51                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.60     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-3              | G-51                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.14     | mg/L         |                  | 0.0147                 | 0.0469                               |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-3              | G-51                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | USEPA         | 200.7              | Sodium                           | Total           | 63.50    | mg/L         |                  | 0.100                  | 0.300                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-3              | G-51                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 795.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-3              | G-51                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.41     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-3              | G-51                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | USEPA         | 2540-D             | Total Suspended Solids           | Total           | 21.00    | mg/L         |                  | 0.200                  | 5.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-3              | G-51                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 19.70    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-3              | G-51                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | USEPA         | 2540-D             | Volatile Suspended Solids        | Total           | 4.00     | mg/L         | J                | 0.200                  | 5.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-3              | G-51                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | USEPA         | 200.7              | Zinc                             | Total           | 0.01     | mg/L         | J                | 0.00320                | 0.0101                               |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-3              | G-51                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | 4500-CL-           | Chloride                         | Total           | 54.30    | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-3              | G-51                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 571.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-3              | G-51                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 10/28/2019           |                      | Water         | USEPA         | E. COLI            | E. Coli                          | Total           | 2419.60  | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-3              | G-51                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 10/29/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | Complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-3              | G-51                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-3              | G-51                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 10/29/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | ND       | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-3              | G-51                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 10/29/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.04     | mg/L         | J                | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-3              | G-51                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.60     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-3              | G-51                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 10/29/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.10     | mg/L         |                  | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-3              | G-51                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 11/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 586.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-3              | G-51                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 10/30/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.21     | mg/L         | J                | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-3              | G-51                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 11/01/2019           |                      | Water         | USEPA         | 2540-D             | Total Suspended Solids           | Total           | 9.00     | mg/L         |                  | 0.200                  | 5.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-3              | G-51                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 10/28/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 13.00    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-3              | G-51                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 11/01/2019</         |                      |               |               |                    |                                  |                 |          |              |                  |                        |                                      |                                      |              |                       |

| Submitting Source | Laboratory Name | Sample Group | DRWW Station Code | IL EPA Station Code | Sample Depth | Sample-Depth Units | Waterbody Name          | Public Water Supply Intake | Monitoring Unit | Surface-Water Monitoring Program | QA/QC Field-Blank ID | Sample-Collection Date | Sample-Collection Time | Sample-Receipt Date | Sample-Receipt Time | Sample-Preparation Date | Sample-Preparation Time | Sample-Analysis Date | Sample-Analysis Time | Sample Medium | Method Source | Method Code - IEPA | Analyte                          | Sample Fraction | Result   | Result Units | Result Qualifier | Method Detection Limit | Minimum Practical Quantitation Limit | Maximum Practical Quantitation Limit | Weight Basis | Date Results Released |
|-------------------|-----------------|--------------|-------------------|---------------------|--------------|--------------------|-------------------------|----------------------------|-----------------|----------------------------------|----------------------|------------------------|------------------------|---------------------|---------------------|-------------------------|-------------------------|----------------------|----------------------|---------------|---------------|--------------------|----------------------------------|-----------------|----------|--------------|------------------|------------------------|--------------------------------------|--------------------------------------|--------------|-----------------------|
| DRWW              | Suburban Labs   |              | 13-4              | G-25                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.55     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-4              | G-25                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | USEPA         | 2540-D             | Total Suspended Solids           | Total           | 21.00    | mg/L         |                  | 0.250                  | 6.25                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-4              | G-25                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 19.00    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-4              | G-25                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | USEPA         | 2540-D             | Volatile Suspended Solids        | Total           | 4.50     | mg/L         | J                | 0.250                  | 6.25                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-4              | G-25                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | 4500-CL-           | Chloride                         | Total           | 36.30    | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-4              | G-25                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 462.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-4              | G-25                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 10/28/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | >2419.6  | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-4              | G-25                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 10/28/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | Complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-4              | G-25                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 10/29/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-4              | G-25                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | ND       | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-4              | G-25                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 10/29/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.16     | mg/L         |                  | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-4              | G-25                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.50     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-4              | G-25                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 10/29/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.26     | mg/L         |                  | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-4              | G-25                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 11/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 502.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-4              | G-25                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 10/30/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.60     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-4              | G-25                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 11/01/2019           |                      | Water         | USEPA         | 2540-D             | Total Suspended Solids           | Total           | 30.50    | mg/L         |                  | 0.256                  | 6.40                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-4              | G-25                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 10/28/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 42.40    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-4              | G-25                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 11/01/2019           |                      | Water         | USEPA         | 2540-D             | Volatile Suspended Solids        | Total           | 5.89     | mg/L         | J                | 0.256                  | 6.40                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-4 DUP          | G-25                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | 4500-CL-           | Chloride                         | Total           | 35.20    | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-4 DUP          | G-25                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 467.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-4 DUP          | G-25                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 10/28/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | >2419.6  | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-4 DUP          | G-25                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 10/28/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | Complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-4 DUP          | G-25                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 10/29/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-4 DUP          | G-25                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | ND       | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-4 DUP          | G-25                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 10/29/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.17     | mg/L         |                  | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-4 DUP          | G-25                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.60     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-4 DUP          | G-25                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 10/29/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.29     | mg/L         |                  | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-4 DUP          | G-25                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 11/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 496.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-4 DUP          | G-25                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 10/30/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.52     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-4 DUP          | G-25                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 11/01/2019           |                      | Water         | USEPA         | 2540-D             | Total Suspended Solids           | Total           | 32.40    | mg/L         |                  | 0.400                  | 10.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-4 DUP          | G-25                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 10/28/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 43.60    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-4 DUP          | G-25                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 11/01/2019           |                      | Water         | USEPA         | 2540-D             | Volatile Suspended Solids        | Total           | 6.40     | mg/L         | J                | 0.400                  | 10.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-4 FB           | G-25                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | 4500-CL-           | Chloride                         | Total           | ND       | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-4 FB           | G-25                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 0.00     | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-4 FB           | G-25                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 10/28/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | <1       | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-4 FB           | G-25                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 10/28/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | Complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-4 FB           | G-25                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 10/29/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-4 FB           | G-25                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | ND       | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-4 FB           | G-25                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 10/29/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | ND       | mg/L         |                  | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-4 FB           | G-25                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.30     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-4 FB           | G-25                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 10/29/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.05     | mg/L         | J                | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-4 FB           | G-25                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 11/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 1.32     | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-4 FB           | G-25                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 10/30/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | ND       | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-4 FB           | G-25                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 10/30/2019           |                      | Water         | USEPA         | 2540-D             | Total Suspended Solids           | Total           | 0.40     | mg/L         | J                | 0.200                  | 5.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-4 FB           | G-25                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 10/28/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 0.68     | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-4 FB           | G-25                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 11/01/2019           |                      | Water         | USEPA         | 2540-D             | Volatile Suspended Solids        | Total           | 1.00     | mg/L         | J                | 0.200                  | 5.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-5              | G-34                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 2/1/2019               | 2/1/2019               |                     |                     |                         |                         | 2/1/2019             | #####                | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 48.80    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-5              | G-34                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 2/1/2019               | 2/1/2019               |                     |                     |                         |                         | 2/1/2019             | #####                | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 64.40    | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-5              | G-34                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 2/4/2019               | 2/1/2019               |                     |                     |                         |                         | 2/4/2019             | #####                | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 517.00   | mg/L         |                  | 80.0                   | 80.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-5              | G-34                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 2/4/2019               | 2/1/2019               |                     |                     |                         |                         | 2/4/2019             | #####                | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 1930.00  | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-5              | G-34                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 2/5/2019               | 2/1/2019               |                     |                     |                         |                         | 2/5/2019             | #####                | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         |                 |          |              |                  |                        |                                      |                                      |              |                       |

| Submitting Source | Laboratory Name | Sample Group | DRWW Station Code | IL EPA Station Code | Sample Depth | Sample-Depth Units | Waterbody Name          | Public Water Supply Intake | Monitoring Unit | Surface-Water Monitoring Program | QA/QC Field-Blank ID | Sample-Collection Date | Sample-Collection Time | Sample-Receipt Date | Sample-Receipt Time | Sample-Preparation Date | Sample-Preparation Time | Sample-Analysis Date | Sample-Analysis Time | Sample Medium | Method Source | Method Code - IEPA | Analyte                          | Sample Fraction | Result   | Result Units | Result Qualifier | Method Detection Limit | Minimum Practical Quantitation Limit | Maximum Practical Quantitation Limit | Weight Basis | Date Results Released |
|-------------------|-----------------|--------------|-------------------|---------------------|--------------|--------------------|-------------------------|----------------------------|-----------------|----------------------------------|----------------------|------------------------|------------------------|---------------------|---------------------|-------------------------|-------------------------|----------------------|----------------------|---------------|---------------|--------------------|----------------------------------|-----------------|----------|--------------|------------------|------------------------|--------------------------------------|--------------------------------------|--------------|-----------------------|
| DRWW              | Suburban Labs   |              | 13-5              | G-34                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/24/2019             |                        | 07/24/2019          |                     |                         |                         | 07/25/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.09     | mg/L         |                  | 0.026                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-5              | G-34                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/24/2019             |                        | 07/24/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.60     |              |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-5              | G-34                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/24/2019             |                        | 07/24/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.15     | mg/L         |                  | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-5              | G-34                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/24/2019             |                        | 07/24/2019          |                     |                         |                         | 07/30/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 708.00   | µmhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-5              | G-34                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/24/2019             |                        | 07/24/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.87     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-5              | G-34                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/24/2019             |                        | 07/24/2019          |                     |                         |                         | 07/29/2019           |                      | Water         | USEPA         | 2540-D             | Total Suspended Solids           | Total           | 15.20    | mg/L         |                  | 0.400                  | 10.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-5              | G-34                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/24/2019             |                        | 07/24/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 14.60    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-5              | G-34                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/24/2019             |                        | 07/24/2019          |                     |                         |                         | 07/29/2019           |                      | Water         | USEPA         | 2540-D             | Volatile Suspended Solids        | Total           | 3.60     | mg/L         | J                | 0.400                  | 10.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-5              | G-34                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 117.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-5              | G-34                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 08/28/2019           |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 801.00   | µmhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-5              | G-34                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 08/28/2019           |                      | Water         | USEPA         | E. COLI            | E. Coli                          | Total           | 1986.30  | MPN/100mL    | 1.0              | 1.0                    |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-5              | G-34                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 08/28/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | Complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-5              | G-34                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | USEPA         | 200.7              | Hardness (As CaCO3)              | Total           | 212.00   | mg/L         |                  | 0.0500                 | 0.150                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-5              | G-34                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | USEPA         | 200.7              | Magnesium                        | Total           | 22.20    | mg/L         |                  | 0.0100                 | 0.0300                               |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-5              | G-34                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-5              | G-34                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 09/06/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | 5.57     | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-5              | G-34                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.06     | mg/L         |                  | 0.026                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-5              | G-34                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.60     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-5              | G-34                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.16     | mg/L         |                  | 0.0147                 | 0.0469                               |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-5              | G-34                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 772.00   | µmhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-5              | G-34                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.96     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-5              | G-34                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | USEPA         | 2540-D             | Total Suspended Solids           | Total           | 19.80    | mg/L         |                  | 0.200                  | 5.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-5              | G-34                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 18.10    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-5              | G-34                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | USEPA         | 2540-D             | Volatile Suspended Solids        | Total           | 3.80     | mg/L         | J                | 0.200                  | 5.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-5              | G-34                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | 4500-CL-           | Chloride                         | Total           | 31.60    | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-5              | G-34                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 441.00   | µmhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-5              | G-34                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 10/28/2019           |                      | Water         | USEPA         | E. COLI            | E. Coli                          | Total           | >2419.6  | MPN/100mL    | 1.0              | 1.0                    |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-5              | G-34                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 10/28/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | Complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-5              | G-34                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 10/29/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-5              | G-34                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | ND       | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-5              | G-34                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 10/29/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.25     | mg/L         |                  | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-5              | G-34                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.40     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-5              | G-34                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 10/29/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.23     | mg/L         |                  | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-5              | G-34                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 11/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 456.00   | µmhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-5              | G-34                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 10/30/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.84     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-5              | G-34                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 11/01/2019           |                      | Water         | USEPA         | 2540-D             | Total Suspended Solids           | Total           | 52.40    | mg/L         |                  | 0.400                  | 10.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-5              | G-34                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 10/28/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 71.50    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-5              | G-34                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 11/01/2019           |                      | Water         | USEPA         | 2540-D             | Volatile Suspended Solids        | Total           | 9.60     | mg/L         | J                | 0.400                  | 10.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-6              | G-08                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 2/1/2019               | 2/1/2019               |                     |                     |                         |                         | 2/1/2019             | #####                | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 31.10    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-6              | G-08                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 2/1/2019               | 2/1/2019               |                     |                     |                         |                         | 2/1/2019             | #####                | Water         | USEPA         | E. COLI            | E. Coli                          | Total           | 61.70    | MPN/100mL    | 1.0              | 1.0                    |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-6              | G-08                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 2/4/2019               | 2/1/2019               |                     |                     |                         |                         | 2/4/2019             | #####                | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 143.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-6              | G-08                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 2/4/2019               | 2/1/2019               |                     |                     |                         |                         | 2/4/2019             | #####                | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 1120.00  | µmhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-6              | G-08                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 2/5/2019               | 2/1/2019               |                     |                     |                         |                         | 2/5/2019             | #####                | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.06     | mg/L         | J                | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-6              | G-08                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 2/5/2019               | 2/1/2019               |                     |                     |                         |                         | 2/5/2019             | #####                | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | 0.20     | mg/L         | J                | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-6              | G-08                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 2/5/2019               | 2/1/2019               |                     |                     |                         |                         | 2/5/2019             | #####                | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 2.06     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-6              | G-08                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 2/6/2019               | 2/1/2019               |                     |                     |                         |                         | 2/6/2019             | #####                | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | ND       | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-6              | G-08                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 2/7/2019               | 2/1/2019               |                     |                     |                         |                         | 2/7/2019             | #####                | Water         | USEPA         | 2540-D             | Total Suspended Solids           | Total           | 23.20    | mg/L         |                  | 0.200                  | 5.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-6              | G-08                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 2/7/2019               | 2/1/2019               |                     |                     |                         |                         | 2/7/2019             | #####                | Water         | USEPA         | 2540-D             | Volatile Suspended Solids        | Total           | 4.00     | mg/L         | J                | 0.200                  | 5.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-6              | G-08                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 02/11/2019             | 11:31:00 AM            |                     |                     |                         |                         | #####                |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 991.00   | µmhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-6              | G-08                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 02/11/2019             | 11:31:00 AM            |                     |                     |                         |                         | #####                |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 9.20     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-6              | G-08                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 02/11/2019             | 11:31:00 AM            |                     |                     |                         |                         | #####                |                      | Water         | USEPA         | SM 2550E           | Temperature                      | Total           | -0.10    | deg C        |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-6              | G-08                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/28/2019             |                        | 05/28/2019          |                     |                         |                         | 06/04/2019           |                      | Water         | APHA          | 4500               |                                  |                 |          |              |                  |                        |                                      |                                      |              |                       |

| Submitting Source | Laboratory Name | Sample Group | DRWW Station Code | IL EPA Station Code | Sample Depth | Sample-Depth Units | Waterbody Name          | Public Water Supply Intake | Monitoring Unit | Surface-Water Monitoring Program | QA/QC Field-Blank ID | Sample-Collection Date | Sample-Collection Time | Sample-Receipt Date | Sample-Receipt Time | Sample-Preparation Date | Sample-Preparation Time | Sample-Analysis Date | Sample-Analysis Time | Sample Medium | Method Source | Method Code - IEPA | Analyte                          | Sample Fraction | Result   | Result Units | Result Qualifier | Method Detection Limit | Minimum Practical Quantitation Limit | Maximum Practical Quantitation Limit | Weight Basis | Date Results Released |
|-------------------|-----------------|--------------|-------------------|---------------------|--------------|--------------------|-------------------------|----------------------------|-----------------|----------------------------------|----------------------|------------------------|------------------------|---------------------|---------------------|-------------------------|-------------------------|----------------------|----------------------|---------------|---------------|--------------------|----------------------------------|-----------------|----------|--------------|------------------|------------------------|--------------------------------------|--------------------------------------|--------------|-----------------------|
| DRWW              | Suburban Labs   |              | 13-6              | G-08                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | USEPA         | 200.7              | Arsenic                          | Total           | ND       | mg/L         |                  | 0.00500                | 0.0150                               |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-6              | G-08                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 120.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-6              | G-08                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 818.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-6              | G-08                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | USEPA         | 200.7              | Copper                           | Total           | 0.00     | mg/L         | J                | 0.00130                | 0.00410                              |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-6              | G-08                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 08/28/2019           |                      | Water         | USEPA         | E_COLI_1           | E. Coli                          | Total           | 1203.30  | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-6              | G-08                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 08/28/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-6              | G-08                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | USEPA         | 200.7              | Hardness (As CaCO3)              | Total           | 229.00   | mg/L         |                  | 0.0500                 | 0.150                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-6              | G-08                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | USEPA         | 200.7              | Iron                             | Total           | 0.95     | mg/L         |                  | 0.00550                | 0.0175                               |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-6              | G-08                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | USEPA         | 200.7              | Manganese                        | Total           | 0.08     | mg/L         |                  | 0.000600               | 0.00190                              |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-6              | G-08                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 09/11/2019           |                      | Water         | USEPA         | 1631               | Mercury                          | Total           | 2.27     | ng/L         |                  | 0.500                  | 0.500                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-6              | G-08                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | USEPA         | 200.7              | Nickel                           | Total           | 0.00     | mg/L         | J                | 0.000700               | 0.00210                              |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-6              | G-08                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-6              | G-08                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 09/06/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | ND       | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-6              | G-08                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.07     | mg/L         |                  | 0.026                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-6              | G-08                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.60     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-6              | G-08                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.18     | mg/L         |                  | 0.0147                 | 0.0469                               |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-6              | G-08                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | USEPA         | 200.7              | Sodium                           | Total           | 67.00    | mg/L         |                  | 0.100                  | 0.300                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-6              | G-08                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 797.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-6              | G-08                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 1.13     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-6              | G-08                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | USEPA         | 2540-D             | Total Suspended Solids           | Total           | 16.40    | mg/L         |                  | 0.400                  | 10.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-6              | G-08                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 17.00    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-6              | G-08                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | USEPA         | 2540-D             | Volatile Suspended Solids        | Total           | 2.80     | mg/L         | J                | 0.400                  | 10.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-6              | G-08                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | USEPA         | 200.7              | Zinc                             | Total           | 0.01     | mg/L         |                  | 0.00320                | 0.0101                               |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-6              | G-08                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | 4500-CL-           | Chloride                         | Total           | 31.30    | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-6              | G-08                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 426.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-6              | G-08                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 10/28/2019           |                      | Water         | USEPA         | E_COLI_1           | E. Coli                          | Total           | >2419.6  | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-6              | G-08                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 10/28/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | Complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-6              | G-08                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 10/29/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-6              | G-08                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | ND       | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-6              | G-08                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 10/29/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.30     | mg/L         |                  | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-6              | G-08                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.40     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-6              | G-08                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 10/29/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | ND       | mg/L         |                  | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-6              | G-08                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 11/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 433.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-6              | G-08                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 10/30/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 1.11     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-6              | G-08                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 11/01/2019           |                      | Water         | USEPA         | 2540-D             | Total Suspended Solids           | Total           | 61.40    | mg/L         |                  | 0.476                  | 11.9                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-6              | G-08                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 10/28/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 90.40    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-6              | G-08                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 11/01/2019           |                      | Water         | USEPA         | 2540-D             | Volatile Suspended Solids        | Total           | 9.52     | mg/L         | J                | 0.476                  | 11.9                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-6              | G-08                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | USEPA         | 200.7              | Arsenic                          | Total           | ND       | mg/L         |                  | 0.00500                | 0.0150                               |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-6              | G-08                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | ND       | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-6              | G-08                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 0.00     | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-6              | G-08                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | USEPA         | 200.7              | Copper                           | Total           | ND       | mg/L         |                  | 0.00130                | 0.00410                              |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-6              | G-08                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 08/28/2019           |                      | Water         | USEPA         | E_COLI_1           | E. Coli                          | Total           | <1       | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-6              | G-08                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-6              | G-08                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | USEPA         | 200.7              | Hardness (As CaCO3)              | Total           | 0.48     | mg/L         |                  | 0.0500                 | 0.150                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-6              | G-08                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | USEPA         | 200.7              | Iron                             | Total           | 0.01     | mg/L         | J                | 0.00550                | 0.0175                               |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-6              | G-08                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | USEPA         | 200.7              | Manganese                        | Total           | ND       | mg/L         |                  | 0.000600               | 0.00190                              |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-6              | G-08                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 09/11/2019           |                      | Water         | USEPA         | 1631               | Mercury                          | Total           | ND       | ng/L         |                  | 0.500                  | 0.500                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-6              | G-08                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | USEPA         | 200.7              | Nickel                           | Total           | ND       | mg/L         |                  | 0.000700               | 0.00210                              |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-6              | G-08                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-6              | G-08                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 09/06/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | ND       | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-6              | G-08                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | 3                  |                                  |                 |          |              |                  |                        |                                      |                                      |              |                       |

| Submitting Source | Laboratory Name | Sample Group | DRWW Station Code | IL EPA Station Code | Sample Depth | Sample-Depth Units | Waterbody Name          | Public Water Supply Intake | Monitoring Unit | Surface-Water Monitoring Program | QA/QC Field-Blank ID | Sample-Collection Date | Sample-Collection Time | Sample-Receipt Date | Sample-Receipt Time | Sample-Preparation Date | Sample-Preparation Time | Sample-Analysis Date | Sample-Analysis Time | Sample Medium | Method Source | Method Code - IEPA | Analyte                          | Sample Fraction | Result   | Result Units | Result Qualifier | Method Detection Limit | Minimum Practical Quantitation | Maximum Practical Quantitation | Weight Basis | Date Results Released |
|-------------------|-----------------|--------------|-------------------|---------------------|--------------|--------------------|-------------------------|----------------------------|-----------------|----------------------------------|----------------------|------------------------|------------------------|---------------------|---------------------|-------------------------|-------------------------|----------------------|----------------------|---------------|---------------|--------------------|----------------------------------|-----------------|----------|--------------|------------------|------------------------|--------------------------------|--------------------------------|--------------|-----------------------|
| DRWW              | Suburban Labs   |              | 13-6 Dupl         | G-08                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 793.00   | umhos/cm     |                  | 1.00                   | 1.00                           |                                |              |                       |
| DRWW              | Suburban Labs   |              | 13-6 Dupl         | G-08                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.99     | mg/L         |                  | 0.100                  | 0.224                          |                                |              |                       |
| DRWW              | Suburban Labs   |              | 13-6 Dupl         | G-08                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | USEPA         | 2540-D             | Total Suspended Solids           | Total           | 16.40    | mg/L         |                  | 0.334                  | 8.35                           |                                |              |                       |
| DRWW              | Suburban Labs   |              | 13-6 Dupl         | G-08                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        |                 | 17.70    | NTU          |                  | 0.100                  | 0.200                          |                                |              |                       |
| DRWW              | Suburban Labs   |              | 13-6 Dupl         | G-08                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | USEPA         | 2540-D             | Volatile Suspended Solids        | Total           | 4.34     | mg/L         | J                | 0.334                  | 8.35                           |                                |              |                       |
| DRWW              | Suburban Labs   |              | 13-6 Dupl         | G-08                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | USEPA         | 200.7              | Zinc                             | Total           | 0.01     | mg/L         |                  | 0.00320                | 0.0101                         |                                |              |                       |
| DRWW              | Suburban Labs   |              | 13-6 Field        | G-08                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 09/11/2019           |                      | Water         | USEPA         | 1631               | Mercury                          | Total           | ND       | ng/L         |                  | 0.500                  | 0.500                          |                                |              |                       |
| DRWW              | Suburban Labs   |              | 13-6 Field        | G-08                | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 09/11/2019           |                      | Water         | USEPA         | 1631               | Mercury                          | Total           | ND       | ng/L         |                  | 0.500                  | 0.500                          |                                |              |                       |
| DRWW              | Suburban Labs   |              | 13-7              | GZH-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 2/1/2019               | 2/1/2019               |                     |                     |                         |                         | 2/1/2019             | #####                | Water         | Lab           | 2130-B             | Turbidity                        |                 | 26.00    | NTU          |                  | 0.100                  | 0.200                          |                                |              |                       |
| DRWW              | Suburban Labs   |              | 13-7              | GZH-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 2/1/2019               | 2/1/2019               |                     |                     |                         |                         | 2/1/2019             | #####                | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 5.20     | MPN/100mL    |                  | 1.0                    | 1.0                            |                                |              |                       |
| DRWW              | Suburban Labs   |              | 13-7              | GZH-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 2/4/2019               | 2/1/2019               |                     |                     |                         |                         | 2/4/2019             | #####                | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 109.00   | mg/L         |                  | 20.0                   | 20.0                           |                                |              |                       |
| DRWW              | Suburban Labs   |              | 13-7              | GZH-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 2/4/2019               | 2/1/2019               |                     |                     |                         |                         | 2/4/2019             | #####                | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 883.00   | umhos/cm     |                  | 1.00                   | 1.00                           |                                |              |                       |
| DRWW              | Suburban Labs   |              | 13-7              | GZH-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 2/5/2019               | 2/1/2019               |                     |                     |                         |                         | 2/5/2019             | #####                | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.05     | mg/L         | J                | 0.0500                 | 0.135                          |                                |              |                       |
| DRWW              | Suburban Labs   |              | 13-7              | GZH-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 2/5/2019               | 2/1/2019               |                     |                     |                         |                         | 2/5/2019             | #####                | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.22     | mg/L         | J                | 0.100                  | 0.224                          |                                |              |                       |
| DRWW              | Suburban Labs   |              | 13-7              | GZH-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 02/28/2019             | 12:14:00 PM            |                     |                     |                         |                         | #####                |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 832.00   | umhos/cm     |                  |                        |                                |                                |              |                       |
| DRWW              | Suburban Labs   |              | 13-7              | GZH-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 02/28/2019             | 12:14:00 PM            |                     |                     |                         |                         | #####                |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 9.10     | S.U.         |                  |                        |                                |                                |              |                       |
| DRWW              | Suburban Labs   |              | 13-7              | GZH-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 02/28/2019             | 12:14:00 PM            |                     |                     |                         |                         | #####                |                      | Water         | USEPA         | SM 2550E           | Temperature                      |                 | 0.00     | deg C        |                  |                        |                                |                                |              |                       |
| DRWW              | Suburban Labs   |              | 13-7              | GZH-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/28/2019             |                        | 05/28/2019          |                     |                         |                         | 06/04/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 94.40    | mg/L         |                  | 20.0                   | 20.0                           |                                |              |                       |
| DRWW              | Suburban Labs   |              | 13-7              | GZH-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/28/2019             |                        | 05/28/2019          |                     |                         |                         | 05/30/2019           |                      | Water         | USEPA         | SM A1020           | Chlorophyll a                    | Total           | 7.40     | mg/L         |                  | 4.0                    | 4.0                            |                                |              |                       |
| DRWW              | Suburban Labs   |              | 13-7              | GZH-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/28/2019             |                        | 05/28/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 755.00   | umhos/cm     |                  |                        |                                |                                |              |                       |
| DRWW              | Suburban Labs   |              | 13-7              | GZH-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/28/2019             |                        | 05/28/2019          |                     |                         |                         | 05/28/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 66.30    | MPN/100mL    |                  | 1.0                    | 1.0                            |                                |              |                       |
| DRWW              | Suburban Labs   |              | 13-7              | GZH-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/28/2019             |                        | 05/28/2019          |                     |                         |                         | 05/30/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | ND       | mg/L         |                  | 0.0500                 | 0.135                          |                                |              |                       |
| DRWW              | Suburban Labs   |              | 13-7              | GZH-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/28/2019             |                        | 05/28/2019          |                     |                         |                         | 05/30/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 697.00   | umhos/cm     |                  | 1.00                   | 1.00                           |                                |              |                       |
| DRWW              | Suburban Labs   |              | 13-7              | GZH-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/28/2019             |                        | 05/28/2019          |                     |                         |                         | 05/31/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | ND       | mg/L         |                  | 0.100                  | 0.224                          |                                |              |                       |
| DRWW              | Suburban Labs   |              | 13-7              | GZH-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/28/2019             |                        | 05/28/2019          |                     |                         |                         | 05/29/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        |                 | 6.12     | NTU          |                  | 0.100                  | 0.200                          |                                |              |                       |
| DRWW              | Suburban Labs   |              | 13-7              | GZH-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/29/2019             |                        | 07/24/2019          |                     |                         |                         | 07/29/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 82.60    | mg/L         |                  | 20.0                   | 20.0                           |                                |              |                       |
| DRWW              | Suburban Labs   |              | 13-7              | GZH-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/24/2019             |                        | 07/24/2019          |                     |                         |                         | 08/01/2019           |                      | Water         | USEPA         | SM A1020           | Chlorophyll a                    | Total           | ND       | mg/L         |                  | 4.0                    | 4.0                            |                                |              |                       |
| DRWW              | Suburban Labs   |              | 13-7              | GZH-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/24/2019             |                        | 07/24/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 774.00   | umhos/cm     |                  |                        |                                |                                |              |                       |
| DRWW              | Suburban Labs   |              | 13-7              | GZH-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/24/2019             |                        | 07/24/2019          |                     |                         |                         | 07/24/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 866.40   | MPN/100mL    |                  | 1.0                    | 1.0                            |                                |              |                       |
| DRWW              | Suburban Labs   |              | 13-7              | GZH-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/24/2019             |                        | 07/24/2019          |                     |                         |                         | 07/24/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | Complete |              | V                | 0                      | 0                              |                                |              |                       |
| DRWW              | Suburban Labs   |              | 13-7              | GZH-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/24/2019             |                        | 07/24/2019          |                     |                         |                         | 07/25/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                           |                                |              |                       |
| DRWW              | Suburban Labs   |              | 13-7              | GZH-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/24/2019             |                        | 07/24/2019          |                     |                         |                         | 07/31/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | 2.91     | mg/L         | J                | 1.19                   | 3.78                           |                                |              |                       |
| DRWW              | Suburban Labs   |              | 13-7              | GZH-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/24/2019             |                        | 07/24/2019          |                     |                         |                         | 07/25/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.03     | mg/L         | J                | 0.026                  | 0.050                          |                                |              |                       |
| DRWW              | Suburban Labs   |              | 13-7              | GZH-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/24/2019             |                        | 07/24/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 8.00     | S.U.         |                  |                        |                                |                                |              |                       |
| DRWW              | Suburban Labs   |              | 13-7              | GZH-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/24/2019             |                        | 07/24/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.06     | mg/L         | J                | 0.0500                 | 0.135                          |                                |              |                       |
| DRWW              | Suburban Labs   |              | 13-7              | GZH-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/24/2019             |                        | 07/24/2019          |                     |                         |                         | 07/30/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 786.00   | umhos/cm     |                  | 1.00                   | 1.00                           |                                |              |                       |
| DRWW              | Suburban Labs   |              | 13-7              | GZH-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/24/2019             |                        | 07/24/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.17     | mg/L         | J                | 0.100                  | 0.224                          |                                |              |                       |
| DRWW              | Suburban Labs   |              | 13-7              | GZH-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/24/2019             |                        | 07/24/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        |                 | 9.42     | NTU          |                  | 0.100                  | 0.200                          |                                |              |                       |
| DRWW              | Suburban Labs   |              | 13-7              | GZH-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 69.20    | mg/L         |                  | 20.0                   | 20.0                           |                                |              |                       |
| DRWW              | Suburban Labs   |              | 13-7              | GZH-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | SM A1020           | Chlorophyll a                    | Total           | ND       | mg/L         |                  | 4.0                    | 4.0                            |                                |              |                       |
| DRWW              | Suburban Labs   |              | 13-7              | GZH-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 802.00   | umhos/cm     |                  |                        |                                |                                |              |                       |
| DRWW              | Suburban Labs   |              | 13-7              | GZH-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 08/28/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 1119.90  | MPN/100mL    |                  | 1.0                    | 1.0                            |                                |              |                       |
| DRWW              | Suburban Labs   |              | 13-7              | GZH-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 08/28/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                              |                                |              |                       |
| DRWW              | Suburban Labs   |              | 13-7              | GZH-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                           |                                |              |                       |
| DRWW              | Suburban Labs   |              | 13-7              | GZH-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/28/2019             |                        | 08/28/2019          |                     |                         |                         | 09/06/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | ND       | mg/L         |                  | 1.19                   | 3.78                           |                                |              |                       |
| DRWW              | Suburban Labs   |              | 13-7              | GZH-01              |              |                    |                         |                            |                 |                                  |                      |                        |                        |                     |                     |                         |                         |                      |                      |               |               |                    |                                  |                 |          |              |                  |                        |                                |                                |              |                       |

| Submitting Source | Laboratory Name | Sample Group | DRWW Station Code | IL EPA Station Code | Sample Depth | Sample-Depth Units      | Waterbody Name | Public Water Supply Intake | Monitoring Unit | Surface-Water Monitoring Program | QA/QC Field-Blank ID | Sample-Collection Date | Sample-Collection Time | Sample-Receipt Date | Sample-Receipt Time | Sample-Preparation Date | Sample-Preparation Time | Sample-Analysis Date | Sample-Analysis Time | Sample Medium | Method Source | Method Code - IEPA | Analyte                          | Sample Fraction | Result   | Result Units | Result Qualifier | Method Detection Limit | Minimum Practical Quantitation Limit | Maximum Practical Quantitation Limit | Weight Basis | Date Results Released |  |
|-------------------|-----------------|--------------|-------------------|---------------------|--------------|-------------------------|----------------|----------------------------|-----------------|----------------------------------|----------------------|------------------------|------------------------|---------------------|---------------------|-------------------------|-------------------------|----------------------|----------------------|---------------|---------------|--------------------|----------------------------------|-----------------|----------|--------------|------------------|------------------------|--------------------------------------|--------------------------------------|--------------|-----------------------|--|
| DRWW              | Suburban Labs   | 13-7 Field   | GZH-01            | 0.5                 | ft           | Upper Des Plaines River | Non-IEPA       |                            |                 |                                  |                      | 05/28/2019             | 05/28/2019             |                     |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 0.00     | umhos/cm     |                  |                        |                                      |                                      |              |                       |  |
| DRWW              | Suburban Labs   | 13-7 Field   | GZH-01            | 0.5                 | ft           | Upper Des Plaines River | Non-IEPA       |                            |                 |                                  |                      | 05/28/2019             | 05/28/2019             |                     |                     |                         |                         | 05/28/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | <1       | MPN/100mL    | 1.0              | 1.0                    |                                      |                                      |              |                       |  |
| DRWW              | Suburban Labs   | 13-7 Field   | GZH-01            | 0.5                 | ft           | Upper Des Plaines River | Non-IEPA       |                            |                 |                                  |                      | 05/28/2019             | 05/28/2019             |                     |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 7.70     | S.U.         |                  |                        |                                      |                                      |              |                       |  |
| DRWW              | Suburban Labs   | 13-7 Field   | GZH-01            | 0.5                 | ft           | Upper Des Plaines River | Non-IEPA       |                            |                 |                                  |                      | 05/28/2019             | 05/28/2019             |                     |                     |                         |                         | 05/30/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | ND       | mg/L         |                  | 0.0500                 | 0.135                                |                                      |              |                       |  |
| DRWW              | Suburban Labs   | 13-7 Field   | GZH-01            | 0.5                 | ft           | Upper Des Plaines River | Non-IEPA       |                            |                 |                                  |                      | 05/28/2019             | 05/28/2019             |                     |                     |                         |                         | 06/19/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 1.54     | umhos/cm     | 1.00             | 1.00                   |                                      |                                      |              |                       |  |
| DRWW              | Suburban Labs   | 13-7 Field   | GZH-01            | 0.5                 | ft           | Upper Des Plaines River | Non-IEPA       |                            |                 |                                  |                      | 05/28/2019             | 05/28/2019             |                     |                     |                         |                         | 05/31/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | ND       | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |  |
| DRWW              | Suburban Labs   | 13-7 Field   | GZH-01            | 0.5                 | ft           | Upper Des Plaines River | Non-IEPA       |                            |                 |                                  |                      | 05/28/2019             | 05/28/2019             |                     |                     |                         |                         | 05/29/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        |                 | ND       | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |  |
| DRWW              | Suburban Labs   | 13-8         | GZI-01            | 0.5                 | ft           | Upper Des Plaines River | Non-IEPA       |                            |                 |                                  |                      | 2/1/2019               | 2/1/2019               |                     |                     |                         |                         | 2/1/2019             | #####                | Water         | Lab           | 2130-B             | Turbidity                        |                 | 4.22     | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |  |
| DRWW              | Suburban Labs   | 13-8         | GZI-01            | 0.5                 | ft           | Upper Des Plaines River | Non-IEPA       |                            |                 |                                  |                      | 2/1/2019               | 2/1/2019               |                     |                     |                         |                         | 2/1/2019             | #####                | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 4.10     | MPN/100mL    | 1.0              | 1.0                    |                                      |                                      |              |                       |  |
| DRWW              | Suburban Labs   | 13-8         | GZI-01            | 0.5                 | ft           | Upper Des Plaines River | Non-IEPA       |                            |                 |                                  |                      | 2/4/2019               | 2/1/2019               |                     |                     |                         |                         | 2/4/2019             | #####                | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 374.00   | mg/L         |                  | 40.0                   | 40.0                                 |                                      |              |                       |  |
| DRWW              | Suburban Labs   | 13-8         | GZI-01            | 0.5                 | ft           | Upper Des Plaines River | Non-IEPA       |                            |                 |                                  |                      | 2/4/2019               | 2/1/2019               |                     |                     |                         |                         | 2/4/2019             | #####                | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 1880.00  | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |  |
| DRWW              | Suburban Labs   | 13-8         | GZI-01            | 0.5                 | ft           | Upper Des Plaines River | Non-IEPA       |                            |                 |                                  |                      | 2/5/2019               | 2/1/2019               |                     |                     |                         |                         | 2/5/2019             | #####                | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | ND       | mg/L         |                  | 0.0500                 | 0.135                                |                                      |              |                       |  |
| DRWW              | Suburban Labs   | 13-8         | GZI-01            | 0.5                 | ft           | Upper Des Plaines River | Non-IEPA       |                            |                 |                                  |                      | 2/5/2019               | 2/1/2019               |                     |                     |                         |                         | 2/5/2019             | #####                | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.62     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |  |
| DRWW              | Suburban Labs   | 13-8         | GZI-01            | 0.5                 | ft           | Upper Des Plaines River | Non-IEPA       |                            |                 |                                  |                      | 02/11/2019             | 12:42:00 PM            |                     |                     |                         |                         | #####                |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 1146.00  | umhos/cm     |                  |                        |                                      |                                      |              |                       |  |
| DRWW              | Suburban Labs   | 13-8         | GZI-01            | 0.5                 | ft           | Upper Des Plaines River | Non-IEPA       |                            |                 |                                  |                      | 02/11/2019             | 12:42:00 PM            |                     |                     |                         |                         | #####                |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 1146.00  | umhos/cm     |                  |                        |                                      |                                      |              |                       |  |
| DRWW              | Suburban Labs   | 13-8         | GZI-01            | 0.5                 | ft           | Upper Des Plaines River | Non-IEPA       |                            |                 |                                  |                      | 02/11/2019             | 12:42:00 PM            |                     |                     |                         |                         | #####                |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 8.70     | S.U.         |                  |                        |                                      |                                      |              |                       |  |
| DRWW              | Suburban Labs   | 13-8         | GZI-01            | 0.5                 | ft           | Upper Des Plaines River | Non-IEPA       |                            |                 |                                  |                      | 02/11/2019             | 12:42:00 PM            |                     |                     |                         |                         | #####                |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 8.70     | S.U.         |                  |                        |                                      |                                      |              |                       |  |
| DRWW              | Suburban Labs   | 13-8         | GZI-01            | 0.5                 | ft           | Upper Des Plaines River | Non-IEPA       |                            |                 |                                  |                      | 02/11/2019             | 12:42:00 PM            |                     |                     |                         |                         | #####                |                      | Water         | USEPA         | SM 2550E           | Temperature                      |                 | 0.00     | deg C        |                  |                        |                                      |                                      |              |                       |  |
| DRWW              | Suburban Labs   | 13-8         | GZI-01            | 0.5                 | ft           | Upper Des Plaines River | Non-IEPA       |                            |                 |                                  |                      | 02/11/2019             | 12:42:00 PM            |                     |                     |                         |                         | #####                |                      | Water         | USEPA         | SM 2550E           | Temperature                      |                 | 0.00     | deg C        |                  |                        |                                      |                                      |              |                       |  |
| DRWW              | Suburban Labs   | 13-8         | GZI-01            | 0.5                 | ft           | Upper Des Plaines River | Non-IEPA       |                            |                 |                                  |                      | 05/29/2019             | 05/29/2019             |                     |                     |                         |                         | 06/04/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 179.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |  |
| DRWW              | Suburban Labs   | 13-8         | GZI-01            | 0.5                 | ft           | Upper Des Plaines River | Non-IEPA       |                            |                 |                                  |                      | 05/29/2019             | 05/29/2019             |                     |                     |                         |                         | 05/30/2019           |                      | Water         | USEPA         | SM A102C           | Chlorophyll a                    | Total           | ND       | mg/L         |                  | 4.0                    | 4.0                                  |                                      |              |                       |  |
| DRWW              | Suburban Labs   | 13-8         | GZI-01            | 0.5                 | ft           | Upper Des Plaines River | Non-IEPA       |                            |                 |                                  |                      | 05/29/2019             | 05/29/2019             |                     |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 1022.00  | umhos/cm     |                  |                        |                                      |                                      |              |                       |  |
| DRWW              | Suburban Labs   | 13-8         | GZI-01            | 0.5                 | ft           | Upper Des Plaines River | Non-IEPA       |                            |                 |                                  |                      | 05/29/2019             | 05/29/2019             |                     |                     |                         |                         | 05/29/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | >2419.6  | MPN/100mL    | 1.0              | 1.0                    |                                      |                                      |              |                       |  |
| DRWW              | Suburban Labs   | 13-8         | GZI-01            | 0.5                 | ft           | Upper Des Plaines River | Non-IEPA       |                            |                 |                                  |                      | 05/29/2019             | 05/29/2019             |                     |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 8.00     | S.U.         |                  |                        |                                      |                                      |              |                       |  |
| DRWW              | Suburban Labs   | 13-8         | GZI-01            | 0.5                 | ft           | Upper Des Plaines River | Non-IEPA       |                            |                 |                                  |                      | 05/29/2019             | 05/29/2019             |                     |                     |                         |                         | 05/31/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.07     | mg/L         | J                | 0.0500                 | 0.135                                |                                      |              |                       |  |
| DRWW              | Suburban Labs   | 13-8         | GZI-01            | 0.5                 | ft           | Upper Des Plaines River | Non-IEPA       |                            |                 |                                  |                      | 05/29/2019             | 05/29/2019             |                     |                     |                         |                         | 06/19/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 1020.00  | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |  |
| DRWW              | Suburban Labs   | 13-8         | GZI-01            | 0.5                 | ft           | Upper Des Plaines River | Non-IEPA       |                            |                 |                                  |                      | 05/29/2019             | 05/29/2019             |                     |                     |                         |                         | 05/31/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.15     | mg/L         | J                | 0.100                  | 0.224                                |                                      |              |                       |  |
| DRWW              | Suburban Labs   | 13-8         | GZI-01            | 0.5                 | ft           | Upper Des Plaines River | Non-IEPA       |                            |                 |                                  |                      | 05/29/2019             | 05/29/2019             |                     |                     |                         |                         | 05/30/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        |                 | 16.10    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |  |
| DRWW              | Suburban Labs   | 13-8         | GZI-01            | 0.5                 | ft           | Upper Des Plaines River | Non-IEPA       |                            |                 |                                  |                      | 07/24/2019             | 07/24/2019             |                     |                     |                         |                         | 07/29/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 168.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |  |
| DRWW              | Suburban Labs   | 13-8         | GZI-01            | 0.5                 | ft           | Upper Des Plaines River | Non-IEPA       |                            |                 |                                  |                      | 07/24/2019             | 07/24/2019             |                     |                     |                         |                         | 08/01/2019           |                      | Water         | USEPA         | SM A102C           | Chlorophyll a                    | Total           | ND       | mg/L         |                  | 4.0                    | 4.0                                  |                                      |              |                       |  |
| DRWW              | Suburban Labs   | 13-8         | GZI-01            | 0.5                 | ft           | Upper Des Plaines River | Non-IEPA       |                            |                 |                                  |                      | 07/24/2019             | 07/24/2019             |                     |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 976.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |  |
| DRWW              | Suburban Labs   | 13-8         | GZI-01            | 0.5                 | ft           | Upper Des Plaines River | Non-IEPA       |                            |                 |                                  |                      | 07/24/2019             | 07/24/2019             |                     |                     |                         |                         | 07/24/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 222.40   | MPN/100mL    | 1.0              | 1.0                    |                                      |                                      |              |                       |  |
| DRWW              | Suburban Labs   | 13-8         | GZI-01            | 0.5                 | ft           | Upper Des Plaines River | Non-IEPA       |                            |                 |                                  |                      | 07/24/2019             | 07/24/2019             |                     |                     |                         |                         | 07/24/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | Complete |              | V                | 0                      | 0                                    |                                      |              |                       |  |
| DRWW              | Suburban Labs   | 13-8         | GZI-01            | 0.5                 | ft           | Upper Des Plaines River | Non-IEPA       |                            |                 |                                  |                      | 07/24/2019             | 07/24/2019             |                     |                     |                         |                         | 07/25/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |  |
| DRWW              | Suburban Labs   | 13-8         | GZI-01            | 0.5                 | ft           | Upper Des Plaines River | Non-IEPA       |                            |                 |                                  |                      | 07/24/2019             | 07/24/2019             |                     |                     |                         |                         | 07/31/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | 1.65     | mg/L         | J                | 1.19                   | 3.78                                 |                                      |              |                       |  |
| DRWW              | Suburban Labs   | 13-8         | GZI-01            | 0.5                 | ft           | Upper Des Plaines River | Non-IEPA       |                            |                 |                                  |                      | 07/24/2019             | 07/24/2019             |                     |                     |                         |                         | 07/25/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.11     | mg/L         |                  | 0.026                  | 0.050                                |                                      |              |                       |  |
| DRWW              | Suburban Labs   | 13-8         | GZI-01            | 0.5                 | ft           | Upper Des Plaines River | Non-IEPA       |                            |                 |                                  |                      | 07/24/2019             | 07/24/2019             |                     |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 7.80     | S.U.         |                  |                        |                                      |                                      |              |                       |  |
| DRWW              | Suburban Labs   | 13-8         | GZI-01            | 0.5                 | ft           | Upper Des Plaines River | Non-IEPA       |                            |                 |                                  |                      | 07/24/2019             | 07/24/2019             |                     |                     |                         |                         | 07/26/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.12     | mg/L         | J                | 0.0500                 | 0.135                                |                                      |              |                       |  |
| DRWW              | Suburban Labs   | 13-8         | GZI-01            | 0.5                 | ft           | Upper Des Plaines River | Non-IEPA       |                            |                 |                                  |                      | 07/24/2019             | 07/24/2019             |                     |                     |                         |                         | 07/30/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 981.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |  |
| DRWW              | Suburban Labs   | 13-8         | GZI-01            | 0.5                 | ft           | Upper Des Plaines River | Non-IEPA       |                            |                 |                                  |                      | 07/24/2019             | 07/24/2019             |                     |                     |                         |                         | 07/26/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.20     | mg/L         | J                | 0.100                  | 0.224                                |                                      |              |                       |  |
| DRWW              | Suburban Labs   | 13-8         | GZI-01            | 0.5                 | ft           | Upper Des Plaines River | Non-IEPA       |                            |                 |                                  |                      | 07/24/2019             | 07/24/2019             |                     |                     |                         |                         | 07/26/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        |                 | 36.20    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |  |
| DRWW              | Suburban Labs   | 13-8         | GZI-01            | 0.5                 | ft           | Upper Des Plaines River | Non-IEPA       |                            |                 |                                  |                      | 08/29/2019             | 08/29/2019             |                     |                     |                         |                         | 08/30/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 194.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |  |
| DRWW              | Suburban Labs   | 13-8         | GZI-01            | 0.5                 | ft           | Upper Des Plaines River | Non-IEPA       |                            |                 |                                  |                      | 08/29/2019             | 08/29/2019             |                     |                     |                         |                         | 09/09/2019           |                      | Water         | USEPA         | SM A102C           | Chlorophyll a                    | Total           | ND       | mg/L         |                  | 4.0                    | 4.0                                  |                                      |              |                       |  |
| DRWW              | Suburban Labs   | 13-8         | GZI-01            | 0.5                 | ft           | Upper Des Plaines River | Non-IEPA       |                            |                 |                                  |                      | 08/29/2019             | 08/29/2019             |                     |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 1021.00  | umhos/cm     |                  |                        |                                      |                                      |              |                       |  |
| DRWW              | Suburban Labs   | 13-8         | GZI-01            | 0.5                 | ft           | Upper Des Plaines River | Non-IEPA       |                            |                 |                                  |                      | 08/29/2019             | 08/29/2019             |                     |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 111.90   | MPN/100mL    | 1.0              | 1.0                    |                                      |                                      |              |                       |  |
| DRWW              | Suburban Labs   | 13-8         | GZI-01            | 0.5                 | ft           | Upper Des Plaines River | Non-IEPA       |                            |                 |                                  |                      | 08/29/2019             | 08/29/2019             |                     |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                                    |                                      |              |                       |  |
| DRWW              | Suburban Labs   | 13-8         | GZI-01            | 0.5                 | ft           | Upper Des Plaines River | Non-IEPA       |                            |                 |                                  |                      | 08/29/2019             | 08/29/2019             |                     |                     |                         |                         | 09/03/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |  |
| DRWW              | Suburban Labs   | 13-8         | GZI-01            | 0.5                 | ft           | Upper Des Plaines River | Non-IEPA       |                            |                 |                                  |                      | 08/29/2019             | 08/29/2019             |                     |                     |                         |                         | 09/06/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | ND       | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |  |
| DRWW              | Suburban Labs   | 13-8         | GZI-01            | 0.5                 | ft           | Upper Des Plaines River | Non-IEPA       |                            |                 |                                  |                      | 08/29/2019             | 08/29/2019             |                     |                     |                         |                         | 08/30/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.03     | mg/L         | J                | 0.026                  | 0.050                                |                                      |              |                       |  |
| DRWW              | Suburban Labs   | 13-8         | GZI-01            | 0.5                 | ft           | Upper Des Plaines River | Non-IEPA       |                            |                 |                                  |                      | 08/29/2019             | 08/29/2019             |                     |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 7.80     | S.U.         |                  |                        |                                      |                                      |              |                       |  |
| DRWW              | Suburban Labs   | 13-8         | GZI-01            | 0.5                 | ft           | Upper Des Plaines River | Non-IEPA       |                            |                 |                                  |                      | 08/29/2019             | 08/29/2019             |                     |                     |                         |                         | 09/04/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.08     | mg/L         | J                | 0.0500                 | 0.135                                |                                      |              |                       |  |
| DRWW              | Suburban Labs   | 13-8         | GZI-01            | 0.5                 | ft           | Upper Des Plaines River | Non-IEPA       |                            |                 |                                  |                      | 08/29/2019             | 08/29/2019             |                     |                     |                         |                         |                      |                      |               |               |                    |                                  |                 |          |              |                  |                        |                                      |                                      |              |                       |  |

| Submitting Source | Laboratory Name | Sample Group | DRWW Station Code | IL EPA Station Code | Sample Depth | Sample-Depth Units | Waterbody Name          | Public Water Supply Intake | Monitoring Unit | Surface-Water Monitoring Program | QA/QC Field-Blank ID | Sample-Collection Date | Sample-Collection Time | Sample-Receipt Date | Sample-Receipt Time | Sample-Preparation Date | Sample-Preparation Time | Sample-Analysis Date | Sample-Analysis Time | Sample Medium | Method Source | Method Code - IEPA | Analyte                          | Sample Fraction | Result   | Result Units | Result Qualifier | Method Detection Limit | Minimum Practical Quantitation Limit | Maximum Practical Quantitation Limit | Weight Basis | Date Results Released |
|-------------------|-----------------|--------------|-------------------|---------------------|--------------|--------------------|-------------------------|----------------------------|-----------------|----------------------------------|----------------------|------------------------|------------------------|---------------------|---------------------|-------------------------|-------------------------|----------------------|----------------------|---------------|---------------|--------------------|----------------------------------|-----------------|----------|--------------|------------------|------------------------|--------------------------------------|--------------------------------------|--------------|-----------------------|
| DRWW              | Suburban Labs   |              | 13-9              | GZJ-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/29/2019             |                        | 05/29/2019          |                     |                         |                         | 05/30/2019           |                      | Water         | USEPA         | SM A102            | Chlorophyll a                    | Total           | ND       | mg/L         |                  | 4.0                    | 4.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-9              | GZJ-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/29/2019             |                        | 05/29/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120            | Conductivity                     | Total           | 1124.00  | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-9              | GZJ-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/29/2019             |                        | 05/29/2019          |                     |                         |                         | 05/29/2019           |                      | Water         | USEPA         | E. COLI            | E. Coli                          | Total           | 248.10   | MPN/100mL    | 1.0              | 1.0                    |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-9              | GZJ-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/29/2019             |                        | 05/29/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.80     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-9              | GZJ-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/29/2019             |                        | 05/29/2019          |                     |                         |                         | 05/31/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | ND       | mg/L         |                  | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-9              | GZJ-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/29/2019             |                        | 05/29/2019          |                     |                         |                         | 05/30/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 1020.00  | umhos/cm     | 1.00             | 1.00                   |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-9              | GZJ-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/29/2019             |                        | 05/29/2019          |                     |                         |                         | 05/31/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.26     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-9              | GZJ-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/29/2019             |                        | 05/29/2019          |                     |                         |                         | 05/30/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 16.70    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-9              | GZJ-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/24/2019             |                        | 07/24/2019          |                     |                         |                         | 07/29/2019           |                      | Water         | APHA          | 4500-CL            | Chloride                         | Total           | 286.00   | mg/L         |                  | 40.0                   | 40.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-9              | GZJ-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/24/2019             |                        | 07/24/2019          |                     |                         |                         | 08/01/2019           |                      | Water         | USEPA         | SM A102            | Chlorophyll a                    | Total           | 5.00     | mg/L         |                  | 4.0                    | 4.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-9              | GZJ-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/24/2019             |                        | 07/24/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120            | Conductivity                     | Total           | 1261.00  | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-9              | GZJ-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/24/2019             |                        | 07/24/2019          |                     |                         |                         | 07/24/2019           |                      | Water         | USEPA         | E. COLI            | E. Coli                          | Total           | 137.60   | MPN/100mL    | 1.0              | 1.0                    |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-9              | GZJ-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/24/2019             |                        | 07/24/2019          |                     |                         |                         | 07/24/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | Complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-9              | GZJ-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/24/2019             |                        | 07/24/2019          |                     |                         |                         | 07/25/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | 0.15     | mg/L         | J                | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-9              | GZJ-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/24/2019             |                        | 07/24/2019          |                     |                         |                         | 08/01/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | ND       | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-9              | GZJ-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/24/2019             |                        | 07/24/2019          |                     |                         |                         | 07/25/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | ND       | mg/L         |                  | 0.026                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-9              | GZJ-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/24/2019             |                        | 07/24/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.80     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-9              | GZJ-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/24/2019             |                        | 07/24/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | ND       | mg/L         |                  | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-9              | GZJ-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/24/2019             |                        | 07/24/2019          |                     |                         |                         | 07/30/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 1310.00  | umhos/cm     | 1.00             | 1.00                   |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-9              | GZJ-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/24/2019             |                        | 07/24/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.29     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-9              | GZJ-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/24/2019             |                        | 07/24/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 5.85     | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-9              | GZJ-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | APHA          | 4500-CL            | Chloride                         | Total           | 231.00   | mg/L         |                  | 40.0                   | 40.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-9              | GZJ-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 09/09/2019           |                      | Water         | USEPA         | SM A102            | Chlorophyll a                    | Total           | ND       | mg/L         |                  | 4.0                    | 4.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-9              | GZJ-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120            | Conductivity                     | Total           | 1018.00  | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-9              | GZJ-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | E. COLI            | E. Coli                          | Total           | 98.70    | MPN/100mL    | 1.0              | 1.0                    |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-9              | GZJ-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-9              | GZJ-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 09/03/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-9              | GZJ-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 09/06/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | ND       | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-9              | GZJ-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | ND       | mg/L         |                  | 0.026                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-9              | GZJ-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.70     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-9              | GZJ-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | ND       | mg/L         |                  | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-9              | GZJ-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 1050.00  | umhos/cm     | 1.00             | 1.00                   |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-9              | GZJ-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.13     | mg/L         | J                | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-9              | GZJ-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 8.08     | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-9              | GZJ-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | 4500-CL            | Chloride                         | Total           | 115.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-9              | GZJ-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 11/04/2019           |                      | Water         | USEPA         | SM A102            | Chlorophyll a                    | Total           | ND       | mg/L         |                  | 4.0                    | 4.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-9              | GZJ-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120            | Conductivity                     | Total           | 806.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-9              | GZJ-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 10/28/2019           |                      | Water         | USEPA         | E. COLI            | E. Coli                          | Total           | 658.60   | MPN/100mL    | 1.0              | 1.0                    |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-9              | GZJ-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 10/28/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | Complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-9              | GZJ-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 10/29/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-9              | GZJ-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | ND       | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-9              | GZJ-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 10/29/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | ND       | mg/L         |                  | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-9              | GZJ-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.80     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-9              | GZJ-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 10/30/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.05     | mg/L         | J                | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-9              | GZJ-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 11/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 823.00   | umhos/cm     | 1.00             | 1.00                   |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-9              | GZJ-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 10/30/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.32     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 13-9              | GZJ-01              | 0.5          | ft                 | Upper Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/28/2019             |                        | 10/28/2019          |                     |                         |                         | 10/28/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 6.11     | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-1              | GV-01               | 0.5          | ft                 | Bull Creek              |                            |                 | Non-IEPA                         |                      | 2/1/2019               | 2/1/2019               |                     |                     |                         |                         | 2/1/2019             | #####                | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 7.41     | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-1              | GV-01               | 0.5          | ft                 | Bull Creek              |                            |                 | Non-IEPA                         |                      | 2/1/2019               | 2/1/2019               |                     |                     |                         |                         | 2/1/2019             | #####                | Water         | USEPA         | E. COLI            | E. Coli                          | Total           | 80.90    | MPN/100mL    | 1.0              | 1.0                    |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-1              | GV-01               | 0.5          | ft                 | Bull Creek              |                            |                 | Non-IEPA                         |                      | 2/4/2019               | 2/1/2019               |                     |                     |                         |                         | 2/4/2019             | #####                | Water         | APHA          | 4500-CL            | Chloride                         | Total           | 254.00   | mg/L         |                  | 40.0                   | 40.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-1              | GV-01               | 0.5          | ft                 | Bull Creek              |                            |                 | Non-IEPA                         |                      | 2/4/2019               | 2/1/2019               |                     |                     |                         |                         | 2/4/2019             | #####                | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 1360.00  | umhos/cm     | 1.00             | 1.00                   |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-1              | GV-01               | 0.5          | ft                 | Bull Creek              |                            |                 | Non-IEPA                         |                      | 2/5/2019               | 2/1/2019               |                     |                     |                         |                         | 2/5/2019             | #####                |               |               |                    |                                  |                 |          |              |                  |                        |                                      |                                      |              |                       |



| Submitting Source | Laboratory Name | Sample Group | DRWW Station Code | IL EPA Station Code | Sample Depth | Sample-Depth Units | Waterbody Name | Public Water Supply Intake | Monitoring Unit | Surface-Water Monitoring Program | QA/QC Field-Blank ID | Sample-Collection Date | Sample-Collection Time | Sample-Receipt Date | Sample-Receipt Time | Sample-Preparation Date | Sample-Preparation Time | Sample-Analysis Date | Sample-Analysis Time | Sample Medium | Method Source | Method Code - IEPA | Analyte                          | Sample Fraction | Result   | Result Units | Result Qualifier | Method Detection Limit | Minimum Practical Quantitation Limit | Maximum Practical Quantitation Limit | Weight Basis | Date Results Released |
|-------------------|-----------------|--------------|-------------------|---------------------|--------------|--------------------|----------------|----------------------------|-----------------|----------------------------------|----------------------|------------------------|------------------------|---------------------|---------------------|-------------------------|-------------------------|----------------------|----------------------|---------------|---------------|--------------------|----------------------------------|-----------------|----------|--------------|------------------|------------------------|--------------------------------------|--------------------------------------|--------------|-----------------------|
| DRWW              | Suburban Labs   |              | 14-1              | GV-01               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 07/24/2019             |                        | 07/24/2019          |                     |                         |                         | 07/24/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | Complete | V            | 0                | 0                      |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-1              | GV-01               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 07/24/2019             |                        | 07/24/2019          |                     |                         |                         | 07/25/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-1              | GV-01               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 07/24/2019             |                        | 07/24/2019          |                     |                         |                         | 08/01/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | ND       | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-1              | GV-01               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 07/24/2019             |                        | 07/24/2019          |                     |                         |                         | 07/25/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.04     | mg/L         | J                | 0.026                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-1              | GV-01               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 07/24/2019             |                        | 07/24/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 7.80     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-1              | GV-01               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 07/24/2019             |                        | 07/24/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.08     | mg/L         | J                | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-1              | GV-01               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 07/24/2019             |                        | 07/24/2019          |                     |                         |                         | 07/30/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 904.00   | µmhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-1              | GV-01               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 07/24/2019             |                        | 07/24/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.23     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-1              | GV-01               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 07/24/2019             |                        | 07/24/2019          |                     |                         |                         | 07/29/2019           |                      | Water         | USEPA         | 2540-D             | Total Suspended Solids           | Total           | 17.20    | mg/L         |                  | 0.400                  | 10.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-1              | GV-01               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 07/24/2019             |                        | 07/24/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        |                 | 14.90    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-1              | GV-01               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 07/24/2019             |                        | 07/24/2019          |                     |                         |                         | 07/29/2019           |                      | Water         | USEPA         | 2540-D             | Volatile Suspended Solids        | Total           | 4.40     | mg/L         | J                | 0.400                  | 10.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-1              | GV-01               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 193.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-1              | GV-01               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 09/09/2019           |                      | Water         | USEPA         | SM A102            | Chlorophyll a                    | Total           | 4.60     | mg/L         |                  | 4.0                    | 4.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-1              | GV-01               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120            | Conductivity                     |                 | 1022.00  | µmhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-1              | GV-01               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | E. COLI            | E. Coli                          | Total           | 344.80   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-1              | GV-01               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete | V            | 0                | 0                      |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-1              | GV-01               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | USEPA         | 200.7              | Hardness (As CaCO3)              | Total           | 227.00   | mg/L         |                  | 0.0500                 | 0.150                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-1              | GV-01               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | USEPA         | 200.7              | Magnesium                        | Total           | 23.60    | mg/L         |                  | 0.0100                 | 0.0300                               |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-1              | GV-01               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 09/03/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-1              | GV-01               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 09/06/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | ND       | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-1              | GV-01               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | ND       | mg/L         |                  | 0.026                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-1              | GV-01               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 7.80     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-1              | GV-01               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.06     | mg/L         |                  | 0.0147                 | 0.0469                               |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-1              | GV-01               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 846.00   | µmhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-1              | GV-01               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.12     | mg/L         | J                | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-1              | GV-01               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 09/05/2019           |                      | Water         | USEPA         | 2540-D             | Total Suspended Solids           | Total           | 5.00     | mg/L         |                  | 0.200                  | 5.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-1              | GV-01               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        |                 | 4.40     | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-1              | GV-01               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 09/05/2019           |                      | Water         | USEPA         | 2540-D             | Volatile Suspended Solids        | Total           | 1.00     | mg/L         | J                | 0.200                  | 5.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-1              | GV-01               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 10/29/2019             |                        | 10/29/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | 4500-CL-           | Chloride                         | Total           | 88.30    | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-1              | GV-01               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 10/29/2019             |                        | 10/29/2019          |                     |                         |                         | 11/04/2019           |                      | Water         | USEPA         | SM A102            | Chlorophyll a                    | Total           | ND       | mg/L         |                  | 4.0                    | 4.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-1              | GV-01               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 10/29/2019             |                        | 10/29/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120            | Conductivity                     | Total           | 722.00   | µmhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-1              | GV-01               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 10/29/2019             |                        | 10/29/2019          |                     |                         |                         | 10/29/2019           |                      | Water         | USEPA         | E. COLI            | E. Coli                          | Total           | 816.40   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-1              | GV-01               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 10/29/2019             |                        | 10/29/2019          |                     |                         |                         | 10/29/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete | V            | 0                | 0                      |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-1              | GV-01               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 10/29/2019             |                        | 10/29/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-1              | GV-01               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 10/29/2019             |                        | 10/29/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | ND       | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-1              | GV-01               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 10/29/2019             |                        | 10/29/2019          |                     |                         |                         | 10/30/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | ND       | mg/L         |                  | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-1              | GV-01               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 10/29/2019             |                        | 10/29/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 7.90     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-1              | GV-01               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 10/29/2019             |                        | 10/29/2019          |                     |                         |                         | 10/30/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.08     | mg/L         |                  | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-1              | GV-01               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 10/29/2019             |                        | 10/29/2019          |                     |                         |                         | 11/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 740.00   | µmhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-1              | GV-01               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 10/29/2019             |                        | 10/29/2019          |                     |                         |                         | 10/30/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.24     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-1              | GV-01               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 10/29/2019             |                        | 10/29/2019          |                     |                         |                         | 10/30/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 9.82     | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-1 Dupl         | GV-01               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 07/24/2019             |                        | 07/24/2019          |                     |                         |                         | 07/29/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 146.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-1 Dupl         | GV-01               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 07/24/2019             |                        | 07/24/2019          |                     |                         |                         | 08/01/2019           |                      | Water         | USEPA         | SM A102            | Chlorophyll a                    | Total           | 13.00    | mg/L         |                  | 4.0                    | 4.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-1 Dupl         | GV-01               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 07/24/2019             |                        | 07/24/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120            | Conductivity                     |                 | 892.00   | µmhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-1 Dupl         | GV-01               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 07/24/2019             |                        | 07/24/2019          |                     |                         |                         | 07/24/2019           |                      | Water         | USEPA         | E. COLI            | E. Coli                          | Total           | 178.90   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-1 Dupl         | GV-01               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 07/24/2019             |                        | 07/24/2019          |                     |                         |                         | 07/24/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | Complete | V            | 0                | 0                      |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-1 Dupl         | GV-01               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 07/24/2019             |                        | 07/24/2019          |                     |                         |                         | 07/25/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-1 Dupl         | GV-01               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 07/24/2019             |                        | 07/24/2019          |                     |                         |                         | 08/01/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | ND       | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-1 Dupl         | GV-01               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 07/24/2019             |                        | 07/24/2019          |                     |                         |                         | 07/25/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.03     | mg/L         | J                | 0.026                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-1 Dupl         | GV-01               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 07/24/2019             |                        | 07/24/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 7.90     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-1 Dupl         | GV-01               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 07/24/2019             |                        | 07/24/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.08     | mg/L         | J                | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-1 Dupl         | GV-01               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 07/24/2019             |                        | 07/24/2019          |                     |                         |                         | 07/30/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 903.00   | µmhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              |                   |                     |              |                    |                |                            |                 |                                  |                      |                        |                        |                     |                     |                         |                         |                      |                      |               |               |                    |                                  |                 |          |              |                  |                        |                                      |                                      |              |                       |

| Submitting Source | Laboratory Name | Sample Group | DRWW Station Code | IL EPA Station Code | Sample Depth | Sample-Depth Units | Waterbody Name | Public Water Supply Intake | Monitoring Unit | Surface-Water Monitoring Program | QA/QC Field-Blank ID | Sample-Collection Date | Sample-Collection Time | Sample-Receipt Date | Sample-Receipt Time | Sample-Preparation Date | Sample-Preparation Time | Sample-Analysis Date | Sample-Analysis Time | Sample Medium | Method Source | Method Code - IEPA | Analyte                          | Sample Fraction | Result   | Result Units | Result Qualifier | Method Detection Limit | Minimum Practical Quantitation Limit | Maximum Practical Quantitation Limit | Weight Basis | Date Results Released |
|-------------------|-----------------|--------------|-------------------|---------------------|--------------|--------------------|----------------|----------------------------|-----------------|----------------------------------|----------------------|------------------------|------------------------|---------------------|---------------------|-------------------------|-------------------------|----------------------|----------------------|---------------|---------------|--------------------|----------------------------------|-----------------|----------|--------------|------------------|------------------------|--------------------------------------|--------------------------------------|--------------|-----------------------|
| DRWW              | Suburban Labs   |              | 14-2              | GV-02               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 02/11/2019             | 2:26:00 PM             |                     |                     |                         |                         | #####                |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 1088.00  | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-2              | GV-02               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 02/11/2019             | 2:26:00 PM             |                     |                     |                         |                         | #####                |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 8.40     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-2              | GV-02               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 02/11/2019             | 2:26:00 PM             |                     |                     |                         |                         | #####                |                      | Water         | USEPA         | SM 2550B           | Temperature                      |                 | 0.40     | deg C        |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-2              | GV-02               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 05/29/2019             |                        | 05/29/2019          |                     |                         |                         | 06/04/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 199.00   | mg/L         | S                | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-2              | GV-02               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 05/29/2019             |                        | 05/29/2019          |                     |                         |                         | 05/30/2019           |                      | Water         | USEPA         | SM A1020           | Chlorophyll a                    | Total           | ND       | mg/L         |                  | 4.0                    | 4.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-2              | GV-02               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 05/29/2019             |                        | 05/29/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 1014.00  | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-2              | GV-02               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 05/29/2019             |                        | 05/29/2019          |                     |                         |                         | 05/29/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 193.50   | MPN/100mL    | 1.0              | 1.0                    |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-2              | GV-02               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 05/29/2019             |                        | 05/29/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 7.90     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-2              | GV-02               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 05/29/2019             |                        | 05/29/2019          |                     |                         |                         | 05/31/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | ND       | mg/L         |                  | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-2              | GV-02               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 05/29/2019             |                        | 05/29/2019          |                     |                         |                         | 05/30/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 946.00   | umhos/cm     | 1.00             | 1.00                   |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-2              | GV-02               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 05/29/2019             |                        | 05/29/2019          |                     |                         |                         | 05/31/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | ND       | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-2              | GV-02               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 05/29/2019             |                        | 05/29/2019          |                     |                         |                         | 05/30/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        |                 | 3.74     | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-2              | GV-02               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 07/29/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 180.00   | mg/L         | S                | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-2              | GV-02               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 08/01/2019           |                      | Water         | USEPA         | SM A1020           | Chlorophyll a                    | Total           | 9.00     | mg/L         |                  | 4.0                    | 4.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-2              | GV-02               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 977.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-2              | GV-02               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 07/25/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 75.40    | MPN/100mL    | 1.0              | 1.0                    |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-2              | GV-02               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 07/25/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | Complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-2              | GV-02               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 07/30/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-2              | GV-02               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 08/01/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | ND       | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-2              | GV-02               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | ND       | mg/L         |                  | 0.026                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-2              | GV-02               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 7.70     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-2              | GV-02               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 07/29/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.68     | mg/L         |                  | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-2              | GV-02               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 07/30/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 978.00   | umhos/cm     | 1.00             | 1.00                   |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-2              | GV-02               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.14     | mg/L         | J                | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-2              | GV-02               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        |                 | 3.12     | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-2              | GV-02               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 193.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-2              | GV-02               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 09/09/2019           |                      | Water         | USEPA         | SM A1020           | Chlorophyll a                    | Total           | 5.10     | mg/L         |                  | 4.0                    | 4.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-2              | GV-02               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 991.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-2              | GV-02               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 78.90    | MPN/100mL    | 1.0              | 1.0                    |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-2              | GV-02               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-2              | GV-02               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 09/03/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-2              | GV-02               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 09/09/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | ND       | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-2              | GV-02               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.03     | mg/L         | J                | 0.026                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-2              | GV-02               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 7.80     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-2              | GV-02               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.06     | mg/L         | J                | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-2              | GV-02               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 1030.00  | umhos/cm     | 1.00             | 1.00                   |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-2              | GV-02               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | ND       | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-2              | GV-02               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        |                 | 1.97     | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-2              | GV-02               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 10/29/2019             |                        | 10/29/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | 4500-CL-           | Chloride                         | Total           | 102.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-2              | GV-02               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 10/29/2019             |                        | 10/29/2019          |                     |                         |                         | 11/04/2019           |                      | Water         | USEPA         | SM A1020           | Chlorophyll a                    | Total           | 5.20     | mg/L         |                  | 4.0                    | 4.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-2              | GV-02               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 10/29/2019             |                        | 10/29/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 758.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-2              | GV-02               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 10/29/2019             |                        | 10/29/2019          |                     |                         |                         | 10/29/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 155.30   | MPN/100mL    | 1.0              | 1.0                    |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-2              | GV-02               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 10/29/2019             |                        | 10/29/2019          |                     |                         |                         | 10/29/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-2              | GV-02               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 10/29/2019             |                        | 10/29/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-2              | GV-02               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 10/29/2019             |                        | 10/29/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | ND       | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-2              | GV-02               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 10/29/2019             |                        | 10/29/2019          |                     |                         |                         | 10/30/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | ND       | mg/L         |                  | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-2              | GV-02               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 10/29/2019             |                        | 10/29/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.90     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-2              | GV-02               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 10/29/2019             |                        | 10/29/2019          |                     |                         |                         | 10/30/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.05     | mg/L         | J                | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-2              | GV-02               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 10/29/2019             |                        | 10/29/2019          |                     |                         |                         | 11/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 775.00   | umhos/cm     | 1.00             | 1.00                   |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-2              | GV-02               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 10/29/2019             |                        | 10/29/2019          |                     |                         |                         | 10/30/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.23     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-2              | GV-02               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 10/29/2019             |                        | 10/29/2019          |                     |                         |                         | 10/30/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 2.56     | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-3              | GVA-02              | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 2/4/2019               | 2/4/2019               |                     |                     |                         |                         | 2/4/2019             | #####                | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 261.30   | MPN/100mL    | 1.0              | 1.0                    |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-3              | GVA-02              | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 2/5/2019               | 2/4/2019               |                     |                     |                         |                         | 2/5/2019             | #####                | Water         | USEPA         | 35                 |                                  |                 |          |              |                  |                        |                                      |                                      |              |                       |

| Submitting Source | Laboratory Name | Sample Group | DRWW Station Code | IL EPA Station Code | Sample Depth | Sample-Depth Units | Waterbody Name | Public Water Supply Intake | Monitoring Unit | Surface-Water Monitoring Program | QA/QC Field-Blank ID | Sample-Collection Date | Sample-Collection Time | Sample-Receipt Date | Sample-Receipt Time | Sample-Preparation Date | Sample-Preparation Time | Sample-Analysis Date | Sample-Analysis Time | Sample Medium | Method Source | Method Code - IEPA | Analyte                          | Sample Fraction | Result   | Result Units | Result Qualifier | Method Detection Limit | Minimum Practical Quantitation Limit | Maximum Practical Quantitation Limit | Weight Basis | Date Results Released |
|-------------------|-----------------|--------------|-------------------|---------------------|--------------|--------------------|----------------|----------------------------|-----------------|----------------------------------|----------------------|------------------------|------------------------|---------------------|---------------------|-------------------------|-------------------------|----------------------|----------------------|---------------|---------------|--------------------|----------------------------------|-----------------|----------|--------------|------------------|------------------------|--------------------------------------|--------------------------------------|--------------|-----------------------|
| DRWW              | Suburban Labs   |              | 14-3              | GVA-02              | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 7.70     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-3              | GVA-02              | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 07/31/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.11     | mg/L         | J                | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-3              | GVA-02              | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 07/30/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 844.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-3              | GVA-02              | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.53     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-3              | GVA-02              | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 14.30    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-3              | GVA-02              | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 230.00   | mg/L         |                  | 40.0                   | 40.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-3              | GVA-02              | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 1072.00  | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-3              | GVA-02              | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | E. COLI            | E. Coli                          | Total           | 228.20   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-3              | GVA-02              | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-3              | GVA-02              | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 09/03/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-3              | GVA-02              | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 09/09/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | ND       | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-3              | GVA-02              | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.05     | mg/L         | J                | 0.026                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-3              | GVA-02              | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.90     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-3              | GVA-02              | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.10     | mg/L         | J                | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-3              | GVA-02              | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 1090.00  | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-3              | GVA-02              | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.15     | mg/L         | J                | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-3              | GVA-02              | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 6.20     | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-3              | GVA-02              | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 10/29/2019             |                        | 10/29/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | 4500-CL-           | Chloride                         | Total           | 74.80    | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-3              | GVA-02              | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 10/29/2019             |                        | 10/29/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 628.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-3              | GVA-02              | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 10/29/2019             |                        | 10/29/2019          |                     |                         |                         | 10/29/2019           |                      | Water         | USEPA         | E. COLI            | E. Coli                          | Total           | 960.60   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-3              | GVA-02              | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 10/29/2019             |                        | 10/29/2019          |                     |                         |                         | 10/29/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-3              | GVA-02              | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 10/29/2019             |                        | 10/29/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-3              | GVA-02              | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 10/29/2019             |                        | 10/29/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | ND       | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-3              | GVA-02              | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 10/29/2019             |                        | 10/29/2019          |                     |                         |                         | 10/30/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | ND       | mg/L         |                  | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-3              | GVA-02              | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 10/29/2019             |                        | 10/29/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.90     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-3              | GVA-02              | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 10/29/2019             |                        | 10/29/2019          |                     |                         |                         | 10/30/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.09     | mg/L         |                  | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-3              | GVA-02              | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 10/29/2019             |                        | 10/29/2019          |                     |                         |                         | 11/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 641.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-3              | GVA-02              | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 10/29/2019             |                        | 10/29/2019          |                     |                         |                         | 10/30/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.32     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-3              | GVA-02              | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 10/29/2019             |                        | 10/29/2019          |                     |                         |                         | 10/30/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 24.90    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-4              | GVA-03              | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 2/4/2019               | 2/4/2019               |                     |                     |                         |                         | 2/4/2019             | #####                | Water         | USEPA         | E. COLI            | E. Coli                          | Total           | 113.70   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-4              | GVA-03              | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 2/5/2019               | 2/4/2019               |                     |                     |                         |                         | 2/5/2019             | #####                | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.86     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-4              | GVA-03              | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 2/5/2019               | 2/4/2019               |                     |                     |                         |                         | 2/5/2019             | #####                | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 37.10    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-4              | GVA-03              | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 2/6/2019               | 2/4/2019               |                     |                     |                         |                         | 2/6/2019             | #####                | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.10     | mg/L         | J                | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-4              | GVA-03              | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 2/8/2019               | 2/4/2019               |                     |                     |                         |                         | 2/8/2019             | #####                | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 496.00   | mg/L         |                  | 80.0                   | 80.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-4              | GVA-03              | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | #####                  | 2/4/2019               |                     |                     |                         |                         | #####                | #####                | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 1760.00  | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-4              | GVA-03              | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 02/13/2019             | 10:20:00 AM            |                     |                     |                         |                         | #####                | #####                | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 1091.00  | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-4              | GVA-03              | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 02/13/2019             | 10:20:00 AM            |                     |                     |                         |                         | #####                | #####                | Water         | USEPA         | 365.2              | pH, Field                        |                 | 8.80     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-4              | GVA-03              | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 02/13/2019             | 10:20:00 AM            |                     |                     |                         |                         | #####                | #####                | Water         | USEPA         | SM 2550E           | Temperature                      |                 | 0.60     | deg C        |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-4              | GVA-03              | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 05/29/2019             |                        | 05/29/2019          |                     |                         |                         | 06/04/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 218.00   | mg/L         |                  | 40.0                   | 40.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-4              | GVA-03              | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 05/29/2019             |                        | 05/29/2019          |                     |                         |                         | 05/30/2019           |                      | Water         | USEPA         | SM A1020           | Chlorophyll a                    | Total           | 4.10     | mg/L         |                  | 4.0                    | 4.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-4              | GVA-03              | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 05/29/2019             |                        | 05/29/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 1032.00  | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-4              | GVA-03              | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 05/29/2019             |                        | 05/29/2019          |                     |                         |                         | 05/29/2019           |                      | Water         | USEPA         | E. COLI            | E. Coli                          | Total           | 456.90   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-4              | GVA-03              | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 05/29/2019             |                        | 05/29/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.70     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-4              | GVA-03              | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 05/29/2019             |                        | 05/29/2019          |                     |                         |                         | 05/31/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.11     | mg/L         | J                | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-4              | GVA-03              | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 05/29/2019             |                        | 05/29/2019          |                     |                         |                         | 05/30/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 1030.00  | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-4              | GVA-03              | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 05/29/2019             |                        | 05/29/2019          |                     |                         |                         | 05/31/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 1.18     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-4              | GVA-03              | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 05/29/2019             |                        | 05/29/2019          |                     |                         |                         | 05/30/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 31.60    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-4              | GVA-03              | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 07/29/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 153.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-4              | GVA-03              | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 08/01/2019           |                      | Water         | USEPA         | SM A1020           | Chlorophyll a                    | Total           | 13.00    | mg/L         |                  | 4.0                    | 4.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-4              | GVA-03              | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 834.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-4              | GVA-03              | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 07/25/2019           |                      | Water         | USEPA         | E. COLI            | E. Coli                          | Total           | 344.80   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-4              | GVA-03              | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 07/25/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | Complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-4              | GVA-03              | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 07/30/2019           |                      |               |               |                    |                                  |                 |          |              |                  |                        |                                      |                                      |              |                       |

| Submitting Source | Laboratory Name | Sample Group | DRWW Station Code | IL EPA Station Code | Sample Depth | Sample-Depth Units | Waterbody Name | Public Water Supply Intake | Monitoring Unit | Surface-Water Monitoring Program | QA/QC Field-Blank ID | Sample-Collection Date | Sample-Collection Time | Sample-Receipt Date | Sample-Receipt Time | Sample-Preparation Date | Sample-Preparation Time | Sample-Analysis Date | Sample-Analysis Time | Sample Medium | Method Source | Method Code - IEPA | Analyte                          | Sample Fraction | Result   | Result Units | Result Qualifier | Method Detection Limit | Minimum Practical Quantitation Limit | Maximum Practical Quantitation Limit | Weight Basis | Date Results Released |
|-------------------|-----------------|--------------|-------------------|---------------------|--------------|--------------------|----------------|----------------------------|-----------------|----------------------------------|----------------------|------------------------|------------------------|---------------------|---------------------|-------------------------|-------------------------|----------------------|----------------------|---------------|---------------|--------------------|----------------------------------|-----------------|----------|--------------|------------------|------------------------|--------------------------------------|--------------------------------------|--------------|-----------------------|
| DRWW              | Suburban Labs   |              | 14-4              | GVA-03              | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 10/29/2019             |                        | 10/29/2019          |                     |                         |                         | 10/29/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-4              | GVA-03              | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 10/29/2019             |                        | 10/29/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-4              | GVA-03              | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 10/29/2019             |                        | 10/29/2019          |                     |                         |                         | 11/05/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | ND       | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-4              | GVA-03              | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 10/29/2019             |                        | 10/29/2019          |                     |                         |                         | 10/30/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | ND       | mg/L         |                  | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-4              | GVA-03              | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 10/29/2019             |                        | 10/29/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.80     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-4              | GVA-03              | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 10/29/2019             |                        | 10/29/2019          |                     |                         |                         | 10/30/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.08     | mg/L         |                  | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-4              | GVA-03              | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 10/29/2019             |                        | 10/29/2019          |                     |                         |                         | 11/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 581.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-4              | GVA-03              | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 10/29/2019             |                        | 10/29/2019          |                     |                         |                         | 10/30/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.28     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-4              | GVA-03              | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 10/29/2019             |                        | 10/29/2019          |                     |                         |                         | 10/30/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 33.60    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-5              | GV-03               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 2/4/2019               | 2/4/2019               |                     |                     |                         |                         | 2/4/2019             | #####                | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 13.20    | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-5              | GV-03               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 2/5/2019               | 2/4/2019               |                     |                     |                         |                         | 2/5/2019             | #####                | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.14     | mg/L         | J                | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-5              | GV-03               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 2/5/2019               | 2/4/2019               |                     |                     |                         |                         | 2/5/2019             | #####                | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 11.50    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-5              | GV-03               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 2/6/2019               | 2/4/2019               |                     |                     |                         |                         | 2/6/2019             | #####                | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.05     | mg/L         | J                | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-5              | GV-03               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 2/8/2019               | 2/4/2019               |                     |                     |                         |                         | 2/8/2019             | #####                | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 157.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-5              | GV-03               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         | #####                | 2/4/2019               |                        |                     |                     |                         |                         | #####                | #####                | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 919.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-5              | GV-03               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 02/13/2019             | 10:46:00 AM            |                     |                     |                         |                         | #####                | #####                | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 912.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-5              | GV-03               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 02/13/2019             | 10:46:00 AM            |                     |                     |                         |                         | #####                | #####                | Water         | USEPA         | 365.2              | pH, Field                        |                 | 8.70     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-5              | GV-03               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 02/13/2019             | 10:46:00 AM            |                     |                     |                         |                         | #####                | #####                | Water         | USEPA         | SM 2550E           | Temperature                      |                 | 2.70     | deg C        |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-5              | GV-03               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 05/29/2019             |                        | 05/29/2019          |                     |                         |                         | 06/04/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 134.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-5              | GV-03               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 05/29/2019             |                        | 05/29/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 795.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-5              | GV-03               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 05/29/2019             |                        | 05/29/2019          |                     |                         |                         | 05/29/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 35.50    | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-5              | GV-03               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 05/29/2019             |                        | 05/29/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 7.80     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-5              | GV-03               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 05/29/2019             |                        | 05/29/2019          |                     |                         |                         | 05/31/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | ND       | mg/L         |                  | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-5              | GV-03               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 05/29/2019             |                        | 05/29/2019          |                     |                         |                         | 05/30/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 778.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-5              | GV-03               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 05/29/2019             |                        | 05/29/2019          |                     |                         |                         | 05/31/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | ND       | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-5              | GV-03               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 05/29/2019             |                        | 05/29/2019          |                     |                         |                         | 05/30/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 3.98     | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-5              | GV-03               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 07/29/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 113.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-5              | GV-03               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 694.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-5              | GV-03               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 07/25/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 81.60    | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-5              | GV-03               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 07/25/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | Complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-5              | GV-03               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 07/30/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-5              | GV-03               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 08/01/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | 1.28     | mg/L         | J                | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-5              | GV-03               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | ND       | mg/L         |                  | 0.026                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-5              | GV-03               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 8.30     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-5              | GV-03               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 07/31/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.12     | mg/L         | J                | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-5              | GV-03               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 07/30/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 694.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-5              | GV-03               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | ND       | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-5              | GV-03               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 15.30    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-5              | GV-03               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 121.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-5              | GV-03               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 639.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-5              | GV-03               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 19.70    | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-5              | GV-03               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-5              | GV-03               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 09/03/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-5              | GV-03               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 09/09/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | 3.50     | mg/L         | J                | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-5              | GV-03               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.03     | mg/L         | J                | 0.026                  | 0.050                                |                                      |              |                       |
|                   |                 |              |                   |                     |              |                    |                |                            |                 |                                  |                      |                        |                        |                     |                     |                         |                         |                      |                      |               |               |                    |                                  |                 |          |              |                  |                        |                                      |                                      |              |                       |

| Submitting Source | Laboratory Name | Sample Group | DRWW Station Code | IL EPA Station Code | Sample Depth | Sample-Depth Units | Waterbody Name | Public Water Supply Intake | Monitoring Unit | Surface-Water Monitoring Program | QA/QC Field-Blank ID | Sample-Collection Date | Sample-Collection Time | Sample-Receipt Date | Sample-Receipt Time | Sample-Preparation Date | Sample-Preparation Time | Sample-Analysis Date | Sample-Analysis Time | Sample Medium | Method Source | Method Code - IEPA | Analyte                          | Sample Fraction | Result   | Result Units | Result Qualifier | Method Detection Limit | Minimum Practical Quantitation Limit | Maximum Practical Quantitation Limit | Weight Basis | Date Results Released |
|-------------------|-----------------|--------------|-------------------|---------------------|--------------|--------------------|----------------|----------------------------|-----------------|----------------------------------|----------------------|------------------------|------------------------|---------------------|---------------------|-------------------------|-------------------------|----------------------|----------------------|---------------|---------------|--------------------|----------------------------------|-----------------|----------|--------------|------------------|------------------------|--------------------------------------|--------------------------------------|--------------|-----------------------|
| DRWW              | Suburban Labs   |              | 14-6              | GV-04               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 05/29/2019             |                        | 05/29/2019          |                     |                         |                         | 05/30/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 561.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-6              | GV-04               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 05/29/2019             |                        | 05/29/2019          |                     |                         |                         | 05/31/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | ND       | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-6              | GV-04               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 05/29/2019             |                        | 05/29/2019          |                     |                         |                         | 05/30/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 5.45     | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-6              | GV-04               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 07/29/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 47.10    | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-6              | GV-04               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 08/01/2019           |                      | Water         | USEPA         | SM A102            | Chlorophyll a                    | Total           | 8.20     | mg/L         |                  | 4.0                    | 4.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-6              | GV-04               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 551.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-6              | GV-04               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 07/25/2019           |                      | Water         | USEPA         | E. COLI            | E. Coli                          | Total           | 201.40   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-6              | GV-04               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 07/25/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-6              | GV-04               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 07/30/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         | J                | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-6              | GV-04               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 08/01/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | 1.69     | mg/L         | J                | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-6              | GV-04               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.08     | mg/L         |                  | 0.026                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-6              | GV-04               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.60     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-6              | GV-04               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 07/31/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.22     | mg/L         |                  | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-6              | GV-04               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 07/30/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 548.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-6              | GV-04               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.16     | mg/L         | J                | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-6              | GV-04               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 18.50    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-6              | GV-04               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 124.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-6              | GV-04               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 09/09/2019           |                      | Water         | USEPA         | SM A102            | Chlorophyll a                    | Total           | 6.50     | mg/L         |                  | 4.0                    | 4.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-6              | GV-04               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 945.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-6              | GV-04               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | E. COLI            | E. Coli                          | Total           | 648.80   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-6              | GV-04               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-6              | GV-04               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 09/03/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | 0.27     | mg/L         | J                | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-6              | GV-04               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 09/10/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | 2.72     | mg/L         | J                | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-6              | GV-04               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.03     | mg/L         | J                | 0.026                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-6              | GV-04               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.70     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-6              | GV-04               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.16     | mg/L         |                  | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-6              | GV-04               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 941.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-6              | GV-04               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | ND       | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-6              | GV-04               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 13.60    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-6              | GV-04               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 10/29/2019             |                        | 10/29/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | 4500-CL-           | Chloride                         | Total           | 33.70    | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-6              | GV-04               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 10/29/2019             |                        | 10/29/2019          |                     |                         |                         | 11/04/2019           |                      | Water         | USEPA         | SM A102            | Chlorophyll a                    | Total           | ND       | mg/L         |                  | 4.0                    | 4.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-6              | GV-04               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 10/29/2019             |                        | 10/29/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 420.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-6              | GV-04               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 10/29/2019             |                        | 10/29/2019          |                     |                         |                         | 10/29/2019           |                      | Water         | USEPA         | E. COLI            | E. Coli                          | Total           | 1732.90  | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-6              | GV-04               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 10/29/2019             |                        | 10/29/2019          |                     |                         |                         | 10/29/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-6              | GV-04               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 10/29/2019             |                        | 10/29/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-6              | GV-04               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 10/29/2019             |                        | 10/29/2019          |                     |                         |                         | 11/05/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | ND       | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-6              | GV-04               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 10/29/2019             |                        | 10/29/2019          |                     |                         |                         | 10/30/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | ND       | mg/L         |                  | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-6              | GV-04               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 10/29/2019             |                        | 10/29/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.60     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-6              | GV-04               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 10/29/2019             |                        | 10/29/2019          |                     |                         |                         | 10/30/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.08     | mg/L         |                  | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-6              | GV-04               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 10/29/2019             |                        | 10/29/2019          |                     |                         |                         | 11/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 429.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-6              | GV-04               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 10/29/2019             |                        | 10/29/2019          |                     |                         |                         | 11/01/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.15     | mg/L         | J                | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-6              | GV-04               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 10/29/2019             |                        | 10/29/2019          |                     |                         |                         | 10/30/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 16.00    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-6 DUP          | GV-04               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 10/29/2019             |                        | 10/29/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | 4500-CL-           | Chloride                         | Total           | 33.00    | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-6 DUP          | GV-04               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 10/29/2019             |                        | 10/29/2019          |                     |                         |                         | 11/04/2019           |                      | Water         | USEPA         | SM A102            | Chlorophyll a                    | Total           | ND       | mg/L         |                  | 4.0                    | 4.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-6 DUP          | GV-04               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 10/29/2019             |                        | 10/29/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 423.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-6 DUP          | GV-04               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 10/29/2019             |                        | 10/29/2019          |                     |                         |                         | 10/29/2019           |                      | Water         | USEPA         | E. COLI            | E. Coli                          | Total           | 1413.60  | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-6 DUP          | GV-04               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 10/29/2019             |                        | 10/29/2019          |                     |                         |                         | 10/29/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-6 DUP          | GV-04               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 10/29/2019             |                        | 10/29/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-6 DUP          | GV-04               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 10/29/2019             |                        | 10/29/2019          |                     |                         |                         | 11/05/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | ND       | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-6 DUP          | GV-04               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 10/29/2019             |                        | 10/29/2019          |                     |                         |                         | 10/30/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | ND       | mg/L         |                  | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-6 DUP          | GV-04               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 10/29/2019             |                        | 10/29/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.70     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-6 DUP          | GV-04               | 0.5          | ft                 | Bull Creek     |                            |                 | Non-IEPA                         |                      | 10/29/2019             |                        | 10/29/2019          |                     |                         |                         | 10/30/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.08     | mg/L         |                  | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 14-6 DUP          | GV-04               | 0.5          | ft                 | Bull Creek     |                            |                 |                                  |                      |                        |                        |                     |                     |                         |                         |                      |                      |               |               |                    |                                  |                 |          |              |                  |                        |                                      |                                      |              |                       |

| Submitting Source | Laboratory Name | Sample Group | DRWW Station Code | IL EPA Station Code | Sample Depth | Sample-Depth Units | Waterbody Name | Public Water Supply Intake | Monitoring Unit | Surface-Water Monitoring Program | QA/QC Field-Blank ID | Sample-Collection Date | Sample-Collection Time | Sample-Receipt Date | Sample-Receipt Time | Sample-Preparation Date | Sample-Preparation Time | Sample-Analysis Date | Sample-Analysis Time | Sample Medium | Method Source | Method Code - IEPA | Analyte                          | Sample Fraction | Result   | Result Units | Result Qualifier | Method Detection Limit | Minimum Practical Quantitation Limit | Maximum Practical Quantitation Limit | Weight Basis | Date Results Released |  |
|-------------------|-----------------|--------------|-------------------|---------------------|--------------|--------------------|----------------|----------------------------|-----------------|----------------------------------|----------------------|------------------------|------------------------|---------------------|---------------------|-------------------------|-------------------------|----------------------|----------------------|---------------|---------------|--------------------|----------------------------------|-----------------|----------|--------------|------------------|------------------------|--------------------------------------|--------------------------------------|--------------|-----------------------|--|
| DRWW              | Suburban Labs   |              | 15-1              | GU-09               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | #####                  | 2/4/2019               |                     |                     |                         |                         | #####                | #####                | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 1760.00  | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-1              | GU-09               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 02/13/2019             | 11:42:00 AM            |                     |                     |                         |                         | #####                |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 1129.00  | umhos/cm     |                  |                        |                                      |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-1              | GU-09               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 02/13/2019             | 11:42:00 AM            |                     |                     |                         |                         | #####                |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 8.20     | S.U.         |                  |                        |                                      |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-1              | GU-09               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 02/13/2019             | 11:42:00 AM            |                     |                     |                         |                         | #####                |                      | Water         | USEPA         | SM 2550E           | Temperature                      |                 | 0.30     | deg C        |                  |                        |                                      |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-1              | GU-09               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 05/29/2019             |                        | 05/29/2019          |                     |                         |                         | 06/04/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 137.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-1              | GU-09               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 05/29/2019             |                        | 05/29/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 850.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-1              | GU-09               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 05/29/2019             |                        | 05/29/2019          |                     |                         | 05/29/2019              |                      |                      | Water         | USEPA         | E. COLI            | E. Coli                          | Total           | 1203.30  | MPN/100mL    | 1.0              | 1.0                    |                                      |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-1              | GU-09               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 05/29/2019             |                        | 05/29/2019          |                     |                         | 05/30/2019              |                      |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-1              | GU-09               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 05/29/2019             |                        | 05/29/2019          |                     |                         | 06/03/2019              |                      |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | 2.20     | mg/L         | J                | 1.19                   | 3.78                                 |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-1              | GU-09               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 05/29/2019             |                        | 05/29/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 7.80     | S.U.         |                  |                        |                                      |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-1              | GU-09               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 05/29/2019             |                        | 05/29/2019          |                     |                         | 05/31/2019              |                      |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.09     | mg/L         | J                | 0.0500                 | 0.135                                |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-1              | GU-09               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 05/29/2019             |                        | 05/29/2019          |                     |                         | 05/30/2019              |                      |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 814.00   | umhos/cm     | 1.00             | 1.00                   |                                      |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-1              | GU-09               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 05/29/2019             |                        | 05/29/2019          |                     |                         | 05/31/2019              |                      |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | ND       | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-1              | GU-09               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 05/29/2019             |                        | 05/29/2019          |                     |                         | 06/04/2019              |                      |                      | Water         | USEPA         | 2540-D             | Total Suspended Solids           | Total           | 26.80    | mg/L         |                  | 0.400                  | 10.0                                 |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-1              | GU-09               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 05/29/2019             |                        | 05/29/2019          |                     |                         | 05/30/2019              |                      |                      | Water         | Lab           | 2130-B             | Turbidity                        |                 | 22.00    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-1              | GU-09               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 05/29/2019             |                        | 05/29/2019          |                     |                         | 06/04/2019              |                      |                      | Water         | USEPA         | 2540-D             | Volatile Suspended Solids        | Total           | 4.00     | mg/L         | J                | 0.400                  | 10.0                                 |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-1              | GU-09               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         | 07/29/2019              |                      |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 111.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-1              | GU-09               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 774.00   |              |                  |                        |                                      |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-1              | GU-09               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         | 07/25/2019              |                      |                      | Water         | USEPA         | E. COLI            | E. Coli                          | Total           | 128.10   | MPN/100mL    | 1.0              | 1.0                    |                                      |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-1              | GU-09               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         | 07/25/2019              |                      |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | Complete |              | V                | 0                      | 0                                    |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-1              | GU-09               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         | 07/30/2019              |                      |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-1              | GU-09               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         | 08/01/2019              |                      |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | 2.51     | mg/L         | J                | 1.19                   | 3.78                                 |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-1              | GU-09               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         | 07/26/2019              |                      |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.05     | mg/L         |                  | 0.026                  | 0.050                                |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-1              | GU-09               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 7.80     |              |                  |                        |                                      |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-1              | GU-09               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         | 07/31/2019              |                      |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.10     | mg/L         | J                | 0.0500                 | 0.135                                |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-1              | GU-09               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         | 07/30/2019              |                      |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 774.00   | umhos/cm     | 1.00             | 1.00                   |                                      |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-1              | GU-09               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         | 07/26/2019              |                      |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.12     | mg/L         | J                | 0.100                  | 0.224                                |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-1              | GU-09               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         | 07/31/2019              |                      |                      | Water         | USEPA         | 2540-D             | Total Suspended Solids           | Total           | 44.00    | mg/L         |                  | 0.400                  | 10.0                                 |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-1              | GU-09               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         | 07/26/2019              |                      |                      | Water         | Lab           | 2130-B             | Turbidity                        |                 | 29.70    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-1              | GU-09               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         | 07/31/2019              |                      |                      | Water         | USEPA         | 2540-D             | Volatile Suspended Solids        | Total           | 8.40     | mg/L         | J                | 0.400                  | 10.0                                 |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-1              | GU-09               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         | 08/30/2019              |                      |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 131.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-1              | GU-09               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 885.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-1              | GU-09               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         | 08/29/2019              |                      |                      | Water         | USEPA         | E. COLI            | E. Coli                          | Total           | 90.80    | MPN/100mL    | 1.0              | 1.0                    |                                      |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-1              | GU-09               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         | 08/29/2019              |                      |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                                    |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-1              | GU-09               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         | 09/04/2019              |                      |                      | Water         | USEPA         | 200.7              | Hardness (As CaCO3)              | Total           | 217.00   | mg/L         |                  | 0.0500                 | 0.150                                |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-1              | GU-09               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         | 09/04/2019              |                      |                      | Water         | USEPA         | 200.7              | Magnesium                        | Total           | 24.20    | mg/L         |                  | 0.0100                 | 0.0300                               |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-1              | GU-09               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         | 09/03/2019              |                      |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-1              | GU-09               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         | 09/10/2019              |                      |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | 1.76     | mg/L         | J                | 1.19                   | 3.78                                 |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-1              | GU-09               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         | 08/30/2019              |                      |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | ND       | mg/L         |                  | 0.026                  | 0.050                                |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-1              | GU-09               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 8.00     | S.U.         |                  |                        |                                      |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-1              | GU-09               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         | 09/04/2019              |                      |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.07     | mg/L         |                  | 0.0147                 | 0.0469                               |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-1              | GU-09               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         | 09/04/2019              |                      |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 822.00   | umhos/cm     | 1.00             | 1.00                   |                                      |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-1              | GU-09               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         | 08/30/2019              |                      |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.10     | mg/L         | J                | 0.100                  | 0.224                                |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-1              | GU-09               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         | 09/05/2019              |                      |                      | Water         | USEPA         | 2540-D             | Total Suspended Solids           | Total           | 10.00    | mg/L         |                  | 0.200                  | 5.00                                 |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-1              | GU-09               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         | 08/30/2019              |                      |                      | Water         | Lab           | 2130-B             | Turbidity                        |                 |          |              |                  |                        |                                      |                                      |              |                       |  |

| Submitting Source | Laboratory Name | Sample Group | DRWW Station Code | IL EPA Station Code | Sample Depth | Sample-Depth Units | Waterbody Name | Public Water Supply Intake | Monitoring Unit | Surface-Water Monitoring Program | QA/QC Field-Blank ID | Sample-Collection Date | Sample-Collection Time | Sample-Receipt Date | Sample-Receipt Time | Sample-Preparation Date | Sample-Preparation Time | Sample-Analysis Date | Sample-Analysis Time | Sample Medium | Method Source | Method Code - IEPA | Analyte                          | Sample Fraction | Result   | Result Units | Result Qualifier | Method Detection Limit | Minimum Practical Quantitation Limit | Maximum Practical Quantitation Limit | Weight Basis | Date Results Released |
|-------------------|-----------------|--------------|-------------------|---------------------|--------------|--------------------|----------------|----------------------------|-----------------|----------------------------------|----------------------|------------------------|------------------------|---------------------|---------------------|-------------------------|-------------------------|----------------------|----------------------|---------------|---------------|--------------------|----------------------------------|-----------------|----------|--------------|------------------|------------------------|--------------------------------------|--------------------------------------|--------------|-----------------------|
| DRWW              | Suburban Labs   |              | 15-1 Field        | GU-09               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 0.00     | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-1 Field        | GU-09               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 6.30     | MPN/100mL    | 1.0              | 1.0                    |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-1 Field        | GU-09               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete | V            | 0                | 0                      |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-1 Field        | GU-09               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | USEPA         | 200.7              | Hardness (As CaCO3)              | Total           | 0.46     | mg/L         |                  | 0.0500                 | 0.150                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-1 Field        | GU-09               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | USEPA         | 200.7              | Magnesium                        | Total           | 0.04     | mg/L         |                  | 0.0100                 | 0.0300                               |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-1 Field        | GU-09               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 09/03/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-1 Field        | GU-09               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 09/10/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | ND       | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-1 Field        | GU-09               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | ND       | mg/L         |                  | 0.026                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-1 Field        | GU-09               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 7.00     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-1 Field        | GU-09               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.03     | mg/L         | J                | 0.0147                 | 0.0469                               |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-1 Field        | GU-09               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 1.13     | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-1 Field        | GU-09               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | ND       | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-1 Field        | GU-09               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 09/05/2019           |                      | Water         | USEPA         | 2540-D             | Total Suspended Solids           | Total           | 0.40     | mg/L         | J                | 0.200                  | 5.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-1 Field        | GU-09               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        |                 | ND       | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-1 Field        | GU-09               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 09/05/2019           |                      | Water         | USEPA         | 2540-D             | Volatile Suspended Solids        | Total           | 0.60     | mg/L         | J                | 0.200                  | 5.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-10             | GUZB-01             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 2/4/2019               | 2/4/2019               |                     |                     |                         |                         | 2/4/2019             | #####                | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 1553.10  | MPN/100mL    | 1.0              | 1.0                    |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-10             | GUZB-01             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 2/5/2019               | 2/4/2019               |                     |                     |                         |                         | 2/5/2019             | #####                | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 1.17     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-10             | GUZB-01             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 2/5/2019               | 2/4/2019               |                     |                     |                         |                         | 2/5/2019             | #####                | Water         | Lab           | 2130-B             | Turbidity                        |                 | 47.80    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-10             | GUZB-01             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 2/6/2019               | 2/4/2019               |                     |                     |                         |                         | 2/6/2019             | #####                | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.14     | mg/L         |                  | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-10             | GUZB-01             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 2/8/2019               | 2/4/2019               |                     |                     |                         |                         | 2/8/2019             | #####                | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 175.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-10             | GUZB-01             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | #####                  | 2/4/2019               |                     |                     |                         |                         | #####                | #####                | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 953.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-10             | GUZB-01             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 02/13/201              | 12:35:00 PM            |                     |                     |                         |                         | #####                | #####                | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 939.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-10             | GUZB-01             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 02/13/201              | 12:35:00 PM            |                     |                     |                         |                         | #####                | #####                | Water         | USEPA         | 365.2              | pH, Field                        |                 | 8.40     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-10             | GUZB-01             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 02/13/201              | 12:35:00 PM            |                     |                     |                         |                         | #####                | #####                | Water         | USEPA         | SM 2550E           | Temperature                      |                 | 1.60     | deg C        |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-10             | GUZB-01             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 05/29/2019             |                        | 05/29/2019          |                     |                         |                         | 06/04/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 102.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-10             | GUZB-01             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 05/29/2019             |                        | 05/29/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 755.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-10             | GUZB-01             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 05/29/2019             |                        | 05/29/2019          |                     |                         |                         | 05/29/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 410.60   | MPN/100mL    | 1.0              | 1.0                    |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-10             | GUZB-01             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 05/29/2019             |                        | 05/29/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 7.90     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-10             | GUZB-01             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 05/29/2019             |                        | 05/29/2019          |                     |                         |                         | 05/31/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.05     | mg/L         | J                | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-10             | GUZB-01             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 05/29/2019             |                        | 05/29/2019          |                     |                         |                         | 05/30/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 751.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-10             | GUZB-01             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 05/29/2019             |                        | 05/29/2019          |                     |                         |                         | 05/31/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.14     | mg/L         | J                | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-10             | GUZB-01             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 05/29/2019             |                        | 05/29/2019          |                     |                         |                         | 05/30/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        |                 | 8.13     | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-10             | GUZB-01             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 07/29/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 86.00    | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-10             | GUZB-01             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 697.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-10             | GUZB-01             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 07/25/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 344.80   | MPN/100mL    | 1.0              | 1.0                    |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-10             | GUZB-01             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 07/25/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | Complete | V            | 0                | 0                      |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-10             | GUZB-01             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 07/30/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-10             | GUZB-01             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 08/02/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | ND       | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-10             | GUZB-01             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.05     | mg/L         | J                | 0.026                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-10             | GUZB-01             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 7.90     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-10             | GUZB-01             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 07/29/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.11     | mg/L         | J                | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-10             | GUZB-01             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 07/30/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 692.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-10             | GUZB-01             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.14     | mg/L         | J                | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-10             | GUZB-01             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        |                 | 7.78     | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-10             | GUZB-01             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/09/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 137.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-10             | GUZB-01             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 903.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-10             | GUZB-01             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 172.20   | MPN/100mL    | 1.0              | 1.0                    |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-10             | GUZB-01             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete | V            | 0                | 0                      |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-10             | GUZB-01             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/03/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-10             | GUZB-01             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/11/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | ND       | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-10             | GUZB-01             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.09     | mg/L         |                  | 0.026                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-10             | GUZB-01             | 0.5          | ft                 |                |                            |                 |                                  |                      |                        |                        |                     |                     |                         |                         |                      |                      |               |               |                    |                                  |                 |          |              |                  |                        |                                      |                                      |              |                       |

| Submitting Source | Laboratory Name | Sample Group | DRWW Station Code | IL EPA Station Code | Sample Depth | Sample-Depth Units | Waterbody Name | Public Water Supply Intake | Monitoring Unit | Surface-Water Monitoring Program | QA/QC Field-Blank ID | Sample-Collection Date | Sample-Collection Time | Sample-Receipt Date | Sample-Receipt Time | Sample-Preparation Date | Sample-Preparation Time | Sample-Analysis Date | Sample-Analysis Time | Sample Medium | Method Source | Method Code - IEPA | Analyte                          | Sample Fraction | Result   | Result Units | Result Qualifier | Method Detection Limit | Minimum Practical Quantitation Limit | Maximum Practical Quantitation Limit | Weight Basis | Date Results Released |
|-------------------|-----------------|--------------|-------------------|---------------------|--------------|--------------------|----------------|----------------------------|-----------------|----------------------------------|----------------------|------------------------|------------------------|---------------------|---------------------|-------------------------|-------------------------|----------------------|----------------------|---------------|---------------|--------------------|----------------------------------|-----------------|----------|--------------|------------------|------------------------|--------------------------------------|--------------------------------------|--------------|-----------------------|
| DRWW              | Suburban Labs   | 15-10 Dug    | GUZB-01           | 0.5                 | ft           | Indian Creek       |                |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 07/29/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 86.20    | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-10 Dug    | GUZB-01           | 0.5                 | ft           | Indian Creek       |                |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 07/29/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | ND       | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-10 Dug    | GUZB-01           | 0.5                 | ft           | Indian Creek       |                |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 694.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-10 Dug    | GUZB-01           | 0.5                 | ft           | Indian Creek       |                |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 0.00     | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-10 Dug    | GUZB-01           | 0.5                 | ft           | Indian Creek       |                |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 07/25/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 316.90   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-10 Dug    | GUZB-01           | 0.5                 | ft           | Indian Creek       |                |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 07/25/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 39.00    | CFU/100ml    |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-10 Dug    | GUZB-01           | 0.5                 | ft           | Indian Creek       |                |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 07/25/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | Complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-10 Dug    | GUZB-01           | 0.5                 | ft           | Indian Creek       |                |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 07/25/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | Complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-10 Dug    | GUZB-01           | 0.5                 | ft           | Indian Creek       |                |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 07/30/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-10 Dug    | GUZB-01           | 0.5                 | ft           | Indian Creek       |                |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 07/30/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-10 Dug    | GUZB-01           | 0.5                 | ft           | Indian Creek       |                |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 08/02/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | 1.72     | mg/L         | J                | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-10 Dug    | GUZB-01           | 0.5                 | ft           | Indian Creek       |                |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 08/02/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | ND       | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-10 Dug    | GUZB-01           | 0.5                 | ft           | Indian Creek       |                |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.04     | mg/L         | J                | 0.026                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-10 Dug    | GUZB-01           | 0.5                 | ft           | Indian Creek       |                |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | ND       | mg/L         |                  | 0.026                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-10 Dug    | GUZB-01           | 0.5                 | ft           | Indian Creek       |                |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 7.80     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-10 Dug    | GUZB-01           | 0.5                 | ft           | Indian Creek       |                |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 7.10     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-10 Dug    | GUZB-01           | 0.5                 | ft           | Indian Creek       |                |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 07/29/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.11     | mg/L         | J                | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-10 Dug    | GUZB-01           | 0.5                 | ft           | Indian Creek       |                |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 07/29/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | ND       | mg/L         |                  | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-10 Dug    | GUZB-01           | 0.5                 | ft           | Indian Creek       |                |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 07/30/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 693.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-10 Dug    | GUZB-01           | 0.5                 | ft           | Indian Creek       |                |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 07/30/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 1.21     | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-10 Dug    | GUZB-01           | 0.5                 | ft           | Indian Creek       |                |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.10     | mg/L         | J                | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-10 Dug    | GUZB-01           | 0.5                 | ft           | Indian Creek       |                |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | ND       | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-10 Dug    | GUZB-01           | 0.5                 | ft           | Indian Creek       |                |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        |                 | 9.05     | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-10 Dug    | GUZB-01           | 0.5                 | ft           | Indian Creek       |                |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        |                 | 0.10     | NTU          | J                | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-10 Fiel   | GUZB-01           | 0.5                 | ft           | Indian Creek       |                |                            |                 | Non-IEPA                         |                      | 2/4/2019               | 2/4/2019               |                     |                     |                         |                         | 2/4/2019             | #####                | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | <1       | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-10 Fiel   | GUZB-01           | 0.5                 | ft           | Indian Creek       |                |                            |                 | Non-IEPA                         |                      | 2/5/2019               | 2/4/2019               |                     |                     |                         |                         | 2/5/2019             | #####                | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | ND       | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-10 Fiel   | GUZB-01           | 0.5                 | ft           | Indian Creek       |                |                            |                 | Non-IEPA                         |                      | 2/5/2019               | 2/4/2019               |                     |                     |                         |                         | 2/5/2019             | #####                | Water         | Lab           | 2130-B             | Turbidity                        |                 | 0.33     | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-10 Fiel   | GUZB-01           | 0.5                 | ft           | Indian Creek       |                |                            |                 | Non-IEPA                         |                      | 2/6/2019               | 2/4/2019               |                     |                     |                         |                         | 2/6/2019             | #####                | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | ND       | mg/L         |                  | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-10 Fiel   | GUZB-01           | 0.5                 | ft           | Indian Creek       |                |                            |                 | Non-IEPA                         |                      | 2/8/2019               | 2/4/2019               |                     |                     |                         |                         | 2/8/2019             | #####                | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | ND       | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-10 Fiel   | GUZB-01           | 0.5                 | ft           | Indian Creek       |                |                            |                 | Non-IEPA                         |                      | #####                  | 2/4/2019               |                     |                     |                         |                         | #####                | #####                | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 3.37     | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-10 Fiel   | GUZB-01           | 0.5                 | ft           | Indian Creek       |                |                            |                 | Non-IEPA                         |                      | 02/13/201              | 12:36:00 PM            |                     |                     |                         |                         | #####                |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 0.00     | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-10 Fiel   | GUZB-01           | 0.5                 | ft           | Indian Creek       |                |                            |                 | Non-IEPA                         |                      | 02/13/201              | 12:36:00 PM            |                     |                     |                         |                         | #####                |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 8.50     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-10 Fiel   | GUZB-01           | 0.5                 | ft           | Indian Creek       |                |                            |                 | Non-IEPA                         |                      | 02/13/201              | 12:36:00 PM            |                     |                     |                         |                         | #####                |                      | Water         | USEPA         | SM 2550E           | Temperature                      |                 | 8.70     | deg C        |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-11        | GUA-01            | 0.5                 | ft           | Indian Creek       |                |                            |                 | Non-IEPA                         |                      | 2/4/2019               | 2/4/2019               |                     |                     |                         |                         | 2/4/2019             | #####                | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 920.80   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-11        | GUA-01            | 0.5                 | ft           | Indian Creek       |                |                            |                 | Non-IEPA                         |                      | 2/5/2019               | 2/4/2019               |                     |                     |                         |                         | 2/5/2019             | #####                | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 1.19     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-11        | GUA-01            | 0.5                 | ft           | Indian Creek       |                |                            |                 | Non-IEPA                         |                      | 2/5/2019               | 2/4/2019               |                     |                     |                         |                         | 2/5/2019             | #####                | Water         | Lab           | 2130-B             | Turbidity                        |                 | 74.00    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-11        | GUA-01            | 0.5                 | ft           | Indian Creek       |                |                            |                 | Non-IEPA                         |                      | 2/6/2019               | 2/4/2019               |                     |                     |                         |                         | 2/6/2019             | #####                | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.08     | mg/L         | J                | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-11        | GUA-01            | 0.5                 | ft           | Indian Creek       |                |                            |                 | Non-IEPA                         |                      | 2/8/2019               | 2/4/2019               |                     |                     |                         |                         | 2/8/2019             | #####                | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 212.00   | mg/L         |                  | 40.0                   | 40.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-11        | GUA-01            | 0.5                 | ft           | Indian Creek       |                |                            |                 | Non-IEPA                         |                      | #####                  | 2/4/2019               |                     |                     |                         |                         | #####                | #####                | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 1140.00  | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-11        | GUA-01            | 0.5                 | ft           | Indian Creek       |                |                            |                 | Non-IEPA                         |                      | 02/13/201              | 1:05:00 PM             |                     |                     |                         |                         | #####                |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 981.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-11        | GUA-01            | 0.5                 | ft           | Indian Creek       |                |                            |                 | Non-IEPA                         |                      | 02/13/201              | 1:05:00 PM             |                     |                     |                         |                         | #####                |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 8.10     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-11        | GUA-01            | 0.5                 | ft           | Indian Creek       |                |                            |                 | Non-IEPA                         |                      | 02/13/201              | 1:05:00 PM             |                     |                     |                         |                         | #####                |                      | Water         | USEPA         | SM 2550E           | Temperature                      |                 | 0.40     | deg C        |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-11        | GUA-01            | 0.5                 | ft           | Indian Creek       |                |                            |                 | Non-IEPA                         |                      | 05/29/2019             |                        | 05/29/2019          |                     |                         |                         | 06/04/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 175.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-11        | GUA-01            | 0.5                 | ft           | Indian Creek       |                |                            |                 | Non-IEPA                         |                      | 05/29/2019             |                        | 05/29/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 994.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-11        | GUA-01            | 0.5                 | ft           | Indian Creek       |                |                            |                 | Non-IEPA                         |                      | 05/29/2019             |                        | 05/29/2019          |                     |                         |                         | 05/29/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 816.40   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-11        | GUA-01            | 0.5                 | ft           | Indian Creek       |                |                            |                 | Non-IEPA                         |                      | 05/29/2019             |                        | 05/29/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 7.80     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-11        | GUA-01            | 0.5                 | ft           | Indian Creek       |                |                            |                 | Non-IEPA                         |                      | 05/29/2019             |                        | 05/29/2019          |                     |                         |                         | 05/31/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.07     | mg/L         | J                | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-11        | GUA-01            | 0.5                 | ft           | Indian Creek       |                |                            |                 | Non-IEPA                         |                      | 05/29/2019             |                        | 05/29/2019          |                     |                         |                         | 05/30/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 992.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-11        | GUA-01            | 0.5                 | ft           | Indian Creek       |                |                            |                 | Non-IEPA                         |                      | 05/29/2019             |                        | 05/29/2019          |                     |                         |                         | 05/31/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.29     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-11        | GUA-01            | 0.5                 | ft           | Indian Creek       |                |                            |                 | Non-IEPA                         |                      | 05/29/2019             |                        | 05/29/2019          |                     |                         |                         | 05/30/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        |                 | 11.70    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-11        | GUA-01            | 0.5                 | ft           | Indian Creek       |                |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 07/29/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 193.00   | mg/L         |                  | 40.0                   | 40.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-11        | GUA-01            | 0.5                 | ft           | Indian Creek       |                |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 997.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-11        | GUA-01            | 0.5                 | ft           | Indian Creek       |                |                            |                 | Non-IEPA                         |                      | 07                     |                        |                     |                     |                         |                         |                      |                      |               |               |                    |                                  |                 |          |              |                  |                        |                                      |                                      |              |                       |



| Submitting Source | Laboratory Name | Sample Group | DRWW Station Code | IL EPA Station Code | Sample Depth | Sample-Depth Units | Waterbody Name | Public Water Supply Intake | Monitoring Unit | Surface-Water Monitoring Program | QA/QC Field-Blank ID | Sample-Collection Date | Sample-Collection Time | Sample-Receipt Date | Sample-Receipt Time | Sample-Preparation Date | Sample-Preparation Time | Sample-Analysis Date | Sample-Analysis Time | Sample Medium | Method Source | Method Code - IEPA | Analyte                          | Sample Fraction | Result   | Result Units | Result Qualifier | Method Detection Limit | Minimum Practical Quantitation Limit | Maximum Practical Quantitation Limit | Weight Basis | Date Results Released |
|-------------------|-----------------|--------------|-------------------|---------------------|--------------|--------------------|----------------|----------------------------|-----------------|----------------------------------|----------------------|------------------------|------------------------|---------------------|---------------------|-------------------------|-------------------------|----------------------|----------------------|---------------|---------------|--------------------|----------------------------------|-----------------|----------|--------------|------------------|------------------------|--------------------------------------|--------------------------------------|--------------|-----------------------|
| DRWW              | Suburban Labs   |              | 15-11             | GUA-01              | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 10/29/2019             |                        | 10/29/2019          |                     |                         |                         | 10/29/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-11             | GUA-01              | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 10/29/2019             |                        | 10/29/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-11             | GUA-01              | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 10/29/2019             |                        | 10/29/2019          |                     |                         |                         | 11/05/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | ND       | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-11             | GUA-01              | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 10/29/2019             |                        | 10/29/2019          |                     |                         |                         | 10/30/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | ND       | mg/L         |                  | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-11             | GUA-01              | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 10/29/2019             |                        | 10/29/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.70     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-11             | GUA-01              | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 10/29/2019             |                        | 10/29/2019          |                     |                         |                         | 11/01/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.05     | mg/L         |                  | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-11             | GUA-01              | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 10/29/2019             |                        | 10/29/2019          |                     |                         |                         | 11/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 843.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-11             | GUA-01              | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 10/29/2019             |                        | 10/29/2019          |                     |                         |                         | 11/01/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.82     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-11             | GUA-01              | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 10/29/2019             |                        | 10/29/2019          |                     |                         |                         | 10/30/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 4.33     | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-12             | GUZA-04             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 2/4/2019               | 2/4/2019               |                     |                     |                         |                         | 2/4/2019             | #####                | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 307.60   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-12             | GUZA-04             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 2/5/2019               | 2/4/2019               |                     |                     |                         |                         | 2/5/2019             | #####                | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.42     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-12             | GUZA-04             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 2/5/2019               | 2/4/2019               |                     |                     |                         |                         | 2/5/2019             | #####                | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 34.80    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-12             | GUZA-04             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 2/6/2019               | 2/4/2019               |                     |                     |                         |                         | 2/6/2019             | #####                | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.07     | mg/L         | J                | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-12             | GUZA-04             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 2/8/2019               | 2/4/2019               |                     |                     |                         |                         | 2/8/2019             | #####                | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 283.00   | mg/L         |                  | 40.0                   | 40.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-12             | GUZA-04             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | #####                  | 2/4/2019               |                     |                     |                         |                         | #####                | #####                | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 1280.00  | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-12             | GUZA-04             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 02/13/2019             | 1:31:00 PM             |                     |                     |                         |                         | #####                | #####                | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 913.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-12             | GUZA-04             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 02/13/2019             | 1:31:00 PM             |                     |                     |                         |                         | #####                | #####                | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 8.00     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-12             | GUZA-04             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 02/13/2019             | 1:31:00 PM             |                     |                     |                         |                         | #####                | #####                | Water         | USEPA         | SM 2550E           | Temperature                      | Total           | 2.40     | deg C        |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-12             | GUZA-04             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 05/29/2019             |                        | 05/29/2019          |                     |                         |                         | 06/04/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 199.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-12             | GUZA-04             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 05/29/2019             |                        | 05/29/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 925.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-12             | GUZA-04             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 05/29/2019             |                        | 05/29/2019          |                     |                         |                         | 05/29/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 816.40   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-12             | GUZA-04             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 05/29/2019             |                        | 05/29/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 8.10     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-12             | GUZA-04             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 05/29/2019             |                        | 05/29/2019          |                     |                         |                         | 05/31/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | ND       | mg/L         |                  | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-12             | GUZA-04             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 05/29/2019             |                        | 05/29/2019          |                     |                         |                         | 05/30/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 926.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-12             | GUZA-04             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 05/29/2019             |                        | 05/29/2019          |                     |                         |                         | 05/31/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | ND       | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-12             | GUZA-04             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 05/29/2019             |                        | 05/29/2019          |                     |                         |                         | 05/30/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 12.20    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-12             | GUZA-04             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 07/29/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 157.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-12             | GUZA-04             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 822.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-12             | GUZA-04             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 07/25/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 31.80    | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-12             | GUZA-04             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 07/25/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | Complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-12             | GUZA-04             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 07/30/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-12             | GUZA-04             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 08/02/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | ND       | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-12             | GUZA-04             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | ND       | mg/L         |                  | 0.026                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-12             | GUZA-04             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 8.50     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-12             | GUZA-04             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 07/29/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.10     | mg/L         | J                | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-12             | GUZA-04             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 07/30/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 824.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-12             | GUZA-04             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | ND       | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-12             | GUZA-04             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 12.70    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-12             | GUZA-04             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/09/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 159.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-12             | GUZA-04             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 792.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-12             | GUZA-04             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 2.00     | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-12             | GUZA-04             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-12             | GUZA-04             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/03/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-12             | GUZA-04             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/12/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | ND       | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-12             | GUZA-04             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | ND       | mg/L         |                  | 0.026                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-12             | GUZA-04             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         |                      |                      |               |               |                    |                                  |                 |          |              |                  |                        |                                      |                                      |              |                       |

| Submitting Source | Laboratory Name | Sample Group | DRWW Station Code | IL EPA Station Code | Sample Depth | Sample-Depth Units | Waterbody Name | Public Water Supply Intake | Monitoring Unit | Surface-Water Monitoring Program | QA/QC Field-Blank ID | Sample-Collection Date | Sample-Collection Time | Sample-Receipt Date | Sample-Receipt Time | Sample-Preparation Date | Sample-Preparation Time | Sample-Analysis Date | Sample-Analysis Time | Sample Medium | Method Source | Method Code - IEPA | Analyte                          | Sample Fraction | Result   | Result Units | Result Qualifier | Method Detection Limit | Minimum Practical Quantitation Limit | Maximum Practical Quantitation Limit | Weight Basis | Date Results Released |
|-------------------|-----------------|--------------|-------------------|---------------------|--------------|--------------------|----------------|----------------------------|-----------------|----------------------------------|----------------------|------------------------|------------------------|---------------------|---------------------|-------------------------|-------------------------|----------------------|----------------------|---------------|---------------|--------------------|----------------------------------|-----------------|----------|--------------|------------------|------------------------|--------------------------------------|--------------------------------------|--------------|-----------------------|
| DRWW              | Suburban Labs   | 15-12 Field  | GUZA-04           | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 05/29/2019             |                        | 05/29/2019          |                     |                         |                         | 05/30/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        |                 | ND       | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-13        | GUZA-02           | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 2/4/2019               | 2/4/2019               |                     |                     |                         |                         | 2/4/2019             | #####                | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 770.10   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-13        | GUZA-02           | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 2/5/2019               | 2/4/2019               |                     |                     |                         |                         | 2/5/2019             | #####                | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.62     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-13        | GUZA-02           | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 2/5/2019               | 2/4/2019               |                     |                     |                         |                         | 2/5/2019             | #####                | Water         | Lab           | 2130-B             | Turbidity                        |                 | 26.80    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-13        | GUZA-02           | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 2/6/2019               | 2/4/2019               |                     |                     |                         |                         | 2/6/2019             | #####                | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.11     | mg/L         | J                | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-13        | GUZA-02           | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 2/8/2019               | 2/4/2019               |                     |                     |                         |                         | 2/8/2019             | #####                | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 309.00   | mg/L         | S                | 40.0                   | 40.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-13        | GUZA-02           | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | #####                  | 2/4/2019               |                     |                     |                         |                         | #####                | #####                | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 1340.00  | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-13        | GUZA-02           | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 02/13/2019             | 1:55:00 PM             |                     |                     |                         |                         | #####                |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 1020.00  | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-13        | GUZA-02           | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 02/13/2019             | 1:55:00 PM             |                     |                     |                         |                         | #####                |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 8.10     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-13        | GUZA-02           | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 02/13/2019             | 1:55:00 PM             |                     |                     |                         |                         | #####                |                      | Water         | USEPA         | SM 2550E           | Temperature                      |                 | 0.20     | deg C        |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-13        | GUZA-02           | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 05/30/2019             |                        | 05/30/2019          |                     |                         |                         | 06/04/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 130.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-13        | GUZA-02           | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 05/30/2019             |                        | 05/30/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 832.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-13        | GUZA-02           | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 05/30/2019             |                        | 05/30/2019          |                     |                         |                         | 05/30/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 579.40   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-13        | GUZA-02           | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 05/30/2019             |                        | 05/30/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 7.70     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-13        | GUZA-02           | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 05/30/2019             |                        | 05/30/2019          |                     |                         |                         | 06/03/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.21     | mg/L         |                  | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-13        | GUZA-02           | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 05/30/2019             |                        | 05/30/2019          |                     |                         |                         | 06/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 836.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-13        | GUZA-02           | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 05/30/2019             |                        | 05/30/2019          |                     |                         |                         | 05/31/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | ND       | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-13        | GUZA-02           | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 05/30/2019             |                        | 05/30/2019          |                     |                         |                         | 05/31/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        |                 | 35.10    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-13        | GUZA-02           | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/29/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 102.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-13        | GUZA-02           | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 737.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-13        | GUZA-02           | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 57.10    | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-13        | GUZA-02           | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-13        | GUZA-02           | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/30/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | 0.14     | mg/L         | J                | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-13        | GUZA-02           | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 08/02/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | 1.25     | mg/L         | J                | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-13        | GUZA-02           | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.08     | mg/L         |                  | 0.026                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-13        | GUZA-02           | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 7.90     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-13        | GUZA-02           | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/31/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.16     | mg/L         |                  | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-13        | GUZA-02           | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 08/05/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 750.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-13        | GUZA-02           | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/29/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | ND       | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-13        | GUZA-02           | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        |                 | 13.70    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-13        | GUZA-02           | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/09/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 139.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-13        | GUZA-02           | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 914.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-13        | GUZA-02           | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 218.70   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-13        | GUZA-02           | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-13        | GUZA-02           | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/03/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-13        | GUZA-02           | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/12/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | ND       | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-13        | GUZA-02           | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.03     | mg/L         | J                | 0.026                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-13        | GUZA-02           | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 8.20     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-13        | GUZA-02           | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/05/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.08     | mg/L         | J                | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-13        | GUZA-02           | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 896.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-13        | GUZA-02           | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/06/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | ND       | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-13        | GUZA-02           | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        |                 | 6.40     | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-13        | GUZA-02           | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 10/30/2019             |                        | 10/30/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | 4500-CL-           | Chloride                         | Total           | 73.00    | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-13        | GUZA-02           | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 10/30/2019             |                        | 10/30/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 696.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-13        | GUZA-02           | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 10/30/2019             |                        | 10/30/2019          |                     |                         |                         | 10/30/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total</         |          |              |                  |                        |                                      |                                      |              |                       |

| Submitting Source | Laboratory Name | Sample Group | DRWW Station Code | IL EPA Station Code | Sample Depth | Sample-Depth Units | Waterbody Name | Public Water Supply Intake | Monitoring Unit | Surface-Water Monitoring Program | QA/QC Field-Blank ID | Sample-Collection Date | Sample-Collection Time | Sample-Receipt Date | Sample-Receipt Time | Sample-Preparation Date | Sample-Preparation Time | Sample-Analysis Date | Sample-Analysis Time | Sample Medium | Method Source | Method Code - IEPA | Analyte                          | Sample Fraction | Result   | Result Units | Result Qualifier | Method Detection Limit | Minimum Practical Quantitation Limit | Maximum Practical Quantitation Limit | Weight Basis | Date Results Released |
|-------------------|-----------------|--------------|-------------------|---------------------|--------------|--------------------|----------------|----------------------------|-----------------|----------------------------------|----------------------|------------------------|------------------------|---------------------|---------------------|-------------------------|-------------------------|----------------------|----------------------|---------------|---------------|--------------------|----------------------------------|-----------------|----------|--------------|------------------|------------------------|--------------------------------------|--------------------------------------|--------------|-----------------------|
| DRWW              | Suburban Labs   | 15-13 FB     | GUZA-02           | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 10/30/2019             |                        | 10/30/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 0.22     | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-2         | GU-06             | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 2/5/2019               | 2/5/2019               |                     |                     |                         |                         | 2/5/2019             | #####                | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 298.70   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-2         | GU-06             | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 2/6/2019               | 2/5/2019               |                     |                     |                         |                         | 2/6/2019             | #####                | Water         | Lab           | 2130-B             | Turbidity                        |                 | 16.90    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-2         | GU-06             | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 2/7/2019               | 2/5/2019               |                     |                     |                         |                         | 2/7/2019             | #####                | Water         | USEPA         | 2540-D             | Total Suspended Solids           | Total           | 18.80    | mg/L         |                  | 0.200                  | 5.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-2         | GU-06             | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 2/7/2019               | 2/5/2019               |                     |                     |                         |                         | 2/7/2019             | #####                | Water         | USEPA         | 2540-D             | Volatile Suspended Solids        | Total           | 2.00     | mg/L         | J                | 0.200                  | 5.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-2         | GU-06             | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 2/7/2019               | 2/5/2019               |                     |                     |                         |                         | 2/7/2019             | #####                | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.73     | mg/L         | S                | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-2         | GU-06             | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 2/7/2019               | 2/5/2019               |                     |                     |                         |                         | 2/7/2019             | #####                | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.06     | mg/L         | J                | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-2         | GU-06             | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 2/7/2019               | 2/5/2019               |                     |                     |                         |                         | 2/7/2019             | #####                | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | 0.20     | mg/L         | J                | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-2         | GU-06             | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 2/8/2019               | 2/5/2019               |                     |                     |                         |                         | 2/8/2019             | #####                | Water         | APHA          | 4500-CL            | Chloride                         | Total           | 242.00   | mg/L         |                  | 40.0                   | 40.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-2         | GU-06             | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | #####                  | 2/5/2019               |                     |                     |                         |                         | #####                | #####                | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | ND       | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-2         | GU-06             | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | #####                  | 2/5/2019               |                     |                     |                         |                         | #####                | #####                | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 1230.00  | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-2         | GU-06             | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 02/13/2019             | 9:58:00 AM             |                     |                     |                         |                         | #####                | #####                | Water         | YSI           | EPA 120            | Conductivity                     |                 | 930.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-2         | GU-06             | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 02/13/2019             | 9:58:00 AM             |                     |                     |                         |                         | #####                | #####                | Water         | USEPA         | 365.2              | pH, Field                        |                 | 8.70     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-2         | GU-06             | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 02/13/2019             | 9:58:00 AM             |                     |                     |                         |                         | #####                | #####                | Water         | USEPA         | SM 2550E           | Temperature                      |                 | 0.40     | deg C        |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-2         | GU-06             | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 05/30/2019             |                        | 05/30/2019          |                     |                         |                         | 06/04/2019           |                      | Water         | APHA          | 4500-CL            | Chloride                         | Total           | 121.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-2         | GU-06             | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 05/30/2019             |                        | 05/30/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120            | Conductivity                     |                 | 804.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-2         | GU-06             | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 05/30/2019             |                        | 05/30/2019          |                     |                         |                         | 05/30/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 770.10   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-2         | GU-06             | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 05/30/2019             |                        | 05/30/2019          |                     |                         |                         | 06/03/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-2         | GU-06             | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 05/30/2019             |                        | 05/30/2019          |                     |                         |                         | 06/03/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | 4.21     | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-2         | GU-06             | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 05/30/2019             |                        | 05/30/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 7.90     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-2         | GU-06             | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 05/30/2019             |                        | 05/30/2019          |                     |                         |                         | 06/03/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.07     | mg/L         | J                | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-2         | GU-06             | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 05/30/2019             |                        | 05/30/2019          |                     |                         |                         | 06/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 806.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-2         | GU-06             | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 05/30/2019             |                        | 05/30/2019          |                     |                         |                         | 05/31/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | ND       | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-2         | GU-06             | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 05/30/2019             |                        | 05/30/2019          |                     |                         |                         | 06/06/2019           |                      | Water         | USEPA         | 2540-D             | Total Suspended Solids           | Total           | 22.00    | mg/L         |                  | 0.400                  | 10.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-2         | GU-06             | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 05/30/2019             |                        | 05/30/2019          |                     |                         |                         | 05/31/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        |                 | 19.50    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-2         | GU-06             | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 05/30/2019             |                        | 05/30/2019          |                     |                         |                         | 06/06/2019           |                      | Water         | USEPA         | 2540-D             | Volatile Suspended Solids        | Total           | 8.00     | mg/L         | J                | 0.400                  | 10.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-2         | GU-06             | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/29/2019           |                      | Water         | APHA          | 4500-CL            | Chloride                         | Total           | 108.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-2         | GU-06             | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120            | Conductivity                     |                 | 781.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-2         | GU-06             | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | NA       | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-2         | GU-06             | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-2         | GU-06             | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/30/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-2         | GU-06             | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 08/02/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | 1.24     | mg/L         | J                | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-2         | GU-06             | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.03     | mg/L         | J                | 0.026                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-2         | GU-06             | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 7.80     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-2         | GU-06             | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/31/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.10     | mg/L         | J                | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-2         | GU-06             | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 08/05/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 793.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-2         | GU-06             | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/29/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | ND       | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-2         | GU-06             | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 08/01/2019           |                      | Water         | USEPA         | 2540-D             | Total Suspended Solids           | Total           | 16.40    | mg/L         |                  | 0.322                  | 8.05                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-2         | GU-06             | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        |                 | 14.50    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-2         | GU-06             | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 08/01/2019           |                      | Water         | USEPA         | 2540-D             | Volatile Suspended Solids        | Total           | 4.83     | mg/L         | J                | 0.322                  | 8.05                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-2         | GU-06             | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 07/29/2019             |                        | 07/29/2019          |                     |                         |                         | 07/29/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 125.90   | MPN/100mL    | Re-Run           | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-2         | GU-06             | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | APHA          | 4500-CL            | Chloride                         | Total           | 132.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-2         | GU-06             | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120            | Conductivity                     |                 | 864.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-2         | GU-06             | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 76.30    | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-2         | GU-06             | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                                    |                                      |              |                       |

| Submitting Source | Laboratory Name | Sample Group | DRWW Station Code | IL EPA Station Code | Sample Depth | Sample-Depth Units | Waterbody Name | Public Water Supply Intake | Monitoring Unit | Surface-Water Monitoring Program | QA/QC Field-Blank ID | Sample-Collection Date | Sample-Collection Time | Sample-Receipt Date | Sample-Receipt Time | Sample-Preparation Date | Sample-Preparation Time | Sample-Analysis Date | Sample-Analysis Time | Sample Medium | Method Source | Method Code - IEPA | Analyte                          | Sample Fraction | Result   | Result Units | Result Qualifier | Method Detection Limit | Minimum Practical Quantitation Limit | Maximum Practical Quantitation Limit | Weight Basis | Date Results Released |
|-------------------|-----------------|--------------|-------------------|---------------------|--------------|--------------------|----------------|----------------------------|-----------------|----------------------------------|----------------------|------------------------|------------------------|---------------------|---------------------|-------------------------|-------------------------|----------------------|----------------------|---------------|---------------|--------------------|----------------------------------|-----------------|----------|--------------|------------------|------------------------|--------------------------------------|--------------------------------------|--------------|-----------------------|
| DRWW              | Suburban Labs   | 15-3         | GUB-03            | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 02/13/2019             | 10:22:00 AM            |                     |                     |                         |                         | #####                |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 1226.00  | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-3         | GUB-03            | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 02/13/2019             | 10:22:00 AM            |                     |                     |                         |                         | #####                |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 8.30     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-3         | GUB-03            | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 02/13/2019             | 10:22:00 AM            |                     |                     |                         |                         | #####                |                      | Water         | USEPA         | SM 2550B           | Temperature                      |                 | 2.20     | deg C        |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-3         | GUB-03            | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 05/30/2019             | 05/30/2019             |                     |                     |                         |                         | 06/04/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 76.30    | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-3         | GUB-03            | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 05/30/2019             | 05/30/2019             |                     |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 603.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-3         | GUB-03            | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 05/30/2019             | 05/30/2019             |                     |                     |                         |                         | 05/30/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | >2419.6  | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-3         | GUB-03            | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 05/30/2019             | 05/30/2019             |                     |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 7.60     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-3         | GUB-03            | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 05/30/2019             | 05/30/2019             |                     |                     |                         |                         | 06/03/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.09     | mg/L         | J                | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-3         | GUB-03            | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 05/30/2019             | 05/30/2019             |                     |                     |                         |                         | 06/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 605.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-3         | GUB-03            | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 05/30/2019             | 05/30/2019             |                     |                     |                         |                         | 05/31/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.29     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-3         | GUB-03            | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 05/30/2019             | 05/30/2019             |                     |                     |                         |                         | 05/31/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        |                 | 12.30    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-3         | GUB-03            | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 07/26/2019             | 07/26/2019             |                     |                     |                         |                         | 07/29/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 130.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-3         | GUB-03            | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 07/26/2019             | 07/26/2019             |                     |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 929.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-3         | GUB-03            | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 07/26/2019             | 07/26/2019             |                     |                     |                         |                         | 07/26/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | LA       | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-3         | GUB-03            | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 07/26/2019             | 07/26/2019             |                     |                     |                         |                         | 07/26/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-3         | GUB-03            | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 07/26/2019             | 07/26/2019             |                     |                     |                         |                         | 07/30/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | 0.16     | mg/L         | J                | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-3         | GUB-03            | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 07/26/2019             | 07/26/2019             |                     |                     |                         |                         | 08/02/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | ND       | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-3         | GUB-03            | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 07/26/2019             | 07/26/2019             |                     |                     |                         |                         | 07/26/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | ND       | mg/L         |                  | 0.026                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-3         | GUB-03            | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 07/26/2019             | 07/26/2019             |                     |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 7.70     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-3         | GUB-03            | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 07/26/2019             | 07/26/2019             |                     |                     |                         |                         | 07/31/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.08     | mg/L         | J                | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-3         | GUB-03            | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 07/26/2019             | 07/26/2019             |                     |                     |                         |                         | 08/05/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 927.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-3         | GUB-03            | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 07/26/2019             | 07/26/2019             |                     |                     |                         |                         | 07/29/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.20     | mg/L         | J                | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-3         | GUB-03            | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 07/26/2019             | 07/26/2019             |                     |                     |                         |                         | 07/26/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        |                 | 7.28     | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-3         | GUB-03            | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 07/29/2019             | 07/29/2019             |                     |                     |                         |                         | 07/29/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | >2419.6  | MPN/100mL    | Re-Run           | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-3         | GUB-03            | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 08/30/2019             | 08/30/2019             |                     |                     |                         |                         | 09/09/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 155.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-3         | GUB-03            | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 08/30/2019             | 08/30/2019             |                     |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 1011.00  | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-3         | GUB-03            | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 08/30/2019             | 08/30/2019             |                     |                     |                         |                         | 08/30/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 139.60   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-3         | GUB-03            | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 08/30/2019             | 08/30/2019             |                     |                     |                         |                         | 08/30/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-3         | GUB-03            | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 08/30/2019             | 08/30/2019             |                     |                     |                         |                         | 09/03/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-3         | GUB-03            | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 08/30/2019             | 08/30/2019             |                     |                     |                         |                         | 09/10/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | 2.88     | mg/L         | J                | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-3         | GUB-03            | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 08/30/2019             | 08/30/2019             |                     |                     |                         |                         | 08/30/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | ND       | mg/L         |                  | 0.026                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-3         | GUB-03            | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 08/30/2019             | 08/30/2019             |                     |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 7.70     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-3         | GUB-03            | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 08/30/2019             | 08/30/2019             |                     |                     |                         |                         | 09/05/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.05     | mg/L         | J                | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-3         | GUB-03            | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 08/30/2019             | 08/30/2019             |                     |                     |                         |                         | 09/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 1030.00  | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-3         | GUB-03            | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 08/30/2019             | 08/30/2019             |                     |                     |                         |                         | 09/04/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.21     | mg/L         | J                | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-3         | GUB-03            | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 08/30/2019             | 08/30/2019             |                     |                     |                         |                         | 08/30/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        |                 | 1.51     | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-3         | GUB-03            | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 10/30/2019             | 10/30/2019             |                     |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | 4500-CL-           | Chloride                         | Total           | 74.10    | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-3         | GUB-03            | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 10/30/2019             | 10/30/2019             |                     |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 774.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-3         | GUB-03            | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 10/30/2019             | 10/30/2019             |                     |                     |                         |                         | 10/30/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 478.60   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-3         | GUB-03            | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 10/30/2019             | 10/30/2019             |                     |                     |                         |                         | 10/30/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-3         | GUB-03            | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 10/30/2019             | 10/30/2019             |                     |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-3         | GUB-03            | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 10/30/2019             | 10/30/2019             |                     |                     |                         |                         | 11/06/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | ND       | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-3         | GUB-03            | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 10/30/2019             | 10/30/2019             |                     |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | ND       | mg/L         |                  | 0.026                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-3         | GUB-03            | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 10/30/2019             | 10/30/2019             |                     |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.70     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-3         | GUB-03            | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 10/30/2019             | 10/30/2019             |                     |                     |                         |                         | 11/01/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.11     | mg/L         |                  | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW</            |                 |              |                   |                     |              |                    |                |                            |                 |                                  |                      |                        |                        |                     |                     |                         |                         |                      |                      |               |               |                    |                                  |                 |          |              |                  |                        |                                      |                                      |              |                       |

| Submitting Source | Laboratory Name | Sample Group | DRWW Station Code | IL EPA Station Code | Sample Depth | Sample-Depth Units | Waterbody Name | Public Water Supply Intake | Monitoring Unit | Surface-Water Monitoring Program | QA/QC Field-Blank ID | Sample-Collection Date | Sample-Collection Time | Sample-Receipt Date | Sample-Receipt Time | Sample-Preparation Date | Sample-Preparation Time | Sample-Analysis Date | Sample-Analysis Time | Sample Medium | Method Source | Method Code - IEPA | Analyte                          | Sample Fraction | Result   | Result Units | Result Qualifier | Method Detection Limit | Minimum Practical Quantitation Limit | Maximum Practical Quantitation Limit | Weight Basis | Date Results Released |
|-------------------|-----------------|--------------|-------------------|---------------------|--------------|--------------------|----------------|----------------------------|-----------------|----------------------------------|----------------------|------------------------|------------------------|---------------------|---------------------|-------------------------|-------------------------|----------------------|----------------------|---------------|---------------|--------------------|----------------------------------|-----------------|----------|--------------|------------------|------------------------|--------------------------------------|--------------------------------------|--------------|-----------------------|
| DRWW              | Suburban Labs   | 15-4         | GUZA-01           | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 07/29/2019             |                        | 07/29/2019          |                     |                         |                         | 07/29/2019           |                      | Water         | USEPA         | E COLI             | E. Coli                          | Total           | 44.30    | MPN/100      | Re-Run           | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-4         | GUZA-01           | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/09/2019           |                      | Water         | APHA          | 4500-CL            | Chloride                         | Total           | 110.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-4         | GUZA-01           | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120            | Conductivity                     | Total           | 924.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-4         | GUZA-01           | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | USEPA         | E COLI             | E. Coli                          | Total           | 142.10   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-4         | GUZA-01           | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-4         | GUZA-01           | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/03/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-4         | GUZA-01           | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/10/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | 1.66     | mg/L         | J                | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-4         | GUZA-01           | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | ND       | mg/L         |                  | 0.026                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-4         | GUZA-01           | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.70     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-4         | GUZA-01           | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/05/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.14     | mg/L         | J                | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-4         | GUZA-01           | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 902.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-4         | GUZA-01           | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | ND       | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-4         | GUZA-01           | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 75.00    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-4         | GUZA-01           | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 10/30/2019             |                        | 10/30/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | 4500-CL            | Chloride                         | Total           | 62.30    | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-4         | GUZA-01           | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 10/30/2019             |                        | 10/30/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120            | Conductivity                     | Total           | 681.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-4         | GUZA-01           | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 10/30/2019             |                        | 10/30/2019          |                     |                         |                         | 10/30/2019           |                      | Water         | USEPA         | E COLI             | E. Coli                          | Total           | 920.80   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-4         | GUZA-01           | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 10/30/2019             |                        | 10/30/2019          |                     |                         |                         | 10/30/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-4         | GUZA-01           | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 10/30/2019             |                        | 10/30/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-4         | GUZA-01           | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 10/30/2019             |                        | 10/30/2019          |                     |                         |                         | 11/06/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | ND       | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-4         | GUZA-01           | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 10/30/2019             |                        | 10/30/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | ND       | mg/L         |                  | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-4         | GUZA-01           | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 10/30/2019             |                        | 10/30/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.70     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-4         | GUZA-01           | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 10/30/2019             |                        | 10/30/2019          |                     |                         |                         | 11/01/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.10     | mg/L         |                  | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-4         | GUZA-01           | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 10/30/2019             |                        | 10/30/2019          |                     |                         |                         | 11/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 695.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-4         | GUZA-01           | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 10/30/2019             |                        | 10/30/2019          |                     |                         |                         | 11/01/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.17     | mg/L         | J                | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-4         | GUZA-01           | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 10/30/2019             |                        | 10/30/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 10.50    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-5         | GU-08             | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 2/5/2019               | 2/5/2019               |                     |                     |                         |                         | 2/5/2019             | #####                | Water         | USEPA         | E COLI             | E. Coli                          | Total           | 238.20   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-5         | GU-08             | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 2/6/2019               | 2/5/2019               |                     |                     |                         |                         | 2/6/2019             | #####                | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 10.10    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-5         | GU-08             | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 2/7/2019               | 2/5/2019               |                     |                     |                         |                         | 2/7/2019             | #####                | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.92     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-5         | GU-08             | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 2/7/2019               | 2/5/2019               |                     |                     |                         |                         | 2/7/2019             | #####                | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.06     | mg/L         | J                | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-5         | GU-08             | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 2/8/2019               | 2/5/2019               |                     |                     |                         |                         | 2/8/2019             | #####                | Water         | APHA          | 4500-CL            | Chloride                         | Total           | 185.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-5         | GU-08             | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | #####                  | 2/5/2019               |                     |                     |                         |                         | #####                | #####                | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 980.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-5         | GU-08             | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 02/13/2019             | 11:12:00 AM            |                     |                     |                         |                         | #####                | #####                | Water         | YSI           | EPA 120            | Conductivity                     | Total           | 968.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-5         | GU-08             | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 02/13/2019             | 11:12:00 AM            |                     |                     |                         |                         | #####                | #####                | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 8.50     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-5         | GU-08             | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 02/13/2019             | 11:12:00 AM            |                     |                     |                         |                         | #####                | #####                | Water         | USEPA         | SM 2550B           | Temperature                      | Total           | 0.00     | deg C        |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-5         | GU-08             | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 05/30/2019             |                        | 05/30/2019          |                     |                         |                         | 06/04/2019           |                      | Water         | APHA          | 4500-CL            | Chloride                         | Total           | 111.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-5         | GU-08             | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 05/30/2019             |                        | 05/30/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120            | Conductivity                     | Total           | 785.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-5         | GU-08             | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 05/30/2019             |                        | 05/30/2019          |                     |                         |                         | 05/30/2019           |                      | Water         | USEPA         | E COLI             | E. Coli                          | Total           | 224.70   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-5         | GU-08             | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 05/30/2019             |                        | 05/30/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.70     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-5         | GU-08             | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 05/30/2019             |                        | 05/30/2019          |                     |                         |                         | 06/03/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.07     | mg/L         | J                | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-5         | GU-08             | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 05/30/2019             |                        | 05/30/2019          |                     |                         |                         | 06/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 785.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-5         | GU-08             | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 05/30/2019             |                        | 05/30/2019          |                     |                         |                         | 05/31/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | ND       | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-5         | GU-08             | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 05/30/2019             |                        | 05/30/2019          |                     |                         |                         | 05/31/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 14.10    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-5         | GU-08             | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/29/2019           |                      | Water         | APHA          | 4500-CL            | Chloride                         | Total           | 123.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-5         | GU-08             | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120            | Conductivity                     | Total           | 800.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-5         | GU-08             | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | USEPA         | E COLI             | E. Coli                          | Total           | 133.30   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-5         | GU-08             | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-5         | GU-08             | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/30/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-5         | GU-08             | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 08/05/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | ND       | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-5         | GU-08             | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.06     | mg/L         |                  | 0.026                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-5         | GU-08             | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.70     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-5         | GU-08             | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/31/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.12     | mg/L         | J                | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-5         | GU-08             | 0.5                 | ft           | Indian Creek       |                | Non-IEPA                   |                 |                                  |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 08/05/2019           |                      | Water         |               |                    |                                  |                 |          |              |                  |                        |                                      |                                      |              |                       |

| Submitting Source | Laboratory Name | Sample Group | DRWW Station Code | IL EPA Station Code | Sample Depth | Sample-Depth Units | Waterbody Name | Public Water Supply Intake | Monitoring Unit | Surface-Water Monitoring Program | QA/QC Field-Blank ID | Sample-Collection Date | Sample-Collection Time | Sample-Receipt Date | Sample-Receipt Time | Sample-Preparation Date | Sample-Preparation Time | Sample-Analysis Date | Sample-Analysis Time | Sample Medium | Method Source | Method Code - IEPA | Analyte                          | Sample Fraction       | Result   | Result Units | Result Qualifier | Method Detection Limit | Minimum Practical Quantitation Limit | Maximum Practical Quantitation Limit | Weight Basis | Date Results Released |  |
|-------------------|-----------------|--------------|-------------------|---------------------|--------------|--------------------|----------------|----------------------------|-----------------|----------------------------------|----------------------|------------------------|------------------------|---------------------|---------------------|-------------------------|-------------------------|----------------------|----------------------|---------------|---------------|--------------------|----------------------------------|-----------------------|----------|--------------|------------------|------------------------|--------------------------------------|--------------------------------------|--------------|-----------------------|--|
| DRWW              | Suburban Labs   |              | 15-5              | GU-08               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 10/30/2019             |                        | 10/30/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total                 | 5.27     | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-6              | GU-03               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 2/5/2019               | 2/5/2019               |                     |                     |                         |                         | 2/5/2019             | #####                | Water         | USEPA         | E_COLI             | E. Coli                          | Total                 | 39.90    | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-6              | GU-03               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 2/6/2019               | 2/5/2019               |                     |                     |                         |                         | 2/6/2019             | #####                | Water         | Lab           | 2130-B             | Turbidity                        |                       | 8.03     | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-6              | GU-03               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 2/7/2019               | 2/5/2019               |                     |                     |                         |                         | 2/7/2019             | #####                | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total                 | 0.05     | mg/L         | J                | 0.0500                 | 0.135                                |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-6              | GU-03               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 2/7/2019               | 2/5/2019               |                     |                     |                         |                         | 2/7/2019             | #####                | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total                 | 0.22     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-6              | GU-03               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 2/8/2019               | 2/5/2019               |                     |                     |                         |                         | 2/8/2019             | #####                | Water         | APHA          | 4500-CL-           | Chloride                         | Total                 | 118.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-6              | GU-03               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | #####                  | 2/5/2019               |                     |                     |                         |                         | #####                | #####                | Water         | Lab           | 2510B              |                                  | Specific Conductivity | Total    | 769.00       | umhos/cm         |                        | 1.00                                 | 1.00                                 |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-6              | GU-03               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 02/13/201              | 11:36:00 AM            |                     |                     |                         |                         | #####                |                      | Water         | YSI           | EPA 120.           |                                  | Conductivity          |          | 755.00       | umhos/cm         |                        |                                      |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-6              | GU-03               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 02/13/201              | 11:36:00 AM            |                     |                     |                         |                         | #####                |                      | Water         | USEPA         | 365.2              | pH, Field                        |                       | 8.10     | S.U.         |                  |                        |                                      |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-6              | GU-03               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 02/13/201              | 11:36:00 AM            |                     |                     |                         |                         | #####                |                      | Water         | USEPA         | SM 2550E           | Temperature                      |                       | 0.20     | deg C        |                  |                        |                                      |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-6              | GU-03               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 05/30/2019             |                        | 05/30/2019          |                     |                         |                         | 06/04/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total                 | 97.30    | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-6              | GU-03               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 05/30/2019             |                        | 05/30/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           |                                  | Conductivity          |          | 673.00       | umhos/cm         |                        |                                      |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-6              | GU-03               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 05/30/2019             |                        | 05/30/2019          |                     |                         |                         | 05/30/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total                 | 79.40    | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-6              | GU-03               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 05/30/2019             |                        | 05/30/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        |                       | 7.80     | S.U.         |                  |                        |                                      |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-6              | GU-03               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 05/30/2019             |                        | 05/30/2019          |                     |                         |                         | 06/03/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total                 | 0.09     | mg/L         | J                | 0.0500                 | 0.135                                |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-6              | GU-03               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 05/30/2019             |                        | 05/30/2019          |                     |                         |                         | 06/04/2019           |                      | Water         | Lab           | 2510B              |                                  | Specific Conductivity | Total    | 672.00       | umhos/cm         |                        | 1.00                                 | 1.00                                 |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-6              | GU-03               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 05/30/2019             |                        | 05/30/2019          |                     |                         |                         | 05/31/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total                 | ND       | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-6              | GU-03               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 05/30/2019             |                        | 05/30/2019          |                     |                         |                         | 05/31/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        |                       | 5.55     | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-6              | GU-03               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/29/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total                 | 98.30    | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-6              | GU-03               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           |                                  | Conductivity          |          | 679.00       | umhos/cm         |                        |                                      |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-6              | GU-03               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total                 | 40.40    | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-6              | GU-03               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total                 | complete |              | V                | 0                      | 0                                    |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-6              | GU-03               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/30/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total                 | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-6              | GU-03               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 08/05/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total                 | ND       | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-6              | GU-03               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total                 | 0.06     | mg/L         |                  | 0.026                  | 0.050                                |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-6              | GU-03               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        |                       | 7.40     | S.U.         |                  |                        |                                      |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-6              | GU-03               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/31/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total                 | 0.14     | mg/L         |                  | 0.0500                 | 0.135                                |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-6              | GU-03               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 08/05/2019           |                      | Water         | Lab           | 2510B              |                                  | Specific Conductivity | Total    | 683.00       | umhos/cm         |                        | 1.00                                 | 1.00                                 |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-6              | GU-03               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/29/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total                 | ND       | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-6              | GU-03               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        |                       | 2.45     | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-6              | GU-03               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/09/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total                 | 105.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-6              | GU-03               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           |                                  | Conductivity          |          | 741.00       | umhos/cm         |                        |                                      |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-6              | GU-03               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total                 | 135.40   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-6              | GU-03               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total                 | complete |              | V                | 0                      | 0                                    |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-6              | GU-03               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/03/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total                 | 0.81     | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-6              | GU-03               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/10/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total                 | 2.08     | mg/L         | J                | 1.19                   | 3.78                                 |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-6              | GU-03               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total                 | 0.14     | mg/L         |                  | 0.026                  | 0.050                                |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-6              | GU-03               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        |                       | 7.40     | S.U.         |                  |                        |                                      |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-6              | GU-03               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/05/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total                 | 0.26     | mg/L         |                  | 0.0500                 | 0.135                                |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-6              | GU-03               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | Lab           | 2510B              |                                  | Specific Conductivity | Total    | 729.00       | umhos/cm         |                        | 1.00                                 | 1.00                                 |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-6              | GU-03               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total                 | ND       | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-6              | GU-03               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        |                       | 13.00    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-6              | GU-03               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 10/30/2019             |                        | 10/30/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | 4500-CL-           | Chloride                         | Total                 | 60.90    | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-6              | GU-03               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 10/30/2019             |                        | 10/30/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           |                                  | Conductivity          | Total    | 578.00       | umhos/cm         |                        |                                      |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-6              | GU-03               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 10/30/2019             |                        | 10/30/2019          |                     |                         |                         | 10/30/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total                 | 141.40   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-6              | GU-03               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 10/30/2019             |                        | 10/30/2019          |                     |                         |                         | 10/30/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total                 | complete |              | V                | 0                      | 0                                    |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-6              | GU-03               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 10/30/2019             |                        | 10/30/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total                 | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-6              | GU-03               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 10/30/2019             |                        | 10/30/2019          |                     |                         |                         | 11/05/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total                 | 1.58     | mg/L         | J                | 1.19                   | 3.78                                 |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-6              | GU-03               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 10/30/2019             |                        | 10/30/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total                 | ND       | mg/L         |                  | 0.020                  | 0.050                                |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-6              | GU-03               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 10/30/2019             |                        | 10/30/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        |                       | 7.70     | S.U.         |                  |                        |                                      |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-6              | GU-03               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 10/30/2019             |                        | 10/30/2019          |                     |                         |                         | 11/01/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total                 | 0.05     | mg/L         |                  | 0.020                  | 0.050                                |                                      |              |                       |  |
| DRWW              | Suburban Labs   |              | 15-6              | GU-03               | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 10/30/2019             |                        | 10/30/2019          |                     |                         |                         | 11/04/2019           |                      | Water         | Lab           | 2510B              |                                  | Specific Conductivity | Total    | 587.0        |                  |                        |                                      |                                      |              |                       |  |

| Submitting Source | Laboratory Name | Sample Group | DRWW Station Code | IL EPA Station Code | Sample Depth | Sample-Depth Units | Waterbody Name | Public Water Supply Intake | Monitoring Unit | Surface-Water Monitoring Program | QA/QC Field-Blank ID | Sample-Collection Date | Sample-Collection Time | Sample-Receipt Date | Sample-Receipt Time | Sample-Preparation Date | Sample-Preparation Time | Sample-Analysis Date | Sample-Analysis Time | Sample Medium | Method Source | Method Code - IEPA | Analyte                          | Sample Fraction | Result   | Result Units | Result Qualifier | Method Detection Limit | Minimum Practical Quantitation Limit | Maximum Practical Quantitation Limit | Weight Basis | Date Results Released |  |  |
|-------------------|-----------------|--------------|-------------------|---------------------|--------------|--------------------|----------------|----------------------------|-----------------|----------------------------------|----------------------|------------------------|------------------------|---------------------|---------------------|-------------------------|-------------------------|----------------------|----------------------|---------------|---------------|--------------------|----------------------------------|-----------------|----------|--------------|------------------|------------------------|--------------------------------------|--------------------------------------|--------------|-----------------------|--|--|
| DRWW              | Suburban Labs   |              | 15-7              | GUZA-03             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | #####                  | 2/5/2019               |                     |                     |                         |                         | #####                | #####                | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 1440.00  | umhos/cm     |                  | 1.00                   |                                      |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 15-7              | GUZA-03             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 02/13/2019             | 12:19:00 PM            |                     |                     |                         |                         | #####                |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 1046.00  | umhos/cm     |                  |                        |                                      |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 15-7              | GUZA-03             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 02/13/2019             | 12:19:00 PM            |                     |                     |                         |                         | #####                |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 7.60     | S.U.         |                  |                        |                                      |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 15-7              | GUZA-03             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 02/13/2019             | 12:19:00 PM            |                     |                     |                         |                         | #####                |                      | Water         | USEPA         | SM 2550E           | Temperature                      |                 | 1.31     | deg C        |                  |                        |                                      |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 15-7              | GUZA-03             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 05/30/2019             |                        | 05/30/2019          |                     |                         |                         | 06/04/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 186.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 15-7              | GUZA-03             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 05/30/2019             |                        | 05/30/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 949.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 15-7              | GUZA-03             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 05/30/2019             |                        | 05/30/2019          |                     |                         | 05/30/2019              |                      |                      | Water         | USEPA         | E. COLI            | E. Coli                          | Total           | 143.90   | MPN/100mL    | 1.0              | 1.0                    |                                      |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 15-7              | GUZA-03             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 05/30/2019             |                        | 05/30/2019          |                     |                         |                         | 06/03/2019           |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 7.70     | S.U.         |                  |                        |                                      |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 15-7              | GUZA-03             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 05/30/2019             |                        | 05/30/2019          |                     |                         |                         | 06/03/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.10     | mg/L         | J                | 0.0500                 | 0.135                                |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 15-7              | GUZA-03             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 05/30/2019             |                        | 05/30/2019          |                     |                         |                         | 06/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 944.00   | umhos/cm     | 1.00             | 1.00                   |                                      |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 15-7              | GUZA-03             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 05/30/2019             |                        | 05/30/2019          |                     |                         |                         | 06/04/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | ND       | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 15-7              | GUZA-03             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 05/30/2019             |                        | 05/30/2019          |                     |                         |                         | 05/31/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        |                 | 26.90    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 15-7              | GUZA-03             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/29/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 122.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 15-7              | GUZA-03             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 761.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 15-7              | GUZA-03             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | USEPA         | E. COLI            | E. Coli                          | Total           | 22.80    | MPN/100mL    | 1.0              | 1.0                    |                                      |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 15-7              | GUZA-03             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                                    |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 15-7              | GUZA-03             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/30/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | 0.13     | mg/L         | J                | 0.10                   | 0.30                                 |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 15-7              | GUZA-03             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 08/05/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | 1.44     | mg/L         | J                | 1.19                   | 3.78                                 |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 15-7              | GUZA-03             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.09     | mg/L         |                  | 0.026                  | 0.050                                |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 15-7              | GUZA-03             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 7.40     | S.U.         |                  |                        |                                      |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 15-7              | GUZA-03             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/31/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.19     | mg/L         |                  | 0.0500                 | 0.135                                |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 15-7              | GUZA-03             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 08/05/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 757.00   | umhos/cm     | 1.00             | 1.00                   |                                      |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 15-7              | GUZA-03             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/29/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | ND       | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 15-7              | GUZA-03             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        |                 | 16.60    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 15-7              | GUZA-03             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/09/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 138.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 15-7              | GUZA-03             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 926.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 15-7              | GUZA-03             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | USEPA         | E. COLI            | E. Coli                          | Total           | 53.80    | MPN/100mL    | 1.0              | 1.0                    |                                      |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 15-7              | GUZA-03             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                                    |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 15-7              | GUZA-03             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/03/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 15-7              | GUZA-03             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/11/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | 2.91     | mg/L         | J                | 1.19                   | 3.78                                 |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 15-7              | GUZA-03             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | ND       | mg/L         |                  | 0.026                  | 0.050                                |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 15-7              | GUZA-03             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 7.80     | S.U.         |                  |                        |                                      |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 15-7              | GUZA-03             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/05/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.14     | mg/L         |                  | 0.0500                 | 0.135                                |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 15-7              | GUZA-03             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 907.00   | umhos/cm     | 1.00             | 1.00                   |                                      |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 15-7              | GUZA-03             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | ND       | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 15-7              | GUZA-03             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        |                 | 20.70    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 15-7              | GUZA-03             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 10/30/2019             |                        | 10/30/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | 4500-CL-           | Chloride                         | Total           | 74.20    | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 15-7              | GUZA-03             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 10/30/2019             |                        | 10/30/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 664.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 15-7              | GUZA-03             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 10/30/2019             |                        | 10/30/2019          |                     |                         |                         | 10/30/2019           |                      | Water         | USEPA         | E. COLI            | E. Coli                          | Total           | 360.90   | MPN/100mL    | 1.0              | 1.0                    |                                      |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 15-7              | GUZA-03             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 10/30/2019             |                        | 10/30/2019          |                     |                         |                         | 10/30/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                                    |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 15-7              | GUZA-03             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 10/30/2019             |                        | 10/30/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 15-7              | GUZA-03             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 10/30/2019             |                        | 10/30/2019          |                     |                         |                         | 11/05/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | ND       | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 15-7              | GUZA-03             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 10/30/2019             |                        | 10/30/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | ND       | mg/L         |                  | 0.020                  | 0.050                                |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 15-7              | GUZA-03             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 10/30/2019             |                        | 10/30/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.60     | S.U.         |                  |                        |                                      |                                      |              |                       |  |  |
| DRWW              | Suburban Labs   |              | 15                |                     |              |                    |                |                            |                 |                                  |                      |                        |                        |                     |                     |                         |                         |                      |                      |               |               |                    |                                  |                 |          |              |                  |                        |                                      |                                      |              |                       |  |  |

| Submitting Source | Laboratory Name | Sample Group | DRWW Station Code | IL EPA Station Code | Sample Depth | Sample-Depth Units | Waterbody Name | Public Water Supply Intake | Monitoring Unit | Surface-Water Monitoring Program | QA/QC Field-Blank ID | Sample-Collection Date | Sample-Collection Time | Sample-Receipt Date | Sample-Receipt Time | Sample-Preparation Date | Sample-Preparation Time | Sample-Analysis Date | Sample-Analysis Time | Sample Medium | Method Source | Method Code - IEPA | Analyte                          | Sample Fraction | Result   | Result Units | Result Qualifier | Method Detection Limit | Minimum Practical Quantitation Limit | Maximum Practical Quantitation Limit | Weight Basis | Date Results Released |
|-------------------|-----------------|--------------|-------------------|---------------------|--------------|--------------------|----------------|----------------------------|-----------------|----------------------------------|----------------------|------------------------|------------------------|---------------------|---------------------|-------------------------|-------------------------|----------------------|----------------------|---------------|---------------|--------------------|----------------------------------|-----------------|----------|--------------|------------------|------------------------|--------------------------------------|--------------------------------------|--------------|-----------------------|
| DRWW              | Suburban Labs   |              | 15-8              | GUB-02              | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/09/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 130.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-8              | GUB-02              | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 802.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-8              | GUB-02              | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | USEPA         | E. COLI            | E. Coli                          | Total           | 98.50    | MPN/100mL    | 1.0              | 1.0                    |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-8              | GUB-02              | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-8              | GUB-02              | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/03/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-8              | GUB-02              | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/11/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | ND       | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-8              | GUB-02              | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | ND       | mg/L         |                  | 0.026                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-8              | GUB-02              | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.70     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-8              | GUB-02              | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/05/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.07     | mg/L         | J                | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-8              | GUB-02              | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 784.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-8              | GUB-02              | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/06/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | ND       | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-8              | GUB-02              | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 5.24     | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-8              | GUB-02              | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 10/30/2019             |                        | 10/30/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | 4500-CL-           | Chloride                         | Total           | 84.70    | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-8              | GUB-02              | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 10/30/2019             |                        | 10/30/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 718.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-8              | GUB-02              | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 10/30/2019             |                        | 10/30/2019          |                     |                         |                         | 10/30/2019           |                      | Water         | USEPA         | E. COLI            | E. Coli                          | Total           | >2419.6  | MPN/100mL    | 1.0              | 1.0                    |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-8              | GUB-02              | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 10/30/2019             |                        | 10/30/2019          |                     |                         |                         | 10/30/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-8              | GUB-02              | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 10/30/2019             |                        | 10/30/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-8              | GUB-02              | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 10/30/2019             |                        | 10/30/2019          |                     |                         |                         | 11/06/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | ND       | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-8              | GUB-02              | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 10/30/2019             |                        | 10/30/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | ND       | mg/L         |                  | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-8              | GUB-02              | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 10/30/2019             |                        | 10/30/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.80     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-8              | GUB-02              | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 10/30/2019             |                        | 10/30/2019          |                     |                         |                         | 11/01/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.06     | mg/L         |                  | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-8              | GUB-02              | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 10/30/2019             |                        | 10/30/2019          |                     |                         |                         | 11/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 729.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-8              | GUB-02              | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 10/30/2019             |                        | 10/30/2019          |                     |                         |                         | 11/01/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.11     | mg/L         | J                | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-8              | GUB-02              | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 10/30/2019             |                        | 10/30/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 4.62     | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-9              | GU-SD-A             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 2/5/2019               | 2/5/2019               |                     |                     |                         |                         | 2/5/2019             | #####                | Water         | USEPA         | E. COLI            | E. Coli                          | Total           | 34.10    | MPN/100mL    | 1.0              | 1.0                    |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-9              | GU-SD-A             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 2/6/2019               | 2/5/2019               |                     |                     |                         |                         | 2/6/2019             | #####                | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 19.50    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-9              | GU-SD-A             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 2/7/2019               | 2/5/2019               |                     |                     |                         |                         | 2/7/2019             | #####                | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.10     | mg/L         | J                | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-9              | GU-SD-A             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 2/7/2019               | 2/5/2019               |                     |                     |                         |                         | 2/7/2019             | #####                | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | ND       | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-9              | GU-SD-A             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 2/8/2019               | 2/5/2019               |                     |                     |                         |                         | 2/8/2019             | #####                | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 89.00    | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-9              | GU-SD-A             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | #####                  | 2/5/2019               |                     |                     |                         |                         | #####                | #####                | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 697.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-9              | GU-SD-A             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 02/13/2019             | 12:47:00 PM            |                     |                     |                         |                         | #####                | #####                | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 678.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-9              | GU-SD-A             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 02/13/2019             | 12:47:00 PM            |                     |                     |                         |                         | #####                | #####                | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.90     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-9              | GU-SD-A             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 02/13/2019             | 12:47:00 PM            |                     |                     |                         |                         | #####                | #####                | Water         | USEPA         | SM 2550E           | Temperature                      | Total           | 1.90     | deg C        |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-9              | GU-SD-A             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/29/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 94.90    | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-9              | GU-SD-A             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 634.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-9              | GU-SD-A             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | USEPA         | E. COLI            | E. Coli                          | Total           | LA       | MPN/100mL    | 1.0              | 1.0                    |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-9              | GU-SD-A             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-9              | GU-SD-A             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/30/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-9              | GU-SD-A             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 08/05/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | 1.58     | mg/L         | J                | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-9              | GU-SD-A             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.03     | mg/L         | J                | 0.026                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-9              | GU-SD-A             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 8.20     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-9              | GU-SD-A             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/31/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.12     | mg/L         | J                | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-9              | GU-SD-A             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 08/05/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 601.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-9              | GU-SD-A             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/29/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | ND       | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-9              | GU-SD-A             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 7.46     | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-9              | GU-SD-A             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 07/29/2019             |                        | 07/29/2019          |                     |                         |                         | 07/29/2019           |                      | Water         | USEPA         | E. COLI            | E. Coli                          | Total           | >2419.6  | MPN/100      | Re-Run           | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-9              | GU-SD-A             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/09/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 92.40    | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-9              | GU-SD-A             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 627.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-9              | GU-SD-A             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | USEPA         | E. COLI            | E. Coli                          | Total           | 83.90    | MPN/100mL    | 1.0              | 1.0                    |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-9              | GU-SD-A             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/03/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-9              | GU-SD-A             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/11/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | 1.68     | mg/L         | J                | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-9              | GU-SD-A             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.05     | mg/L         | J                | 0.026                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 15-9              | GU-SD-A             | 0.5          | ft                 | Indian Creek   |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         |                      |                      |               |               |                    |                                  |                 |          |              |                  |                        |                                      |                                      |              |                       |



| Submitting Source | Laboratory Name | Sample Group | DRWW Station Code | IL EPA Station Code | Sample Depth | Sample-Depth Units      | Waterbody Name | Public Water Supply Intake | Monitoring Unit | Surface-Water Monitoring Program | QA/QC Field-Blank ID | Sample-Collection Date | Sample-Collection Time | Sample-Receipt Date | Sample-Receipt Time | Sample-Preparation Date | Sample-Preparation Time | Sample-Analysis Date | Sample-Analysis Time | Sample Medium | Method Source | Method Code - IEPA | Analyte                          | Sample Fraction | Result   | Result Units | Result Qualifier | Method Detection Limit | Minimum Practical Quantitation Limit | Maximum Practical Quantitation Limit | Weight Basis | Date Results Released |
|-------------------|-----------------|--------------|-------------------|---------------------|--------------|-------------------------|----------------|----------------------------|-----------------|----------------------------------|----------------------|------------------------|------------------------|---------------------|---------------------|-------------------------|-------------------------|----------------------|----------------------|---------------|---------------|--------------------|----------------------------------|-----------------|----------|--------------|------------------|------------------------|--------------------------------------|--------------------------------------|--------------|-----------------------|
| DRWW              | Suburban Labs   | 15-9 Dupl    | GU-SD-A           | 0.5                 | ft           | Indian Creek            |                | Non-IEPA                   |                 |                                  |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/31/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.12     | mg/L         | J                | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-9 Dupl    | GU-SD-A           | 0.5                 | ft           | Indian Creek            |                | Non-IEPA                   |                 |                                  |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 08/05/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 637.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-9 Dupl    | GU-SD-A           | 0.5                 | ft           | Indian Creek            |                | Non-IEPA                   |                 |                                  |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/29/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | ND       | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-9 Dupl    | GU-SD-A           | 0.5                 | ft           | Indian Creek            |                | Non-IEPA                   |                 |                                  |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 6.81     | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-9 Dupl    | GU-SD-A           | 0.5                 | ft           | Indian Creek            |                | Non-IEPA                   |                 |                                  |                      | 07/29/2019             |                        | 07/29/2019          |                     |                         |                         | 07/29/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | >2419.6  | MPN/100      | Re-Run           | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-9 Field   | GU-SD-A           | 0.5                 | ft           | Indian Creek            |                | Non-IEPA                   |                 |                                  |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/29/2019           |                      | Water         | APHA          | 4500-CL            | Chloride                         | Total           | ND       | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-9 Field   | GU-SD-A           | 0.5                 | ft           | Indian Creek            |                | Non-IEPA                   |                 |                                  |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 0.00     | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-9 Field   | GU-SD-A           | 0.5                 | ft           | Indian Creek            |                | Non-IEPA                   |                 |                                  |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | LA       | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-9 Field   | GU-SD-A           | 0.5                 | ft           | Indian Creek            |                | Non-IEPA                   |                 |                                  |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-9 Field   | GU-SD-A           | 0.5                 | ft           | Indian Creek            |                | Non-IEPA                   |                 |                                  |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/30/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-9 Field   | GU-SD-A           | 0.5                 | ft           | Indian Creek            |                | Non-IEPA                   |                 |                                  |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 08/05/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | ND       | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-9 Field   | GU-SD-A           | 0.5                 | ft           | Indian Creek            |                | Non-IEPA                   |                 |                                  |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | ND       | mg/L         |                  | 0.026                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-9 Field   | GU-SD-A           | 0.5                 | ft           | Indian Creek            |                | Non-IEPA                   |                 |                                  |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.10     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-9 Field   | GU-SD-A           | 0.5                 | ft           | Indian Creek            |                | Non-IEPA                   |                 |                                  |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/31/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | ND       | mg/L         |                  | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-9 Field   | GU-SD-A           | 0.5                 | ft           | Indian Creek            |                | Non-IEPA                   |                 |                                  |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 08/05/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 1.91     | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-9 Field   | GU-SD-A           | 0.5                 | ft           | Indian Creek            |                | Non-IEPA                   |                 |                                  |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/31/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | ND       | mg/L         | S                | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-9 Field   | GU-SD-A           | 0.5                 | ft           | Indian Creek            |                | Non-IEPA                   |                 |                                  |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | ND       | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   | 15-9 Field   | GU-SD-A           | 0.5                 | ft           | Indian Creek            |                | Non-IEPA                   |                 |                                  |                      | 07/29/2019             |                        | 07/29/2019          |                     |                         |                         | 07/29/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | <1       | MPN/100      | Re-Run           | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   | 16-1         | G-13              | 0.5                 | ft           | Lower Des Plaines River |                | Non-IEPA                   |                 |                                  |                      | 2/4/2019               | 2/4/2019               |                     |                     |                         |                         | 2/4/2019             | #####                | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 1553.10  | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   | 16-1         | G-13              | 0.5                 | ft           | Lower Des Plaines River |                | Non-IEPA                   |                 |                                  |                      | 2/5/2019               | 2/4/2019               |                     |                     |                         |                         | 2/5/2019             | #####                | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 3.16     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   | 16-1         | G-13              | 0.5                 | ft           | Lower Des Plaines River |                | Non-IEPA                   |                 |                                  |                      | 2/5/2019               | 2/4/2019               |                     |                     |                         |                         | 2/5/2019             | #####                | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | 0.49     | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 16-1         | G-13              | 0.5                 | ft           | Lower Des Plaines River |                | Non-IEPA                   |                 |                                  |                      | 2/5/2019               | 2/4/2019               |                     |                     |                         |                         | 2/5/2019             | #####                | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 18.50    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   | 16-1         | G-13              | 0.5                 | ft           | Lower Des Plaines River |                | Non-IEPA                   |                 |                                  |                      | 2/6/2019               | 2/4/2019               |                     |                     |                         |                         | 2/6/2019             | #####                | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.24     | mg/L         |                  | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   | 16-1         | G-13              | 0.5                 | ft           | Lower Des Plaines River |                | Non-IEPA                   |                 |                                  |                      | 2/7/2019               | 2/4/2019               |                     |                     |                         |                         | 2/7/2019             | #####                | Water         | USEPA         | 2540-D             | Total Suspended Solids           | Total           | 22.30    | mg/L         |                  | 0.286                  | 7.15                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 16-1         | G-13              | 0.5                 | ft           | Lower Des Plaines River |                | Non-IEPA                   |                 |                                  |                      | 2/7/2019               | 2/4/2019               |                     |                     |                         |                         | 2/7/2019             | #####                | Water         | USEPA         | 2540-D             | Volatile Suspended Solids        | Total           | 3.72     | mg/L         | J                | 0.286                  | 7.15                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 16-1         | G-13              | 0.5                 | ft           | Lower Des Plaines River |                | Non-IEPA                   |                 |                                  |                      | 2/8/2019               | 2/4/2019               |                     |                     |                         |                         | 2/8/2019             | #####                | Water         | APHA          | 4500-CL            | Chloride                         | Total           | 527.00   | mg/L         |                  | 80.0                   | 80.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 16-1         | G-13              | 0.5                 | ft           | Lower Des Plaines River |                | Non-IEPA                   |                 |                                  |                      | #####                  | 2/4/2019               |                     |                     |                         |                         | #####                | #####                | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | 1.25     | mg/L         | J                | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 16-1         | G-13              | 0.5                 | ft           | Lower Des Plaines River |                | Non-IEPA                   |                 |                                  |                      | #####                  | 2/4/2019               |                     |                     |                         |                         | #####                | #####                | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 2080.00  | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 16-1         | G-13              | 0.5                 | ft           | Lower Des Plaines River |                | Non-IEPA                   |                 |                                  |                      | 02/13/2019             | 11:50:00 AM            |                     |                     |                         |                         | #####                | #####                | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 1991.00  | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   | 16-1         | G-13              | 0.5                 | ft           | Lower Des Plaines River |                | Non-IEPA                   |                 |                                  |                      | 02/13/2019             | 11:50:00 AM            |                     |                     |                         |                         | #####                | #####                | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.34     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   | 16-1         | G-13              | 0.5                 | ft           | Lower Des Plaines River |                | Non-IEPA                   |                 |                                  |                      | 02/13/2019             | 11:50:00 AM            |                     |                     |                         |                         | #####                | #####                | Water         | USEPA         | SM 2550E           | Temperature                      | Total           | 2.62     | deg C        |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   | 16-1         | G-13              | 0.5                 | ft           | Lower Des Plaines River |                | Non-IEPA                   |                 |                                  |                      | 05/30/2019             |                        | 05/30/2019          |                     |                         |                         | 06/04/2019           |                      | Water         | APHA          | 4500-CL            | Chloride                         | Total           | 123.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 16-1         | G-13              | 0.5                 | ft           | Lower Des Plaines River |                | Non-IEPA                   |                 |                                  |                      | 05/30/2019             |                        | 05/30/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 835.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   | 16-1         | G-13              | 0.5                 | ft           | Lower Des Plaines River |                | Non-IEPA                   |                 |                                  |                      | 05/30/2019             |                        | 05/30/2019          |                     |                         |                         | 05/30/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 613.10   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   | 16-1         | G-13              | 0.5                 | ft           | Lower Des Plaines River |                | Non-IEPA                   |                 |                                  |                      | 05/30/2019             |                        | 05/30/2019          |                     |                         |                         | 06/03/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 16-1         | G-13              | 0.5                 | ft           | Lower Des Plaines River |                | Non-IEPA                   |                 |                                  |                      | 05/30/2019             |                        | 05/30/2019          |                     |                         |                         | 06/07/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | ND       | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 16-1         | G-13              | 0.5                 | ft           | Lower Des Plaines River |                | Non-IEPA                   |                 |                                  |                      | 05/30/2019             |                        | 05/30/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.90     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   | 16-1         | G-13              | 0.5                 | ft           | Lower Des Plaines River |                | Non-IEPA                   |                 |                                  |                      | 05/30/2019             |                        | 05/30/2019          |                     |                         |                         | 06/03/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.22     | mg/L         |                  | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   | 16-1         | G-13              | 0.5                 | ft           | Lower Des Plaines River |                | Non-IEPA                   |                 |                                  |                      | 05/30/2019             |                        | 05/30/2019          |                     |                         |                         | 06/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 829.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 16-1         | G-13              | 0.5                 | ft           | Lower Des Plaines River |                | Non-IEPA                   |                 |                                  |                      | 05/30/2019             |                        | 05/30/2019          |                     |                         |                         | 06/04/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 1.44     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   | 16-1         | G-13              | 0.5                 | ft           | Lower Des Plaines River |                | Non-IEPA                   |                 |                                  |                      | 05/30/2019             |                        | 05/30/2019          |                     |                         |                         | 06/06/2019           |                      | Water         | USEPA         | 2540-D             | Total Suspended Solids           | Total           | 18.80    | mg/L         |                  | 0.400                  | 10.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 16-1         | G-13              | 0.5                 | ft           | Lower Des Plaines River |                | Non-IEPA                   |                 |                                  |                      | 05/30/2019             |                        | 05/30/2019          |                     |                         |                         | 05/31/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 13.40    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   | 16-1         | G-13              | 0.5                 | ft           | Lower Des Plaines River |                | Non-IEPA                   |                 |                                  |                      | 05/30/2019             |                        | 05/30/2019          |                     |                         |                         | 06/06/2019           |                      | Water         | USEPA         | 2540-D             | Volatile Suspended Solids        | Total           | 8.40     | mg/L         | J                | 0.400                  | 10.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 16-1         | G-13              | 0.5                 | ft           | Lower Des Plaines River |                | Non-IEPA                   |                 |                                  |                      | 07/29/2019             |                        | 07/29/2019          |                     |                         |                         | 08/06/2019           |                      | Water         | APHA          | 4500-CL            | Chloride                         | Total           | 141.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 16-1         | G-13              | 0.5                 | ft           | Lower Des Plaines River |                | Non-IEPA                   |                 |                                  |                      | 07/29/2019             |                        | 07/29/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 976.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   | 16-1         | G-13              | 0.5                 | ft           | Lower Des Plaines River |                | Non-IEPA                   |                 |                                  |                      | 07/29/2019             |                        | 07/29/2019          |                     |                         |                         | 07/29/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 122.30   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   | 16-1         | G-13              | 0.5                 | ft           | Lower Des Plaines River |                | Non-IEPA                   |                 |                                  |                      | 07/29/2019             |                        | 07/29/2019          |                     |                         |                         | 07/29/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | Complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   | 16-1         | G-13              | 0.5                 | ft           | Lower Des Plaines River |                | Non-IEPA                   |                 |                                  |                      | 07/29/2019             |                        | 07/29/2019          |                     |                         |                         | 07/30/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 16-1         | G-13              | 0.5                 | ft           | Lower Des Plaines River |                | Non-IEPA                   |                 |                                  |                      | 07/29/2019             |                        | 07/29/2019          |                     |                         |                         | 08/05/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | 1.54     | mg/L         | J                | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   | 16-1         | G-13              | 0.5                 | ft           | Lower Des Plaines River |                | Non-IEPA                   |                 |                                  |                      | 07/29/2019             |                        | 07/29/2019          |                     |                         |                         | 07/29/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.23     | mg/L         |                  | 0.026                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   | 16-1         | G-13              | 0.5                 | ft           | Lower Des Plaines River |                | Non-IEPA                   |                 |                                  |                      | 07/29/2019             |                        | 07/29/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.90     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   | 16-1         | G-13              | 0.5                 | ft           | Lower Des Plaines River |                | Non-IEPA                   |                 |                                  |                      |                        |                        |                     |                     |                         |                         |                      |                      |               |               |                    |                                  |                 |          |              |                  |                        |                                      |                                      |              |                       |

| Submitting Source | Laboratory Name | Sample Group | DRWW Station Code | IL EPA Station Code | Sample Depth | Sample-Depth Units | Waterbody Name          | Public Water Supply Intake | Monitoring Unit | Surface-Water Monitoring Program | QA/QC Field-Blank ID | Sample-Collection Date | Sample-Collection Time | Sample-Receipt Date | Sample-Receipt Time | Sample-Preparation Date | Sample-Preparation Time | Sample-Analysis Date | Sample-Analysis Time | Sample Medium | Method Source | Method Code - IEPA | Analyte                          | Sample Fraction | Result   | Result Units | Result Qualifier | Method Detection Limit | Minimum Practical Quantitation Limit | Maximum Practical Quantitation Limit | Weight Basis | Date Results Released |
|-------------------|-----------------|--------------|-------------------|---------------------|--------------|--------------------|-------------------------|----------------------------|-----------------|----------------------------------|----------------------|------------------------|------------------------|---------------------|---------------------|-------------------------|-------------------------|----------------------|----------------------|---------------|---------------|--------------------|----------------------------------|-----------------|----------|--------------|------------------|------------------------|--------------------------------------|--------------------------------------|--------------|-----------------------|
| DRWW              | Suburban Labs   |              | 16-1              | G-13                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        |                 | 10.20    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-1              | G-13                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/06/2019           |                      | Water         | USEPA         | 2540-D             | Volatile Suspended Solids        | Total           | 2.80     | mg/L         | BJ               | 0.200                  | 5.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-1              | G-13                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/05/2019           |                      | Water         | USEPA         | 200.7              | Zinc                             | Total           | 0.01     | mg/L         | J                | 0.00320                | 0.0101                               |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-1              | G-13                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/06/2019           |                      | Water         | USEPA         | 4500-CL-           | Chloride                         | Total           | 63.00    | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-1              | G-13                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 633.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-1              | G-13                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 261.30   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-1              | G-13                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-1              | G-13                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/05/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-1              | G-13                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/06/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | ND       | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-1              | G-13                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.13     | mg/L         |                  | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-1              | G-13                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.90     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-1              | G-13                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/04/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.20     | mg/L         |                  | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-1              | G-13                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/07/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 651.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-1              | G-13                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/01/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 1.28     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-1              | G-13                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/05/2019           |                      | Water         | USEPA         | 2540-D             | Total Suspended Solids           | Total           | 14.30    | mg/L         |                  | 0.250                  | 6.25                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-1              | G-13                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/01/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 21.00    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-1              | G-13                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/05/2019           |                      | Water         | USEPA         | 2540-D             | Volatile Suspended Solids        | Total           | 1.50     | mg/L         | J                | 0.250                  | 6.25                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-1 Dupl         | G-13                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/30/2019             |                        | 05/30/2019          |                     |                         |                         | 06/04/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 125.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-1 Dupl         | G-13                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/30/2019             |                        | 05/30/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 831.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-1 Dupl         | G-13                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/30/2019             |                        | 05/30/2019          |                     |                         |                         | 05/30/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 435.20   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-1 Dupl         | G-13                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/30/2019             |                        | 05/30/2019          |                     |                         |                         | 06/03/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-1 Dupl         | G-13                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/30/2019             |                        | 05/30/2019          |                     |                         |                         | 06/07/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | 1.29     | mg/L         | J                | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-1 Dupl         | G-13                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/30/2019             |                        | 05/30/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.90     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-1 Dupl         | G-13                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/30/2019             |                        | 05/30/2019          |                     |                         |                         | 06/03/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.20     | mg/L         |                  | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-1 Dupl         | G-13                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/30/2019             |                        | 05/30/2019          |                     |                         |                         | 06/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 828.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-1 Dupl         | G-13                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/30/2019             |                        | 05/30/2019          |                     |                         |                         | 06/04/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 1.75     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-1 Dupl         | G-13                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/30/2019             |                        | 05/30/2019          |                     |                         |                         | 06/06/2019           |                      | Water         | USEPA         | 2540-D             | Total Suspended Solids           | Total           | 22.00    | mg/L         |                  | 0.400                  | 10.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-1 Dupl         | G-13                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/30/2019             |                        | 05/30/2019          |                     |                         |                         | 05/31/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 19.90    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-1 Dupl         | G-13                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/30/2019             |                        | 05/30/2019          |                     |                         |                         | 06/06/2019           |                      | Water         | USEPA         | 2540-D             | Volatile Suspended Solids        | Total           | 8.00     | mg/L         | J                | 0.400                  | 10.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-1 Dupl         | G-13                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/29/2019             |                        | 07/29/2019          |                     |                         |                         | 08/06/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 140.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-1 Dupl         | G-13                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/29/2019             |                        | 07/29/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 981.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-1 Dupl         | G-13                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/29/2019             |                        | 07/29/2019          |                     |                         |                         | 07/29/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 129.60   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-1 Dupl         | G-13                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/29/2019             |                        | 07/29/2019          |                     |                         |                         | 07/29/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | Complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-1 Dupl         | G-13                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/29/2019             |                        | 07/29/2019          |                     |                         |                         | 07/30/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-1 Dupl         | G-13                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/29/2019             |                        | 07/29/2019          |                     |                         |                         | 08/05/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | 1.33     | mg/L         | J                | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-1 Dupl         | G-13                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/29/2019             |                        | 07/29/2019          |                     |                         |                         | 07/29/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.23     | mg/L         |                  | 0.026                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-1 Dupl         | G-13                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/29/2019             |                        | 07/29/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.90     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-1 Dupl         | G-13                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/29/2019             |                        | 07/29/2019          |                     |                         |                         | 07/31/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.28     | mg/L         |                  | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-1 Dupl         | G-13                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/29/2019             |                        | 07/29/2019          |                     |                         |                         | 08/09/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 749.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-1 Dupl         | G-13                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/29/2019             |                        | 07/29/2019          |                     |                         |                         | 07/31/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 3.24     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-1 Dupl         | G-13                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/29/2019             |                        | 07/29/2019          |                     |                         |                         | 08/02/2019           |                      | Water         | USEPA         | 2540-D             | Total Suspended Solids           | Total           | 18.40    | mg/L         |                  | 0.400                  | 10.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-1 Dupl         | G-13                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/29/2019             |                        | 07/29/2019          |                     |                         |                         | 08/07/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 10.10    | NTU          | H                | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-1 Dupl         | G-13                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/29/2019             |                        | 07/29/2019          |                     |                         |                         | 08/02/2019           |                      | Water         | USEPA         | 2540-D             | Volatile Suspended Solids        | Total           | 6.00     | mg/L         | J                | 0.400                  | 10.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-1 Field        | G-13                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/30/2019             |                        | 05/30/2019          |                     |                         |                         | 06/04/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | ND       | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              |                 |              |                   |                     |              |                    |                         |                            |                 |                                  |                      |                        |                        |                     |                     |                         |                         |                      |                      |               |               |                    |                                  |                 |          |              |                  |                        |                                      |                                      |              |                       |

| Submitting Source | Laboratory Name | Sample Group | DRWW Station Code | IL EPA Station Code | Sample Depth | Sample-Depth Units | Waterbody Name          | Public Water Supply Intake | Monitoring Unit | Surface-Water Monitoring Program | QA/QC Field-Blank ID | Sample-Collection Date | Sample-Collection Time | Sample-Receipt Date | Sample-Receipt Time | Sample-Preparation Date | Sample-Preparation Time | Sample-Analysis Date | Sample-Analysis Time | Sample Medium | Method Source | Method Code - IEPA | Analyte                          | Sample Fraction | Result   | Result Units | Result Qualifier | Method Detection Limit | Minimum Practical Quantitation Limit | Maximum Practical Quantitation Limit | Weight Basis | Date Results Released |
|-------------------|-----------------|--------------|-------------------|---------------------|--------------|--------------------|-------------------------|----------------------------|-----------------|----------------------------------|----------------------|------------------------|------------------------|---------------------|---------------------|-------------------------|-------------------------|----------------------|----------------------|---------------|---------------|--------------------|----------------------------------|-----------------|----------|--------------|------------------|------------------------|--------------------------------------|--------------------------------------|--------------|-----------------------|
| DRWW              | Suburban Labs   |              | 16-10             | GZG-01              | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/30/2019             |                        | 05/30/2019          |                     |                         |                         | 05/31/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        |                 | 42.50    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-10             | GZG-01              | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/29/2019             |                        | 07/29/2019          |                     |                         |                         | 08/06/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 233.00   | mg/L         |                  | 40.0                   | 40.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-10             | GZG-01              | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/29/2019             |                        | 07/29/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 1021.00  | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-10             | GZG-01              | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/29/2019             |                        | 07/29/2019          |                     |                         |                         | 07/29/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 214.30   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-10             | GZG-01              | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/29/2019             |                        | 07/29/2019          |                     |                         |                         | 07/29/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | Complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-10             | GZG-01              | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/29/2019             |                        | 07/29/2019          |                     |                         |                         | 07/30/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-10             | GZG-01              | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/29/2019             |                        | 07/29/2019          |                     |                         |                         | 08/05/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | 1.27     | mg/L         | JS               | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-10             | GZG-01              | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/29/2019             |                        | 07/29/2019          |                     |                         |                         | 07/29/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.04     | mg/L         | J                | 0.026                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-10             | GZG-01              | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/29/2019             |                        | 07/29/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 7.50     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-10             | GZG-01              | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/29/2019             |                        | 07/29/2019          |                     |                         |                         | 07/31/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.09     | mg/L         | J                | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-10             | GZG-01              | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/29/2019             |                        | 07/29/2019          |                     |                         |                         | 08/05/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 980.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-10             | GZG-01              | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/29/2019             |                        | 07/29/2019          |                     |                         |                         | 07/31/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | ND       | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-10             | GZG-01              | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/29/2019             |                        | 07/29/2019          |                     |                         |                         | 08/07/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        |                 | 4.13     | NTU          | H                | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-10             | GZG-01              | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/09/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 293.00   | mg/L         |                  | 40.0                   | 40.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-10             | GZG-01              | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 1088.00  | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-10             | GZG-01              | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 80.50    | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-10             | GZG-01              | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-10             | GZG-01              | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/03/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-10             | GZG-01              | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/11/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | 1.31     | mg/L         | J                | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-10             | GZG-01              | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.04     | mg/L         | J                | 0.026                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-10             | GZG-01              | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 7.60     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-10             | GZG-01              | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/05/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.07     | mg/L         | J                | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-10             | GZG-01              | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 1260.00  | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-10             | GZG-01              | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/06/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | ND       | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-10             | GZG-01              | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        |                 | 6.42     | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-10             | GZG-01              | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/06/2019           |                      | Water         | USEPA         | 4500-CL-           | Chloride                         | Total           | 55.80    | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-10             | GZG-01              | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 664.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-10             | GZG-01              | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 195.60   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-10             | GZG-01              | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-10             | GZG-01              | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/05/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-10             | GZG-01              | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/06/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | ND       | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-10             | GZG-01              | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.21     | mg/L         |                  | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-10             | GZG-01              | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.90     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-10             | GZG-01              | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/04/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.12     | mg/L         |                  | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-10             | GZG-01              | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/07/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 620.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-10             | GZG-01              | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/01/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | ND       | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-10             | GZG-01              | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/01/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 25.70    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-10 Duff        | GZG-01              | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/09/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 304.00   | mg/L         |                  | 40.0                   | 40.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-10 Duff        | GZG-01              | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 1101.00  | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-10 Duff        | GZG-01              | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 93.30    | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-10 Duff        | GZG-01              | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-10 Duff        | GZG-01              | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/03/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-10 Duff        | GZG-01              | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/11/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | ND       | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-10 Duff        | GZG-01              | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | ND       | mg/L         |                  | 0.026                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-10 Duff        | GZG-01              | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 7.70     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-10 Duff        | GZG-01              | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/05/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.08     | mg/L         | J                | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-10 Duff        | GZG-01              | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 1260.00  | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-10 Duff        | GZG-01              | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/06/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | ND       | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-10 Duff        | GZG-01              | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        |                 | 6.35     | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-10 Field       | GZG-01              | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/09/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | ND       | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-10 Field       | GZG-01              | 0.5          | ft                 | Lower Des Plaines River |                            |                 |                                  |                      |                        |                        |                     |                     |                         |                         |                      |                      |               |               |                    |                                  |                 |          |              |                  |                        |                                      |                                      |              |                       |

| Submitting Source | Laboratory Name | Sample Group | DRWW Station Code | IL EPA Station Code | Sample Depth | Sample-Depth Units | Waterbody Name          | Public Water Supply Intake | Monitoring Unit | Surface-Water Monitoring Program | QA/QC Field-Blank ID | Sample-Collection Date | Sample-Collection Time | Sample-Receipt Date | Sample-Receipt Time | Sample-Preparation Date | Sample-Preparation Time | Sample-Analysis Date | Sample-Analysis Time | Sample Medium | Method Source | Method Code - IEPA | Analyte                          | Sample Fraction | Result   | Result Units | Result Qualifier | Method Detection Limit | Minimum Practical Quantitation Limit | Maximum Practical Quantitation Limit | Weight Basis | Date Results Released |
|-------------------|-----------------|--------------|-------------------|---------------------|--------------|--------------------|-------------------------|----------------------------|-----------------|----------------------------------|----------------------|------------------------|------------------------|---------------------|---------------------|-------------------------|-------------------------|----------------------|----------------------|---------------|---------------|--------------------|----------------------------------|-----------------|----------|--------------|------------------|------------------------|--------------------------------------|--------------------------------------|--------------|-----------------------|
| DRWW              | Suburban Labs   |              | 16-2              | G-10                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         | 06/03/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-2              | G-10                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         | 06/07/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | 2.05     | mg/L         | J                | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-2              | G-10                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 7.70     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-2              | G-10                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         | 06/06/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.21     | mg/L         |                  | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-2              | G-10                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         | 06/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 799.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-2              | G-10                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         | 06/06/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 1.77     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-2              | G-10                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         | 06/07/2019           |                      | Water         | USEPA         | 2540-D             | Total Suspended Solids           | Total           | 18.00    | mg/L         |                  | 0.334                  | 8.35                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-2              | G-10                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         | 05/31/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        |                 | 16.20    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-2              | G-10                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         | 06/07/2019           |                      | Water         | USEPA         | 2540-D             | Volatile Suspended Solids        | Total           | 5.68     | mg/L         | J                | 0.334                  | 8.35                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-2              | G-10                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/29/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 103.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-2              | G-10                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 788.00   |              |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-2              | G-10                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 155.30   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-2              | G-10                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-2              | G-10                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/30/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-2              | G-10                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 08/02/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | 1.45     | mg/L         | J                | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-2              | G-10                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.25     | mg/L         |                  | 0.026                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-2              | G-10                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 7.53     |              |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-2              | G-10                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/31/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.30     | mg/L         |                  | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-2              | G-10                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 08/09/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 636.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-2              | G-10                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/29/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 2.29     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-2              | G-10                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 08/01/2019           |                      | Water         | USEPA         | 2540-D             | Total Suspended Solids           | Total           | 19.20    | mg/L         | R                | 0.286                  | 7.15                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-2              | G-10                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        |                 | 15.80    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-2              | G-10                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 08/01/2019           |                      | Water         | USEPA         | 2540-D             | Volatile Suspended Solids        | Total           | 4.00     | mg/L         | JR               | 0.286                  | 7.15                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-2              | G-10                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/05/2019           |                      | Water         | USEPA         | 200.7              | Arsenic                          | Total           | ND       | mg/L         |                  | 0.00500                | 0.0150                               |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-2              | G-10                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/09/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 131.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-2              | G-10                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 860.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-2              | G-10                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/05/2019           |                      | Water         | USEPA         | 200.7              | Copper                           | Total           | 0.00     | mg/L         | J                | 0.00130                | 0.00410                              |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-2              | G-10                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 105.40   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-2              | G-10                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-2              | G-10                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/05/2019           |                      | Water         | USEPA         | 200.7              | Hardness (As CaCO3)              | Total           | 216.00   | mg/L         |                  | 0.0500                 | 0.150                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-2              | G-10                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/05/2019           |                      | Water         | USEPA         | 200.7              | Iron                             | Total           | 0.38     | mg/L         |                  | 0.00550                | 0.0175                               |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-2              | G-10                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/05/2019           |                      | Water         | USEPA         | 200.7              | Manganese                        | Total           | 0.06     | mg/L         |                  | 0.000600               | 0.00190                              |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-2              | G-10                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/24/2019           |                      | Water         | USEPA         | 1631               | Mercury                          | Total           | 1.02     | ng/L         | S                | 0.500                  | 0.500                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-2              | G-10                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/05/2019           |                      | Water         | USEPA         | 200.7              | Nickel                           | Total           | 0.00     | mg/L         | J                | 0.000700               | 0.00210                              |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-2              | G-10                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/03/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-2              | G-10                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/11/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | 1.50     | mg/L         | J                | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-2              | G-10                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.28     | mg/L         |                  | 0.026                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-2              | G-10                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 7.24     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-2              | G-10                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/05/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.31     | mg/L         |                  | 0.0147                 | 0.0469                               |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-2              | G-10                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/05/2019           |                      | Water         | USEPA         | 200.7              | Sodium                           | Total           | 75.30    | mg/L         |                  | 0.100                  | 0.300                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-2              | G-10                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 869.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-2              | G-10                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/06/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 3.22     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-2              | G-10                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/10/2019           |                      | Water         | USEPA         | 2540-D             | Total Suspended Solids           | Total           | 14.60    | mg/L         | HR               | 0.286                  | 7.15                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-2              | G-10                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        |                 | 12.30    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-2              | G-10                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/10/2019           |                      | Water         | USEPA         | 2540-D             | Volatile Suspended Solids        | Total           | 4.00     | mg/L         | JHR              | 0.286                  | 7.15                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-2              | G-10                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/05/2019           |                      | Water         | USEPA         | 200.7              | Zinc                             | Total           | 0.01     | mg/L         | J                | 0.00320                | 0.0101                               |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-2              | G-10                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/06/2019           |                      | Water         | USEPA         | 4500-CL-           | Chloride                         | Total           | 60.70    | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-2              | G-10                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 631.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-2              | G-10                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 238.20   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-2              | G-10                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-2              | G-10                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/05/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-2              | G-10                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         |                      |                      |               |               |                    |                                  |                 |          |              |                  |                        |                                      |                                      |              |                       |

| Submitting Source | Laboratory Name | Sample Group | DRWW Station Code | IL EPA Station Code | Sample Depth | Sample-Depth Units | Waterbody Name          | Public Water Supply Intake | Monitoring Unit | Surface-Water Monitoring Program | QA/QC Field-Blank ID | Sample-Collection Date | Sample-Collection Time | Sample-Receipt Date | Sample-Receipt Time | Sample-Preparation Date | Sample-Preparation Time | Sample-Analysis Date | Sample-Analysis Time | Sample Medium | Method Source | Method Code - IEPA               | Analyte                          | Sample Fraction | Result    | Result Units | Result Qualifier | Method Detection Limit | Minimum Practical Quantitation Limit | Maximum Practical Quantitation Limit | Weight Basis | Date Results Released |
|-------------------|-----------------|--------------|-------------------|---------------------|--------------|--------------------|-------------------------|----------------------------|-----------------|----------------------------------|----------------------|------------------------|------------------------|---------------------|---------------------|-------------------------|-------------------------|----------------------|----------------------|---------------|---------------|----------------------------------|----------------------------------|-----------------|-----------|--------------|------------------|------------------------|--------------------------------------|--------------------------------------|--------------|-----------------------|
| DRWW              | Suburban Labs   |              | 16-3              | G-06                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         | 05/31/2019           |                      | Water         | Lab           | 2130-B                           | Turbidity                        |                 | 14.10     | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-3              | G-06                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/29/2019           |                      | Water         | APHA          | 4500-CL-                         | Chloride                         | Total           | 102.00    | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-3              | G-06                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.                         | Conductivity                     |                 | 789.00    | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-3              | G-06                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | USEPA         | E. COLI                          | E. Coli                          | Total           | 88.20     | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-3              | G-06                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | USEPA         | DISSOLV                          | Filtered and Preserved           | Total           | complete  |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-3              | G-06                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/30/2019           |                      | Water         | USEPA         | 350.3                            | Nitrogen, Ammonia (As N)         | Total           | ND        | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-3              | G-06                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 08/02/2019           |                      | Water         | USEPA         | 351.2                            | Nitrogen, Kjeldahl, Total        | Total           | 1.48      | mg/L         | J                | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-3              | G-06                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | USEPA         | 365.2                            | Orthophosphate (As P)            | Total           | 0.18      | mg/L         |                  | 0.026                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-3              | G-06                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2                            | pH, Field                        |                 | 7.47      | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-3              | G-06                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/31/2019           |                      | Water         | USEPA         | 200.7                            | Phosphorus, Total (as P)         | Total           | 0.27      | mg/L         |                  | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-3              | G-06                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 08/05/2019           |                      | Water         | Lab           | 2510B                            | Specific Conductivity            | Total           | 830.00    | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-3              | G-06                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/29/2019           |                      | Water         | USEPA         | 353.2                            | Total Nitrates (Nitrate+Nitrite) | Total           | 2.47      | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-3              | G-06                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | Lab           | 2130-B                           | Turbidity                        |                 | 15.40     | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-3              | G-06                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/09/2019           |                      | Water         | APHA          | 4500-CL-                         | Chloride                         | Total           | 126.00    | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-3              | G-06                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.                         | Conductivity                     |                 | 845.00    | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-3              | G-06                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | USEPA         | E. COLI                          | E. Coli                          | Total           | 137.60    | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-3              | G-06                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | USEPA         | DISSOLV                          | Filtered and Preserved           | Total           | complete  |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-3              | G-06                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/03/2019           |                      | Water         | USEPA         | 350.3                            | Nitrogen, Ammonia (As N)         | Total           | ND        | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-3              | G-06                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/11/2019           |                      | Water         | USEPA         | 351.2                            | Nitrogen, Kjeldahl, Total        | Total           | 1.55      | mg/L         | J                | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-3              | G-06                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | USEPA         | 365.2                            | Orthophosphate (As P)            | Total           | 0.17      | mg/L         |                  | 0.026                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-3              | G-06                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2                            | pH, Field                        |                 | 7.38      | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-3              | G-06                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/05/2019           |                      | Water         | USEPA         | 200.7                            | Phosphorus, Total (as P)         | Total           | 0.25      | mg/L         |                  | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-3              | G-06                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | Lab           | 2510B                            | Specific Conductivity            | Total           | 847.00    | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-3              | G-06                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/06/2019           |                      | Water         | USEPA         | 353.2                            | Total Nitrates (Nitrate+Nitrite) | Total           | 3.11      | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-3              | G-06                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | Lab           | 2130-B                           | Turbidity                        |                 | 15.50     | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-3              | G-06                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/06/2019           |                      | Water         | USEPA         | 4500-CL-                         | Chloride                         | Total           | 60.20     | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-3              | G-06                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | YSI           | EPA 120.                         | Conductivity                     | Total           | 627.00    | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-3              | G-06                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | E. COLI                          | E. Coli                          | Total           | 218.70    | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-3              | G-06                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | DISSOLV                          | Filtered and Preserved           | Total           | complete  |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-3              | G-06                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/05/2019           |                      | Water         | USEPA         | 350.3                            | Nitrogen, Ammonia (As N)         | Total           | ND        | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-3              | G-06                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/06/2019           |                      | Water         | USEPA         | 351.2                            | Nitrogen, Kjeldahl, Total        | Total           | ND        | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-3              | G-06                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | 365.2                            | Orthophosphate (As P)            | Total           | 0.13      | mg/L         |                  | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-3              | G-06                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2                            | pH, Field                        | Total           | 7.80      | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-3              | G-06                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/04/2019           |                      | Water         | USEPA         | 200.7                            | Phosphorus, Total (as P)         | Total           | 0.20      | mg/L         |                  | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-3              | G-06                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/07/2019           |                      | Water         | Lab           | 2510B                            | Specific Conductivity            | Total           | 633.00    | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-3              | G-06                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/01/2019           |                      | Water         | USEPA         | 353.2                            | Total Nitrates (Nitrate+Nitrite) | Total           | 1.28      | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-3              | G-06                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/01/2019           |                      | Water         | Lab           | 2130-B                           | Turbidity                        | Total           | 20.90     | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-4              | G-92                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 2/4/2019               | 2/4/2019               |                     |                     |                         | 2/4/2019                | #####                | Water                | USEPA         | E. COLI       | E. Coli                          | Total                            | >2419.6         | MPN/100mL |              | 1.0              | 1.0                    |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-4              | G-92                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 2/5/2019               | 2/4/2019               |                     |                     |                         | 2/5/2019                | #####                | Water                | USEPA         | 353.2         | Total Nitrates (Nitrate+Nitrite) | Total                            | 4.66            | mg/L      |              | 0.100            | 0.224                  |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-4              | G-92                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 2/5/2019               | 2/4/2019               |                     |                     |                         | 2/5/2019                | #####                | Water                | USEPA         | 350.3         | Nitrogen, Ammonia (As N)         | Total                            | 0.26            | mg/L      | J            | 0.10             | 0.30                   |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-4              | G-92                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 2/5/2019               | 2/4/2019               |                     |                     |                         | 2/5/2019                | #####                | Water                | Lab           | 2130-B        | Turbidity                        |                                  | 7.79            | NTU       |              | 0.100            | 0.200                  |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-4              | G-92                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 2/6/2019               | 2/4/2019               |                     |                     |                         | 2/6/2019                | #####                | Water                | USEPA         | 200.7         | Phosphorus, Total (as P)         | Total                            | 0.36            | mg/L      |              | 0.0500           | 0.135                  |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-4              | G-92                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 2/7/2019               | 2/4/2019               |                     |                     |                         | 2/7/2019                | #####                | Water                | USEPA         | 2540-D        | Total Suspended Solids           | Total                            | 10.80           | mg/L      |              | 0.200            | 5.00                   |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-4              | G-92                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 2/7/2019               | 2/4/2019               |                     |                     |                         | 2/7/2019                | #####                | Water                | USEPA         | 2540-D        | Volatile Suspended Solids        | Total                            | 1.40            | mg/L      | J            | 0.200            | 5.00                   |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-4              | G-92                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 2/8/2019               | 2/4/2                  |                     |                     |                         |                         |                      |                      |               |               |                                  |                                  |                 |           |              |                  |                        |                                      |                                      |              |                       |

| Submitting Source | Laboratory Name | Sample Group | DRWW Station Code | IL EPA Station Code | Sample Depth | Sample-Depth Units | Waterbody Name          | Public Water Supply Intake | Monitoring Unit | Surface-Water Monitoring Program | QA/QC Field-Blank ID | Sample-Collection Date | Sample-Collection Time | Sample-Receipt Date | Sample-Receipt Time | Sample-Preparation Date | Sample-Preparation Time | Sample-Analysis Date | Sample-Analysis Time | Sample Medium | Method Source | Method Code - IEPA | Analyte                          | Sample Fraction | Result   | Result Units | Result Qualifier | Method Detection Limit | Minimum Practical Quantitation Limit | Maximum Practical Quantitation Limit | Weight Basis | Date Results Released |
|-------------------|-----------------|--------------|-------------------|---------------------|--------------|--------------------|-------------------------|----------------------------|-----------------|----------------------------------|----------------------|------------------------|------------------------|---------------------|---------------------|-------------------------|-------------------------|----------------------|----------------------|---------------|---------------|--------------------|----------------------------------|-----------------|----------|--------------|------------------|------------------------|--------------------------------------|--------------------------------------|--------------|-----------------------|
| DRWW              | Suburban Labs   |              | 16-4              | G-92                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/09/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 170.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-4              | G-92                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 854.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-4              | G-92                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/05/2019           |                      | Water         | USEPA         | 200.7              | Copper                           | Total           | ND       | mg/L         |                  | 0.00130                | 0.00410                              |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-4              | G-92                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 108.60   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-4              | G-92                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-4              | G-92                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/05/2019           |                      | Water         | USEPA         | 200.7              | Hardness (As CaCO3)              | Total           | 227.00   | mg/L         |                  | 0.0500                 | 0.150                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-4              | G-92                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/05/2019           |                      | Water         | USEPA         | 200.7              | Iron                             | Total           | 0.21     | mg/L         |                  | 0.00550                | 0.0175                               |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-4              | G-92                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/05/2019           |                      | Water         | USEPA         | 200.7              | Manganese                        | Total           | 0.03     | mg/L         |                  | 0.000600               | 0.00190                              |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-4              | G-92                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/24/2019           |                      | Water         | USEPA         | 1631               | Mercury                          | Total           | ND       | ng/L         |                  | 0.500                  | 0.500                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-4              | G-92                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/05/2019           |                      | Water         | USEPA         | 200.7              | Nickel                           | Total           | ND       | mg/L         |                  | 0.000700               | 0.00210                              |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-4              | G-92                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/03/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-4              | G-92                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/11/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | ND       | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-4              | G-92                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | ND       | mg/L         |                  | 0.026                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-4              | G-92                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.53     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-4              | G-92                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/05/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.07     | mg/L         |                  | 0.0147                 | 0.0469                               |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-4              | G-92                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/05/2019           |                      | Water         | USEPA         | 200.7              | Sodium                           | Total           | 82.10    | mg/L         |                  | 0.100                  | 0.300                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-4              | G-92                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 866.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-4              | G-92                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/06/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | ND       | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-4              | G-92                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/05/2019           |                      | Water         | USEPA         | 2540-D             | Total Suspended Solids           | Total           | 4.60     | mg/L         | J                | 0.200                  | 5.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-4              | G-92                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 3.11     | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-4              | G-92                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/05/2019           |                      | Water         | USEPA         | 2540-D             | Volatile Suspended Solids        | Total           | 2.40     | mg/L         | J                | 0.200                  | 5.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-4              | G-92                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/05/2019           |                      | Water         | USEPA         | 200.7              | Zinc                             | Total           | ND       | mg/L         |                  | 0.00320                | 0.0101                               |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-4              | G-92                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/06/2019           |                      | Water         | USEPA         | 4500-CL-           | Chloride                         | Total           | 58.80    | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-4              | G-92                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 613.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-4              | G-92                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 142.10   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-4              | G-92                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-4              | G-92                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/05/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-4              | G-92                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/08/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | ND       | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-4              | G-92                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.15     | mg/L         |                  | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-4              | G-92                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.70     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-4              | G-92                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/08/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.22     | mg/L         |                  | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-4              | G-92                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/07/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 627.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-4              | G-92                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/04/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 1.47     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-4              | G-92                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/05/2019           |                      | Water         | USEPA         | 2540-D             | Total Suspended Solids           | Total           | 12.60    | mg/L         |                  | 0.200                  | 5.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-4              | G-92                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/01/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 22.60    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-4              | G-92                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/05/2019           |                      | Water         | USEPA         | 2540-D             | Volatile Suspended Solids        | Total           | 1.40     | mg/L         | J                | 0.200                  | 5.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-4              | G-92                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/24/2019           |                      | Water         | USEPA         | 1631               | Mercury                          | Total           | ND       | ng/L         |                  | 0.500                  | 0.500                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-5              | G-20                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 2/4/2019               | 2/4/2019               |                     |                     |                         |                         | 2/4/2019             | #####                | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | >2419.6  | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-5              | G-20                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 2/5/2019               | 2/4/2019               |                     |                     |                         |                         | 2/5/2019             | #####                | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 5.10     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-5              | G-20                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 2/5/2019               | 2/4/2019               |                     |                     |                         |                         | 2/5/2019             | #####                | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | 0.26     | mg/L         | J                | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-5              | G-20                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 2/5/2019               | 2/4/2019               |                     |                     |                         |                         | 2/5/2019             | #####                | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 20.80    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-5              | G-20                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 2/6/2019               | 2/4/2019               |                     |                     |                         |                         | 2/6/2019             | #####                | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.38     | mg/L         |                  | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-5              | G-20                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 2/6/2019               | 2/4/2019               |                     |                     |                         |                         | 2/6/2019             | #####                | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | ND       | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-5              | G-20                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 2/7/2019               | 2/4/2019               |                     |                     |                         |                         | 2/7/2019             | #####                | Water         | USEPA         | 2540-D             | Total Suspended Solids           | Total           | 20.90    | mg/L         |                  | 0.286                  | 7.15                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-5              | G-20                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 2/7/2019               | 2/4/2019               |                     |                     |                         |                         | 2/7/2019             | #####                | Water         | USEPA         | 2540-D             | Volatile Suspended Solids        | Total           | 4.58     | mg/L         | J                | 0.286                  | 7.15                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-5              | G-20                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 2/8/2019               | 2/4/2019               |                     |                     |                         |                         | 2/8/2019             | #####                | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 492.00   | mg/L         |                  | 80.0                   | 80.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-5              | G-20                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | #####                  | #####                  |                     |                     |                         |                         | #####                | #####                | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 1930.00  | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-5              | G-20                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 02/13/2019             | 10:12:00 AM            |                     |                     |                         |                         | #####                | #####                | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 1887.00  | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-5              | G-20                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 02/13/2019             | 10:12:00 AM            |                     |                     |                         |                         | #####                | #####                | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.17     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-5              | G-20                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 02/13/2019             | 10:12:00 AM            |                     |                     |                         |                         | #####                | #####                | Water         | USEPA         | SM 2550E           | Temperature                      | Total           | 4.50     | deg C        |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-5              | G-20                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         | 06/04/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 179.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-5              | G-20                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 951.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |

| Submitting Source | Laboratory Name | Sample Group | DRWW Station Code | IL EPA Station Code | Sample Depth | Sample-Depth Units | Waterbody Name          | Public Water Supply Intake | Monitoring Unit | Surface-Water Monitoring Program | QA/QC Field-Blank ID | Sample-Collection Date | Sample-Collection Time | Sample-Receipt Date | Sample-Receipt Time | Sample-Preparation Date | Sample-Preparation Time | Sample-Analysis Date | Sample-Analysis Time | Sample Medium | Method Source | Method Code - IEPA | Analyte                          | Sample Fraction | Result   | Result Units | Result Qualifier | Method Detection Limit | Minimum Practical Quantitation Limit | Maximum Practical Quantitation Limit | Weight Basis | Date Results Released |
|-------------------|-----------------|--------------|-------------------|---------------------|--------------|--------------------|-------------------------|----------------------------|-----------------|----------------------------------|----------------------|------------------------|------------------------|---------------------|---------------------|-------------------------|-------------------------|----------------------|----------------------|---------------|---------------|--------------------|----------------------------------|-----------------|----------|--------------|------------------|------------------------|--------------------------------------|--------------------------------------|--------------|-----------------------|
| DRWW              | Suburban Labs   |              | 16-5              | G-20                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/09/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 128.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-5              | G-20                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 848.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-5              | G-20                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/05/2019           |                      | Water         | USEPA         | 200.7              | Copper                           | Total           | 0.00     | mg/L         | J                | 0.00130                | 0.00410                              |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-5              | G-20                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 117.80   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-5              | G-20                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-5              | G-20                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/05/2019           |                      | Water         | USEPA         | 200.7              | Hardness (As CaCO3)              | Total           | 216.00   | mg/L         |                  | 0.0500                 | 0.150                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-5              | G-20                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/05/2019           |                      | Water         | USEPA         | 200.7              | Iron                             | Total           | 0.51     | mg/L         |                  | 0.00550                | 0.0175                               |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-5              | G-20                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/05/2019           |                      | Water         | USEPA         | 200.7              | Manganese                        | Total           | 0.07     | mg/L         |                  | 0.000600               | 0.00190                              |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-5              | G-20                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/11/2019           |                      | Water         | USEPA         | 1631               | Mercury                          | Total           | 1.28     | ng/L         |                  | 0.500                  | 0.500                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-5              | G-20                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/05/2019           |                      | Water         | USEPA         | 200.7              | Nickel                           | Total           | 0.00     | mg/L         | J                | 0.000700               | 0.00210                              |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-5              | G-20                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/03/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-5              | G-20                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/11/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | 2.08     | mg/L         | J                | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-5              | G-20                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.23     | mg/L         |                  | 0.026                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-5              | G-20                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.46     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-5              | G-20                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/05/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.25     | mg/L         |                  | 0.0147                 | 0.0469                               |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-5              | G-20                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/05/2019           |                      | Water         | USEPA         | 200.7              | Sodium                           | Total           | 73.80    | mg/L         |                  | 0.100                  | 0.300                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-5              | G-20                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 857.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-5              | G-20                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/06/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 4.13     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-5              | G-20                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/05/2019           |                      | Water         | USEPA         | 2540-D             | Total Suspended Solids           | Total           | 15.00    | mg/L         |                  | 0.238                  | 5.95                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-5              | G-20                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 14.10    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-5              | G-20                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/05/2019           |                      | Water         | USEPA         | 2540-D             | Volatile Suspended Solids        | Total           | 3.09     | mg/L         | J                | 0.238                  | 5.95                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-5              | G-20                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/05/2019           |                      | Water         | USEPA         | 200.7              | Zinc                             | Total           | 0.01     | mg/L         | J                | 0.00320                | 0.0101                               |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-5              | G-20                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/06/2019           |                      | Water         | USEPA         | 4500-CL-           | Chloride                         | Total           | 94.70    | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-5              | G-20                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 645.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-5              | G-20                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 103.90   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-5              | G-20                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-5              | G-20                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/05/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-5              | G-20                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/07/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | ND       | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-5              | G-20                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.07     | mg/L         |                  | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-5              | G-20                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.70     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-5              | G-20                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/04/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.13     | mg/L         |                  | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-5              | G-20                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/07/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 658.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-5              | G-20                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/01/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.98     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-5              | G-20                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/05/2019           |                      | Water         | USEPA         | 2540-D             | Total Suspended Solids           | Total           | 7.40     | mg/L         |                  | 0.200                  | 5.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-5              | G-20                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/01/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 12.10    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-5              | G-20                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/05/2019           |                      | Water         | USEPA         | 2540-D             | Volatile Suspended Solids        | Total           | 1.60     | mg/L         | J                | 0.200                  | 5.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-5              | G-20                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/11/2019           |                      | Water         | USEPA         | 1631               | Mercury                          | Total           | ND       | ng/L         |                  | 0.500                  | 0.500                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-6              | G-94                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 2/4/2019               | 2/4/2019               |                     |                     |                         |                         | 2/4/2019             | #####                | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | >2419.6  | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-6              | G-94                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 2/5/2019               | 2/4/2019               |                     |                     |                         |                         | 2/5/2019             | #####                | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 4.44     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-6              | G-94                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 2/5/2019               | 2/4/2019               |                     |                     |                         |                         | 2/5/2019             | #####                | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | 0.27     | mg/L         | J                | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-6              | G-94                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 2/5/2019               | 2/4/2019               |                     |                     |                         |                         | 2/5/2019             | #####                | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 9.08     | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-6              | G-94                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 2/6/2019               | 2/4/2019               |                     |                     |                         |                         | 2/6/2019             | #####                | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.30     | mg/L         |                  | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-6              | G-94                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 2/6/2019               | 2/4/2019               |                     |                     |                         |                         | 2/6/2019             | #####                | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | ND       | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-6              | G-94                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 2/7/2019               | 2/4/2019               |                     |                     |                         |                         | 2/7/2019             | #####                | Water         | USEPA         | 2540-D             | Total Suspended Solids           | Total           | 12.40    | mg/L         |                  | 0.200                  | 5.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-6              | G-94                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 2/7/2019               | 2/4/2019               |                     |                     |                         |                         | 2/7/2019             | #####                | Water         | USEPA         | 2540-D             | Volatile Suspended Solids        | Total           | 2.80     | mg/L         | J                | 0.200                  | 5.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-6              | G-94                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 2/8/2019               | 2/4/2019               |                     |                     |                         |                         | 2/8/2019             | #####                | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 434.00   | mg/L         |                  | 80.0                   | 80.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-6              | G-94                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | #####                  | #####                  |                     |                     |                         |                         | #####                | #####                | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 1810.00  | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-6              | G-94                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 02/13/2019             | 9:27:00 AM             |                     |                     |                         |                         | #####                | #####                | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 1770.00  | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-6              | G-94                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 02/13/2019             | 9:27:00 AM             |                     |                     |                         |                         | #####                | #####                | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 8.04     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-6              | G-94                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 02/13/2019             | 9:27:00 AM             |                     |                     |                         |                         | #####                | #####                | Water         | USEPA         | SM 2550E           | Temperature                      | Total           | 5.13     | deg C        |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-6              | G-94                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         | 06/04/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 96.70    | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-6              | G-94                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 751.00   | umhos/cm     | </               |                        |                                      |                                      |              |                       |

| Submitting Source | Laboratory Name | Sample Group | DRWW Station Code | IL EPA Station Code | Sample Depth | Sample-Depth Units | Waterbody Name          | Public Water Supply Intake | Monitoring Unit | Surface-Water Monitoring Program | QA/QC Field-Blank ID | Sample-Collection Date | Sample-Collection Time | Sample-Receipt Date | Sample-Receipt Time | Sample-Preparation Date | Sample-Preparation Time | Sample-Analysis Date | Sample-Analysis Time | Sample Medium | Method Source | Method Code - IEPA | Analyte                          | Sample Fraction | Result   | Result Units | Result Qualifier | Method Detection Limit | Minimum Practical Quantitation Limit | Maximum Practical Quantitation Limit | Weight Basis | Date Results Released |
|-------------------|-----------------|--------------|-------------------|---------------------|--------------|--------------------|-------------------------|----------------------------|-----------------|----------------------------------|----------------------|------------------------|------------------------|---------------------|---------------------|-------------------------|-------------------------|----------------------|----------------------|---------------|---------------|--------------------|----------------------------------|-----------------|----------|--------------|------------------|------------------------|--------------------------------------|--------------------------------------|--------------|-----------------------|
| DRWW              | Suburban Labs   |              | 16-6              | G-94                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/09/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 125.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-6              | G-94                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 846.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-6              | G-94                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/05/2019           |                      | Water         | USEPA         | 200.7              | Copper                           | Total           | 0.00     | mg/L         | J                | 0.00130                | 0.00410                              |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-6              | G-94                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 172.50   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-6              | G-94                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-6              | G-94                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/05/2019           |                      | Water         | USEPA         | 200.7              | Hardness (As CaCO3)              | Total           | 213.00   | mg/L         |                  | 0.0500                 | 0.150                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-6              | G-94                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/05/2019           |                      | Water         | USEPA         | 200.7              | Iron                             | Total           | 0.46     | mg/L         |                  | 0.00550                | 0.0175                               |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-6              | G-94                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/05/2019           |                      | Water         | USEPA         | 200.7              | Manganese                        | Total           | 0.07     | mg/L         |                  | 0.000600               | 0.00190                              |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-6              | G-94                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/11/2019           |                      | Water         | USEPA         | 1631               | Mercury                          | Total           | 1.36     | ng/L         |                  | 0.500                  | 0.500                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-6              | G-94                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/05/2019           |                      | Water         | USEPA         | 200.7              | Nickel                           | Total           | 0.00     | mg/L         | J                | 0.000700               | 0.00210                              |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-6              | G-94                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/03/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-6              | G-94                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/11/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | ND       | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-6              | G-94                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.25     | mg/L         |                  | 0.026                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-6              | G-94                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 7.52     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-6              | G-94                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/05/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.20     | mg/L         |                  | 0.0147                 | 0.0469                               |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-6              | G-94                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/05/2019           |                      | Water         | USEPA         | 200.7              | Sodium                           | Total           | 71.70    | mg/L         |                  | 0.100                  | 0.300                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-6              | G-94                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 840.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-6              | G-94                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 3.81     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-6              | G-94                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/06/2019           |                      | Water         | USEPA         | 2540-D             | Total Suspended Solids           | Total           | 16.40    | mg/L         | R                | 0.334                  | 8.35                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-6              | G-94                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        |                 | 15.20    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-6              | G-94                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             | 08/30/2019             | 08/30/2019          |                     |                         |                         | 09/06/2019           |                      | Water         | USEPA         | 2540-D             | Volatile Suspended Solids        | Total           | 4.01     | mg/L         | BJR              | 0.334                  | 8.35                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-6              | G-94                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/05/2019           |                      | Water         | USEPA         | 200.7              | Zinc                             | Total           | 0.01     | mg/L         | J                | 0.00320                | 0.0101                               |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-6              | G-94                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/06/2019           |                      | Water         | USEPA         | 4500-CL-           | Chloride                         | Total           | 57.90    | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-6              | G-94                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 604.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-6              | G-94                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 248.90   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-6              | G-94                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-6              | G-94                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/05/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-6              | G-94                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/07/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | ND       | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-6              | G-94                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.16     | mg/L         |                  | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-6              | G-94                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.70     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-6              | G-94                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/04/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.23     | mg/L         |                  | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-6              | G-94                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/07/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 615.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-6              | G-94                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/01/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 1.35     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-6              | G-94                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/05/2019           |                      | Water         | USEPA         | 2540-D             | Total Suspended Solids           | Total           | 10.80    | mg/L         |                  | 0.250                  | 6.25                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-6              | G-94                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/01/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 25.70    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-6              | G-94                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/05/2019           |                      | Water         | USEPA         | 2540-D             | Volatile Suspended Solids        | Total           | 1.25     | mg/L         | J                | 0.250                  | 6.25                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-6 Dupl         | G-94                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 2/4/2019               | 2/4/2019               |                     |                     |                         |                         | 2/4/2019             | #####                | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | >2419.6  | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-6 Dupl         | G-94                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 2/5/2019               | 2/4/2019               |                     |                     |                         |                         | 2/5/2019             | #####                | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 4.45     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-6 Dupl         | G-94                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 2/5/2019               | 2/4/2019               |                     |                     |                         |                         | 2/5/2019             | #####                | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | 0.26     | mg/L         | J                | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-6 Dupl         | G-94                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 2/5/2019               | 2/4/2019               |                     |                     |                         |                         | 2/5/2019             | #####                | Water         | Lab           | 2130-B             | Turbidity                        |                 | 10.10    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-6 Dupl         | G-94                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 2/6/2019               | 2/4/2019               |                     |                     |                         |                         | 2/6/2019             | #####                | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.30     | mg/L         |                  | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-6 Dupl         | G-94                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 2/6/2019               | 2/4/2019               |                     |                     |                         |                         | 2/6/2019             | #####                | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | 1.39     | mg/L         | J                | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-6 Dupl         | G-94                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 2/7/2019               | 2/4/2019               |                     |                     |                         |                         | 2/7/2019             | #####                | Water         | USEPA         | 2540-D             | Total Suspended Solids           | Total           | 12.40    | mg/L         |                  | 0.200                  | 5.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-6 Dupl         | G-94                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 2/7/2019               | 2/4/2019               |                     |                     |                         |                         | 2/7/2019             | #####                | Water         | USEPA         | 2540-D             | Volatile Suspended Solids        | Total           | 1.60     | mg/L         | J                | 0.200                  | 5.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-6 Dupl         | G-94                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 2/8/2019               | 2/4/2019               |                     |                     |                         |                         | 2/8/2019             | #####                | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 437.00   | mg/L         |                  | 80.0                   | 80.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-6 Dupl         | G-94                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | #####                  | 2/4/2019               |                     |                     |                         |                         | #####                | #####                | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 1810.00  | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-6 Dupl         | G-94                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 02/13/2019             | 9:35:00 AM             |                     |                     |                         |                         | #####                | #####                | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 1762.00  | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-6 Dupl         | G-94                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 02/13/2019             | 9:35:00 AM             |                     |                     |                         |                         | #####                | #####                | Water         | USEPA         | 365.2              | pH, Field                        |                 | 7.91     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-6 Dupl         | G-94                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 02/13/2019             | 9:35:00 AM             |                     |                     |                         |                         | #####                | #####                | Water         | USEPA         | SM 2550E           | Temperature                      |                 | 4.90     | deg C        |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-6 Field        | G-94                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 2/4/2019               | 2/4/2019               |                     |                     |                         |                         | 2/4/2019             | #####                | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | <1       | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-6 Field        | G-94                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 2/5/2019               | 2/4/2019               |                     |                     |                         |                         | 2/5/2019             | #####                | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | ND       | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-6 Field        | G-94                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 2/5/2019               | 2/4/2019               |                     |                     |                         |                         | 2/5/2019             | #####                | Water         |               |                    |                                  |                 |          |              |                  |                        |                                      |                                      |              |                       |



| Submitting Source | Laboratory Name | Sample Group | DRWW Station Code | IL EPA Station Code | Sample Depth | Sample-Depth Units | Waterbody Name          | Public Water Supply Intake | Monitoring Unit | Surface-Water Monitoring Program | QA/QC Field-Blank ID | Sample-Collection Date | Sample-Collection Time | Sample-Receipt Date | Sample-Receipt Time | Sample-Preparation Date | Sample-Preparation Time | Sample-Analysis Date | Sample-Analysis Time | Sample Medium | Method Source | Method Code - IEPA | Analyte                          | Sample Fraction | Result   | Result Units | Result Qualifier | Method Detection Limit | Minimum Practical Quantitation Limit | Maximum Practical Quantitation Limit | Weight Basis | Date Results Released |
|-------------------|-----------------|--------------|-------------------|---------------------|--------------|--------------------|-------------------------|----------------------------|-----------------|----------------------------------|----------------------|------------------------|------------------------|---------------------|---------------------|-------------------------|-------------------------|----------------------|----------------------|---------------|---------------|--------------------|----------------------------------|-----------------|----------|--------------|------------------|------------------------|--------------------------------------|--------------------------------------|--------------|-----------------------|
| DRWW              | Suburban Labs   |              | 16-7              | G-49                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/29/2019             |                        | 07/29/2019          |                     |                         |                         | 07/29/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.28     | mg/L         |                  | 0.026                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-7              | G-49                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/29/2019             |                        | 07/29/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 7.90     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-7              | G-49                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/29/2019             |                        | 07/29/2019          |                     |                         |                         | 07/31/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.34     | mg/L         |                  | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-7              | G-49                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/29/2019             |                        | 07/29/2019          |                     |                         |                         | 08/05/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 900.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-7              | G-49                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/29/2019             |                        | 07/29/2019          |                     |                         |                         | 08/02/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 4.76     | mg/L         | S                | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-7              | G-49                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/29/2019             |                        | 07/29/2019          |                     |                         |                         | 08/07/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        |                 | 5.85     | NTU          | H                | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-7              | G-49                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/09/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 133.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-7              | G-49                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 849.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-7              | G-49                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | USEPA         | E. COLI            | E. Coli                          | Total           | 344.80   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-7              | G-49                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-7              | G-49                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/03/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-7              | G-49                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/11/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | 5.41     | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-7              | G-49                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.14     | mg/L         |                  | 0.026                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-7              | G-49                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 8.16     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-7              | G-49                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/05/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.70     | mg/L         |                  | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-7              | G-49                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 854.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-7              | G-49                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 09/06/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 3.97     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-7              | G-49                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 08/30/2019             |                        | 08/30/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        |                 | 82.00    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-7              | G-49                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/06/2019           |                      | Water         | USEPA         | 4500-CL-           | Chloride                         | Total           | 56.50    | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-7              | G-49                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 615.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-7              | G-49                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | E. COLI            | E. Coli                          | Total           | 313.00   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-7              | G-49                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-7              | G-49                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/05/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-7              | G-49                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/07/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | ND       | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-7              | G-49                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.16     | mg/L         |                  | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-7              | G-49                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.70     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-7              | G-49                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/04/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.24     | mg/L         |                  | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-7              | G-49                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/07/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 634.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-7              | G-49                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/01/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 1.56     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-7              | G-49                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/01/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 24.00    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-8              | G-48                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 2/1/2019               | 2/1/2019               |                     |                     |                         |                         | 2/1/2019             | #####                | Water         | Lab           | 2130-B             | Turbidity                        |                 | 2.48     | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-8              | G-48                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 2/1/2019               | 2/1/2019               |                     |                     |                         |                         | 2/1/2019             | #####                | Water         | USEPA         | E. COLI            | E. Coli                          | Total           | 1011.20  | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-8              | G-48                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 2/4/2019               | 2/1/2019               |                     |                     |                         |                         | 2/4/2019             | #####                | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 181.00   | mg/L         | S                | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-8              | G-48                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 2/4/2019               | 2/1/2019               |                     |                     |                         |                         | 2/4/2019             | #####                | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 1100.00  | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-8              | G-48                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 2/5/2019               | 2/1/2019               |                     |                     |                         |                         | 2/5/2019             | #####                | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.16     | mg/L         |                  | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-8              | G-48                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 2/5/2019               | 2/1/2019               |                     |                     |                         |                         | 2/5/2019             | #####                | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 8.27     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-8              | G-48                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 02/08/2019             | 2:02:00 PM             |                     |                     |                         |                         | 2/8/2019             |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 1128.00  | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-8              | G-48                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 02/08/2019             | 2:02:00 PM             |                     |                     |                         |                         | 2/8/2019             |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 1128.00  | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-8              | G-48                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 02/08/2019             | 2:02:00 PM             |                     |                     |                         |                         | 2/8/2019             |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 7.20     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-8              | G-48                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 02/08/2019             | 2:02:00 PM             |                     |                     |                         |                         | 2/8/2019             |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 7.20     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-8              | G-48                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 02/08/2019             | 2:02:00 PM             |                     |                     |                         |                         | 2/8/2019             |                      | Water         | USEPA         | SM 2550E           | Temperature                      |                 | 8.99     | deg C        |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-8              | G-48                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 02/08/2019             | 2:02:00 PM             |                     |                     |                         |                         | 2/8/2019             |                      | Water         | USEPA         | SM 2550E           | Temperature                      |                 | 8.99     | deg C        |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-8              | G-48                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         | 06/04/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 194.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-8              | G-48                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     |                 | 992.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-8              | G-48                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         | 05/31/2019           |                      | Water         | USEPA         | E. COLI            | E. Coli                          | Total           | 307.60   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-8              | G-48                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 7.70     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-8              | G-48                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         | 06/07/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.14     | mg/L         |                  | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-8              | G-48                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         | 06/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 965.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-8              | G-48                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         | 06/06/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | ND       | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-8              | G-48                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         | 05/31/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        |                 | 16.30    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-8              | G-48                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 07/29/2019             |                        | 07/29/2019          |                     |                         |                         | 08/06/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 121.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-8              | G-48                | 0.5          | ft                 | Lower Des Plaines River | </                         |                 |                                  |                      |                        |                        |                     |                     |                         |                         |                      |                      |               |               |                    |                                  |                 |          |              |                  |                        |                                      |                                      |              |                       |

| Submitting Source | Laboratory Name | Sample Group | DRWW Station Code | IL EPA Station Code | Sample Depth | Sample-Depth Units | Waterbody Name          | Public Water Supply Intake | Monitoring Unit | Surface-Water Monitoring Program | QA/QC Field-Blank ID | Sample-Collection Date | Sample-Collection Time | Sample-Receipt Date | Sample-Receipt Time | Sample-Preparation Date | Sample-Preparation Time | Sample-Analysis Date | Sample-Analysis Time | Sample Medium | Method Source | Method Code - IEPA | Analyte                          | Sample Fraction | Result   | Result Units | Result Qualifier | Method Detection Limit | Minimum Practical Quantitation Limit | Maximum Practical Quantitation Limit | Weight Basis | Date Results Released |
|-------------------|-----------------|--------------|-------------------|---------------------|--------------|--------------------|-------------------------|----------------------------|-----------------|----------------------------------|----------------------|------------------------|------------------------|---------------------|---------------------|-------------------------|-------------------------|----------------------|----------------------|---------------|---------------|--------------------|----------------------------------|-----------------|----------|--------------|------------------|------------------------|--------------------------------------|--------------------------------------|--------------|-----------------------|
| DRWW              | Suburban Labs   |              | 16-8              | G-48                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-8              | G-48                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/05/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-8              | G-48                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/07/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | 1.30     | mg/L         | J                | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-8              | G-48                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.07     | mg/L         |                  | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-8              | G-48                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.70     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-8              | G-48                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/08/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.13     | mg/L         |                  | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-8              | G-48                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/07/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 658.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-8              | G-48                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/01/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.89     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-8              | G-48                | 0.5          | ft                 | Lower Des Plaines River |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/01/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 12.00    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-9              | GZF-01              | 0.5          | ft                 | Buffalo Creek           |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         | 06/04/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 93.70    | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-9              | GZF-01              | 0.5          | ft                 | Buffalo Creek           |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 805.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-9              | GZF-01              | 0.5          | ft                 | Buffalo Creek           |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         | 05/31/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 122.30   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-9              | GZF-01              | 0.5          | ft                 | Buffalo Creek           |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.80     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-9              | GZF-01              | 0.5          | ft                 | Buffalo Creek           |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         | 06/07/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.08     | mg/L         | J                | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-9              | GZF-01              | 0.5          | ft                 | Buffalo Creek           |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         | 06/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 796.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-9              | GZF-01              | 0.5          | ft                 | Buffalo Creek           |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         | 06/06/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | ND       | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-9              | GZF-01              | 0.5          | ft                 | Buffalo Creek           |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         | 05/31/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 8.54     | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-9              | GZF-01              | 0.5          | ft                 | Buffalo Creek           |                            |                 | Non-IEPA                         |                      | 07/29/2019             |                        | 07/29/2019          |                     |                         |                         | 08/06/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 64.50    | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-9              | GZF-01              | 0.5          | ft                 | Buffalo Creek           |                            |                 | Non-IEPA                         |                      | 07/29/2019             |                        | 07/29/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 656.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-9              | GZF-01              | 0.5          | ft                 | Buffalo Creek           |                            |                 | Non-IEPA                         |                      | 07/29/2019             |                        | 07/29/2019          |                     |                         |                         | 07/29/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 159.70   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-9              | GZF-01              | 0.5          | ft                 | Buffalo Creek           |                            |                 | Non-IEPA                         |                      | 07/29/2019             |                        | 07/29/2019          |                     |                         |                         | 07/29/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | Complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-9              | GZF-01              | 0.5          | ft                 | Buffalo Creek           |                            |                 | Non-IEPA                         |                      | 07/29/2019             |                        | 07/29/2019          |                     |                         |                         | 07/30/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-9              | GZF-01              | 0.5          | ft                 | Buffalo Creek           |                            |                 | Non-IEPA                         |                      | 07/29/2019             |                        | 07/29/2019          |                     |                         |                         | 08/05/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | ND       | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-9              | GZF-01              | 0.5          | ft                 | Buffalo Creek           |                            |                 | Non-IEPA                         |                      | 07/29/2019             |                        | 07/29/2019          |                     |                         |                         | 07/29/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.22     | mg/L         |                  | 0.026                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-9              | GZF-01              | 0.5          | ft                 | Buffalo Creek           |                            |                 | Non-IEPA                         |                      | 07/29/2019             |                        | 07/29/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.70     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-9              | GZF-01              | 0.5          | ft                 | Buffalo Creek           |                            |                 | Non-IEPA                         |                      | 07/29/2019             |                        | 07/29/2019          |                     |                         |                         | 07/31/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.09     | mg/L         | J                | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-9              | GZF-01              | 0.5          | ft                 | Buffalo Creek           |                            |                 | Non-IEPA                         |                      | 07/29/2019             |                        | 07/29/2019          |                     |                         |                         | 08/05/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 602.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-9              | GZF-01              | 0.5          | ft                 | Buffalo Creek           |                            |                 | Non-IEPA                         |                      | 07/29/2019             |                        | 07/29/2019          |                     |                         |                         | 07/31/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.21     | mg/L         | J                | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-9              | GZF-01              | 0.5          | ft                 | Buffalo Creek           |                            |                 | Non-IEPA                         |                      | 07/29/2019             |                        | 07/29/2019          |                     |                         |                         | 08/07/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 3.26     | NTU          | H                | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-9              | GZF-01              | 0.5          | ft                 | Buffalo Creek           |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 55.20    | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-9              | GZF-01              | 0.5          | ft                 | Buffalo Creek           |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 530.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-9              | GZF-01              | 0.5          | ft                 | Buffalo Creek           |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 307.60   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-9              | GZF-01              | 0.5          | ft                 | Buffalo Creek           |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-9              | GZF-01              | 0.5          | ft                 | Buffalo Creek           |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 09/03/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-9              | GZF-01              | 0.5          | ft                 | Buffalo Creek           |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 09/10/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | 1.42     | mg/L         | J                | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-9              | GZF-01              | 0.5          | ft                 | Buffalo Creek           |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | ND       | mg/L         |                  | 0.026                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-9              | GZF-01              | 0.5          | ft                 | Buffalo Creek           |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.72     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-9              | GZF-01              | 0.5          | ft                 | Buffalo Creek           |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.08     | mg/L         | J                | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-9              | GZF-01              | 0.5          | ft                 | Buffalo Creek           |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 535.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-9              | GZF-01              | 0.5          | ft                 | Buffalo Creek           |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.10     | mg/L         | J                | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-9              | GZF-01              | 0.5          | ft                 | Buffalo Creek           |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 11.90    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-9              | GZF-01              | 0.5          | ft                 | Buffalo Creek           |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/06/2019           |                      | Water         | USEPA         | 4500-CL-           | Chloride                         | Total           | 27.40    | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-9              | GZF-01              | 0.5          | ft                 | Buffalo Creek           |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 498.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-9              | GZF-01              | 0.5          | ft                 | Buffalo Creek           |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 980.40   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 16-9              | GZF-01              | 0.5          | ft                 | Buffalo Creek           |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 10/31/2              |                      |               |               |                    |                                  |                 |          |              |                  |                        |                                      |                                      |              |                       |

| Submitting Source | Laboratory Name | Sample Group | DRWW Station Code | IL EPA Station Code | Sample Depth | Sample-Depth Units | Waterbody Name | Public Water Supply Intake | Monitoring Unit | Surface-Water Monitoring Program | QA/QC Field-Blank ID | Sample-Collection Date | Sample-Collection Time | Sample-Receipt Date | Sample-Receipt Time | Sample-Preparation Date | Sample-Preparation Time | Sample-Analysis Date | Sample-Analysis Time | Sample Medium | Method Source | Method Code - IEPA | Analyte                          | Sample Fraction | Result   | Result Units | Result Qualifier | Method Detection Limit | Minimum Practical Quantitation Limit | Maximum Practical Quantitation Limit | Weight Basis | Date Results Released |
|-------------------|-----------------|--------------|-------------------|---------------------|--------------|--------------------|----------------|----------------------------|-----------------|----------------------------------|----------------------|------------------------|------------------------|---------------------|---------------------|-------------------------|-------------------------|----------------------|----------------------|---------------|---------------|--------------------|----------------------------------|-----------------|----------|--------------|------------------|------------------------|--------------------------------------|--------------------------------------|--------------|-----------------------|
| DRWW              | Suburban Labs   |              | 17-1              | GS-01               | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        |                 | 35.10    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-1              | GS-01               | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 07/31/2019           |                      | Water         | USEPA         | 2540-D             | Volatile Suspended Solids        | Total           | 8.00     | mg/L         | J                | 0.400                  | 10.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-1              | GS-01               | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | APHA          | 4500-CL            | Chloride                         | Total           | 133.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-1              | GS-01               | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120            | Conductivity                     |                 | 879.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-1              | GS-01               | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | E. COLI            | E. Coli                          | Total           | 248.90   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-1              | GS-01               | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-1              | GS-01               | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | USEPA         | 200.7              | Hardness (As CaCO3)              | Total           | 185.00   | mg/L         |                  | 0.0500                 | 0.150                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-1              | GS-01               | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | USEPA         | 200.7              | Magnesium                        | Total           | 17.90    | mg/L         |                  | 0.0100                 | 0.0300                               |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-1              | GS-01               | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 09/03/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-1              | GS-01               | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 09/10/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | ND       | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-1              | GS-01               | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | ND       | mg/L         |                  | 0.026                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-1              | GS-01               | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.57     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-1              | GS-01               | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.08     | mg/L         |                  | 0.0147                 | 0.0469                               |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-1              | GS-01               | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 785.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-1              | GS-01               | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.19     | mg/L         | J                | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-1              | GS-01               | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 09/05/2019           |                      | Water         | USEPA         | 2540-D             | Total Suspended Solids           | Total           | 20.40    | mg/L         |                  | 0.400                  | 10.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-1              | GS-01               | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        |                 | 18.30    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-1              | GS-01               | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 09/05/2019           |                      | Water         | USEPA         | 2540-D             | Volatile Suspended Solids        | Total           | 5.20     | mg/L         | J                | 0.400                  | 10.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-1              | GS-01               | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/06/2019           |                      | Water         | USEPA         | 4500-CL            | Chloride                         | Total           | 104.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-1              | GS-01               | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120            | Conductivity                     | Total           | 724.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-1              | GS-01               | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | E. COLI            | E. Coli                          | Total           | 1046.20  | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-1              | GS-01               | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-1              | GS-01               | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/05/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-1              | GS-01               | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/08/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | ND       | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-1              | GS-01               | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/01/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | ND       | mg/L         |                  | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-1              | GS-01               | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 5.26     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-1              | GS-01               | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/08/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.08     | mg/L         |                  | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-1              | GS-01               | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/07/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 789.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-1              | GS-01               | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/04/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.25     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-1              | GS-01               | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/05/2019           |                      | Water         | USEPA         | 2540-D             | Total Suspended Solids           | Total           | 16.20    | mg/L         |                  | 0.200                  | 5.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-1              | GS-01               | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/01/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 17.30    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-1              | GS-01               | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/05/2019           |                      | Water         | USEPA         | 2540-D             | Volatile Suspended Solids        | Total           | 2.60     | mg/L         | J                | 0.200                  | 5.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-1 Dupl         | GS-01               | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         | 06/04/2019           |                      | Water         | APHA          | 4500-CL            | Chloride                         | Total           | 145.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-1 Dupl         | GS-01               | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120            | Conductivity                     | Total           | 913.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-1 Dupl         | GS-01               | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         | 05/31/2019           |                      | Water         | USEPA         | E. COLI            | E. Coli                          | Total           | 1413.60  | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-1 Dupl         | GS-01               | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         | 06/03/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-1 Dupl         | GS-01               | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         | 06/10/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | 1.78     | mg/L         | J                | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-1 Dupl         | GS-01               | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.70     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-1 Dupl         | GS-01               | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         | 06/07/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.09     | mg/L         | J                | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-1 Dupl         | GS-01               | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         | 06/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 866.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-1 Dupl         | GS-01               | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         | 06/06/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.26     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-1 Dupl         | GS-01               | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         | 06/07/2019           |                      | Water         | USEPA         | 2540-D             | Total Suspended Solids           | Total           | 32.00    | mg/L         |                  | 0.500                  | 12.5                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-1 Dupl         | GS-01               | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         | 06/07/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 35.50    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-1 Dupl         | GS-01               | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         | 06/07/2019           |                      | Water         | USEPA         | 2540-D             | Volatile Suspended Solids        | Total           | 5.50     | mg/L         | J                | 0.500                  | 12.5                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-1 Field        | GS-01               | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         | 06/04/2019           |                      | Water         | APHA          | 4500-CL            | Chloride                         | Total           | ND       | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-1 Field        | GS-01               | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120            | Conductivity                     | Total           | 0.00     | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-1 Field        | GS-01               | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         | 05/31/2019           |                      | Water         | USEPA         | E. COLI            | E. Coli                          | Total           | <1       | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-1 Field        | GS-01               | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         | 06/03/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-1 Field        | GS-01               | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         | 06/10/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | 1.46     | mg/L         | J                | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-1 Field        | GS-01               | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.50     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-1 Field        | GS-01               | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         | 06/07/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | ND       | mg/L         |                  | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-1 Field        | GS-01               | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         | 06/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | ND       |              |                  |                        |                                      |                                      |              |                       |

| Submitting Source | Laboratory Name | Sample Group | DRWW Station Code | IL EPA Station Code | Sample Depth | Sample-Depth Units | Waterbody Name | Public Water Supply Intake | Monitoring Unit | Surface-Water Monitoring Program | QA/QC Field-Blank ID | Sample-Collection Date | Sample-Collection Time | Sample-Receipt Date | Sample-Receipt Time | Sample-Preparation Date | Sample-Preparation Time | Sample-Analysis Date | Sample-Analysis Time | Sample Medium | Method Source | Method Code - IEPA               | Analyte | Sample Fraction | Result    | Result Units | Result Qualifier | Method Detection Limit | Minimum Practical Quantitation Limit | Maximum Practical Quantitation Limit | Weight Basis | Date Results Released |
|-------------------|-----------------|--------------|-------------------|---------------------|--------------|--------------------|----------------|----------------------------|-----------------|----------------------------------|----------------------|------------------------|------------------------|---------------------|---------------------|-------------------------|-------------------------|----------------------|----------------------|---------------|---------------|----------------------------------|---------|-----------------|-----------|--------------|------------------|------------------------|--------------------------------------|--------------------------------------|--------------|-----------------------|
| DRWW              | Suburban Labs   |              | 17-2              | GST-02              | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         | 07/30/2019              |                      | Water                | USEPA         | 350.3         | Nitrogen, Ammonia (As N)         | Total   | ND              | mg/L      |              | 0.10             | 0.30                   |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-2              | GST-02              | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         | 08/01/2019              |                      | Water                | USEPA         | 351.2         | Nitrogen, Kjeldahl, Total        | Total   | 1.50            | mg/L      | J            | 1.19             | 3.78                   |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-2              | GST-02              | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         | 07/26/2019              |                      | Water                | USEPA         | 365.2         | Orthophosphate (As P)            | Total   | 0.04            | mg/L      | J            | 0.026            | 0.050                  |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-2              | GST-02              | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         |                      | Water                | USEPA         | 365.2         | pH, Field                        |         | 7.38            |           |              |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-2              | GST-02              | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         | 07/29/2019              |                      | Water                | USEPA         | 200.7         | Phosphorus, Total (as P)         | Total   | 0.12            | mg/L      | J            | 0.0500           | 0.135                  |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-2              | GST-02              | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         | 07/30/2019              |                      | Water                | Lab           | 2510B         | Specific Conductivity            | Total   | 711.00          | umhos/cm  |              | 1.00             | 1.00                   |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-2              | GST-02              | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         | 07/26/2019              |                      | Water                | USEPA         | 353.2         | Total Nitrates (Nitrate+Nitrite) | Total   | 0.16            | mg/L      | J            | 0.100            | 0.224                  |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-2              | GST-02              | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         | 07/31/2019              |                      | Water                | USEPA         | 2540-D        | Total Suspended Solids           | Total   | 83.00           | mg/L      |              | 1.00             | 25.0                   |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-2              | GST-02              | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         | 07/26/2019              |                      | Water                | Lab           | 2130-B        | Turbidity                        |         | 88.50           | NTU       |              | 0.100            | 0.200                  |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-2              | GST-02              | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         | 07/31/2019              |                      | Water                | USEPA         | 2540-D        | Volatile Suspended Solids        | Total   | 13.00           | mg/L      | JR           | 1.00             | 25.0                   |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-2              | GST-02              | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         | 08/30/2019              |                      | Water                | APHA          | 4500-CL-      | Chloride                         | Total   | 153.00          | mg/L      |              | 20.0             | 20.0                   |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-2              | GST-02              | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         |                      | Water                | YSI           | EPA 120.      | Conductivity                     |         | 827.00          | umhos/cm  |              |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-2              | GST-02              | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         | 08/29/2019              |                      | Water                | USEPA         | E. COLI       | E. Coli                          | Total   | 95.90           | MPN/100mL |              | 1.0              | 1.0                    |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-2              | GST-02              | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         | 08/29/2019              |                      | Water                | USEPA         | DISSOLV       | Filtered and Preserved           | Total   | complete        |           | V            | 0                | 0                      |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-2              | GST-02              | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         | 09/03/2019              |                      | Water                | USEPA         | 350.3         | Nitrogen, Ammonia (As N)         | Total   | ND              | mg/L      |              | 0.10             | 0.30                   |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-2              | GST-02              | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         | 09/09/2019              |                      | Water                | USEPA         | 351.2         | Nitrogen, Kjeldahl, Total        | Total   | 1.60            | mg/L      | J            | 1.19             | 3.78                   |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-2              | GST-02              | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         | 08/30/2019              |                      | Water                | USEPA         | 365.2         | Orthophosphate (As P)            | Total   | ND              | mg/L      |              | 0.026            | 0.050                  |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-2              | GST-02              | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         |                      | Water                | USEPA         | 365.2         | pH, Field                        |         | 7.70            | S.U.      |              |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-2              | GST-02              | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         | 09/04/2019              |                      | Water                | USEPA         | 200.7         | Phosphorus, Total (as P)         | Total   | 0.11            | mg/L      | J            | 0.0500           | 0.135                  |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-2              | GST-02              | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         | 09/04/2019              |                      | Water                | Lab           | 2510B         | Specific Conductivity            | Total   | 1060.00         | umhos/cm  |              | 1.00             | 1.00                   |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-2              | GST-02              | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         | 08/30/2019              |                      | Water                | USEPA         | 353.2         | Total Nitrates (Nitrate+Nitrite) | Total   | 0.14            | mg/L      | J            | 0.100            | 0.224                  |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-2              | GST-02              | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         | 08/30/2019              |                      | Water                | Lab           | 2130-B        | Turbidity                        |         | 70.00           | NTU       |              | 0.100            | 0.200                  |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-2              | GST-02              | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         | 11/06/2019              |                      | Water                | USEPA         | 4500-CL-      | Chloride                         | Total   | 78.70           | mg/L      |              | 20.0             | 20.0                   |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-2              | GST-02              | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         |                      | Water                | YSI           | EPA 120.      | Conductivity                     |         | 685.00          | umhos/cm  |              |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-2              | GST-02              | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         | 10/31/2019              |                      | Water                | USEPA         | E. COLI       | E. Coli                          | Total   | 980.40          | MPN/100mL |              | 1.0              | 1.0                    |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-2              | GST-02              | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         | 10/31/2019              |                      | Water                | USEPA         | DISSOLV       | Filtered and Preserved           | Total   | complete        |           | V            | 0                | 0                      |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-2              | GST-02              | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         | 11/05/2019              |                      | Water                | USEPA         | 350.3         | Nitrogen, Ammonia (As N)         | Total   | ND              | mg/L      |              | 0.10             | 0.30                   |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-2              | GST-02              | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         | 11/08/2019              |                      | Water                | USEPA         | 351.2         | Nitrogen, Kjeldahl, Total        | Total   | ND              | mg/L      |              | 1.19             | 3.78                   |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-2              | GST-02              | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         | 11/01/2019              |                      | Water                | USEPA         | 365.2         | Orthophosphate (As P)            | Total   | 0.02            | mg/L      | J            | 0.020            | 0.050                  |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-2              | GST-02              | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         |                      | Water                | USEPA         | 365.2         | pH, Field                        | Total   | 7.47            | S.U.      |              |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-2              | GST-02              | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         | 11/08/2019              |                      | Water                | USEPA         | 200.7         | Phosphorus, Total (as P)         | Total   | 0.08            | mg/L      |              | 0.020            | 0.050                  |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-2              | GST-02              | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         | 11/07/2019              |                      | Water                | Lab           | 2510B         | Specific Conductivity            | Total   | 754.00          | umhos/cm  |              | 1.00             | 1.00                   |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-2              | GST-02              | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         | 11/04/2019              |                      | Water                | USEPA         | 353.2         | Total Nitrates (Nitrate+Nitrite) | Total   | 0.22            | mg/L      | J            | 0.100            | 0.224                  |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-2              | GST-02              | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         | 11/01/2019              |                      | Water                | Lab           | 2130-B        | Turbidity                        | Total   | 19.20           | NTU       |              | 0.100            | 0.200                  |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-3              | GST-03              | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         | 06/04/2019              |                      | Water                | APHA          | 4500-CL-      | Chloride                         | Total   | 130.00          | mg/L      |              | 20.0             | 20.0                   |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-3              | GST-03              | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         |                      | Water                | YSI           | EPA 120.      | Conductivity                     |         | 903.00          | umhos/cm  |              |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-3              | GST-03              | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         | 05/31/2019              |                      | Water                | USEPA         | E. COLI       | E. Coli                          | Total   | 150.00          | MPN/100mL |              | 1.0              | 1.0                    |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-3              | GST-03              | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         |                      | Water                | USEPA         | 365.2         | pH, Field                        |         | 7.80            | S.U.      |              |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-3              | GST-03              | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         | 06/07/2019              |                      | Water                | USEPA         | 200.7         | Phosphorus, Total (as P)         | Total   | 0.13            | mg/L      | J            | 0.0500           | 0.135                  |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-3              | GST-03              | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         | 06/04/2019              |                      | Water                | Lab           | 2510B         | Specific Conductivity            | Total   | 878.00          | umhos/cm  |              | 1.00             | 1.00                   |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-3              | GST-03              | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         | 06/06/2019              |                      | Water                | USEPA         | 353.2         | Total Nitrates (Nitrate+Nitrite) | Total   | 0.16            | mg/L      | J            | 0.100            | 0.224                  |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-3              | GST-03              | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         | 05/31/2019              |                      | Water                | Lab           | 2130-B        | Turbidity                        | Total   | 46.40           | NTU       |              | 0.100            | 0.200                  |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-3              | GST-03              | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         | 07/29/2019              |                      | Water                | APHA          | 4500-CL-      | Chloride                         | Total   | 96.60           | mg/L      |              | 20.0             | 20.0                   |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-3              | GST-03              | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         |                      | Water                | YSI           | EPA 120.      | Conductivity                     |         | 723.00          | umhos/cm  |              |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-3              | GST-03              | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         | 07/25/2019              |                      | Water                | USEPA         | E. COLI       | E. Coli                          | Total   | 135.40          | MPN/100mL |              | 1.0              | 1.0                    |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-3              | GST-03              | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         | 07/25/2019              |                      | Water                | USEPA         | DISSOLV       | Filtered and Preserved           | Total   | Complete        |           | V            | 0                | 0                      |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-3              | GST-03              | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         | 07/30/2019              |                      | Water                | USEPA         | 350.3         | Nitrogen, Ammonia (As N)         | Total   | ND              | mg/L      |              | 0.10             | 0.30                   |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-3              | GST-03              | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         | 08/02/2019              |                      | Water                | USEPA         | 351.2         | Nitrogen, Kjeldahl, Total        | Total   | ND              | mg/L      |              | 1.19             | 3.78                   |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-3              | GST-03              | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         | 07/26/2019              |                      | Water                | USEPA         | 365.2         | Orthophosphate (As P)            | Total   | 0.07            | mg/L      |              | 0.026            | 0.050                  |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-3              | GST-03              | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         |                      | Water                | USEPA         | 365.2         | pH, Field                        |         | 7.42            | S.U.      |              |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-3              | GST-03              | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         | 07/29/2019              |                      | Water                | USEPA         | 200.7         | Phosphorus, Total (as P)         | Total   | 0.13            | mg/L      | J            | 0.0500           | 0.135                  |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-3              | GST-03              | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         | 07/30/2019              |                      | Water                | Lab           | 2510B         | Specific Conductivity            | Total   | 750.00          | umhos/cm  |              | 1.00             | 1.00                   |                                      |                                      |              |                       |
| DRWW              | Sub             |              |                   |                     |              |                    |                |                            |                 |                                  |                      |                        |                        |                     |                     |                         |                         |                      |                      |               |               |                                  |         |                 |           |              |                  |                        |                                      |                                      |              |                       |

| Submitting Source | Laboratory Name | Sample Group | DRWW Station Code | IL EPA Station Code | Sample Depth | Sample-Depth Units | Waterbody Name | Public Water Supply Intake | Monitoring Unit | Surface-Water Monitoring Program | QA/QC Field-Blank ID | Sample-Collection Date | Sample-Collection Time | Sample-Receipt Date | Sample-Receipt Time | Sample-Preparation Date | Sample-Preparation Time | Sample-Analysis Date | Sample-Analysis Time | Sample Medium | Method Source | Method Code - IEPA | Analyte                          | Sample Fraction | Result   | Result Units | Result Qualifier | Method Detection Limit | Minimum Practical Quantitation Limit | Maximum Practical Quantitation Limit | Weight Basis | Date Results Released |
|-------------------|-----------------|--------------|-------------------|---------------------|--------------|--------------------|----------------|----------------------------|-----------------|----------------------------------|----------------------|------------------------|------------------------|---------------------|---------------------|-------------------------|-------------------------|----------------------|----------------------|---------------|---------------|--------------------|----------------------------------|-----------------|----------|--------------|------------------|------------------------|--------------------------------------|--------------------------------------|--------------|-----------------------|
| DRWW              | Suburban Labs   |              | 17-3              | GST-03              | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/01/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 15.80    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-4              | GSTZA-0             | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         | 06/04/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 160.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-4              | GSTZA-0             | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 913.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-4              | GSTZA-0             | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         | 05/31/2019           |                      | Water         | USEPA         | E. COLI            | E. Coli                          | Total           | 325.50   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-4              | GSTZA-0             | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         | 06/03/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-4              | GSTZA-0             | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         | 06/10/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | 1.47     | mg/L         | J                | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-4              | GSTZA-0             | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.84     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-4              | GSTZA-0             | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         | 06/07/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.07     | mg/L         | J                | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-4              | GSTZA-0             | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         | 06/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 894.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-4              | GSTZA-0             | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         | 06/06/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.17     | mg/L         | J                | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-4              | GSTZA-0             | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         | 06/07/2019           |                      | Water         | USEPA         | 2540-D             | Total Suspended Solids           | Total           | 9.75     | mg/L         |                  | 0.250                  | 6.25                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-4              | GSTZA-0             | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         | 05/31/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 9.04     | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-4              | GSTZA-0             | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         | 06/07/2019           |                      | Water         | USEPA         | 2540-D             | Volatile Suspended Solids        | Total           | 3.25     | mg/L         | J                | 0.250                  | 6.25                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-4              | GSTZA-0             | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 07/29/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 125.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-4              | GSTZA-0             | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 707.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-4              | GSTZA-0             | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 07/25/2019           |                      | Water         | USEPA         | E. COLI            | E. Coli                          | Total           | 83.60    | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-4              | GSTZA-0             | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 07/25/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | Complete | mg/L         | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-4              | GSTZA-0             | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 07/30/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-4              | GSTZA-0             | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 08/02/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | ND       | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-4              | GSTZA-0             | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | ND       | mg/L         |                  | 0.026                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-4              | GSTZA-0             | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.60     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-4              | GSTZA-0             | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 07/29/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.09     | mg/L         | J                | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-4              | GSTZA-0             | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 07/30/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 730.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-4              | GSTZA-0             | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.12     | mg/L         | J                | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-4              | GSTZA-0             | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 07/31/2019           |                      | Water         | USEPA         | 2540-D             | Total Suspended Solids           | Total           | 18.80    | mg/L         |                  | 0.400                  | 10.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-4              | GSTZA-0             | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 14.70    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-4              | GSTZA-0             | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 07/25/2019             |                        | 07/25/2019          |                     |                         |                         | 07/31/2019           |                      | Water         | USEPA         | 2540-D             | Volatile Suspended Solids        | Total           | 4.40     | mg/L         | J                | 0.400                  | 10.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-4              | GSTZA-0             | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 141.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-4              | GSTZA-0             | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 741.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-4              | GSTZA-0             | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | E. COLI            | E. Coli                          | Total           | 143.90   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-4              | GSTZA-0             | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete | mg/L         | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-4              | GSTZA-0             | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | USEPA         | 200.7              | Hardness (As CaCO3)              | Total           | 158.00   | mg/L         |                  | 0.0500                 | 0.150                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-4              | GSTZA-0             | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | USEPA         | 200.7              | Magnesium                        | Total           | 14.40    | mg/L         |                  | 0.0100                 | 0.0300                               |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-4              | GSTZA-0             | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 09/03/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-4              | GSTZA-0             | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 09/09/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | 1.40     | mg/L         | J                | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-4              | GSTZA-0             | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.04     | mg/L         | J                | 0.026                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-4              | GSTZA-0             | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.70     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-4              | GSTZA-0             | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.08     | mg/L         |                  | 0.0147                 | 0.0469                               |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-4              | GSTZA-0             | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 746.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-4              | GSTZA-0             | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.17     | mg/L         | J                | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-4              | GSTZA-0             | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 09/05/2019           |                      | Water         | USEPA         | 2540-D             | Total Suspended Solids           | Total           | 25.00    | mg/L         |                  | 1.00                   | 25.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-4              | GSTZA-0             | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 7.86     | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-4              | GSTZA-0             | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 09/05/2019           |                      | Water         | USEPA         | 2540-D             | Volatile Suspended Solids        | Total           | 7.00     | mg/L         | J                | 1.00                   | 25.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-4              | GSTZA-0             | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/06/2019           |                      | Water         | USEPA         | 4500-CL-           | Chloride                         | Total           | 89.40    | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-4              | GSTZA-0             | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 658.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-4              | GSTZA-0             | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | E. COLI            | E. Coli                          | Total           | 727.00   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-4              | GSTZA-0             | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete | mg/L         | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-4              | GSTZA-0             | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/05/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-4              | GSTZA-0             | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/07/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | ND       | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-4              | GSTZA-0             | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/01/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | ND       | mg/L         |                  | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-4              | GSTZA-0             | 0.5          | ft                 | Buffalo Creek  |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.       |              |                  |                        |                                      |                                      |              |                       |

| Submitting Source | Laboratory Name | Sample Group | DRWW Station Code | IL EPA Station Code | Sample Depth | Sample-Depth Units | Waterbody Name   | Public Water Supply Intake | Monitoring Unit | Surface-Water Monitoring Program | QA/QC Field-Blank ID | Sample-Collection Date | Sample-Collection Time | Sample-Receipt Date | Sample-Receipt Time | Sample-Preparation Date | Sample-Preparation Time | Sample-Analysis Date | Sample-Analysis Time | Sample Medium | Method Source | Method Code - IEPA | Analyte                          | Sample Fraction | Result   | Result Units | Result Qualifier | Method Detection Limit | Minimum Practical Quantitation Limit | Maximum Practical Quantitation Limit | Weight Basis | Date Results Released |
|-------------------|-----------------|--------------|-------------------|---------------------|--------------|--------------------|------------------|----------------------------|-----------------|----------------------------------|----------------------|------------------------|------------------------|---------------------|---------------------|-------------------------|-------------------------|----------------------|----------------------|---------------|---------------|--------------------|----------------------------------|-----------------|----------|--------------|------------------|------------------------|--------------------------------------|--------------------------------------|--------------|-----------------------|
| DRWW              | Suburban Labs   |              | 17-5              | GST-LZS             | 0.5          | ft                 | Buffalo Creek    |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 119.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-5              | GST-LZS             | 0.5          | ft                 | Buffalo Creek    |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 879.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-5              | GST-LZS             | 0.5          | ft                 | Buffalo Creek    |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | E. COLI            | E. Coli                          | Total           | 228.20   | MPN/100mL    | 1.0              | 1.0                    |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-5              | GST-LZS             | 0.5          | ft                 | Buffalo Creek    |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-5              | GST-LZS             | 0.5          | ft                 | Buffalo Creek    |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 09/03/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-5              | GST-LZS             | 0.5          | ft                 | Buffalo Creek    |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 09/09/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | ND       | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-5              | GST-LZS             | 0.5          | ft                 | Buffalo Creek    |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.03     | mg/L         | J                | 0.026                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-5              | GST-LZS             | 0.5          | ft                 | Buffalo Creek    |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.57     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-5              | GST-LZS             | 0.5          | ft                 | Buffalo Creek    |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.08     | mg/L         | J                | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-5              | GST-LZS             | 0.5          | ft                 | Buffalo Creek    |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 888.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-5              | GST-LZS             | 0.5          | ft                 | Buffalo Creek    |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.26     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-5              | GST-LZS             | 0.5          | ft                 | Buffalo Creek    |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 5.52     | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-5              | GST-LZS             | 0.5          | ft                 | Buffalo Creek    |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/06/2019           |                      | Water         | USEPA         | 4500-CL-           | Chloride                         | Total           | 319.00   | mg/L         |                  | 40.0                   | 40.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-5              | GST-LZS             | 0.5          | ft                 | Buffalo Creek    |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 1411.00  | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-5              | GST-LZS             | 0.5          | ft                 | Buffalo Creek    |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | E. COLI            | E. Coli                          | Total           | 980.40   | MPN/100mL    | 1.0              | 1.0                    |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-5              | GST-LZS             | 0.5          | ft                 | Buffalo Creek    |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-5              | GST-LZS             | 0.5          | ft                 | Buffalo Creek    |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/05/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-5              | GST-LZS             | 0.5          | ft                 | Buffalo Creek    |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/07/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | ND       | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-5              | GST-LZS             | 0.5          | ft                 | Buffalo Creek    |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/01/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.04     | mg/L         | J                | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-5              | GST-LZS             | 0.5          | ft                 | Buffalo Creek    |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.32     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-5              | GST-LZS             | 0.5          | ft                 | Buffalo Creek    |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/04/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.08     | mg/L         |                  | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-5              | GST-LZS             | 0.5          | ft                 | Buffalo Creek    |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/07/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 1560.00  | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-5              | GST-LZS             | 0.5          | ft                 | Buffalo Creek    |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/04/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.43     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 17-5              | GST-LZS             | 0.5          | ft                 | Buffalo Creek    |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/01/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 13.50    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-1              | GZC-03              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 2/1/2019               | 2/1/2019               |                     |                     |                         |                         | 2/1/2019             | #####                | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 3.58     | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-1              | GZC-03              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 2/1/2019               | 2/1/2019               |                     |                     |                         |                         | 2/1/2019             | #####                | Water         | USEPA         | E. COLI            | E. Coli                          | Total           | 1011.20  | MPN/100mL    | 1.0              | 1.0                    |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-1              | GZC-03              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 2/4/2019               | 2/1/2019               |                     |                     |                         |                         | 2/4/2019             | #####                | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 261.00   | mg/L         |                  | 40.0                   | 40.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-1              | GZC-03              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 2/4/2019               | 2/1/2019               |                     |                     |                         |                         | 2/4/2019             | #####                | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 1490.00  | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-1              | GZC-03              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 2/5/2019               | 2/1/2019               |                     |                     |                         |                         | 2/5/2019             | #####                | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 1.15     | mg/L         |                  | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-1              | GZC-03              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 2/5/2019               | 2/1/2019               |                     |                     |                         |                         | 2/5/2019             | #####                | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 11.30    | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-1              | GZC-03              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 2/5/2019               | 2/1/2019               |                     |                     |                         |                         | 2/5/2019             | #####                | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | 0.11     | mg/L         | J                | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-1              | GZC-03              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 2/6/2019               | 2/1/2019               |                     |                     |                         |                         | 2/6/2019             | #####                | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | ND       | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-1              | GZC-03              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 2/7/2019               | 2/1/2019               |                     |                     |                         |                         | 2/7/2019             | #####                | Water         | USEPA         | 2540-D             | Total Suspended Solids           | Total           | 7.40     | mg/L         |                  | 0.200                  | 5.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-1              | GZC-03              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 2/7/2019               | 2/1/2019               |                     |                     |                         |                         | 2/7/2019             | #####                | Water         | USEPA         | 2540-D             | Volatile Suspended Solids        | Total           | 2.00     | mg/L         | J                | 0.200                  | 5.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-1              | GZC-03              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 02/11/2019             | 10:40:00 AM            |                     |                     |                         |                         | #####                |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 1500.00  | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-1              | GZC-03              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 02/11/2019             | 10:40:00 AM            |                     |                     |                         |                         | #####                |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.93     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-1              | GZC-03              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 02/11/2019             | 10:40:00 AM            |                     |                     |                         |                         | #####                |                      | Water         | USEPA         | SM 2550E           | Temperature                      | Total           | 8.50     | deg C        |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-1              | GZC-03              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         | 06/04/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 195.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-1              | GZC-03              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 1189.00  | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-1              | GZC-03              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         | 05/31/2019           |                      | Water         | USEPA         | E. COLI            | E. Coli                          | Total           | 172.30   | MPN/100mL    | 1.0              | 1.0                    |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-1              | GZC-03              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         | 06/03/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-1              | GZC-03              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         | 06/10/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | 2.16     | mg/L         | J                | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-1              | GZC-03              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.72     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-1              | GZC-03              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         | 06/07/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.33     | mg/L         |                  | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-1              | GZC-03              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         | 06/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 1150.00  | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-1              | GZC-03              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         | 06/04/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 3.61     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-1              | GZC-03              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         | 06/07/2019           |                      | Water         | USEPA         | 2540-D             | Total Suspended Solids           | Total           | 15.30    | mg/L         |                  | 0.250                  | 6.25                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-1              | GZC-03              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         | 05/31/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 13.20    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-1              | GZC-03              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         | 06/07/2019           |                      | Water         | USEPA         | 2540-D             | Volatile Suspended Solids        | Total           | 4.00     | mg/L         | J                | 0.250                  | 6.25                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-1              | GZC-03              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/29/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 197.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-1              | GZC-03              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 1140.00  | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-1              | GZC-03              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | USEPA         | E. COLI            | E. Coli                          | Total           | 121.10   | MPN/100mL    | 1.0              | 1.0                    |                                      |                                      |              |                       |

| Submitting Source | Laboratory Name | Sample Group | DRWW Station Code | IL EPA Station Code | Sample Depth | Sample-Depth Units | Waterbody Name   | Public Water Supply Intake | Monitoring Unit | Surface-Water Monitoring Program | QA/QC Field-Blank ID | Sample-Collection Date | Sample-Collection Time | Sample-Receipt Date | Sample-Receipt Time | Sample-Preparation Date | Sample-Preparation Time | Sample-Analysis Date | Sample-Analysis Time | Sample Medium | Method Source | Method Code - IEPA | Analyte                          | Sample Fraction | Result   | Result Units | Result Qualifier | Method Detection Limit | Minimum Practical Quantitation Limit | Maximum Practical Quantitation Limit | Weight Basis | Date Results Released |
|-------------------|-----------------|--------------|-------------------|---------------------|--------------|--------------------|------------------|----------------------------|-----------------|----------------------------------|----------------------|------------------------|------------------------|---------------------|---------------------|-------------------------|-------------------------|----------------------|----------------------|---------------|---------------|--------------------|----------------------------------|-----------------|----------|--------------|------------------|------------------------|--------------------------------------|--------------------------------------|--------------|-----------------------|
| DRWW              | Suburban Labs   |              | 18-1              | GZC-03              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        |                 | 15.20    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-1              | GZC-03              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 09/05/2019           |                      | Water         | USEPA         | 2540-D             | Volatile Suspended Solids        | Total           | 2.00     | mg/L         | J                | 1.00                   | 25.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-1              | GZC-03              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/06/2019           |                      | Water         | USEPA         | 4500-CL            | Chloride                         | Total           | 135.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-1              | GZC-03              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120            | Conductivity                     | Total           | 972.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-1              | GZC-03              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | E. COLI            | E. Coli                          | Total           | 224.70   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-1              | GZC-03              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-1              | GZC-03              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/05/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-1              | GZC-03              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/07/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | ND       | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-1              | GZC-03              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/01/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.48     | mg/L         |                  | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-1              | GZC-03              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.23     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-1              | GZC-03              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/04/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.51     | mg/L         |                  | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-1              | GZC-03              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/07/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 1090.00  | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-1              | GZC-03              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/04/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 4.82     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-1              | GZC-03              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/05/2019           |                      | Water         | USEPA         | 2540-D             | Total Suspended Solids           | Total           | 5.20     | mg/L         |                  | 0.200                  | 5.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-1              | GZC-03              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/01/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 5.48     | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-1              | GZC-03              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/05/2019           |                      | Water         | USEPA         | 2540-D             | Volatile Suspended Solids        | Total           | 0.80     | mg/L         | J                | 0.200                  | 5.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-1 Dupl         | GZC-03              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 2/1/2019               | 2/1/2019               |                     |                     |                         |                         | 2/1/2019             | #####                | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 3.67     | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-1 Dupl         | GZC-03              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 2/1/2019               | 2/1/2019               |                     |                     |                         |                         | 2/1/2019             | #####                | Water         | USEPA         | E. COLI            | E. Coli                          | Total           | 1011.20  | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-1 Dupl         | GZC-03              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 2/4/2019               | 2/1/2019               |                     |                     |                         |                         | 2/4/2019             | #####                | Water         | APHA          | 4500-CL            | Chloride                         | Total           | 278.00   | mg/L         |                  | 40.0                   | 40.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-1 Dupl         | GZC-03              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 2/4/2019               | 2/1/2019               |                     |                     |                         |                         | 2/4/2019             | #####                | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 1490.00  | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-1 Dupl         | GZC-03              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 2/5/2019               | 2/1/2019               |                     |                     |                         |                         | 2/5/2019             | #####                | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 1.17     | mg/L         |                  | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-1 Dupl         | GZC-03              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 2/5/2019               | 2/1/2019               |                     |                     |                         |                         | 2/5/2019             | #####                | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 10.70    | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-1 Dupl         | GZC-03              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 2/5/2019               | 2/1/2019               |                     |                     |                         |                         | 2/5/2019             | #####                | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | 0.14     | mg/L         | J                | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-1 Dupl         | GZC-03              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 2/6/2019               | 2/1/2019               |                     |                     |                         |                         | 2/6/2019             | #####                | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | ND       | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-1 Dupl         | GZC-03              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 2/7/2019               | 2/1/2019               |                     |                     |                         |                         | 2/7/2019             | #####                | Water         | USEPA         | 2540-D             | Total Suspended Solids           | Total           | 5.40     | mg/L         |                  | 0.200                  | 5.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-1 Dupl         | GZC-03              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 2/7/2019               | 2/1/2019               |                     |                     |                         |                         | 2/7/2019             | #####                | Water         | USEPA         | 2540-D             | Volatile Suspended Solids        | Total           | 1.80     | mg/L         | J                | 0.200                  | 5.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-1 Dupl         | GZC-03              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 02/11/2019             | 10:47:00 AM            |                     |                     |                         |                         | #####                |                      | Water         | YSI           | EPA 120            | Conductivity                     |                 | 1510.00  | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-1 Dupl         | GZC-03              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 02/11/2019             | 10:47:00 AM            |                     |                     |                         |                         | #####                |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 7.88     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-1 Dupl         | GZC-03              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 02/11/2019             | 10:47:00 AM            |                     |                     |                         |                         | #####                |                      | Water         | USEPA         | SM 2550E           | Temperature                      |                 | 8.41     | deg C        |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-1 Dupl         | GZC-03              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 02/13/2019             | 10:55:00 AM            |                     |                     |                         |                         | #####                |                      | Water         | USEPA         | SM 2550E           | Temperature                      |                 | 15.95    | deg C        |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-1 Field        | GZC-03              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 2/1/2019               | 2/1/2019               |                     |                     |                         |                         | 2/1/2019             | #####                | Water         | Lab           | 2130-B             | Turbidity                        |                 | 0.87     | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-1 Field        | GZC-03              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 2/1/2019               | 2/1/2019               |                     |                     |                         |                         | 2/1/2019             | #####                | Water         | USEPA         | E. COLI            | E. Coli                          | Total           | <1       | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-1 Field        | GZC-03              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 2/4/2019               | 2/1/2019               |                     |                     |                         |                         | 2/4/2019             | #####                | Water         | APHA          | 4500-CL            | Chloride                         | Total           | ND       | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-1 Field        | GZC-03              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 2/5/2019               | 2/1/2019               |                     |                     |                         |                         | 2/5/2019             | #####                | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | ND       | mg/L         |                  | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-1 Field        | GZC-03              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 2/5/2019               | 2/1/2019               |                     |                     |                         |                         | 2/5/2019             | #####                | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | ND       | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-1 Field        | GZC-03              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 2/5/2019               | 2/1/2019               |                     |                     |                         |                         | 2/5/2019             | #####                | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-1 Field        | GZC-03              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 2/6/2019               | 2/1/2019               |                     |                     |                         |                         | 2/6/2019             | #####                | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | ND       | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-1 Field        | GZC-03              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 2/7/2019               | 2/1/2019               |                     |                     |                         |                         | 2/7/2019             | #####                | Water         | USEPA         | 2540-D             | Total Suspended Solids           | Total           | 1.80     | mg/L         | J                | 0.200                  | 5.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-1 Field        | GZC-03              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 2/7/2019               | 2/1/2019               |                     |                     |                         |                         | 2/7/2019             | #####                | Water         | USEPA         | 2540-D             | Volatile Suspended Solids        | Total           | 2.40     | mg/L         | J                | 0.200                  | 5.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-1 Field        | GZC-03              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | #####                  | 2/1/2019               |                     |                     |                         |                         | #####                | #####                | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 1.36     | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-1 Field        | GZC-03              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 02/13/2019             | 10:55:00 AM            |                     |                     |                         |                         | #####                |                      | Water         | YSI           | EPA 120            | Conductivity                     |                 | 2.00     | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-1 Field        | GZC-03              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 02/13/2019             | 10:55:00 AM            |                     |                     |                         |                         | #####                |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 7.89     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-2              | GZC-02              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         | 06/04/2019           |                      | Water         | APHA          | 4500-CL            | Chloride                         | Total           | 187.00   | mg/L         | S                | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-2              | GZC-02              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120            | Conductivity                     |                 | 1006.00  | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-2              | GZC-02              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         | 05/31/2019           |                      | Water         | USEPA         | E. COLI            | E. Coli                          | Total           | 387.30   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-2              | GZC-02              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 7.96     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-2              | GZC-02              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         | 06/07/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.07     | mg/L         | J                | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-2              | GZC-02              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         | 06/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 888.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-2              | GZC-02              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         | 06/06/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.19     | mg/L         | J                | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-2              | GZC-02              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         | 05/31/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        |                 | 21.00    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-2              | GZC-02              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/29/2019           |                      | Water         | APHA          | 4500-CL            | Chloride                         | Total           | 117.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              |                   |                     |              |                    |                  |                            |                 |                                  |                      |                        |                        |                     |                     |                         |                         |                      |                      |               |               |                    |                                  |                 |          |              |                  |                        |                                      |                                      |              |                       |

| Submitting Source | Laboratory Name | Sample Group | DRWW Station Code | IL EPA Station Code | Sample Depth | Sample-Depth Units | Waterbody Name   | Public Water Supply Intake | Monitoring Unit | Surface-Water Monitoring Program | QA/QC Field-Blank ID | Sample-Collection Date | Sample-Collection Time | Sample-Receipt Date | Sample-Receipt Time | Sample-Preparation Date | Sample-Preparation Time | Sample-Analysis Date | Sample-Analysis Time | Sample Medium | Method Source | Method Code - IEPA | Analyte                          | Sample Fraction | Result   | Result Units | Result Qualifier | Method Detection Limit | Minimum Practical Quantitation Limit | Maximum Practical Quantitation Limit | Weight Basis | Date Results Released |
|-------------------|-----------------|--------------|-------------------|---------------------|--------------|--------------------|------------------|----------------------------|-----------------|----------------------------------|----------------------|------------------------|------------------------|---------------------|---------------------|-------------------------|-------------------------|----------------------|----------------------|---------------|---------------|--------------------|----------------------------------|-----------------|----------|--------------|------------------|------------------------|--------------------------------------|--------------------------------------|--------------|-----------------------|
| DRWW              | Suburban Labs   |              | 18-2              | GZC-02              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-2              | GZC-02              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/05/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-2              | GZC-02              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/08/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | ND       | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-2              | GZC-02              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/01/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.04     | mg/L         | J                | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-2              | GZC-02              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.31     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-2              | GZC-02              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/04/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.06     | mg/L         |                  | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-2              | GZC-02              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/07/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 704.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-2              | GZC-02              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/04/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.17     | mg/L         | J                | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-2              | GZC-02              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/01/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 11.10    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-3              | GZC-04              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         | 06/04/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 142.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-3              | GZC-04              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 988.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-3              | GZC-04              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         | 05/31/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 248.90   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-3              | GZC-04              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.76     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-3              | GZC-04              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         | 06/07/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.07     | mg/L         | J                | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-3              | GZC-04              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         | 06/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 971.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-3              | GZC-04              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         | 06/06/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.22     | mg/L         | J                | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-3              | GZC-04              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         | 05/31/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 8.35     | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-3              | GZC-04              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/29/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 124.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-3              | GZC-04              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 810.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-3              | GZC-04              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 222.40   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-3              | GZC-04              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-3              | GZC-04              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/30/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-3              | GZC-04              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 08/05/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | 1.43     | mg/L         | J                | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-3              | GZC-04              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.06     | mg/L         |                  | 0.026                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-3              | GZC-04              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.56     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-3              | GZC-04              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/31/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.09     | mg/L         | J                | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-3              | GZC-04              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 08/05/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 855.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-3              | GZC-04              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/29/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | ND       | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-3              | GZC-04              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 2.88     | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-3              | GZC-04              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | APHA          | 4500-CL-           | Chloride                         | Total           | 130.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-3              | GZC-04              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 878.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-3              | GZC-04              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 248.10   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-3              | GZC-04              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-3              | GZC-04              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 09/03/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-3              | GZC-04              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 09/09/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | 1.31     | mg/L         | J                | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-3              | GZC-04              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | ND       | mg/L         |                  | 0.026                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-3              | GZC-04              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.70     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-3              | GZC-04              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.09     | mg/L         | J                | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-3              | GZC-04              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 906.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-3              | GZC-04              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.12     | mg/L         | J                | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-3              | GZC-04              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 7.78     | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-3              | GZC-04              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/06/2019           |                      | Water         | USEPA         | 4500-CL-           | Chloride                         | Total           | 82.60    | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-3              | GZC-04              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120.           | Conductivity                     | Total           | 733.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-3              | GZC-04              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 866.40   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-3              | GZC-04              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-3              | GZC-04              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/05/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-3              | GZC-04              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/07/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | ND       | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-3              | GZC-04              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/01/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.02     | mg/L         | J                | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-3              | GZC-04              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.24     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-3              | GZC-04              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/04/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.09     | mg/L         |                  | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-3              | GZC-04              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/07/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 810.00   |              |                  |                        |                                      |                                      |              |                       |



| Submitting Source | Laboratory Name | Sample Group | DRWW Station Code | IL EPA Station Code | Sample Depth | Sample-Depth Units | Waterbody Name   | Public Water Supply Intake | Monitoring Unit | Surface-Water Monitoring Program | QA/QC Field-Blank ID | Sample-Collection Date | Sample-Collection Time | Sample-Receipt Date | Sample-Receipt Time | Sample-Preparation Date | Sample-Preparation Time | Sample-Analysis Date | Sample-Analysis Time | Sample Medium | Method Source | Method Code - IEPA | Analyte                          | Sample Fraction | Result   | Result Units | Result Qualifier | Method Detection Limit | Minimum Practical Quantitation Limit | Maximum Practical Quantitation Limit | Weight Basis | Date Results Released |
|-------------------|-----------------|--------------|-------------------|---------------------|--------------|--------------------|------------------|----------------------------|-----------------|----------------------------------|----------------------|------------------------|------------------------|---------------------|---------------------|-------------------------|-------------------------|----------------------|----------------------|---------------|---------------|--------------------|----------------------------------|-----------------|----------|--------------|------------------|------------------------|--------------------------------------|--------------------------------------|--------------|-----------------------|
| DRWW              | Suburban Labs   |              | 18-4              | GZC-05              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 09/03/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-4              | GZC-05              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 09/09/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | 3.18     | mg/L         | J                | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-4              | GZC-05              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.03     | mg/L         | J                | 0.026                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-4              | GZC-05              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 7.57     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-4              | GZC-05              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.09     | mg/L         | J                | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-4              | GZC-05              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 889.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-4              | GZC-05              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.13     | mg/L         | J                | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-4              | GZC-05              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        |                 | 6.50     | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-4              | GZC-05              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/06/2019           |                      | Water         | USEPA         | 4500-CL            | Chloride                         | Total           | 69.00    | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-4              | GZC-05              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120            | Conductivity                     | Total           | 756.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-4              | GZC-05              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 1299.70  | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-4              | GZC-05              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 10/31/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-4              | GZC-05              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/05/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-4              | GZC-05              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/07/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | ND       | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-4              | GZC-05              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/01/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | ND       | mg/L         |                  | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-4              | GZC-05              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        | Total           | 7.40     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-4              | GZC-05              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/04/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.06     | mg/L         |                  | 0.020                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-4              | GZC-05              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/07/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 835.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-4              | GZC-05              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/01/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.25     | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-4              | GZC-05              | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 10/31/2019             |                        | 10/31/2019          |                     |                         |                         | 11/01/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        | Total           | 3.37     | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-5              | GZCZA-0             | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         | 06/04/2019           |                      | Water         | APHA          | 4500-CL            | Chloride                         | Total           | 135.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-5              | GZCZA-0             | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120            | Conductivity                     |                 | 889.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-5              | GZCZA-0             | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         | 05/31/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 410.60   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-5              | GZCZA-0             | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 7.76     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-5              | GZCZA-0             | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         | 06/07/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.08     | mg/L         | J                | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-5              | GZCZA-0             | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         | 06/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 871.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-5              | GZCZA-0             | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         | 06/04/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | 0.21     | mg/L         | J                | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-5              | GZCZA-0             | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 05/31/2019             |                        | 05/31/2019          |                     |                         |                         | 05/31/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        |                 | 12.80    | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-5              | GZCZA-0             | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/29/2019           |                      | Water         | APHA          | 4500-CL            | Chloride                         | Total           | 79.50    | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-5              | GZCZA-0             | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120            | Conductivity                     |                 | 661.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-5              | GZCZA-0             | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 117.80   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-5              | GZCZA-0             | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-5              | GZCZA-0             | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/30/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-5              | GZCZA-0             | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 08/05/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | 1.38     | mg/L         | J                | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-5              | GZCZA-0             | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | 0.04     | mg/L         | J                | 0.026                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-5              | GZCZA-0             | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 7.44     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-5              | GZCZA-0             | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/31/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.10     | mg/L         | J                | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-5              | GZCZA-0             | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 08/05/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 685.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-5              | GZCZA-0             | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/29/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | ND       | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-5              | GZCZA-0             | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 07/26/2019             |                        | 07/26/2019          |                     |                         |                         | 07/26/2019           |                      | Water         | Lab           | 2130-B             | Turbidity                        |                 | 5.18     | NTU          |                  | 0.100                  | 0.200                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-5              | GZCZA-0             | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | APHA          | 4500-CL            | Chloride                         | Total           | 112.00   | mg/L         |                  | 20.0                   | 20.0                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-5              | GZCZA-0             | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         |                      |                      | Water         | YSI           | EPA 120            | Conductivity                     |                 | 743.00   | umhos/cm     |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-5              | GZCZA-0             | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | E_COLI             | E. Coli                          | Total           | 866.40   | MPN/100mL    |                  | 1.0                    | 1.0                                  |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-5              | GZCZA-0             | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 08/29/2019           |                      | Water         | USEPA         | DISSOLV            | Filtered and Preserved           | Total           | complete |              | V                | 0                      | 0                                    |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-5              | GZCZA-0             | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 09/03/2019           |                      | Water         | USEPA         | 350.3              | Nitrogen, Ammonia (As N)         | Total           | ND       | mg/L         |                  | 0.10                   | 0.30                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-5              | GZCZA-0             | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 09/09/2019           |                      | Water         | USEPA         | 351.2              | Nitrogen, Kjeldahl, Total        | Total           | 11.40    | mg/L         |                  | 1.19                   | 3.78                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-5              | GZCZA-0             | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 08/30/2019           |                      | Water         | USEPA         | 365.2              | Orthophosphate (As P)            | Total           | ND       | mg/L         |                  | 0.026                  | 0.050                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-5              | GZCZA-0             | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         |                      |                      | Water         | USEPA         | 365.2              | pH, Field                        |                 | 7.69     | S.U.         |                  |                        |                                      |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-5              | GZCZA-0             | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | USEPA         | 200.7              | Phosphorus, Total (as P)         | Total           | 0.15     | mg/L         |                  | 0.0500                 | 0.135                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-5              | GZCZA-0             | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | Lab           | 2510B              | Specific Conductivity            | Total           | 793.00   | umhos/cm     |                  | 1.00                   | 1.00                                 |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-5              | GZCZA-0             | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 09/04/2019           |                      | Water         | USEPA         | 353.2              | Total Nitrates (Nitrate+Nitrite) | Total           | ND       | mg/L         |                  | 0.100                  | 0.224                                |                                      |              |                       |
| DRWW              | Suburban Labs   |              | 18-5              | GZCZA-0             | 0.5          | ft                 | Aptakistic Creek |                            |                 | Non-IEPA                         |                      | 08/29/2019             |                        | 08/29/2019          |                     |                         |                         | 08/30/2019           |                      | Water</       |               |                    |                                  |                 |          |              |                  |                        |                                      |                                      |              |                       |