







DRWV	Lake County Health Department	11.2	GW-05	0.5	R	MtL Creek	Now/PA	8152023 11:40:00 AM	11:40:00	8152023 11:40:00 AM	11:40:00	8222023 11:00:00 PM	Water	SM-4500-F-Rev 1999, 21a Ed	Phosphorus, Total, (as P)	0.205	mg/L	0.020
DRWV	Lake County Health Department	11.2	GW-05	0.5	R	MtL Creek	Now/PA	8152023 11:40:00 AM	11:40:00	8152023 11:40:00 AM	11:40:00	8152023 11:40:00 AM	Water	SM-4500-F-Rev 1999, 21a Ed	g/L	9.2	mg/L	1.30
DRWV	Lake County Health Department	11.2	GW-05	0.5	R	MtL Creek	Now/PA	8152023 11:40:00 AM	11:40:00	8152023 11:40:00 AM	11:40:00	8162023 1:01:00 PM	Water	SM-4500-F-Rev 1999, 21a Ed	Scholl's Reactive Phosphorus (as PO4)	0.077	mg/L	0.005
DRWV	Lake County Health Department	11.2	GW-05	0.5	R	MtL Creek	Now/PA	8152023 11:40:00 AM	11:40:00	8152023 11:40:00 AM	11:40:00	8152023 1:52:00 PM	Water	IPA-374 1.981	Sulfate	4.97	mg/L	10.0
DRWV	Lake County Health Department	11.2	GW-05	0.5	R	MtL Creek	Now/PA	8152023 11:40:00 AM	11:40:00	8152023 11:40:00 AM	11:40:00	8152023 1:48:00 AM	Water	SM-2550-B-Rev 2009, 21a Ed	Temperature	16.65	C	21.00
DRWV	Lake County Health Department	11.2	GW-05	0.5	R	MtL Creek	Now/PA	8152023 11:40:00 AM	11:40:00	8152023 11:40:00 AM	11:40:00	8152023 11:00:00 AM	Water	SM-2404-B-Rev 1997, 21a Ed	Total Hardness	200	mg/L	5.00
DRWV	Lake County Health Department	11.2	GW-05	0.5	R	MtL Creek	Now/PA	8152023 11:40:00 AM	11:40:00	8152023 11:40:00 AM	11:40:00	8152023 4:22:00 AM	Water	SM-4500-NH-E-Rev 1997, 21a Ed	Total Kjeldahl Nitrogen (as N)	2.200	mg/L	0.500
DRWV	Lake County Health Department	11.2	GW-05	0.5	R	MtL Creek	Now/PA	9192023 11:30:00 AM	11:30:00	9192023 11:30:00 AM	11:30:00	1012023 11:21:00 AM	Water	SM-4500-NH-E-Rev 1997, 21a Ed	Ammonia (as N)	0.135	mg/L	0.100
DRWV	Lake County Health Department	11.2	GW-05	0.5	R	MtL Creek	Now/PA	9192023 11:30:00 AM	11:30:00	9192023 11:30:00 AM	11:30:00	9192023 11:30:00 AM	Water	SM-4500-F-Rev 1999, 21a Ed	Conductivity	792	uS/cm	0.500
DRWV	Lake County Health Department	11.2	GW-05	0.5	R	MtL Creek	Now/PA	9192023 11:30:00 AM	11:30:00	9192023 11:30:00 AM	11:30:00	9192023 4:51:00 AM	Water	IPA-353 2.8 v. 2.0, 1993	Nitrate-Nitrite (as N)	1.07	mg/L	0.050
DRWV	Lake County Health Department	11.2	GW-05	0.5	R	MtL Creek	Now/PA	9192023 11:30:00 AM	11:30:00	9192023 11:30:00 AM	11:30:00	9192023 11:30:00 AM	Water	Field Method	pH	7.86	S.U.	10.0
DRWV	Lake County Health Department	11.2	GW-05	0.5	R	MtL Creek	Now/PA	1092023 11:00:00 AM	11:00:00	1092023 11:00:00 AM	11:00:00	1092023 11:00:00 AM	Water	SM-4500-F-Rev 1999, 21a Ed	Phosphorus, Total (as P)	0.609	mg/L	0.020
DRWV	Lake County Health Department	11.2	GW-05	0.5	R	MtL Creek	Now/PA	9192023 11:30:00 AM	11:30:00	9192023 11:30:00 AM	11:30:00	4222023 12:58:00 PM	Water	SM-2540-B-Rev 1999, 21a Ed	Residue, Non-Fibrous (FSB)	21.0	mg/L	1.30
DRWV	Lake County Health Department	11.2	GW-05	0.5	R	MtL Creek	Now/PA	9192023 11:30:00 AM	11:30:00	9192023 11:30:00 AM	11:30:00	9202023 9:53	Water	SM-4500-F-Rev 1999, 21a Ed	Scholl's Reactive Phosphorus (as PO4)	0.03	mg/L	0.01
DRWV	Lake County Health Department	11.2	GW-05	0.5	R	MtL Creek	Now/PA	9192023 11:30:00 AM	11:30:00	9192023 11:30:00 AM	11:30:00	9192023 11:30:00 AM	Water	SM-2550-B-Rev 2009, 21a Ed	Temperature	16.65	C	21.00
DRWV	Lake County Health Department	11.2	GW-05	0.5	R	MtL Creek	Now/PA	9192023 11:30:00 AM	11:30:00	9192023 11:30:00 AM	11:30:00	9192023 11:30:00 AM	Water	SM-4500-NH-E-Rev 1997, 21a Ed	Total Kjeldahl Nitrogen (as N)	1.630	mg/L	0.500
DRWV	Lake County Health Department	11.2	GW-05	0.5	R	MtL Creek	Now/PA	2222023 9:21:00 AM	9:21:00	2222023 9:21:00 AM	9:21:00	2222023 12:18:00 PM	Water	SM-4500-NH-E-Rev 1997, 21a Ed	Ammonia (as N)	<0.100	mg/L	0.100
DRWV	Lake County Health Department	11.3	GW-04	0.5	R	MtL Creek	Now/PA	2222023 9:21:00 AM	9:21:00	2222023 9:21:00 AM	9:21:00	2222023 9:21:00 AM	Water	Field Method	Chloride	24.00	mg/L	5.00
DRWV	Lake County Health Department	11.3	GW-04	0.5	R	MtL Creek	Now/PA	2222023 9:21:00 AM	9:21:00	2222023 9:21:00 AM	9:21:00	2222023 9:21:00 AM	Water	SM-923-B-CaliOrt/Rev 1997, 21a Ed	F. Col	11.2	mg/100 ml	1.0
DRWV	Lake County Health Department	11.3	GW-04	0.5	R	MtL Creek	Now/PA	2222023 9:21:00 AM	9:21:00	2222023 9:21:00 AM	9:21:00	2222023 9:21:00 AM	Water	IPA-353 2.8 v. 2.0, 1993	Nitrate-Nitrite (as N)	0.464	mg/L	0.050
DRWV	Lake County Health Department	11.3	GW-04	0.5	R	MtL Creek	Now/PA	2222023 9:21:00 AM	9:21:00	2222023 9:21:00 AM	9:21:00	2222023 9:21:00 AM	Water	Field Method	pH	7.82	S.U.	10.0
DRWV	Lake County Health Department	11.3	GW-04	0.5	R	MtL Creek	Now/PA	2222023 9:21:00 AM	9:21:00	2222023 9:21:00 AM	9:21:00	4312023 9:00:00 AM	Water	SM-4500-P-B-Rev 1999, 21a Ed	Phosphorus, Total (as P)	0.620	mg/L	0.020
DRWV	Lake County Health Department	11.3	GW-04	0.5	R	MtL Creek	Now/PA	2222023 9:21:00 AM	9:21:00	2222023 9:21:00 AM	9:21:00	2272023 9:00:00 AM	Water	SM-2404-B-Rev 1997, 21a Ed	Residue, Non-Fibrous (FSB)	0.720	mg/L	1.30
DRWV	Lake County Health Department	11.3	GW-04	0.5	R	MtL Creek	Now/PA	2222023 9:21:00 AM	9:21:00	2222023 9:21:00 AM	9:21:00	2222023 9:21:00 AM	Water	SM-2550-B-Rev 2009, 21a Ed	Temperature	16.65	C	0.000
DRWV	Lake County Health Department	11.3	GW-04	0.5	R	MtL Creek	Now/PA	2222023 9:21:00 AM	9:21:00	2222023 9:21:00 AM	9:21:00	3132023 5:19:00 PM	Water	IPA-374 1.981	Sulfate	49.4	mg/L	10.0
DRWV	Lake County Health Department	11.3	GW-04	0.5	R	MtL Creek	Now/PA	2222023 9:21:00 AM	9:21:00	2222023 9:21:00 AM	9:21:00	2222023 9:21:00 AM	Water	SM-2550-B-Rev 2009, 21a Ed	Temperature	22.75	C	21.00
DRWV	Lake County Health Department	11.3	GW-04	0.5	R	MtL Creek	Now/PA	2222023 9:21:00 AM	9:21:00	2222023 9:21:00 AM	9:21:00	5212023 2:30:00 PM	Water	SM-2346-B-Rev 1997, 21a Ed	Total Hardness	266	mg/L	5.00
DRWV	Lake County Health Department	11.3	GW-04	0.5	R	MtL Creek	Now/PA	2222023 9:21:00 AM	9:21:00	2222023 9:21:00 AM	9:21:00	3112023 8:19:00 AM	Water	SM-4500-NH-E-Rev 1997, 21a Ed	Total Kjeldahl Nitrogen (as N)	0.935	mg/L	0.500
DRWV	Lake County Health Department	11.3	GW-04	0.5	R	MtL Creek	Now/PA	5172023 11:50:00 AM	11:50:00	5172023 11:50:00 AM	11:50:00	5172023 11:50:00 AM	Water	SM-4500-NH-E-Rev 1997, 21a Ed	Ammonia (as N)	0.140	mg/L	0.100
DRWV	Lake County Health Department	11.3	GW-04	0.5	R	MtL Creek	Now/PA	5172023 11:50:00 AM	11:50:00	5172023 11:50:00 AM	11:50:00	5172023 11:50:00 AM	Water	Field Method	Chloride	1083	uS/cm	0.500
DRWV	Lake County Health Department	11.3	GW-04	0.5	R	MtL Creek	Now/PA	5172023 11:50:00 AM	11:50:00	5172023 11:50:00 AM	11:50:00	5172023 4:31:00 PM	Water	IPA-353 2.8 v. 2.0, 1993	Nitrate-Nitrite (as N)	0.100	mg/L	0.050
DRWV	Lake County Health Department	11.3	GW-04	0.5	R	MtL Creek	Now/PA	5172023 11:50:00 AM	11:50:00	5172023 11:50:00 AM	11:50:00	5172023 11:50:00 AM	Water	Field Method	pH	8.08	S.U.	1.00
DRWV	Lake County Health Department	11.3	GW-04	0.5	R	MtL Creek	Now/PA	5172023 11:50:00 AM	11:50:00	5172023 11:50:00 AM	11:50:00	602023 12:00:00 PM	Water	SM-4500-F-Rev 1999, 21a Ed	Conductivity	839	uS/cm	0.020
DRWV	Lake County Health Department	11.3	GW-04	0.5	R	MtL Creek	Now/PA	5172023 11:50:00 AM	11:50:00	5172023 11:50:00 AM	11:50:00	5172023 11:50:00 AM	Water	SM-2550-B-Rev 2009, 21a Ed	Temperature	8.20	mg/L	1.30
DRWV	Lake County Health Department	11.3	GW-04	0.5	R	MtL Creek	Now/PA	5172023 11:50:00 AM	11:50:00	5172023 11:50:00 AM	11:50:00	5172023 5:19:00 PM	Water	SM-4500-F-Rev 1999, 21a Ed	Scholl's Reactive Phosphorus (as PO4)	0.013	mg/L	0.005
DRWV	Lake County Health Department	11.3	GW-04	0.5	R	MtL Creek	Now/PA	5172023 11:50:00 AM	11:50:00	5172023 11:50:00 AM	11:50:00	5172023 11:50:00 AM	Water	SM-4500-NH-E-Rev 1997, 21a Ed	Ammonia (as N)	0.64	mg/L	0.100
DRWV	Lake County Health Department	11.3	GW-04	0.5	R	MtL Creek	Now/PA	5172023 11:50:00 AM	11:50:00	5172023 11:50:00 AM	11:50:00	5172023 11:50:00 AM	Water	SM-4500-NH-E-Rev 1997, 21a Ed	Total Kjeldahl Nitrogen (as N)	0.810	mg/L	0.500
DRWV	Lake County Health Department	11.3	GW-04	0.5	R	MtL Creek	Now/PA	7172023 8:56:00 AM	8:56:00	7172023 8:56:00 AM	8:56:00	7202023 12:18:00 PM	Water	SM-4500-NH-E-Rev 1997, 21a Ed	Ammonia (as N)	0.112	mg/L	0.100
DRWV	Lake County Health Department	11.3	GW-04	0.5	R	MtL Creek	Now/PA	7172023 8:56:00 AM	8:56:00	7172023 8:56:00 AM	8:56:00	7172023 8:56:00 AM	Water	Field Method	Chloride	67.6	uS/cm	0.020
DRWV	Lake County Health Department	11.3	GW-04	0.5	R	MtL Creek	Now/PA	7172023 8:56:00 AM	8:56:00	7172023 8:56:00 AM	8:56:00	7172023 8:56:00 AM	Water	IPA-353 2.8 v. 2.0, 1993	Nitrate-Nitrite (as N)	0.92	mg/L	0.050
DRWV	Lake County Health Department	11.3	GW-04	0.5	R	MtL Creek	Now/PA	7172023 8:56:00 AM	8:56:00	7172023 8:56:00 AM	8:56:00	7172023 8:56:00 AM	Water	Field Method	pH	7.97	S.U.	1.00
DRWV	Lake County Health Department	11.3	GW-04	0.5	R	MtL Creek	Now/PA	7172023 8:56:00 AM	8:56:00	7172023 8:56:00 AM	8:56:00	7212023 2:57:00 PM	Water	SM-4500-P-B-Rev 1999, 21a Ed	Phosphorus, Total (as P)	0.106	mg/L	0.020
DRWV	Lake County Health Department	11.3	GW-04	0.5	R	MtL Creek	Now/PA	7172023 8:56:00 AM	8:56:00	7172023 8:56:00 AM	8:56:00	7192023 3:00:00 PM	Water	SM-2404-B-Rev 1997, 21a Ed	Residue, Non-Fibrous (FSB)	29.4	mg/L	1.30
DRWV	Lake County Health Department	11.3	GW-04	0.5	R	MtL Creek	Now/PA	7172023 8:56:00 AM	8:56:00	7172023 8:56:00 AM	8:56:00	7172023 4:31:00 PM	Water	SM-4500-F-Rev 1999, 21a Ed	Scholl's Reactive Phosphorus (as PO4)	0.038	mg/L	0.000
DRWV	Lake County Health Department	11.3	GW-04	0.5	R	MtL Creek	Now/PA	7172023 8:56:00 AM	8:56:00	7172023 8:56:00 AM	8:56:00	7172023 8:56:00 AM	Water	SM-2550-B-Rev 2009, 21a Ed	Temperature	20.15	C	21.00
DRWV	Lake County Health Department	11.3	GW-04	0.5	R	MtL Creek	Now/PA	7172023 8:56:00 AM	8:56:00	7172023 8:56:00 AM	8:56:00	7172023 8:56:00 AM	Water	SM-4500-NH-E-Rev 1997, 21a Ed	Total Kjeldahl Nitrogen (as N)	0.410	mg/L	0.500
DRWV	Lake County Health Department	11.3	GW-04	0.5	R	MtL Creek	Now/PA	9192023 10:00:00 AM	10:00:00	9192023 10:00:00 AM	10:00:00	1012023 11:21:00 AM	Water	SM-4500-NH-E-Rev 1997, 21a Ed	Ammonia (as N)	0.100	mg/L	0.100
DRWV	Lake County Health Department	11.3	GW-04	0.5	R	MtL Creek	Now/PA	9192023 10:00:00 AM	10:00:00	9192023 10:00:00 AM	10:00:00	9192023 10:00:00 AM	Water	SM-4500-F-Rev 1999, 21a Ed	Conductivity	797	uS/cm	0.500
DRWV	Lake County Health Department	11.3	GW-04	0.5	R	MtL Creek	Now/PA	9192023 10:00:00 AM	10:00:00	9192023 10:00:00 AM	10:00:00	9192023 4:51:00 AM	Water	IPA-353 2.8 v. 2.0, 1993	Nitrate-Nitrite (as N)	0.112	mg/L	0.050
DRWV	Lake County Health Department	11.3	GW-04	0.5	R	MtL Creek	Now/PA	9192023 10:00:00 AM	10:00:00	9192023 10:00:00 AM	10:00:00	9192023 10:00:00 AM	Water	Field Method	pH	7.99	S.U.	1.00
DRWV	Lake County Health Department	11.3	GW-04	0.5	R	MtL Creek	Now/PA	9192023 10:00:00 AM	10:00:00	9192023 10:00:00								



















































